





Ergebnis: **410.2** (394)
 Serien: 101.1 103.8 101.2 104.1
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 473 (2), 444 (1), 342 (21)
 beste Teiler 35.4 (16.) 46.3 (27.) 57.9 (34.)
 Trefferlage 0.18 mm links, 0.09 mm hoch
 Streuwert 1.43, horizontal: 1.54, vertikal: 1.31




Serie 1:
 9.2 ↖ 9.1 ← 10.5 * 10.5 * 10.3 *
 10.2 * 10.3 * 10.4 * 10.4 * 10.2 *
 beste Teiler 107.6 (3.) 117.7 (4.) 131.0 (9.)
 Trefferlage 0.97 mm links, 0.19 mm hoch
 Streuwert 1.69, horizontal: 1.88, vertikal: 1.47



Serie 2:
 10.0 ↘ 10.4 * 10.2 * 10.4 * 10.4 *
 10.8 * 10.2 * 10.2 * 10.7 * 10.5 *
 beste Teiler 35.4 (16.) 62.0 (19.) 116.9 (20.)
 Trefferlage 0.75 mm rechts, 0.44 mm tief
 Streuwert 0.96, horizontal: 0.89, vertikal: 1.03



Serie 3:
 9.6 ↖ 9.7 → 10.4 * 9.9 ← 10.3 *
 9.9 ↗ 10.8 * 10.4 * 10.2 * 10.0 ↓
 beste Teiler 46.3 (27.) 129.8 (28.) 150.2 (23.)
 Trefferlage 0.57 mm links, 0.06 mm hoch
 Streuwert 1.66, horizontal: 1.81, vertikal: 1.49





Serie 4:
 10.3 * 10.1 ↗ 10.0 ↑ 10.7 * 10.2 *
 10.7 * 10.6 * 10.6 * 10.6 * 10.3 *
 beste Teiler 57.9 (34.) 58.0 (36.) 86.1 (39.)
 Trefferlage 0.07 mm rechts, 0.57 mm hoch
 Streuwert 1.02, horizontal: 0.84, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.6** (374)
 Serien: 97.3 96.3 99.2 98.8
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 671 (1), 651 (40), 556 (23)
 beste Teiler 46.8 (9.) 55.0 (35.) 56.8 (3.)
 Trefferlage 0.46 mm links, 0.54 mm tief
 Streuwert 2.29, horizontal: 2.66, vertikal: 1.85




Serie 1:
 8.3 ↘ 9.7 ↙ 10.7 * 10.0 ↘ 10.3 *
 9.2 → 9.4 ↗ 9.1 ↘ 10.8 * 9.8 →
 beste Teiler 46.8 (9.) 56.8 (3.) 157.6 (5.)
 Trefferlage 0.57 mm rechts, 1.75 mm tief
 Streuwert 2.30, horizontal: 2.37, vertikal: 2.22



Serie 2:
 9.8 ← 10.2 * 9.5 ↑ 9.5 ← 8.8 →
 9.0 ↙ 10.1 ↙ 9.8 ↘ 9.8 ← 9.8 ←
 beste Teiler 192.0 (12.) 205.9 (17.) 278.1 (20.)
 Trefferlage 1.30 mm links, 0.34 mm tief
 Streuwert 2.37, horizontal: 2.89, vertikal: 1.72



Serie 3:
 10.3 * 10.3 * 8.7 → 10.2 * 10.1 ↘
 10.6 * 9.7 ↘ 9.3 ↘ 10.2 * 9.8 ←
 beste Teiler 99.8 (26.) 160.9 (21.) 169.7 (22.)
 Trefferlage 0.08 mm rechts, 0.22 mm tief
 Streuwert 2.17, horizontal: 2.83, vertikal: 1.18





Serie 4:
 10.2 * 9.9 ↘ 10.2 * 10.2 * 10.7 *
 10.3 * 10.1 ↑ 9.3 ↘ 9.6 ↘ 8.3 ←
 beste Teiler 55.0 (35.) 169.9 (36.) 178.6 (34.)
 Trefferlage 1.22 mm links, 0.14 mm hoch
 Streuwert 2.12, horizontal: 2.40, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.8** (387)
 Serien: 99.5 102.1 99.7 100.5
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 448 (30), 401 (25), 380 (1)
 beste Teiler 68.0 (34.) 69.7 (14.) 83.4 (22.)
 Trefferlage 0.62 mm rechts, 0.63 mm hoch
 Streuwert 1.63, horizontal: 1.63, vertikal: 1.64




Serie 1:
 9.4 → 10.0 ↘ 9.8 → 10.0 ✓ 10.4 *
 10.2 * 9.5 ↑ 10.3 * 10.3 * 9.6 ↑
 beste Teiler 136.3 (5.) 166.6 (9.) 174.0 (8.)
 Trefferlage 0.60 mm rechts, 1.10 mm hoch
 Streuwert 1.74, horizontal: 1.82, vertikal: 1.65



Serie 2:
 10.0 ← 10.0 ↑ 10.2 * 10.7 * 10.4 *
 9.6 → 10.5 * 10.2 * 10.3 * 10.2 *
 beste Teiler 69.7 (14.) 102.7 (17.) 145.7 (15.)
 Trefferlage 0.67 mm rechts, 0.51 mm hoch
 Streuwert 1.33, horizontal: 1.37, vertikal: 1.29





Serie 3:
 10.0 ↑ 10.6 * 10.0 ← 10.1 ↑ 9.3 ↑
 10.5 * 10.3 * 9.9 ↑ 9.8 ✓ 9.2 →
 beste Teiler 83.4 (22.) 111.7 (26.) 161.9 (27.)
 Trefferlage 0.67 mm rechts, 0.90 mm hoch
 Streuwert 1.83, horizontal: 1.80, vertikal: 1.86




Serie 4:
 10.4 * 10.0 ✓ 9.9 → 10.7 * 10.0 ↘
 9.6 ↘ 10.2 * 9.7 → 9.9 ↑ 10.1 ↓
 beste Teiler 68.0 (34.) 147.4 (31.) 196.0 (37.)
 Trefferlage 0.55 mm rechts, 0.01 mm hoch
 Streuwert 1.75, horizontal: 1.77, vertikal: 1.73

Unterschrift des Schützen


Ergebnis:	379.6	(357)
Serien:	95.7	96.5 92.9 94.5
Zähler:	12	15 11 2 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	844	(31), 789 (37), 698 (21)
beste Teiler	49.7	(15.) 51.0 (36.) 52.1 (6.)
Trefferlage	0.56 mm links, 0.75 mm hoch	
Streuwert	2.92, horizontal: 2.43, vertikal: 3.33	




Serie 1:	10.0 ↘	9.6 ↑	8.8 ↘	10.7 *	9.9 ↘
	10.7 *	8.9 ↑	8.4 ↓	8.8 ↑	9.9 ↑
beste Teiler	52.1 (6.) 75.4 (4.) 228.6 (1.)				
Trefferlage	0.10 mm rechts, 0.79 mm hoch				
Streuwert	2.88, horizontal: 1.92, vertikal: 3.59				



Serie 2:	8.8 ←	9.9 ↘	9.2 ↓	8.4 ↗	10.8 *
	10.2 *	10.1 ↘	8.9 ↘	10.4 *	9.8 ↓
beste Teiler	49.7 (15.) 143.3 (19.) 188.4 (16.)				
Trefferlage	0.92 mm links, 0.04 mm hoch				
Streuwert	2.71, horizontal: 2.36, vertikal: 3.02				





Serie 3:	8.2 ↗	8.9 ↘	10.1 ↘	9.9 ↓	9.6 ↓
	9.3 ↑	10.0 ↘	9.1 ↑	8.9 ↖	8.9 ↑
beste Teiler	205.8 (23.) 230.0 (27.) 275.1 (24.)				
Trefferlage	0.62 mm links, 1.81 mm hoch				
Streuwert	2.98, horizontal: 2.45, vertikal: 3.43				




Serie 4:	7.6 ↘	9.8 ↗	9.5 ↗	9.4 ←	9.6 ↗
	10.7 *	7.8 ↓	10.4 *	9.1 ←	10.6 *
beste Teiler	51.0 (36.) 83.4 (40.) 130.3 (38.)				
Trefferlage	0.80 mm links, 0.38 mm hoch				
Streuwert	3.31, horizontal: 3.10, vertikal: 3.52				

Unterschrift des Schützen


Ergebnis: **406.5** (388)
 Serien: 99.7 104.1 98.6 104.1
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 509 (22), 460 (8), 452 (20)
 beste Teiler 13.1 (37.) 38.5 (18.) 38.6 (13.)
 Trefferlage 0.43 mm rechts, 0.43 mm tief
 Streuwert 1.64, horizontal: 1.86, vertikal: 1.37




Serie 1:
 10.0 ← 9.4 ↗ 10.5 * 10.0 ← 9.6 ↖
 10.2 * 10.8 * 9.1 ↙ 10.2 * 9.9 ↘
 beste Teiler 45.1 (7.) 104.6 (3.) 179.5 (6.)
 Trefferlage 0.35 mm links, 0.20 mm tief
 Streuwert 1.99, horizontal: 2.10, vertikal: 1.88



Serie 2:
 10.8 * 10.8 * 10.8 * 10.2 * 10.5 *
 10.5 * 10.5 * 10.8 * 10.1 ↓ 9.1 →
 beste Teiler 38.5 (18.) 38.6 (13.) 43.4 (11.)
 Trefferlage 0.33 mm rechts, 0.68 mm tief
 Streuwert 1.24, horizontal: 1.53, vertikal: 0.85



Serie 3:
 10.6 * 8.9 → 9.4 ↓ 9.2 → 9.8 ↑
 10.7 * 9.6 ↘ 10.6 * 10.0 ← 9.8 →
 beste Teiler 63.0 (26.) 80.7 (21.) 91.1 (28.)
 Trefferlage 1.54 mm rechts, 0.46 mm tief
 Streuwert 1.96, horizontal: 2.25, vertikal: 1.64





Serie 4:
 10.2 * 10.3 * 10.0 ← 10.3 * 10.4 *
 10.6 * 10.9 * 10.7 * 10.6 * 10.1 ↓
 beste Teiler 13.1 (37.) 57.0 (38.) 78.0 (39.)
 Trefferlage 0.23 mm rechts, 0.37 mm tief
 Streuwert 1.05, horizontal: 1.05, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **411.3** (393)
 Serien: 101.1 103.3 104.5 102.4
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 363 (37), 350 (5), 334 (7)
 beste Teiler 17.0 (12.) 21.9 (24.) 42.0 (21.)
 Trefferlage 0.06 mm rechts, 0.01 mm hoch
 Streuwert 1.37, horizontal: 1.55, vertikal: 1.17




Serie 1:
 9.9 ↘ 10.4 * 10.5 * 10.1 ↗ 9.6 →
 10.0 → 9.6 ← 10.3 * 10.3 * 10.4 *
 beste Teiler 114.7 (3.) 132.0 (2.) 133.7 (10.)
 Trefferlage 0.02 mm links, 0.28 mm tief
 Streuwert 1.68, horizontal: 1.94, vertikal: 1.37



Serie 2:
 9.9 → 10.9 * 10.3 * 10.7 * 10.6 *
 10.2 * 10.5 * 9.7 ↙ 10.0 ↖ 10.5 *
 beste Teiler 17.0 (12.) 72.2 (14.) 80.0 (15.)
 Trefferlage 0.18 mm links, 0.31 mm hoch
 Streuwert 1.31, horizontal: 1.47, vertikal: 1.13





Serie 3:
 10.8 * 10.8 * 10.5 * 10.9 * 9.8 ↘
 10.3 * 10.5 * 10.1 → 10.2 * 10.6 *
 beste Teiler 21.9 (24.) 42.0 (21.) 44.5 (22.)
 Trefferlage 0.35 mm rechts, 0.11 mm hoch
 Streuwert 1.12, horizontal: 1.30, vertikal: 0.90




Serie 4:
 10.3 * 10.0 ↑ 10.4 * 10.6 * 10.7 *
 10.2 * 9.5 → 10.3 * 10.2 * 10.2 *
 beste Teiler 72.4 (35.) 96.3 (34.) 140.2 (33.)
 Trefferlage 0.10 mm rechts, 0.07 mm tief
 Streuwert 1.47, horizontal: 1.62, vertikal: 1.32

Unterschrift des Schützen


Ergebnis: **395.7** (379)
 Serien: 100.2 100.4 101.2 93.9
 Zähler: 23 14 2 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 858 (33), 629 (35), 608 (38)
 beste Teiler 16.9 (23.) 63.0 (30.) 72.4 (20.)
 Trefferlage 0.24 mm links, 0.45 mm hoch
 Streuwert 2.23, horizontal: 2.43, vertikal: 2.01




Serie 1:
 10.1 ↖ 10.0 ↗ 9.2 ↖ 10.4 * 10.6 *
 10.2 * 10.4 * 9.6 ↑ 10.0 → 9.7 ↗
 beste Teiler 79.2 (5.) 126.7 (4.) 131.1 (7.)
 Trefferlage 0.18 mm rechts, 1.21 mm hoch
 Streuwert 1.65, horizontal: 2.02, vertikal: 1.15



Serie 2:
 9.3 ↗ 10.6 * 10.0 ↓ 9.6 ↗ 10.3 *
 9.6 ↖ 9.8 ↑ 10.0 ← 10.5 * 10.7 *
 beste Teiler 72.4 (20.) 83.8 (12.) 108.0 (19.)
 Trefferlage 1.06 mm links, 0.12 mm tief
 Streuwert 1.72, horizontal: 1.36, vertikal: 2.02



Serie 3:
 10.3 * 9.8 ↑ 10.9 * 9.9 ↖ 9.2 →
 10.5 * 10.6 * 10.2 * 9.1 ↗ 10.7 *
 beste Teiler 16.9 (23.) 63.0 (30.) 88.5 (27.)
 Trefferlage 0.11 mm rechts, 0.44 mm hoch
 Streuwert 1.87, horizontal: 1.92, vertikal: 1.81





Serie 4:
 9.7 ← 10.5 * 7.5 ↖ 10.0 ↖ 8.4 ↗
 9.8 ↓ 10.0 ↓ 8.5 → 10.4 * 9.1 ↑
 beste Teiler 103.2 (32.) 134.5 (39.) 232.3 (34.)
 Trefferlage 0.20 mm links, 0.29 mm hoch
 Streuwert 3.36, horizontal: 3.85, vertikal: 2.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.6** (379)
 Serien: 100.9 100.0 94.4 99.3
 Zähler: 24 11 5 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 716 (24), 603 (30), 584 (21)
 beste Teiler 29.7 (32.) 35.3 (10.) 41.2 (22.)
 Trefferlage 0.12 mm links, 0.00 mm
 Streuwert 2.31, horizontal: 2.33, vertikal: 2.29




Serie 1:
 10.1 → 10.3 * 10.0 ↘ 9.2 ↘ 9.9 →
 10.2 * 10.1 ← 10.7 * 9.6 ↖ 10.8 *
 beste Teiler 35.3 (10.) 59.5 (8.) 155.6 (2.)
 Trefferlage 0.41 mm links, 1.08 mm hoch
 Streuwert 1.62, horizontal: 1.96, vertikal: 1.19



Serie 2:
 10.1 ↗ 9.4 ↘ 9.5 ↗ 10.7 * 9.0 ↘
 10.5 * 10.1 ↑ 9.9 ↘ 10.4 * 10.4 *
 beste Teiler 66.6 (14.) 114.2 (16.) 132.7 (20.)
 Trefferlage 0.39 mm rechts, 1.00 mm hoch
 Streuwert 1.89, horizontal: 1.92, vertikal: 1.87





Serie 3:
 8.6 ↖ 10.8 * 9.1 ↘ 8.1 ↘ 10.1 ↖
 10.1 → 10.4 * 8.7 ↓ 10.0 → 8.5 ↘
 beste Teiler 41.2 (22.) 148.7 (27.) 204.0 (25.)
 Trefferlage 0.89 mm rechts, 1.63 mm tief
 Streuwert 2.96, horizontal: 3.02, vertikal: 2.90




Serie 4:
 8.9 ← 10.8 * 9.7 ↓ 10.3 * 10.6 *
 10.3 * 10.1 ↓ 9.2 ← 9.4 ↘ 10.0 ↖
 beste Teiler 29.7 (32.) 99.0 (35.) 154.9 (34.)
 Trefferlage 1.38 mm links, 0.44 mm tief
 Streuwert 1.93, horizontal: 1.90, vertikal: 1.97

Unterschrift des Schützen


Ergebnis: **378.4** (360)
 Serien: 91.3 97.9 92.5 96.7
 Zähler: 11 21 5 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 886 (29), 820 (4), 789 (6)
 beste Teiler 58.0 (36.) 93.3 (30.) 109.5 (5.)
 Trefferlage 0.06 mm rechts, 0.14 mm hoch
 Streuwert 3.03, horizontal: 3.74, vertikal: 2.10




Serie 1:
 9.9 ↗ 10.2 * 9.1 ↗ 7.7 → 10.5 *
 7.8 ← 9.0 → 8.8 → 9.0 ← 9.3 ↓
 beste Teiler 109.5 (5.) 194.5 (2.) 265.7 (1.)
 Trefferlage 1.20 mm rechts, 0.13 mm hoch
 Streuwert 3.66, horizontal: 4.78, vertikal: 1.98



Serie 2:
 10.4 * 9.7 ↘ 9.4 ↘ 10.3 * 10.0 ↓
 9.7 ↖ 9.9 ← 9.7 ↓ 8.4 ↖ 10.4 *
 beste Teiler 144.1 (20.) 145.0 (11.) 155.0 (14.)
 Trefferlage 0.35 mm links, 0.41 mm tief
 Streuwert 2.36, horizontal: 2.69, vertikal: 1.98



Serie 3:
 9.7 ↘ 9.4 ↑ 9.3 → 9.8 → 9.1 →
 8.0 ← 10.4 * 8.8 ← 7.4 ↖ 10.6 *
 beste Teiler 93.3 (30.) 133.8 (27.) 298.0 (24.)
 Trefferlage 0.48 mm links, 0.74 mm hoch
 Streuwert 3.57, horizontal: 4.38, vertikal: 2.52





Serie 4:
 9.5 ↗ 9.2 ← 10.1 ↓ 9.8 ↘ 9.7 ↑
 10.7 * 9.7 ↘ 9.0 → 10.1 ↓ 8.9 ↖
 beste Teiler 58.0 (36.) 209.6 (33.) 216.4 (39.)
 Trefferlage 0.11 mm links, 0.10 mm hoch
 Streuwert 2.57, horizontal: 3.02, vertikal: 2.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.9** (384)
 Serien: 98.5 101.8 100.3 101.3
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 541 (25), 511 (1), 439 (15)
 beste Teiler 20.6 (10.) 83.2 (36.) 89.4 (22.)
 Trefferlage 0.00 mm , 0.56 mm hoch
 Streuwert 1.79, horizontal: 1.70, vertikal: 1.89




Serie 1:
 8.9 ↘ 10.4 * 9.4 ↑ 10.0 ↑ 10.0 ↑
 9.7 ↙ 9.3 → 9.9 ↖ 10.0 ↓ 10.9 *
 beste Teiler 20.6 (10.) 131.6 (2.) 233.9 (4.)
 Trefferlage 0.26 mm links, 0.76 mm hoch
 Streuwert 2.19, horizontal: 1.81, vertikal: 2.51



Serie 2:
 10.3 * 10.3 * 10.4 * 10.5 * 9.2 ↘
 10.3 * 10.3 * 10.0 ↗ 10.2 * 10.3 *
 beste Teiler 110.3 (14.) 147.2 (13.) 157.7 (12.)
 Trefferlage 0.47 mm rechts, 0.16 mm hoch
 Streuwert 1.55, horizontal: 1.28, vertikal: 1.77





Serie 3:
 10.3 * 10.6 * 9.8 ← 10.1 ↖ 8.8 ↑
 9.9 ↘ 10.6 * 10.4 * 9.9 → 9.9 ↑
 beste Teiler 89.4 (22.) 97.2 (27.) 146.1 (28.)
 Trefferlage 0.45 mm links, 1.39 mm hoch
 Streuwert 1.65, horizontal: 1.55, vertikal: 1.74




Serie 4:
 10.5 * 9.4 → 9.6 ↘ 10.4 * 10.2 *
 10.6 * 10.3 * 9.4 ↖ 10.5 * 10.4 *
 beste Teiler 83.2 (36.) 112.4 (39.) 112.8 (31.)
 Trefferlage 0.22 mm rechts, 0.07 mm tief
 Streuwert 1.74, horizontal: 2.13, vertikal: 1.23

Unterschrift des Schützen


Ergebnis: **402.2** (385)
 Serien: 99.8 100.5 100.1 101.8
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 478 (13), 470 (36), 458 (27)
 beste Teiler 45.2 (18.) 47.4 (15.) 55.4 (26.)
 Trefferlage 0.41 mm links, 0.21 mm tief
 Streuwert 1.80, horizontal: 2.14, vertikal: 1.37




Serie 1:
 9.7 ↙ 10.7 * 10.3 * 10.2 * 9.7 ←
 9.7 ↘ 10.3 * 9.7 ← 9.5 ↙ 10.0 ↘
 beste Teiler 61.0 (2.) 169.0 (3.) 173.6 (7.)
 Trefferlage 0.20 mm links, 0.46 mm tief
 Streuwert 1.88, horizontal: 2.36, vertikal: 1.23



Serie 2:
 9.7 ← 9.8 ← 9.0 → 10.3 * 10.8 *
 9.7 ↓ 10.6 * 10.8 * 10.4 * 9.4 ↙
 beste Teiler 45.2 (18.) 47.4 (15.) 84.5 (17.)
 Trefferlage 0.61 mm links, 0.28 mm tief
 Streuwert 1.95, horizontal: 2.41, vertikal: 1.34



Serie 3:
 9.4 ↘ 10.0 ↘ 10.3 * 10.2 * 10.4 *
 10.7 * 9.1 ↘ 10.0 → 10.7 * 9.3 ←
 beste Teiler 55.4 (26.) 57.4 (29.) 137.5 (25.)
 Trefferlage 0.52 mm links, 0.77 mm hoch
 Streuwert 1.87, horizontal: 2.39, vertikal: 1.14





Serie 4:
 10.4 * 10.3 * 9.7 ← 10.5 * 10.2 *
 9.1 ↘ 10.4 * 10.7 * 10.0 ↓ 10.5 *
 beste Teiler 73.6 (38.) 117.2 (40.) 123.3 (34.)
 Trefferlage 0.31 mm links, 0.88 mm tief
 Streuwert 1.52, horizontal: 1.64, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.2** (370)
 Serien: 98.9 97.9 95.6 96.8
 Zähler: 16 19 4 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 759 (16), 714 (23), 650 (27)
 beste Teiler 35.3 (15.) 45.8 (3.) 64.4 (18.)
 Trefferlage 0.79 mm links, 0.31 mm hoch
 Streuwert 2.45, horizontal: 2.56, vertikal: 2.34




Serie 1:
 9.1 ↘ 9.6 ↙ 10.8 * 9.8 ↗ 10.1 ↖
 10.4 * 9.5 ↑ 9.7 ↓ 9.9 ↘ 10.0 ↑
 beste Teiler 45.8 (3.) 131.5 (6.) 213.0 (5.)
 Trefferlage 0.10 mm rechts, 0.07 mm hoch
 Streuwert 2.14, horizontal: 1.97, vertikal: 2.29



Serie 2:
 10.1 → 9.6 ↖ 9.7 ↙ 9.9 ↘ 10.8 *
 7.9 ↖ 10.6 * 10.7 * 9.0 ↖ 9.6 ↖
 beste Teiler 35.3 (15.) 64.4 (18.) 80.2 (17.)
 Trefferlage 1.62 mm links, 1.24 mm hoch
 Streuwert 2.20, horizontal: 2.36, vertikal: 2.02



Serie 3:
 8.8 ↖ 10.2 * 8.1 ↖ 9.7 ↗ 10.4 *
 10.1 ↖ 8.4 ↖ 10.5 * 9.7 ↖ 9.7 ↖
 beste Teiler 121.3 (28.) 144.5 (25.) 191.4 (22.)
 Trefferlage 2.58 mm links, 1.19 mm hoch
 Streuwert 2.14, horizontal: 2.10, vertikal: 2.18





Serie 4:
 10.4 * 9.6 ↓ 10.1 ↖ 10.3 * 9.9 ↙
 10.1 → 8.4 ↘ 9.6 ↗ 9.0 ↘ 9.4 ↓
 beste Teiler 133.4 (31.) 170.9 (34.) 215.1 (36.)
 Trefferlage 0.92 mm rechts, 1.26 mm tief
 Streuwert 2.35, horizontal: 2.46, vertikal: 2.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.7** (376)
 Serien: 99.3 97.1 100.1 99.2
 Zähler: 19 18 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 622 (14), 545 (40), 510 (9)
 beste Teiler 44.1 (4.) 45.7 (33.) 48.2 (24.)
 Trefferlage 0.31 mm links, 0.66 mm hoch
 Streuwert 2.08, horizontal: 2.36, vertikal: 1.76




Serie 1:
 10.3 * 9.9 ↖ 9.6 ↗ 10.8 * 10.3 *
 9.8 ↗ 10.4 * 10.0 ↖ 8.9 → 9.3 ↖
 beste Teiler 44.1 (4.) 139.2 (7.) 151.8 (1.)
 Trefferlage 0.11 mm rechts, 0.48 mm hoch
 Streuwert 2.09, horizontal: 2.81, vertikal: 0.90



Serie 2:
 10.5 * 9.2 ↖ 9.3 ↑ 8.5 ↖ 10.6 *
 9.3 ↘ 9.6 ↑ 9.4 ↓ 10.5 * 10.2 *
 beste Teiler 78.7 (15.) 114.1 (11.) 121.3 (19.)
 Trefferlage 1.28 mm links, 0.93 mm hoch
 Streuwert 2.35, horizontal: 2.40, vertikal: 2.30



Serie 3:
 10.5 * 10.2 * 9.9 ↖ 10.8 * 9.8 ↘
 9.8 ↓ 9.8 ↙ 9.2 → 10.0 ↖ 10.1 ↑
 beste Teiler 48.2 (24.) 106.3 (21.) 186.6 (22.)
 Trefferlage 0.32 mm rechts, 0.27 mm tief
 Streuwert 1.89, horizontal: 2.23, vertikal: 1.49





Serie 4:
 10.1 ↗ 10.4 * 10.8 * 9.7 ↑ 9.9 ↘
 9.2 ↖ 10.0 ↘ 9.7 → 10.6 * 8.8 ↑
 beste Teiler 45.7 (33.) 93.3 (39.) 150.9 (32.)
 Trefferlage 0.42 mm links, 1.53 mm hoch
 Streuwert 1.87, horizontal: 1.93, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.6** (381)
 Serien: 95.9 100.6 100.7 101.4
 Zähler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 457 (4), 434 (6), 415 (8)
 beste Teiler 37.0 (36.) 66.2 (25.) 68.4 (26.)
 Trefferlage 0.49 mm rechts, 0.27 mm hoch
 Streuwert 1.91, horizontal: 2.11, vertikal: 1.68




Serie 1:
 9.6 ↘ 9.3 ↙ 10.4 * 9.1 → 9.8 →
 9.2 ↑ 9.4 ↖ 9.3 ↗ 10.3 * 9.5 →
 beste Teiler 143.5 (3.) 153.7 (9.) 277.0 (5.)
 Trefferlage 1.02 mm rechts, 0.48 mm hoch
 Streuwert 2.50, horizontal: 2.95, vertikal: 1.96



Serie 2:
 9.8 ← 9.8 ↙ 9.6 ↘ 10.6 * 10.6 *
 10.0 ↗ 9.6 ← 10.3 * 10.3 * 10.0 ↓
 beste Teiler 93.1 (14.) 96.2 (15.) 154.7 (18.)
 Trefferlage 0.15 mm links, 0.09 mm tief
 Streuwert 1.82, horizontal: 1.98, vertikal: 1.63



Serie 3:
 9.8 ↘ 10.3 * 9.8 ↑ 10.4 * 10.7 *
 10.7 * 9.7 ↓ 9.4 ↙ 10.5 * 9.4 →
 beste Teiler 66.2 (25.) 68.4 (26.) 122.3 (29.)
 Trefferlage 0.45 mm rechts, 0.25 mm tief
 Streuwert 1.81, horizontal: 1.76, vertikal: 1.85





Serie 4:
 10.0 ↘ 10.1 ↘ 10.4 * 10.0 ↗ 10.1 →
 10.8 * 9.9 ↗ 10.1 ↗ 9.4 → 10.6 *
 beste Teiler 37.0 (36.) 98.3 (40.) 142.2 (33.)
 Trefferlage 0.66 mm rechts, 0.97 mm hoch
 Streuwert 1.42, horizontal: 1.69, vertikal: 1.09


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372.1	(354)
Serien:	92.7	92.4 95.2 91.8
Zähler:	9	19 9 3 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	940	(34), 918 (18), 814 (1)
beste Teiler	56.2	(39.) 78.0 (27.) 121.1 (36.)
Trefferlage	1.90 mm	links, 1.84 mm hoch
Streuwert	2.76,	horizontal: 3.01, vertikal: 2.48




Serie 1:	7.7 ↑	8.4 ↖	9.2 ↖	9.7 ↖	9.0 ←
	10.3 *	9.6 ↘	9.8 →	9.3 ↘	9.7 ↘
beste Teiler	156.4	(6.) 281.6 (8.) 305.8 (10.)			
Trefferlage	1.14 mm	links, 0.96 mm hoch			
Streuwert	3.24,	horizontal: 3.51, vertikal: 2.93			



Serie 2:	10.2 *	9.6 ↖	9.8 →	8.1 ↖	8.9 ↖
	10.4 *	9.6 ↑	7.3 ↖	9.0 ↑	9.5 ↑
beste Teiler	149.4	(16.) 189.1 (11.) 298.9 (13.)			
Trefferlage	1.86 mm	links, 2.32 mm hoch			
Streuwert	2.87,	horizontal: 3.45, vertikal: 2.14			





Serie 3:	8.4 ↖	9.6 ↑	9.6 ↑	8.1 ↑	9.0 ↖
	9.9 ↑	10.6 *	10.4 *	9.4 ↖	10.2 *
beste Teiler	78.0	(27.) 130.1 (28.) 186.2 (30.)			
Trefferlage	1.65 mm	links, 2.14 mm hoch			
Streuwert	2.30,	horizontal: 2.29, vertikal: 2.31			




Serie 4:	9.4 ↖	8.9 ↖	8.2 ↖	7.2 ↖	10.0 ↑
	10.5 *	9.2 ↗	8.8 ↖	10.7 *	8.9 ↖
beste Teiler	56.2	(39.) 121.1 (36.) 237.6 (35.)			
Trefferlage	2.95 mm	links, 1.94 mm hoch			
Streuwert	2.72,	horizontal: 2.81, vertikal: 2.63			

Unterschrift des Schützen


Ergebnis: **402.8** (385)
 Serien: 100.3 102.8 100.3 99.4
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 614 (39), 489 (30), 443 (22)
 beste Teiler 51.9 (33.) 68.5 (21.) 69.6 (23.)
 Trefferlage 0.15 mm rechts, 0.26 mm hoch
 Streuwert 1.80, horizontal: 2.16, vertikal: 1.35




Serie 1:
 10.4 * 9.9 ↖ 10.1 ↙ 10.0 ↘ 9.3 ↗
 10.7 * 10.1 ↗ 10.2 * 9.7 → 9.9 →
 beste Teiler 70.2 (6.) 128.4 (1.) 184.2 (8.)
 Trefferlage 0.35 mm rechts, 0.76 mm hoch
 Streuwert 1.71, horizontal: 2.15, vertikal: 1.11



Serie 2:
 10.2 * 10.5 * 9.5 → 10.4 * 10.3 *
 10.6 * 10.6 * 9.8 ← 10.6 * 10.3 *
 beste Teiler 83.6 (17.) 84.0 (19.) 91.4 (16.)
 Trefferlage 0.25 mm links, 0.17 mm hoch
 Streuwert 1.40, horizontal: 1.75, vertikal: 0.91



Serie 3:
 10.7 * 9.2 → 10.7 * 10.2 * 9.6 →
 10.5 * 9.9 ↘ 10.5 * 10.0 ↘ 9.0 ↘
 beste Teiler 68.5 (21.) 69.6 (23.) 113.0 (28.)
 Trefferlage 0.94 mm rechts, 0.07 mm tief
 Streuwert 1.89, horizontal: 2.18, vertikal: 1.56





Serie 4:
 9.5 ↙ 10.5 * 10.7 * 9.6 ↗ 10.1 ↖
 9.9 ↗ 10.2 * 10.0 ↘ 8.5 ← 10.4 *
 beste Teiler 51.9 (33.) 116.2 (32.) 133.7 (40.)
 Trefferlage 0.43 mm links, 0.22 mm hoch
 Streuwert 2.18, horizontal: 2.56, vertikal: 1.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.2** (384)
 Serien: 100.0 100.8 99.9 98.5
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 741 (36), 701 (24), 490 (9)
 beste Teiler 69.0 (16.) 70.2 (37.) 76.7 (31.)
 Trefferlage 0.04 mm rechts, 0.12 mm hoch
 Streuwert 2.08, horizontal: 2.37, vertikal: 1.74




Serie 1:
 9.5 → 10.3 * 9.4 ↖ 10.2 * 10.2 *
 10.2 * 10.5 * 10.3 * 9.0 ← 10.4 *
 beste Teiler 113.1 (7.) 140.8 (10.) 156.8 (8.)
 Trefferlage 0.35 mm links, 0.02 mm tief
 Streuwert 1.99, horizontal: 2.55, vertikal: 1.18



Serie 2:
 9.8 ↖ 10.5 * 10.6 * 9.7 ↖ 10.4 *
 10.7 * 10.0 ↗ 9.7 ↖ 10.4 * 9.0 →
 beste Teiler 69.0 (16.) 78.8 (13.) 102.5 (12.)
 Trefferlage 0.18 mm links, 0.35 mm hoch
 Streuwert 1.85, horizontal: 2.15, vertikal: 1.49





Serie 3:
 9.6 → 10.2 * 10.3 * 8.1 → 10.4 *
 10.3 * 10.3 * 10.1 ↘ 10.5 * 10.1 ↑
 beste Teiler 115.2 (29.) 147.5 (25.) 157.7 (23.)
 Trefferlage 0.91 mm rechts, 0.12 mm hoch
 Streuwert 2.07, horizontal: 2.61, vertikal: 1.33




Serie 4:
 10.6 * 9.9 ↖ 9.8 ↓ 10.3 * 10.4 *
 8.0 ↑ 10.7 * 9.0 ↘ 9.4 ← 10.4 *
 beste Teiler 70.2 (37.) 76.7 (31.) 131.6 (40.)
 Trefferlage 0.19 mm links, 0.04 mm hoch
 Streuwert 2.54, horizontal: 2.29, vertikal: 2.78

Unterschrift des Schützen


Ergebnis: **382.6** (366)
 Serien: 94.9 99.7 94.3 93.7
 Zähler: 15 18 6 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1095 (22), 646 (3), 642 (38)
 beste Teiler 20.6 (2.) 82.8 (27.) 115.1 (5.)
 Trefferlage 1.26 mm links, 0.63 mm hoch
 Streuwert 2.66, horizontal: 2.90, vertikal: 2.39




Serie 1:
 9.1 ↘ 10.9 * 8.4 ↑ 9.4 ↘ 10.5 *
 9.9 → 9.4 ← 9.1 ↑ 9.2 ← 9.0 ↗
 beste Teiler 20.6 (2.) 115.1 (5.) 270.5 (6.)
 Trefferlage 0.93 mm links, 1.54 mm hoch
 Streuwert 2.70, horizontal: 2.64, vertikal: 2.76



Serie 2:
 10.0 ↘ 10.2 * 9.4 ↘ 10.1 → 10.0 ↖
 10.3 * 9.5 ↑ 10.4 * 10.0 ↓ 9.8 ↘
 beste Teiler 131.8 (18.) 170.8 (16.) 193.3 (12.)
 Trefferlage 0.21 mm rechts, 0.37 mm hoch
 Streuwert 1.89, horizontal: 1.74, vertikal: 2.03



Serie 3:
 10.4 * 6.6 ← 8.9 ↖ 10.0 ↘ 10.1 ↗
 8.9 ← 10.6 * 9.6 ↗ 9.3 ↑ 9.9 ↓
 beste Teiler 82.8 (27.) 134.5 (21.) 203.1 (25.)
 Trefferlage 1.76 mm links, 0.42 mm hoch
 Streuwert 3.22, horizontal: 3.81, vertikal: 2.48





Serie 4:
 8.4 ↖ 10.3 * 9.4 ↗ 9.3 ↓ 9.3 ↘
 8.7 ↖ 10.2 * 8.4 ← 9.9 ← 9.8 ←
 beste Teiler 166.4 (32.) 199.6 (37.) 259.2 (39.)
 Trefferlage 2.59 mm links, 0.17 mm hoch
 Streuwert 2.52, horizontal: 2.66, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.4** (393)
 Serien: 102.9 100.5 101.1 102.9
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 421 (15), 362 (24), 342 (2)
 beste Teiler 26.0 (32.) 42.0 (4.) 64.7 (9.)
 Trefferlage 0.51 mm links, 0.06 mm hoch
 Streuwert 1.47, horizontal: 1.64, vertikal: 1.29




Serie 1:
 10.3 * 9.6 → 10.4 * 10.8 * 10.5 *
 10.0 ↓ 10.0 ↘ 10.2 * 10.7 * 10.4 *
 beste Teiler 42.0 (4.) 64.7 (9.) 104.0 (5.)
 Trefferlage 0.32 mm links, 0.13 mm tief
 Streuwert 1.39, horizontal: 1.48, vertikal: 1.29



Serie 2:
 10.1 ↗ 9.8 ↘ 10.0 ← 10.3 * 9.3 ←
 10.0 ↓ 10.2 * 10.5 * 10.3 * 10.0 ↖
 beste Teiler 106.6 (18.) 154.6 (19.) 170.4 (14.)
 Trefferlage 1.01 mm links, 0.24 mm tief
 Streuwert 1.62, horizontal: 1.89, vertikal: 1.30



Serie 3:
 10.6 * 9.8 ↖ 9.9 ↖ 9.5 → 10.2 *
 10.6 * 10.5 * 9.8 ← 10.1 ↗ 10.1 ←
 beste Teiler 82.8 (21.) 96.2 (26.) 111.2 (27.)
 Trefferlage 0.25 mm links, 0.48 mm hoch
 Streuwert 1.67, horizontal: 2.05, vertikal: 1.18





Serie 4:
 10.4 * 10.8 * 10.5 * 10.2 * 10.0 ↓
 10.0 ↖ 10.3 * 10.3 * 10.3 * 10.1 ↗
 beste Teiler 26.0 (32.) 125.6 (33.) 144.8 (31.)
 Trefferlage 0.47 mm links, 0.16 mm hoch
 Streuwert 1.30, horizontal: 1.14, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.2** (391)
 Serien: 101.9 102.8 102.4 101.1
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 404 (25), 404 (35), 372 (22)
 beste Teiler 61.9 (23.) 72.4 (18.) 73.0 (6.)
 Trefferlage 0.27 mm rechts, 0.99 mm hoch
 Streuwert 1.30, horizontal: 1.26, vertikal: 1.34




Serie 1:
 9.8 ↘ 10.5 * 10.7 * 10.0 ↗ 10.1 ↑
 10.7 * 9.9 ↗ 9.6 ↑ 10.4 * 10.2 *
 beste Teiler 73.0 (6.) 74.6 (3.) 106.0 (2.)
 Trefferlage 0.11 mm rechts, 1.48 mm hoch
 Streuwert 1.09, horizontal: 1.16, vertikal: 1.02



Serie 2:
 10.2 * 10.6 * 10.1 → 9.6 ↗ 10.6 *
 10.3 * 10.3 * 10.7 * 10.3 * 10.1 ↑
 beste Teiler 72.4 (18.) 85.7 (12.) 100.0 (15.)
 Trefferlage 0.49 mm rechts, 0.65 mm hoch
 Streuwert 1.21, horizontal: 0.98, vertikal: 1.40



Serie 3:
 10.4 * 9.5 ↑ 10.7 * 10.6 * 9.3 ↑
 10.6 * 10.3 * 10.3 * 10.5 * 10.2 *
 beste Teiler 61.9 (23.) 96.3 (24.) 97.9 (26.)
 Trefferlage 0.33 mm rechts, 0.94 mm hoch
 Streuwert 1.38, horizontal: 0.87, vertikal: 1.75



Serie 4:
 10.5 * 10.2 * 10.4 * 10.1 ↗ 9.3 ←
 10.5 * 10.1 ↑ 9.6 ↗ 9.9 ↑ 10.5 *
 beste Teiler 104.2 (36.) 104.8 (31.) 112.6 (40.)
 Trefferlage 0.17 mm rechts, 0.90 mm hoch
 Streuwert 1.57, horizontal: 1.92, vertikal: 1.13

Unterschrift des Schützen

Meyton Elektronik