

LG 20 ZR – Wertung – Juniors männl.

StartNr: 1



StandNr: 101

29. Februar 2020 10:03


Zangerle,, Fabian #70503117

SG_Kappl

Ergebnis: **201.3** (192)
 Serien: 101.0 100.3
 Zähler: 12 8 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 475 (7), 455 (13), 407 (18)
 beste Teiler 37.2 (6.) 59.0 (12.) 109.7 (10.)
 Trefferlage 0.11 mm links, 0.25 mm hoch
 Streuwert 1.84, horizontal: 2.14, vertikal: 1.49



Serie 1:
 9.7 ↗ 10.5 * 10.3 * 9.6 ↑ 10.4 *
 10.8 * 9.1 ↘ 9.8 ↘ 10.3 * 10.5 *
 beste Teiler 37.2 (6.) 109.7 (10.) 115.3 (2.)
 Trefferlage 0.28 mm links, 1.30 mm hoch
 Streuwert 1.58, horizontal: 1.81, vertikal: 1.31





Serie 2:
 10.3 * 10.7 * 9.1 → 10.2 * 9.9 →
 10.3 * 10.5 * 9.3 ← 10.5 * 9.5 ↙
 beste Teiler 59.0 (12.) 110.9 (19.) 115.4 (17.)
 Trefferlage 0.05 mm rechts, 0.78 mm tief
 Streuwert 1.85, horizontal: 2.51, vertikal: 0.75


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **180.5** (170)
 Serien: 86.6 93.9
 Zähler: 5 7 3 3 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1137 (5), 1124 (9), 857 (3)
 beste Teiler 114.8 (13.) 128.0 (1.) 137.2 (18.)
 Trefferlage 0.18 mm rechts, 0.03 mm hoch
 Streuwert 4.18, horizontal: 5.63, vertikal: 1.79



Serie 1:
 10.4 * 9.4 ← 7.5 → 9.4 ↗ 6.4 →
 9.4 → 7.8 ← 9.9 → 6.5 ← 9.9 →
 beste Teiler 128.0 (1.) 253.0 (8.) 271.7 (10.)
 Trefferlage 0.97 mm rechts, 0.29 mm tief
 Streuwert 4.97, horizontal: 6.87, vertikal: 1.45



Serie 2:
 9.7 ↖ 7.6 ← 10.5 * 10.1 ↖ 8.9 ↖
 8.6 → 8.2 ↘ 10.4 * 9.6 → 10.3 *
 beste Teiler 114.8 (13.) 137.2 (18.) 153.8 (20.)
 Trefferlage 0.61 mm links, 0.36 mm hoch
 Streuwert 3.38, horizontal: 4.29, vertikal: 2.11

Unterschrift des Schützen

LG 20 ZR – Wertung – Juniors männl.

StartNr: 4



StandNr: 104

29. Februar 2020 10:08


Meßner,, Alexander #70403083

SG_Brandenburg

Ergebnis: **190.1** (181)
 Serien: 95.9 94.2
 Zähler: 5 11 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 681 (11), 649 (7), 512 (14)
 beste Teiler 115.3 (16.) 142.7 (4.) 152.7 (9.)
 Trefferlage 1.10 mm links, 1.67 mm hoch
 Streuwert 2.44, horizontal: 2.92, vertikal: 1.83



Serie 1:
 9.7 ↗ 8.9 ← 10.2 * 10.4 * 9.4 →
 9.7 ↘ 8.4 ← 9.3 ↑ 10.3 * 9.6 ↑
 beste Teiler 142.7 (4.) 152.7 (9.) 186.6 (3.)
 Trefferlage 1.00 mm links, 1.81 mm hoch
 Streuwert 2.30, horizontal: 2.93, vertikal: 1.42



Serie 2:
 8.2 ← 9.7 ↘ 10.1 ↖ 8.9 ↗ 9.7 ↗
 10.5 * 9.2 ↑ 9.7 ↘ 9.1 ↖ 9.1 ←
 beste Teiler 115.3 (16.) 216.4 (13.) 302.8 (12.)
 Trefferlage 1.20 mm links, 1.53 mm hoch
 Streuwert 2.68, horizontal: 3.07, vertikal: 2.24

Unterschrift des Schützen

Meyton Elektronik

LG 20 ZR – Wertung – Juniors männl.

StartNr: 5



StandNr: 105

29. Februar 2020 10:10


Islitzer,, Tobias #70612037

SG_Prägraten

Ergebnis: **181.9** (173)
 Serien: 91.0 90.9
 Zähler: 5 8 4 2 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1336 (8), 961 (17), 754 (4)
 beste Teiler 100.2 (13.) 155.1 (3.) 171.2 (7.)
 Trefferlage 0.70 mm rechts, 2.05 mm hoch
 Streuwert 3.67, horizontal: 4.93, vertikal: 1.63



Serie 1:
 9.6 ↘ 9.3 → 10.3 * 7.9 ↗ 9.9 ↗
 8.2 ↘ 10.3 * 5.6 ← 9.7 ↗ 10.2 *
 beste Teiler 155.1 (3.) 171.2 (7.) 188.9 (10.)
 Trefferlage 0.89 mm links, 1.90 mm hoch
 Streuwert 4.04, horizontal: 5.48, vertikal: 1.64





Serie 2:
 9.0 → 9.2 → 10.6 * 8.9 ↑ 9.7 ↘
 10.1 ↗ 7.1 → 8.7 ↘ 8.4 → 9.2 ↑
 beste Teiler 100.2 (13.) 221.4 (16.) 314.9 (15.)
 Trefferlage 2.30 mm rechts, 2.21 mm hoch
 Streuwert 3.03, horizontal: 3.94, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **177.7** (167)
 Serien: 87.1 90.6
 Zähler: 1 10 6 1 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1165 (3), 1040 (16), 926 (2)
 beste Teiler 68.2 (7.) 276.7 (20.) 298.1 (13.)
 Trefferlage 1.28 mm links, 1.72 mm hoch
 Streuwert 3.90, horizontal: 4.76, vertikal: 2.79





Serie 1:
 8.9 ↑ 7.2 ← 6.3 ↖ 8.6 ↘ 8.6 ↘
 8.2 → 10.7 * 9.6 ↗ 9.4 → 9.6 →
 beste Teiler 68.2 (7.) 328.0 (10.) 328.6 (8.)
 Trefferlage 0.95 mm links, 2.06 mm hoch
 Streuwert 4.40, horizontal: 5.68, vertikal: 2.53




Serie 2:
 9.4 ↓ 9.3 ↘ 9.8 ↑ 9.7 ↑ 8.8 ←
 6.8 ↖ 9.4 ↑ 8.5 ← 9.1 ↗ 9.8 ↘
 beste Teiler 276.7 (20.) 298.1 (13.) 323.5 (14.)
 Trefferlage 1.60 mm links, 1.38 mm hoch
 Streuwert 3.55, horizontal: 3.93, vertikal: 3.13

Unterschrift des Schützen

Ergebnis: **181.6** (172)
 Serien: 88.8 92.8
 Zähler: 3 10 4 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1191 (2), 955 (13), 848 (12)
 beste Teiler 73.3 (15.) 103.8 (19.) 160.0 (14.)
 Trefferlage 0.57 mm links, 1.92 mm hoch
 Streuwert 3.67, horizontal: 4.21, vertikal: 3.03





Serie 1:
 9.9 ← 6.2 ↖ 8.5 ← 9.7 → 9.6 ↘
 9.8 ← 9.4 ↖ 8.1 ↖ 8.5 ↖ 9.1 →
 beste Teiler 266.0 (1.) 277.5 (6.) 314.1 (4.)
 Trefferlage 1.70 mm links, 2.35 mm hoch
 Streuwert 3.75, horizontal: 3.84, vertikal: 3.65




Serie 2:
 8.9 → 7.6 ↘ 7.1 ↗ 10.3 * 10.7 *
 9.2 ↑ 9.8 ← 9.6 ← 10.5 * 9.1 ↗
 beste Teiler 73.3 (15.) 103.8 (19.) 160.0 (14.)
 Trefferlage 0.55 mm rechts, 1.49 mm hoch
 Streuwert 3.56, horizontal: 4.45, vertikal: 2.37

Unterschrift des Schützen

Ergebnis: **176.3** (166)
 Serien: 83.7 92.6
 Zähler: 3 8 4 3 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 1414 (2), 1117 (18), 991 (4)
 beste Teiler 19.1 (17.) 105.0 (14.) 133.2 (16.)
 Trefferlage 1.07 mm links, 2.96 mm tief
 Streuwert 4.03, horizontal: 5.09, vertikal: 2.55





Serie 1:
 9.6 ← 5.3 ← 9.6 ← 7.0 ↙ 9.0 ↙
 9.5 ← 8.3 ← 8.4 ↘ 9.4 ← 7.6 ↘
 beste Teiler 339.0 (3.) 339.5 (1.) 366.8 (6.)
 Trefferlage 4.17 mm links, 3.07 mm tief
 Streuwert 3.83, horizontal: 4.90, vertikal: 2.30




Serie 2:
 9.4 ↘ 8.6 ↓ 7.8 ↓ 10.5 * 9.8 ↘
 10.4 * 10.9 * 6.5 ↘ 8.8 ↘ 9.9 ↓
 beste Teiler 19.1 (17.) 105.0 (14.) 133.2 (16.)
 Trefferlage 2.03 mm rechts, 2.86 mm tief
 Streuwert 2.98, horizontal: 3.05, vertikal: 2.91

Unterschrift des Schützen

Ergebnis: **194.8** (186)
 Serien: 98.9 95.9
 Zähler: 8 10 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 721 (20), 545 (13), 451 (11)
 beste Teiler 78.2 (14.) 132.4 (10.) 142.3 (17.)
 Trefferlage 0.08 mm links, 0.26 mm hoch
 Streuwert 2.45, horizontal: 1.95, vertikal: 2.86



Serie 1:
 9.7 ↓ 10.4 * 10.0 ↙ 9.2 ↓ 10.0 ↗
 9.6 ↓ 9.5 ↗ 10.2 * 9.9 ↓ 10.4 *
 beste Teiler 132.4 (10.) 144.0 (2.) 180.7 (8.)
 Trefferlage 0.25 mm rechts, 1.03 mm tief
 Streuwert 1.94, horizontal: 1.16, vertikal: 2.48



Serie 2:
 9.1 ↑ 9.3 ↘ 8.8 ↘ 10.6 * 10.2 *
 9.8 ↑ 10.4 * 9.9 ↘ 9.7 ↓ 8.1 ↘
 beste Teiler 78.2 (14.) 142.3 (17.) 200.8 (15.)
 Trefferlage 0.41 mm links, 1.56 mm hoch
 Streuwert 2.62, horizontal: 2.54, vertikal: 2.71

Unterschrift des Schützen

LG 20 ZR – Wertung – Juniors männl.

StartNr: 10



StandNr: 110

29. Februar 2020 10:02


Unterpertinger,, Moritz #70401052

SG_Angerberg

Ergebnis: **193.7** (183)
 Serien: 97.8 95.9
 Zähler: 6 11 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 605 (16), 573 (13), 513 (12)
 beste Teiler 34.9 (17.) 89.5 (20.) 126.8 (9.)
 Trefferlage 0.67 mm rechts, 0.06 mm hoch
 Streuwert 2.52, horizontal: 2.74, vertikal: 2.28



Serie 1:
 9.6 ↙ 9.5 → 9.4 ↙ 9.8 → 9.5 ↓
 10.4 * 10.2 * 9.1 ↓ 10.4 * 9.9 ↗
 beste Teiler 126.8 (9.) 146.4 (6.) 176.0 (7.)
 Trefferlage 0.47 mm rechts, 1.06 mm tief
 Streuwert 2.16, horizontal: 2.24, vertikal: 2.07





Serie 2:
 9.6 ← 8.9 ↖ 8.7 ↗ 9.5 ↘ 10.4 *
 8.5 → 10.8 * 9.1 ↑ 9.8 ↑ 10.6 *
 beste Teiler 34.9 (17.) 89.5 (20.) 142.1 (15.)
 Trefferlage 0.87 mm rechts, 1.19 mm hoch
 Streuwert 2.71, horizontal: 3.29, vertikal: 1.97


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **187.3** (179)
 Serien: 93.9 93.4
 Zähler: 10 3 5 1 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 1330 (10), 993 (17), 725 (15)
 beste Teiler 86.2 (18.) 100.8 (8.) 152.9 (4.)
 Trefferlage 0.73 mm rechts, 1.25 mm hoch
 Streuwert 3.52, horizontal: 4.52, vertikal: 2.09





Serie 1:
 10.0 ↙ 10.1 ↗ 10.3 * 10.3 * 9.4 ↗
 10.2 * 8.9 ↗ 10.6 * 8.5 → 5.6 ↗
 beste Teiler 100.8 (8.) 152.9 (4.) 174.4 (3.)
 Trefferlage 2.47 mm rechts, 1.24 mm hoch
 Streuwert 3.33, horizontal: 4.05, vertikal: 2.40




Serie 2:
 9.9 → 8.9 ↗ 10.0 ↘ 10.1 → 8.1 ←
 9.9 ↘ 7.0 ← 10.6 * 10.2 * 8.7 ↗
 beste Teiler 86.2 (18.) 199.6 (19.) 212.4 (14.)
 Trefferlage 0.99 mm links, 1.25 mm hoch
 Streuwert 3.43, horizontal: 4.49, vertikal: 1.85

Unterschrift des Schützen

Ergebnis: **152.8** (144)
 Serien: 77.0 75.8
 Zähler: 2 3 7 2 1 3 1 0 1 0
 Innenzehner: 1
 weiteste: 2096 (19), 1591 (6), 1417 (2)
 beste Teiler 176.0 (15.) 225.7 (10.) 436.5 (4.)
 Trefferlage 5.37 mm rechts, 0.00 mm
 Streuwert 5.75, horizontal: 7.28, vertikal: 3.63





Serie 1:
 9.2 → 5.3 → 8.6 → 9.2 ↘ 7.7 ↑
 4.6 → 5.6 ↗ 8.1 → 8.6 → 10.1 →
 beste Teiler 225.7 (10.) 436.5 (4.) 439.7 (1.)
 Trefferlage 6.61 mm rechts, 0.99 mm hoch
 Streuwert 4.82, horizontal: 5.44, vertikal: 4.09




Serie 2:
 8.1 → 7.7 ↘ 6.8 ← 5.7 → 10.2 *
 9.1 ↙ 8.8 ↘ 8.4 → 2.6 → 8.4 ↑
 beste Teiler 176.0 (15.) 451.1 (16.) 539.0 (17.)
 Trefferlage 4.12 mm rechts, 0.99 mm tief
 Streuwert 6.62, horizontal: 8.88, vertikal: 2.99

Unterschrift des Schützen

Ergebnis: **182.7** (175)
 Serien: 91.2 91.5
 Zähler: 4 9 6 0 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1042 (9), 703 (11), 701 (15)
 beste Teiler 154.0 (17.) 177.8 (3.) 202.2 (8.)
 Trefferlage 0.15 mm links, 1.14 mm tief
 Streuwert 3.55, horizontal: 4.58, vertikal: 2.05





Serie 1:
 9.8 ← 8.2 ← 10.2 * 9.4 ← 9.6 ↗
 9.0 ↘ 9.7 ← 10.1 ↘ 6.8 ← 8.4 ↘
 beste Teiler 177.8 (3.) 202.2 (8.) 288.0 (1.)
 Trefferlage 1.20 mm links, 1.58 mm tief
 Streuwert 3.61, horizontal: 4.82, vertikal: 1.68




Serie 2:
 8.1 ← 9.3 ← 9.3 ↘ 10.0 ↑ 8.1 ↗
 8.6 → 10.3 * 9.1 ↗ 9.9 ← 8.8 ↘
 beste Teiler 154.0 (17.) 243.9 (14.) 272.2 (19.)
 Trefferlage 0.90 mm rechts, 0.70 mm tief
 Streuwert 3.48, horizontal: 4.31, vertikal: 2.38

Unterschrift des Schützen

Ergebnis: **157.1** (148)
 Serien: 87.3 69.8
 Zähler: 2 4 2 7 2 3 0 0 0 0
 Innenzehner: 2
 weiteste: 1484 (14), 1387 (19), 1370 (17)
 beste Teiler 137.2 (7.) 200.9 (1.) 311.6 (12.)
 Trefferlage 4.47 mm rechts, 1.86 mm hoch
 Streuwert 5.19, horizontal: 6.40, vertikal: 3.61





Serie 1:
 10.2 * 9.4 ← 7.0 ↙ 9.1 → 7.9 →
 9.1 ← 10.4 * 7.8 ↗ 8.7 → 7.7 →
 beste Teiler 137.2 (7.) 200.9 (1.) 384.8 (2.)
 Trefferlage 1.34 mm rechts, 0.23 mm hoch
 Streuwert 4.49, horizontal: 5.57, vertikal: 3.03




Serie 2:
 6.5 → 9.7 ↓ 7.6 → 5.0 → 7.5 ↗
 6.4 → 5.5 ↗ 7.9 ↑ 5.4 → 8.3 ↘
 beste Teiler 311.6 (12.) 672.8 (20.) 760.6 (18.)
 Trefferlage 7.61 mm rechts, 3.49 mm hoch
 Streuwert 4.79, horizontal: 5.79, vertikal: 3.53

Unterschrift des Schützen

Ergebnis: **167.9** (160)
 Serien: 86.3 81.6
 Zähler: 3 9 2 1 3 1 0 1 0 0
 Innenzehner: 2
 weiteste: 1842 (15), 1268 (16), 1239 (3)
 beste Teiler 164.6 (11.) 165.7 (10.) 238.9 (5.)
 Trefferlage 2.21 mm links, 0.09 mm hoch
 Streuwert 5.43, horizontal: 7.33, vertikal: 2.32





Serie 1:
 6.6 ← 9.2 ← 6.0 ← 9.5 ← 10.0 ←
 8.0 ← 9.0 ↘ 7.9 ↙ 9.8 ↗ 10.3 *
 beste Teiler 165.7 (10.) 238.9 (5.) 292.8 (9.)
 Trefferlage 4.00 mm links, 1.15 mm tief
 Streuwert 3.98, horizontal: 5.33, vertikal: 1.79




Serie 2:
 10.3 * 6.1 ← 9.5 ↖ 9.2 ↑ 3.6 →
 5.9 ← 9.0 → 8.9 ↘ 9.7 → 9.4 ↗
 beste Teiler 164.6 (11.) 316.7 (19.) 373.2 (13.)
 Trefferlage 0.42 mm links, 1.35 mm hoch
 Streuwert 6.42, horizontal: 8.82, vertikal: 2.17

Unterschrift des Schützen

Ergebnis: **183.0** (174)
 Serien: 90.6 92.4
 Zähler: 5 9 2 3 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1132 (8), 958 (10), 785 (12)
 beste Teiler 46.1 (5.) 140.2 (1.) 144.9 (2.)
 Trefferlage 0.59 mm rechts, 2.44 mm hoch
 Streuwert 3.40, horizontal: 3.78, vertikal: 2.98





Serie 1:
 10.4 * 10.4 * 9.1 ↕ 8.3 → 10.8 *
 9.4 ↗ 9.6 ↗ 6.4 ↗ 9.1 ← 7.1 ↖
 beste Teiler 46.1 (5.) 140.2 (1.) 144.9 (2.)
 Trefferlage 0.39 mm rechts, 2.66 mm hoch
 Streuwert 3.83, horizontal: 4.21, vertikal: 3.42




Serie 2:
 10.3 * 7.8 → 9.6 ↗ 9.6 ↖ 10.3 *
 8.6 ↗ 9.1 → 9.7 ↖ 7.9 ↕ 9.5 ↗
 beste Teiler 161.1 (11.) 170.1 (15.) 323.9 (18.)
 Trefferlage 0.80 mm rechts, 2.22 mm hoch
 Streuwert 3.11, horizontal: 3.51, vertikal: 2.64

Unterschrift des Schützen

Ergebnis: **176.5** (168)
 Serien: 86.6 89.9
 Zähler: 6 4 5 3 1 1 0 0 0 0
 Innenzehner: 5
 weiteste: 1305 (5), 1188 (20), 860 (8)
 beste Teiler 106.2 (17.) 140.9 (18.) 159.3 (7.)
 Trefferlage 1.14 mm links, 0.68 mm tief
 Streuwert 4.48, horizontal: 5.91, vertikal: 2.29





Serie 1:
 9.8 ↘ 8.4 ↘ 10.2 * 9.0 ← 5.7 ←
 10.2 * 10.3 * 7.5 ← 7.7 → 7.8 →
 beste Teiler 159.3 (7.) 187.2 (3.) 197.2 (6.)
 Trefferlage 1.29 mm links, 0.04 mm tief
 Streuwert 4.94, horizontal: 6.66, vertikal: 2.12




Serie 2:
 9.4 ↓ 8.9 ↙ 10.0 ↓ 8.1 → 8.2 →
 8.4 ↙ 10.5 * 10.4 * 9.8 ↘ 6.2 ←
 beste Teiler 106.2 (17.) 140.9 (18.) 236.0 (13.)
 Trefferlage 1.00 mm links, 1.32 mm tief
 Streuwert 4.18, horizontal: 5.42, vertikal: 2.37

Unterschrift des Schützen

Ergebnis: **155.6** (146)
 Serien: 81.3 74.3
 Zähler: 0 4 9 2 3 0 1 0 1 0
 Innenzehner: 0
 weiteste: 2001 (15), 1550 (10), 1054 (13)
 beste Teiler 419.6 (2.) 429.9 (16.) 432.3 (4.)
 Trefferlage 1.18 mm rechts, 4.46 mm hoch
 Streuwert 5.44, horizontal: 7.36, vertikal: 2.23



Serie 1:
 8.1 ↗ 9.3 ↘ 8.6 ↗ 9.2 ↑ 7.8 ↗
 8.2 ↘ 8.7 ↘ 8.1 ↗ 8.5 ↘ 4.8 →
 beste Teiler 419.6 (2.) 432.3 (4.) 554.0 (7.)
 Trefferlage 1.96 mm rechts, 4.85 mm hoch
 Streuwert 4.20, horizontal: 5.78, vertikal: 1.38



Serie 2:
 6.8 ← 8.0 ↗ 6.7 ↗ 8.8 → 2.9 ↘
 9.2 ↘ 7.4 → 6.9 → 9.0 ↗ 8.6 ↘
 beste Teiler 429.9 (16.) 488.4 (19.) 548.8 (14.)
 Trefferlage 0.41 mm rechts, 4.07 mm hoch
 Streuwert 6.63, horizontal: 8.93, vertikal: 2.86

Unterschrift des Schützen

LG 20 ZR – Wertung – Juniors männl.

StartNr: 19



StandNr: 119

29. Februar 2020 10:06


Kaplenig, , Yanick #70225078

SG_Wattens–Rettenberg

Ergebnis: **183.5** (174)
 Serien: 90.9 92.6
 Zähler: 3 9 7 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 769 (10), 683 (13), 655 (1)
 beste Teiler 127.0 (9.) 134.5 (12.) 184.4 (18.)
 Trefferlage 0.49 mm rechts, 1.04 mm hoch
 Streuwert 3.38, horizontal: 4.16, vertikal: 2.34



Serie 1:
 8.3 → 9.8 ↖ 9.5 ↖ 9.2 ↖ 9.0 ←
 9.0 ← 9.2 ↑ 8.6 ↗ 10.4 * 7.9 →
 beste Teiler 127.0 (9.) 291.3 (2.) 357.6 (3.)
 Trefferlage 0.27 mm rechts, 1.66 mm hoch
 Streuwert 3.48, horizontal: 4.63, vertikal: 1.68





Serie 2:
 9.4 ↖ 10.4 * 8.2 → 8.9 → 9.8 ↖
 9.9 ↘ 8.6 ↖ 10.2 * 8.7 → 8.5 ↓
 beste Teiler 134.5 (12.) 184.4 (18.) 271.9 (16.)
 Trefferlage 0.71 mm rechts, 0.42 mm hoch
 Streuwert 3.39, horizontal: 3.89, vertikal: 2.81


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **153.5** (146)
 Serien: 88.0 65.5
 Zähler: 3 7 4 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2530 (18), 902 (5), 784 (8)
 beste Teiler 162.5 (14.) 200.8 (6.) 249.9 (11.)
 Trefferlage 2.28 mm links, 0.16 mm tief
 Streuwert 5.46, horizontal: 7.17, vertikal: 2.87





Serie 1:
 9.4 ↙ 9.5 ↘ 9.3 ↖ 9.9 ← 7.3 →
 10.2 * 7.9 ↘ 7.8 ← 8.0 ← 8.7 ↘
 beste Teiler 200.8 (6.) 251.3 (4.) 352.6 (2.)
 Trefferlage 1.91 mm links, 0.05 mm tief
 Streuwert 4.11, horizontal: 5.01, vertikal: 2.95




Serie 2:
 10.0 ↗ 8.3 ↘ 9.5 ↘ 10.3 * 9.6 ↘
 8.7 ↘ 9.1 ↑ 0.0 ←
 beste Teiler 162.5 (14.) 249.9 (11.) 326.6 (15.)
 Trefferlage 2.75 mm links, 0.30 mm tief
 Streuwert 7.11, horizontal: 9.60, vertikal: 2.96

Unterschrift des Schützen

Ergebnis: **174.1** (166)
 Serien: 88.0 86.1
 Zähler: 6 5 3 3 1 2 0 0 0 0
 Innenzehner: 2
 weiteste: 1355 (8), 1320 (2), 1147 (18)
 beste Teiler 67.3 (10.) 117.6 (20.) 214.1 (5.)
 Trefferlage 4.27 mm rechts, 0.60 mm hoch
 Streuwert 3.86, horizontal: 5.34, vertikal: 1.08





Serie 1:
 10.0 ↖ 5.7 → 8.4 → 7.9 ← 10.1 →
 9.7 ↑ 10.0 ↑ 5.5 → 10.0 → 10.7 *
 beste Teiler 67.3 (10.) 214.1 (5.) 239.9 (1.)
 Trefferlage 2.87 mm rechts, 0.63 mm hoch
 Streuwert 4.74, horizontal: 6.56, vertikal: 1.39




Serie 2:
 9.6 → 9.0 → 8.0 → 8.6 → 7.0 →
 9.4 → 7.7 → 6.4 → 9.9 → 10.5 *
 beste Teiler 117.6 (20.) 266.2 (19.) 327.6 (11.)
 Trefferlage 5.66 mm rechts, 0.56 mm hoch
 Streuwert 2.60, horizontal: 3.61, vertikal: 0.74

Unterschrift des Schützen

Ergebnis: **182.7** (172)
 Serien: 94.4 88.3
 Zähler: 2 10 6 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 941 (15), 782 (13), 699 (18)
 beste Teiler 76.9 (20.) 182.7 (9.) 265.2 (5.)
 Trefferlage 0.23 mm links, 1.16 mm hoch
 Streuwert 3.53, horizontal: 4.44, vertikal: 2.27





Serie 1:
 9.6 ↖ 9.0 ↘ 9.6 ↗ 8.4 ↙ 9.9 ←
 9.4 ← 9.8 ↗ 8.7 ↗ 10.2 * 9.8 →
 beste Teiler 182.7 (9.) 265.2 (5.) 284.9 (10.)
 Trefferlage 0.66 mm links, 1.64 mm hoch
 Streuwert 2.71, horizontal: 3.25, vertikal: 2.04




Serie 2:
 8.8 ← 9.0 ← 7.8 ← 9.6 ↘ 7.2 →
 8.9 ↗ 8.5 ↘ 8.2 → 9.7 → 10.6 *
 beste Teiler 76.9 (20.) 311.4 (19.) 337.6 (14.)
 Trefferlage 0.20 mm rechts, 0.67 mm hoch
 Streuwert 4.29, horizontal: 5.54, vertikal: 2.49

Unterschrift des Schützen

Ergebnis: **202.4** (194)
 Serien: 100.9 101.5
 Zähler: 16 3 0 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 881 (3), 398 (14), 379 (13)
 beste Teiler 33.0 (12.) 33.1 (1.) 44.5 (10.)
 Trefferlage 1.17 mm links, 0.00 mm
 Streuwert 1.83, horizontal: 2.38, vertikal: 1.03





Serie 1:
 10.8 * 10.6 * 7.4 ← 10.2 * 9.7 ←
 10.5 * 10.3 * 10.1 ← 10.5 * 10.8 *
 beste Teiler 33.1 (1.) 44.5 (10.) 86.8 (2.)
 Trefferlage 1.70 mm links, 0.04 mm hoch
 Streuwert 2.01, horizontal: 2.75, vertikal: 0.74




Serie 2:
 10.4 * 10.8 * 9.4 ↘ 9.4 ↘ 10.5 *
 10.3 * 10.7 * 10.0 ← 10.0 ← 10.0 ↘
 beste Teiler 33.0 (12.) 69.3 (17.) 124.4 (15.)
 Trefferlage 0.64 mm links, 0.03 mm tief
 Streuwert 1.65, horizontal: 1.93, vertikal: 1.30

Unterschrift des Schützen

Ergebnis: **196.3** (188)
 Serien: 99.5 96.8
 Zähler: 11 6 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 670 (17), 639 (19), 593 (3)
 beste Teiler 63.6 (10.) 94.8 (14.) 100.4 (7.)
 Trefferlage 0.02 mm links, 0.77 mm hoch
 Streuwert 2.42, horizontal: 3.16, vertikal: 1.31



Serie 1:
 9.7 ↗ 10.3 * 8.6 ↘ 9.1 ← 10.2 *
 9.8 ↗ 10.6 * 10.5 * 10.0 ↗ 10.7 *
 beste Teiler 63.6 (10.) 100.4 (7.) 105.2 (8.)
 Trefferlage 0.36 mm links, 1.52 mm hoch
 Streuwert 1.90, horizontal: 2.51, vertikal: 0.96



Serie 2:
 9.8 → 9.1 ↖ 10.3 * 10.6 * 10.5 *
 10.5 * 8.3 → 9.1 → 8.4 ← 10.2 *
 beste Teiler 94.8 (14.) 103.7 (15.) 122.3 (16.)
 Trefferlage 0.30 mm rechts, 0.02 mm hoch
 Streuwert 2.83, horizontal: 3.81, vertikal: 1.22

Unterschrift des Schützen

LG 20 ZR – Wertung – Juniors männl.

StandNr: 126



Islitzer,, Patrick #70612046

StartNr: 26


29. Februar 2020 10:05

SG_Prägraten

Ergebnis: **193.2** (185)
 Serien: 96.8 96.4
 Zähler: 8 9 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 677 (11), 609 (16), 548 (6)
 beste Teiler 139.1 (17.) 141.0 (1.) 173.5 (20.)
 Trefferlage 0.26 mm rechts, 0.00 mm
 Streuwert 2.60, horizontal: 3.26, vertikal: 1.70



Serie 1:
 10.4 * 9.8 ↗ 9.5 ↖ 10.2 * 9.0 ↘
 8.8 ↘ 10.1 ← 9.9 ← 10.1 → 9.0 →
 beste Teiler 141.0 (1.) 187.8 (4.) 215.1 (9.)
 Trefferlage 0.32 mm rechts, 0.42 mm hoch
 Streuwert 2.58, horizontal: 3.14, vertikal: 1.85





Serie 2:
 8.2 ↘ 9.6 ↘ 9.8 ← 9.5 ← 9.9 ↓
 8.5 ← 10.4 * 10.0 ↑ 10.2 * 10.3 *
 beste Teiler 139.1 (17.) 173.5 (20.) 186.9 (19.)
 Trefferlage 0.19 mm rechts, 0.43 mm tief
 Streuwert 2.73, horizontal: 3.55, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **192.2** (185)
 Serien: 94.5 97.7
 Zähler: 10 7 2 0 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1231 (5), 725 (1), 570 (17)
 beste Teiler 83.5 (11.) 89.2 (6.) 127.0 (13.)
 Trefferlage 0.31 mm rechts, 0.00 mm
 Streuwert 3.07, horizontal: 3.91, vertikal: 1.89



Serie 1:
 8.1 ← 9.3 ← 10.4 * 10.2 * 6.0 →
 10.6 * 10.1 → 9.9 ← 10.2 * 9.7 ←
 beste Teiler 89.2 (6.) 131.3 (3.) 185.3 (4.)
 Trefferlage 0.31 mm links, 0.77 mm tief
 Streuwert 3.69, horizontal: 5.14, vertikal: 0.91



Serie 2:
 10.6 * 10.0 ↓ 10.4 * 10.1 ↘ 9.5 →
 9.2 ↘ 8.7 ↗ 9.9 ← 10.3 * 9.0 →
 beste Teiler 83.5 (11.) 127.0 (13.) 156.2 (19.)
 Trefferlage 0.93 mm rechts, 0.77 mm hoch
 Streuwert 2.28, horizontal: 2.24, vertikal: 2.33

Unterschrift des Schützen

LG 20 ZR – Wertung – Juniors männl.

StartNr: 28



StandNr: 128

29. Februar 2020 10:02


Greßer,, Elias #70802110

SG_Aschau

Ergebnis: **188.6** (180)
 Serien: 90.4 98.2
 Zähler: 8 7 3 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1052 (8), 946 (10), 701 (7)
 beste Teiler 63.1 (12.) 112.3 (17.) 116.8 (6.)
 Trefferlage 2.13 mm rechts, 0.70 mm hoch
 Streuwert 2.95, horizontal: 3.98, vertikal: 1.23



Serie 1:
 9.7 → 10.3 * 9.1 ← 9.6 ↘ 9.9 ↑
 10.5 * 8.1 → 6.7 → 9.3 ↗ 7.2 →
 beste Teiler 116.8 (6.) 159.6 (2.) 260.0 (5.)
 Trefferlage 2.57 mm rechts, 1.20 mm hoch
 Streuwert 3.65, horizontal: 4.96, vertikal: 1.43



Serie 2:
 9.5 → 10.7 * 9.3 → 10.1 ← 10.1 ←
 8.8 → 10.5 * 10.3 * 8.5 → 10.4 *
 beste Teiler 63.1 (12.) 112.3 (17.) 137.5 (20.)
 Trefferlage 1.70 mm rechts, 0.21 mm hoch
 Streuwert 2.13, horizontal: 2.91, vertikal: 0.79

Unterschrift des Schützen

Meyton Elektronik