




Ergebnis: **193.6** (183)
 Serien: 96.4 97.2
 Zähler: 6 11 3 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1979 (18), 1882 (4), 1636 (3)
 beste Teiler 196.0 (12.) 498.8 (8.) 580.0 (15.)
 Trefferlage 1.93 mm rechts, 0.70 mm tief
 Streuwert 7.84, horizontal: 7.99, vertikal: 7.69





Serie 1:
 10.0 ↗ 9.7 ↘ 8.9 ↘ 8.6 ↓ 9.8 ↙
 9.7 ↓ 9.4 ↖ 10.3 * 9.9 ↗ 10.1 ↓
 beste Teiler 498.8 (8.) 669.4 (10.) 733.5 (1.)
 Trefferlage 0.90 mm links, 3.65 mm tief
 Streuwert 7.82, horizontal: 6.45, vertikal: 8.98




Serie 2:
 9.9 → 10.7 * 9.4 ↖ 9.7 ↗ 10.2 ↗
 10.0 ↖ 9.5 → 8.5 → 9.8 ↗ 9.5 ↘
 beste Teiler 196.0 (12.) 580.0 (15.) 777.4 (16.)
 Trefferlage 4.76 mm rechts, 2.24 mm hoch
 Streuwert 7.07, horizontal: 8.67, vertikal: 4.96

Unterschrift des Schützen

Ergebnis: **197.3** (189)
 Serien: 98.7 98.6
 Zähler: 12 5 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2185 (15), 1982 (10), 1974 (3)
 beste Teiler 163.1 (14.) 278.3 (7.) 288.6 (1.)
 Trefferlage 4.42 mm rechts, 1.92 mm tief
 Streuwert 6.73, horizontal: 8.17, vertikal: 4.90





Serie 1:
 10.6 * 10.4 * 8.5 ↘ 10.2 ✓ 10.1 →
 9.5 ↓ 10.6 * 9.9 ↗ 10.4 * 8.5 →
 beste Teiler 278.3 (7.) 288.6 (1.) 411.3 (2.)
 Trefferlage 4.16 mm rechts, 2.13 mm tief
 Streuwert 7.06, horizontal: 8.26, vertikal: 5.61




Serie 2:
 10.0 ↖ 10.5 * 9.0 → 10.7 * 8.2 →
 10.3 * 10.0 ✓ 10.3 * 9.8 ↘ 9.8 ↘
 beste Teiler 163.1 (14.) 384.7 (12.) 494.1 (16.)
 Trefferlage 4.67 mm rechts, 1.70 mm tief
 Streuwert 6.76, horizontal: 8.51, vertikal: 4.36

Unterschrift des Schützen

Ergebnis: **201.9** (193)
 Serien: 101.8 100.1
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1423 (5), 1406 (6), 1151 (11)
 beste Teiler 181.7 (2.) 252.2 (9.) 281.6 (7.)
 Trefferlage 3.10 mm links, 0.59 mm hoch
 Streuwert 5.14, horizontal: 5.38, vertikal: 4.88





Serie 1:
 10.2 ↗ 10.7 * 10.4 * 10.4 * 9.2 ↘
 9.2 ↖ 10.6 * 10.6 * 10.6 * 9.9 ↑
 beste Teiler 181.7 (2.) 252.2 (9.) 281.6 (7.)
 Trefferlage 2.22 mm links, 1.85 mm hoch
 Streuwert 5.21, horizontal: 5.23, vertikal: 5.20




Serie 2:
 9.5 ↖ 9.7 ↙ 9.8 ↖ 9.9 ↗ 10.3 ↙
 10.0 ↙ 10.1 ↙ 10.3 * 10.5 * 10.0 ↘
 beste Teiler 357.5 (19.) 510.7 (18.) 547.8 (15.)
 Trefferlage 3.98 mm links, 0.65 mm tief
 Streuwert 5.09, horizontal: 5.66, vertikal: 4.45

Unterschrift des Schützen

Ergebnis: **205.3** (198)
 Serien: 102.2 103.1
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 903 (6), 851 (9), 794 (3)
 beste Teiler 159.7 (20.) 221.9 (5.) 239.7 (12.)
 Trefferlage 2.92 mm rechts, 0.49 mm hoch
 Streuwert 3.79, horizontal: 3.55, vertikal: 4.00



Serie 1:
 10.3 * 10.2 ↗ 10.0 ↑ 10.5 * 10.7 *
 9.8 ↘ 10.2 ↗ 10.0 ↗ 9.9 ↗ 10.6 *
 beste Teiler 221.9 (5.) 305.8 (10.) 325.0 (4.)
 Trefferlage 3.34 mm rechts, 2.23 mm hoch
 Streuwert 3.66, horizontal: 3.39, vertikal: 3.92





Serie 2:
 10.1 ↗ 10.7 * 10.2 → 10.4 * 10.1 →
 10.0 ↓ 10.6 * 10.1 ← 10.1 ↘ 10.8 *
 beste Teiler 159.7 (20.) 239.7 (12.) 268.4 (17.)
 Trefferlage 2.51 mm rechts, 1.23 mm tief
 Streuwert 3.65, horizontal: 3.85, vertikal: 3.43


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **197.9** (189)
 Serien: 99.0 98.9
 Zähler: 10 9 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1609 (11), 1528 (5), 1372 (10)
 beste Teiler 285.9 (17.) 286.4 (16.) 289.6 (9.)
 Trefferlage 1.10 mm links, 0.10 mm hoch
 Streuwert 6.69, horizontal: 8.22, vertikal: 4.69





Serie 1:
 10.4 * 9.6 → 10.3 → 9.8 → 9.0 ←
 10.1 → 10.0 ← 10.0 → 10.6 * 9.2 ↖
 beste Teiler 289.6 (9.) 461.1 (1.) 541.5 (3.)
 Trefferlage 0.83 mm rechts, 0.09 mm hoch
 Streuwert 6.84, horizontal: 9.01, vertikal: 3.49




Serie 2:
 8.9 ↙ 9.6 ↘ 9.2 ← 10.1 ↗ 9.9 ↗
 10.6 * 10.6 * 9.8 ← 9.9 ↖ 10.3 ↖
 beste Teiler 285.9 (17.) 286.4 (16.) 551.0 (20.)
 Trefferlage 3.04 mm links, 0.11 mm hoch
 Streuwert 6.61, horizontal: 7.29, vertikal: 5.85

Unterschrift des Schützen

Ergebnis: **191.3** (183)
 Serien: 93.3 98.0
 Zähler: 7 9 4 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2252 (7), 1668 (5), 1627 (2)
 beste Teiler 153.6 (13.) 453.7 (17.) 613.1 (16.)
 Trefferlage 1.79 mm rechts, 0.00 mm
 Streuwert 8.74, horizontal: 9.09, vertikal: 8.37





Serie 1:
 9.3 → 8.9 ↗ 9.5 ↓ 9.5 ↘ 8.9 ↑
 9.9 ↘ 8.1 → 9.0 → 10.0 ↗ 10.2 ←
 beste Teiler 614.8 (10.) 739.2 (9.) 863.2 (6.)
 Trefferlage 5.62 mm rechts, 2.24 mm hoch
 Streuwert 9.30, horizontal: 8.96, vertikal: 9.63




Serie 2:
 9.6 ↘ 10.1 ↖ 10.8 * 8.9 ↙ 9.2 ←
 10.2 ← 10.4 * 9.1 ↘ 9.7 ← 10.0 ↗
 beste Teiler 153.6 (13.) 453.7 (17.) 613.1 (16.)
 Trefferlage 2.02 mm links, 2.26 mm tief
 Streuwert 7.27, horizontal: 7.86, vertikal: 6.63

Unterschrift des Schützen

Ergebnis: **198.2** (190)
 Serien: 97.9 100.3
 Zähler: 10 10 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1364 (10), 1335 (11), 1303 (9)
 beste Teiler 147.0 (15.) 392.9 (13.) 440.6 (20.)
 Trefferlage 0.60 mm links, 5.03 mm tief
 Streuwert 5.51, horizontal: 6.16, vertikal: 4.77





Serie 1:
 10.3 * 10.1 ↓ 9.4 ↓ 9.5 ↓ 10.1 ↙
 10.2 ↘ 10.3 * 9.5 ↓ 9.3 ↓ 9.2 →
 beste Teiler 485.2 (1.) 517.1 (7.) 638.8 (6.)
 Trefferlage 2.65 mm rechts, 6.40 mm tief
 Streuwert 5.17, horizontal: 5.45, vertikal: 4.87




Serie 2:
 9.3 ↙ 10.3 * 10.5 * 9.9 ← 10.8 *
 9.8 ← 9.4 ↓ 10.4 * 9.5 ← 10.4 *
 beste Teiler 147.0 (15.) 392.9 (13.) 440.6 (20.)
 Trefferlage 3.86 mm links, 3.65 mm tief
 Streuwert 4.85, horizontal: 5.18, vertikal: 4.49

Unterschrift des Schützen

Ergebnis: **195.2** (186)
 Serien: 96.7 98.5
 Zähler: 7 12 1 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1811 (1), 1502 (15), 1273 (2)
 beste Teiler 389.9 (10.) 576.3 (16.) 601.8 (14.)
 Trefferlage 3.19 mm links, 2.49 mm tief
 Streuwert 6.70, horizontal: 7.10, vertikal: 6.27





Serie 1:
 8.7 ← 9.4 ← 10.1 ← 9.5 ← 9.8 ↓
 9.8 ↙ 9.7 ↘ 9.6 ↑ 9.6 ↘ 10.5 *
 beste Teiler 389.9 (10.) 669.3 (3.) 893.5 (6.)
 Trefferlage 6.80 mm links, 0.91 mm tief
 Streuwert 6.22, horizontal: 5.82, vertikal: 6.60




Serie 2:
 9.4 → 10.1 ← 9.9 ↓ 10.2 → 9.1 ↓
 10.2 ← 9.9 ↓ 10.0 ← 10.1 ↑ 9.6 ↘
 beste Teiler 576.3 (16.) 601.8 (14.) 665.4 (19.)
 Trefferlage 0.42 mm rechts, 4.07 mm tief
 Streuwert 6.22, horizontal: 6.58, vertikal: 5.83

Unterschrift des Schützen

Ergebnis: **203.0** (193)
 Serien: 101.1 101.9
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1207 (16), 1038 (4), 1016 (10)
 beste Teiler 75.6 (20.) 265.2 (5.) 313.1 (9.)
 Trefferlage 0.53 mm links, 0.52 mm tief
 Streuwert 5.09, horizontal: 5.36, vertikal: 4.80





Serie 1:
 10.5 * 9.9 ↙ 10.2 ← 9.7 ↓ 10.6 *
 10.4 * 9.8 ↘ 9.7 ↑ 10.6 * 9.7 →
 beste Teiler 265.2 (5.) 313.1 (9.) 366.1 (1.)
 Trefferlage 0.33 mm rechts, 0.27 mm tief
 Streuwert 5.52, horizontal: 4.93, vertikal: 6.06




Serie 2:
 10.2 → 10.2 ↘ 9.9 ↖ 10.4 * 10.4 *
 9.4 ← 10.1 ↓ 10.1 ↙ 10.3 * 10.9 *
 beste Teiler 75.6 (20.) 419.5 (14.) 439.3 (15.)
 Trefferlage 1.40 mm links, 0.78 mm tief
 Streuwert 4.82, horizontal: 5.89, vertikal: 3.43

Unterschrift des Schützen

Ergebnis: **194.5** (185)
 Serien: 96.0 98.5
 Zähler: 7 11 2 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2073 (4), 1862 (1), 1305 (3)
 beste Teiler 162.6 (5.) 348.9 (7.) 391.9 (18.)
 Trefferlage 0.97 mm rechts, 3.34 mm tief
 Streuwert 7.39, horizontal: 8.54, vertikal: 6.02



Serie 1:
 8.6 ↙ 9.6 ↙ 9.3 → 8.4 ↘ 10.7 *
 10.0 ↘ 10.5 * 10.1 ↓ 9.4 ↓ 9.4 ↙
 beste Teiler 162.6 (5.) 348.9 (7.) 656.3 (8.)
 Trefferlage 1.17 mm links, 5.49 mm tief
 Streuwert 8.05, horizontal: 10.68, vertikal: 3.96



Serie 2:
 9.7 ↓ 9.4 ↗ 10.0 ↘ 9.5 ↗ 9.9 ↘
 9.7 ← 9.8 ↘ 10.5 * 10.4 * 9.6 ↗
 beste Teiler 391.9 (18.) 406.5 (19.) 793.1 (13.)
 Trefferlage 3.12 mm rechts, 1.19 mm tief
 Streuwert 6.34, horizontal: 5.45, vertikal: 7.12

Unterschrift des Schützen