





Ergebnis: **386** (401.7)  
 Serien: 97 97 96 96  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 447 (25), 436 (21), 413 (2)  
 beste Teiler 29.0 (9.) 39.8 (12.) 48.7 (1.)  
 Trefferlage 0.05 mm links, 0.13 mm hoch  
 Streuwert 1.80, horizontal: 2.03, vertikal: 1.55




Serie 1:  
 10.8 \*                      9.3 →                      10.2 \*                      10.1 ↙                      10.0 ←  
    9.7 ↙                      10.3 \*                      9.4 ←                      10.8 \*                      10.3 \*  
 beste Teiler 29.0 (9.) 48.7 (1.) 164.0 (7.)  
 Trefferlage 0.58 mm links, 0.50 mm tief  
 Streuwert 1.76, horizontal: 2.35, vertikal: 0.83



Serie 2:  
 10.0 ↓                      10.8 \*                      10.2 \*                      10.7 \*                      10.3 \*  
    9.9 ↑                      9.4 ↘                      9.9 ←                      10.2 \*                      10.1 ←  
 beste Teiler 39.8 (12.) 73.0 (14.) 153.3 (15.)  
 Trefferlage 0.74 mm links, 0.39 mm hoch  
 Streuwert 1.51, horizontal: 1.68, vertikal: 1.31



Serie 3:  
 9.2 →                      9.9 ↗                      10.0 ↗                      10.4 \*                      9.2 ←  
    10.2 \*                      10.5 \*                      10.0 ↑                      10.5 \*                      9.6 ↗  
 beste Teiler 102.8 (27.) 117.6 (29.) 128.6 (24.)  
 Trefferlage 0.70 mm rechts, 0.44 mm hoch  
 Streuwert 1.98, horizontal: 2.31, vertikal: 1.58





Serie 4:  
 9.6 ↑                      10.0 ↙                      10.4 \*                      9.8 ↘                      10.0 ↘  
    9.5 ↓                      10.6 \*                      9.5 ↑                      10.2 \*                      10.2 \*  
 beste Teiler 78.4 (37.) 135.0 (33.) 200.0 (39.)  
 Trefferlage 0.43 mm rechts, 0.20 mm hoch  
 Streuwert 1.91, horizontal: 1.55, vertikal: 2.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.9)  
 Serien: 93 92 93 95  
 Zähler: 16 21 3 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 750 (15), 669 (36), 622 (9)  
 beste Teiler 35.4 (23.) 50.4 (6.) 93.4 (37.)  
 Trefferlage 0.68 mm links, 0.64 mm hoch  
 Streuwert 2.38, horizontal: 2.89, vertikal: 1.73




Serie 1:  
 9.0 ←                      10.5 \*                      9.3 →                      9.6 ↑                      10.3 \*  
 10.8 \*                      9.3 ↗                      10.2 \*                      8.5 ↘                      9.7 →  
 beste Teiler 50.4 (6.) 125.9 (2.) 164.1 (5.)  
 Trefferlage 0.09 mm rechts, 1.16 mm hoch  
 Streuwert 2.51, horizontal: 3.21, vertikal: 1.51



Serie 2:  
 10.4 \*                      9.2 →                      9.9 ↙                      10.0 ↘                      8.0 ↖  
 9.3 ↖                      9.4 ↖                      9.8 ↖                      10.5 \*                      9.0 ↖  
 beste Teiler 111.5 (19.) 145.6 (11.) 236.1 (14.)  
 Trefferlage 2.02 mm links, 1.09 mm hoch  
 Streuwert 2.39, horizontal: 2.94, vertikal: 1.68



Serie 3:  
 9.8 ↑                      9.7 ←                      10.8 \*                      9.9 ↘                      10.1 ↓  
 9.7 ←                      10.1 ↙                      9.3 ←                      9.4 ↗                      9.2 ↑  
 beste Teiler 35.4 (23.) 214.7 (27.) 217.0 (25.)  
 Trefferlage 1.17 mm links, 0.54 mm hoch  
 Streuwert 2.11, horizontal: 2.13, vertikal: 2.09





Serie 4:  
 9.8 ↙                      10.4 \*                      10.5 \*                      9.2 ↘                      9.8 ←  
 8.3 →                      10.6 \*                      10.0 ↗                      10.0 ←                      10.6 \*  
 beste Teiler 93.4 (37.) 94.5 (40.) 110.0 (33.)  
 Trefferlage 0.34 mm rechts, 0.23 mm tief  
 Streuwert 2.30, horizontal: 2.92, vertikal: 1.44

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>378</b>	(396.0)
Serien:	92 91 97 98	
Zähler:	22 15 2 1 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	754 (12), 605 (14), 532 (2)	
beste Teiler	18.7 (36.) 21.0 (13.) 21.0 (28.)	
Trefferlage	0.62 mm rechts, 0.18 mm hoch	
Streuwert	2.15, horizontal: 2.39, vertikal: 1.89	




Serie 1:

9.5 ↑	8.8 ↗	9.6 ↗	9.1 →	10.0 ←
9.9 →	10.0 ↘	9.8 ↙	9.7 ↓	10.6 *
beste Teiler	85.9 (10.)	237.2 (7.)	237.8 (5.)	
Trefferlage	1.11 mm rechts, 0.04 mm hoch			
Streuwert	2.31, horizontal: 2.53, vertikal: 2.08			




Serie 2:

9.2 →	7.9 ↑	10.9 *	8.5 →	9.8 ↖
9.3 ←	10.0 ↖	10.2 *	9.4 →	10.1 ↖
beste Teiler	21.0 (13.)	182.8 (18.)	203.8 (20.)	
Trefferlage	0.62 mm rechts, 1.33 mm hoch			
Streuwert	2.83, horizontal: 3.19, vertikal: 2.42			



Serie 3:

10.6 *	9.3 →	9.4 ↘	9.4 →	10.1 →
10.6 *	10.7 *	10.9 *	10.3 *	10.4 *
beste Teiler	21.0 (28.)	55.4 (27.)	83.0 (21.)	
Trefferlage	0.91 mm rechts, 0.19 mm tief			
Streuwert	1.68, horizontal: 2.08, vertikal: 1.15			





Serie 4:

10.4 *	10.2 *	9.9 ←	10.2 *	10.1 ↘
10.9 *	10.3 *	10.6 *	9.4 ↘	10.0 ←
beste Teiler	18.7 (36.)	76.2 (38.)	146.7 (31.)	
Trefferlage	0.16 mm links, 0.44 mm tief			
Streuwert	1.53, horizontal: 1.66, vertikal: 1.37			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (377.8)  
 Serien: 91 91 88 91  
 Zähler: 10 22 7 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 865 (24), 739 (16), 621 (40)  
 beste Teiler 104.9 (34.) 107.7 (11.) 126.0 (18.)  
 Trefferlage 0.49 mm rechts, 1.82 mm hoch  
 Streuwert 2.62, horizontal: 2.84, vertikal: 2.37




Serie 1:  
 9.3 ↓                      9.6 ↘                      10.1 ↗                      10.0 ↗                      8.8 ↖  
 8.8 ↘                      9.3 ↙                      10.0 ↘                      9.6 ↗                      9.5 ↗  
 beste Teiler 216.0 (3.) 233.0 (8.) 240.6 (4.)  
 Trefferlage 0.76 mm links, 1.71 mm hoch  
 Streuwert 2.46, horizontal: 1.99, vertikal: 2.86



Serie 2:  
 10.5 \*                      9.4 ←                      8.5 →                      10.1 ↓                      8.8 →  
 8.0 ↗                      10.0 ↗                      10.4 \*                      9.3 ↖                      9.5 ↘  
 beste Teiler 107.7 (11.) 126.0 (18.) 203.0 (14.)  
 Trefferlage 0.83 mm rechts, 1.13 mm hoch  
 Streuwert 3.00, horizontal: 3.31, vertikal: 2.65



Serie 3:  
 9.1 ↗                      9.0 ↗                      9.8 →                      7.5 ↖                      9.3 ↖  
 9.4 ↗                      9.7 ↗                      9.6 ↗                      9.0 ↘                      9.2 ↗  
 beste Teiler 282.0 (23.) 316.1 (27.) 333.6 (28.)  
 Trefferlage 1.76 mm rechts, 2.75 mm hoch  
 Streuwert 2.55, horizontal: 3.01, vertikal: 2.00





Serie 4:  
 9.5 ↖                      10.4 \*                      9.6 ↗                      10.5 \*                      9.9 ↖  
 9.6 ↗                      9.7 ↙                      10.3 \*                      8.7 ↘                      8.5 ↗  
 beste Teiler 104.9 (34.) 133.2 (32.) 158.3 (38.)  
 Trefferlage 0.13 mm rechts, 1.68 mm hoch  
 Streuwert 2.34, horizontal: 2.69, vertikal: 1.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (403.2)  
 Serien: 99 98 97 94  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 579 (38), 468 (3), 405 (22)  
 beste Teiler 26.9 (34.) 48.0 (1.) 61.4 (28.)  
 Trefferlage 0.43 mm links, 0.13 mm tief  
 Streuwert 1.75, horizontal: 1.94, vertikal: 1.53




Serie 1:  
 10.8 \*                      10.4 \*                      9.1 ↘                      10.4 \*                      10.2 \*  
 10.1 ↘                      10.1 ↑                      10.1 ↗                      10.1 ↙                      10.2 \*  
 beste Teiler 48.0 (1.) 132.6 (4.) 134.1 (2.)  
 Trefferlage 0.36 mm rechts, 0.26 mm tief  
 Streuwert 1.65, horizontal: 1.36, vertikal: 1.90



Serie 2:  
 10.4 \*                      9.4 ↙                      10.6 \*                      10.2 \*                      10.0 →  
 10.3 \*                      9.7 ←                      10.6 \*                      10.0 ↑                      10.4 \*  
 beste Teiler 81.1 (13.) 91.2 (18.) 137.7 (20.)  
 Trefferlage 1.01 mm links, 0.31 mm hoch  
 Streuwert 1.43, horizontal: 1.49, vertikal: 1.37



Serie 3:  
 10.2 \*                      9.3 ↙                      10.3 \*                      9.6 ↘                      9.9 ↙  
 10.2 \*                      10.3 \*                      10.7 \*                      10.4 \*                      10.3 \*  
 beste Teiler 61.4 (28.) 131.6 (29.) 155.2 (30.)  
 Trefferlage 0.26 mm links, 0.73 mm tief  
 Streuwert 1.61, horizontal: 1.81, vertikal: 1.38





Serie 4:  
 10.1 ↙                      10.4 \*                      10.5 \*                      10.8 \*                      9.6 →  
 9.4 ←                      9.4 ↑                      8.6 ←                      9.9 ↙                      10.2 \*  
 beste Teiler 26.9 (34.) 122.6 (33.) 134.0 (32.)  
 Trefferlage 0.80 mm links, 0.13 mm hoch  
 Streuwert 2.21, horizontal: 2.78, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>351</b>	(369.9)
Serien:	85	88 93 85
Zähler:	10	17 7 6 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	923 (33),	881 (1), 861 (12)
beste Teiler	55.2 (9.)	108.4 (27.) 121.8 (26.)
Trefferlage	0.58 mm links, 0.83 mm hoch	
Streuwert	3.39, horizontal: 3.69, vertikal: 3.06	




Serie 1:	7.4 ↘	7.9 ↗	8.7 ↘	9.4 ↘	10.4 *
	8.8 ↘	9.1 ↘	9.2 →	10.7 *	8.4 ↘
beste Teiler	55.2 (9.) 129.4 (5.) 390.0 (4.)				
Trefferlage	2.04 mm links, 2.60 mm hoch				
Streuwert	3.21, horizontal: 4.08, vertikal: 2.00				



Serie 2:	9.8 ↘	7.5 ←	10.1 ↗	8.6 ↘	9.6 ↗
	9.8 ↑	9.3 ↑	10.3 *	8.9 →	9.6 ↑
beste Teiler	175.1 (18.) 212.5 (13.) 279.1 (16.)				
Trefferlage	0.77 mm links, 1.21 mm hoch				
Streuwert	3.17, horizontal: 3.69, vertikal: 2.55				





Serie 3:	7.7 ↑	9.6 →	10.4 *	9.2 ↗	10.4 *
	10.5 *	10.5 *	9.2 ↘	10.2 *	9.3 ↓
beste Teiler	108.4 (27.) 121.8 (26.) 142.1 (23.)				
Trefferlage	1.38 mm rechts, 0.78 mm hoch				
Streuwert	2.54, horizontal: 1.48, vertikal: 3.27				



Serie 4:	9.4 ↘	9.1 ↘	7.3 →	8.9 ↖	9.8 ↖
	8.3 ←	7.7 ↘	10.0 ↓	9.6 ↘	9.3 ↓
beste Teiler	243.0 (38.) 293.8 (35.) 337.4 (39.)				
Trefferlage	0.88 mm links, 1.28 mm tief				
Streuwert	3.91, horizontal: 4.45, vertikal: 3.28				


Unterschrift des Schützen

Ergebnis:	<b>363</b>	(383.3)
Serien:	86 88 94 95	
Zähler:	13 22 2 1 2 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1100 (5), 1035 (16), 836 (2)	
beste Teiler	40.6 (40.) 48.3 (13.) 92.3 (8.)	
Trefferlage	0.96 mm links, 0.44 mm hoch	
Streuwert	2.84, horizontal: 3.01, vertikal: 2.65	




Serie 1:

9.5 ↓	7.6 ←	8.7 →	10.4 *	6.6 ↖
8.8 ↑	9.2 ↓	10.6 *	10.4 *	9.6 ↗
beste Teiler	92.3 (8.)	131.0 (9.)	139.8 (4.)	
Trefferlage	0.94 mm links, 1.19 mm hoch			
Streuwert	3.90, horizontal: 3.77, vertikal: 4.02			




Serie 2:

9.4 ↗	9.6 ↑	10.8 *	9.6 ↑	9.5 ←
6.8 ←	9.9 ↘	9.2 ↘	9.6 ←	9.5 ↑
beste Teiler	48.3 (13.)	251.5 (17.)	331.1 (14.)	
Trefferlage	0.98 mm links, 0.58 mm hoch			
Streuwert	3.30, horizontal: 3.97, vertikal: 2.44			



Serie 3:

9.0 ↘	9.4 ↘	9.8 ←	10.1 ↗	10.3 *
9.7 ↘	9.5 ←	9.2 ↘	10.4 *	10.5 *
beste Teiler	115.3 (30.)	127.6 (29.)	160.4 (25.)	
Trefferlage	0.93 mm links, 0.76 mm hoch			
Streuwert	2.18, horizontal: 2.43, vertikal: 1.91			





Serie 4:


10.1 ↖	9.8 ↘	9.7 ↘	9.6 ↗	9.9 ←
10.5 *	10.0 ←	10.2 *	9.5 ←	10.8 *
beste Teiler	40.6 (40.)	117.8 (36.)	199.6 (38.)	
Trefferlage	0.99 mm links, 0.76 mm tief			
Streuwert	1.68, horizontal: 1.85, vertikal: 1.49			

Unterschrift des Schützen


Ergebnis: **355** (373.1)  
 Serien: 86 91 89 89  
 Zähler: 8 23 6 2 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1176 (1), 873 (8), 813 (31)  
 beste Teiler 89.8 (11.) 152.6 (5.) 200.1 (15.)  
 Trefferlage 2.23 mm links, 1.19 mm hoch  
 Streuwert 2.71, horizontal: 3.32, vertikal: 1.92




Serie 1:  
 6.2 ↙ 9.6 ↘ 9.8 ↘ 9.2 ↘ 10.3 \*  
 10.1 ↗ 9.5 ↘ 7.5 ↙ 8.3 ↙ 9.2 ↗  
 beste Teiler 152.6 (5.) 209.4 (6.) 290.1 (3.)  
 Trefferlage 3.78 mm links, 1.64 mm hoch  
 Streuwert 3.06, horizontal: 4.07, vertikal: 1.47



Serie 2:  
 10.6 \* 9.7 ↑ 10.1 ↘ 9.5 ↘ 10.2 \*  
 8.6 ↙ 9.5 ↘ 9.0 ↘ 8.7 ↘ 9.2 ↗  
 beste Teiler 89.8 (11.) 200.1 (15.) 206.0 (13.)  
 Trefferlage 2.18 mm links, 1.15 mm hoch  
 Streuwert 2.28, horizontal: 2.29, vertikal: 2.28



Serie 3:  
 9.6 ↓ 8.7 ↘ 10.0 ↘ 9.6 ↑ 8.9 ↘  
 9.7 ↙ 9.9 ← 9.8 ↘ 9.7 ↘ 9.8 ↗  
 beste Teiler 245.9 (23.) 273.3 (27.) 285.9 (28.)  
 Trefferlage 1.64 mm links, 1.55 mm hoch  
 Streuwert 2.10, horizontal: 1.92, vertikal: 2.26



Serie 4:  
 7.7 ↙ 8.7 ↙ 10.1 ↙ 9.7 → 10.0 ↘  
 9.1 → 9.6 ↘ 9.0 ← 9.1 ↙ 9.6 ↑  
 beste Teiler 222.1 (33.) 229.2 (35.) 306.0 (34.)  
 Trefferlage 1.31 mm links, 0.42 mm hoch  
 Streuwert 3.21, horizontal: 4.26, vertikal: 1.58

Unterschrift des Schützen

Meyton Elektronik