





Ergebnis: **394** (417.0)  
 Serien: 97 98 99 100  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 288 (19), 284 (10), 278 (5)  
 beste Teiler 5.0 (30.) 12.2 (7.) 19.4 (36.)  
 Trefferlage 0.15 mm rechts, 0.18 mm hoch  
 Streuwert 1.08, horizontal: 1.21, vertikal: 0.94




Serie 1:  
 10.6 \* 10.2 \* 10.2 \* 10.3 \* 9.8 →  
 10.4 \* 10.9 \* 9.9 ↘ 10.8 \* 9.8 ↘  
 beste Teiler 12.2 (7.) 40.7 (9.) 88.0 (1.)  
 Trefferlage 0.44 mm rechts, 0.17 mm tief  
 Streuwert 1.34, horizontal: 1.60, vertikal: 1.02



Serie 2:  
 10.6 \* 10.6 \* 10.6 \* 10.5 \* 9.9 →  
 10.5 \* 10.7 \* 10.6 \* 9.8 ← 10.4 \*  
 beste Teiler 63.0 (17.) 81.8 (12.) 97.8 (18.)  
 Trefferlage 0.11 mm links, 0.21 mm hoch  
 Streuwert 1.13, horizontal: 1.46, vertikal: 0.66



Serie 3:  
 9.9 ↘ 10.3 \* 10.8 \* 10.1 ↑ 10.6 \*  
 10.6 \* 10.5 \* 10.7 \* 10.3 \* 10.9 \*  
 beste Teiler 5.0 (30.) 30.8 (23.) 70.8 (28.)  
 Trefferlage 0.31 mm rechts, 0.22 mm hoch  
 Streuwert 1.01, horizontal: 0.87, vertikal: 1.13





Serie 4:  
 10.7 \* 10.5 \* 10.1 ↑ 10.8 \* 10.5 \*  
 10.9 \* 10.8 \* 10.5 \* 10.3 \* 10.1 ↑  
 beste Teiler 19.4 (36.) 33.9 (34.) 39.0 (37.)  
 Trefferlage 0.02 mm links, 0.46 mm hoch  
 Streuwert 0.87, horizontal: 0.80, vertikal: 0.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (402.6)  
 Serien: 92 97 99 97  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 527 (9), 413 (11), 407 (8)  
 beste Teiler 28.3 (30.) 36.8 (32.) 52.0 (25.)  
 Trefferlage 0.35 mm links, 0.23 mm tief  
 Streuwert 1.74, horizontal: 2.04, vertikal: 1.39




Serie 1:  
 10.3 \*                      10.3 \*                      9.6 →                      9.6 ←                      9.9 ↓  
 9.4 ←                      9.7 ↙                      9.3 →                      8.8 ↖                      10.6 \*  
 beste Teiler 83.7 (10.) 164.7 (1.) 169.0 (2.)  
 Trefferlage 0.74 mm links, 0.86 mm tief  
 Streuwert 2.26, horizontal: 2.89, vertikal: 1.38



Serie 2:  
 9.3 ↘                      10.2 \*                      10.0 ↗                      10.2 \*                      10.4 \*  
 9.8 ↗                      9.6 →                      10.2 \*                      10.0 ↗                      10.2 \*  
 beste Teiler 127.0 (15.) 182.4 (14.) 190.0 (18.)  
 Trefferlage 0.29 mm links, 0.19 mm hoch  
 Streuwert 1.87, horizontal: 1.92, vertikal: 1.83



Serie 3:  
 10.3 \*                      10.5 \*                      9.9 ↘                      10.0 ↙                      10.7 \*  
 10.4 \*                      10.4 \*                      10.5 \*                      10.2 \*                      10.8 \*  
 beste Teiler 28.3 (30.) 52.0 (25.) 109.6 (22.)  
 Trefferlage 0.20 mm links, 0.09 mm tief  
 Streuwert 1.18, horizontal: 1.24, vertikal: 1.12





Serie 4:  
 10.1 ←                      10.8 \*                      10.0 ↙                      9.8 →                      10.7 \*  
 10.3 \*                      10.2 \*                      9.7 →                      9.7 ↖                      10.2 \*  
 beste Teiler 36.8 (32.) 65.6 (35.) 155.9 (36.)  
 Trefferlage 0.17 mm links, 0.17 mm tief  
 Streuwert 1.64, horizontal: 2.05, vertikal: 1.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>396</b>	(415.5)			
Serien:	98	100	98	100	
Zähler:	36	4	0	0	0 0 0 0 0 0
Innenzehner:	30				
weiteste:	328	(6), 294	(24), 282	(26)	
beste Teiler	19.9	(3.)	21.0	(34.)	25.0 (5.)
Trefferlage	0.03 mm rechts, 0.66 mm hoch				
Streuwert	1.06, horizontal: 1.29, vertikal: 0.77				




Serie 1:	10.3 *	9.9 ↗	10.9 *	10.6 *	10.9 *
	9.6 →	10.6 *	10.2 *	10.6 *	10.4 *
beste Teiler	19.9 (3.) 25.0 (5.) 76.0 (9.)				
Trefferlage	0.13 mm rechts, 0.75 mm hoch				
Streuwert	1.10, horizontal: 1.44, vertikal: 0.59				



Serie 2:	10.8 *	10.1 ↖	10.7 *	10.5 *	10.3 *
	10.2 *	10.0 ↖	10.3 *	10.4 *	10.7 *
beste Teiler	48.4 (11.) 67.0 (20.) 71.2 (13.)				
Trefferlage	0.06 mm rechts, 0.36 mm hoch				
Streuwert	1.10, horizontal: 1.32, vertikal: 0.82				



Serie 3:	10.8 *	10.7 *	10.4 *	9.8 →	10.4 *
	9.8 ↖	10.1 ↖	10.5 *	10.5 *	10.2 *
beste Teiler	27.3 (21.) 64.6 (22.) 107.4 (28.)				
Trefferlage	0.07 mm links, 0.66 mm hoch				
Streuwert	1.24, horizontal: 1.53, vertikal: 0.85				





Serie 4:	10.6 *	10.1 ←	10.8 *	10.9 *	10.1 ↑
	10.1 ↑	10.2 *	10.6 *	10.6 *	10.3 *
beste Teiler	21.0 (34.) 34.9 (33.) 89.8 (38.)				
Trefferlage	0.01 mm rechts, 0.89 mm hoch				
Streuwert	0.92, horizontal: 1.01, vertikal: 0.81				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (403.3)  
 Serien: 97 96 96 98  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 462 (29), 445 (2), 409 (18)  
 beste Teiler 37.9 (22.) 53.8 (31.) 73.8 (3.)  
 Trefferlage 0.07 mm links, 0.41 mm hoch  
 Streuwert 1.69, horizontal: 1.74, vertikal: 1.65




Serie 1:  
 10.2 \*                      9.2 ←                      10.7 \*                      9.5 ←                      10.2 \*  
 10.1 ←                      10.5 \*                      9.5 ↑                      10.4 \*                      10.2 \*  
 beste Teiler 73.8 (3.) 104.0 (7.) 137.0 (9.)  
 Trefferlage 1.45 mm links, 0.02 mm hoch  
 Streuwert 1.54, horizontal: 1.54, vertikal: 1.55



Serie 2:  
 9.9 ↘                      10.1 ↗                      10.0 ↑                      10.3 \*                      10.0 ↖  
 10.6 \*                      9.8 ↗                      9.3 ←                      10.3 \*                      9.7 ↑  
 beste Teiler 87.8 (16.) 166.9 (19.) 172.2 (14.)  
 Trefferlage 0.11 mm links, 0.78 mm hoch  
 Streuwert 1.80, horizontal: 1.85, vertikal: 1.75



Serie 3:  
 9.9 ↑                      10.8 \*                      10.4 \*                      9.8 ↑                      10.4 \*  
 9.6 ↗                      10.5 \*                      10.1 ↗                      9.1 ↗                      10.1 ↙  
 beste Teiler 37.9 (22.) 117.2 (27.) 130.9 (25.)  
 Trefferlage 0.27 mm rechts, 0.92 mm hoch  
 Streuwert 1.73, horizontal: 1.34, vertikal: 2.05



Serie 4:  
 10.7 \*                      9.7 →                      10.4 \*                      10.4 \*                      10.2 \*  
 10.1 ↘                      10.0 ↘                      10.3 \*                      9.8 →                      10.5 \*  
 beste Teiler 53.8 (31.) 111.3 (40.) 126.5 (34.)  
 Trefferlage 1.00 mm rechts, 0.06 mm tief  
 Streuwert 1.27, horizontal: 1.40, vertikal: 1.12

Unterschrift des Schützen

Meyton Elektronik