





Ergebnis:	395	(414.6)
Serien:	99 99 98 99	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	31	
weiteste:	349 (26), 302 (32), 294 (18)	
beste Teiler	31.3 (38.) 50.0 (21.) 50.5 (12.)	
Trefferlage	0.04 mm rechts, 0.24 mm hoch	
Streuwert	1.19, horizontal: 1.31, vertikal: 1.06	




Serie 1:	10.3 *	9.8 ←	10.7 *	10.1 ↗	10.3 *
	10.6 *	10.7 *	10.5 *	10.6 *	10.5 *
beste Teiler	52.0 (3.)	58.0 (7.)	85.6 (9.)		
Trefferlage	0.23 mm rechts, 0.27 mm tief				
Streuwert	1.11, horizontal: 1.39, vertikal: 0.75				



Serie 2:	10.4 *	10.8 *	10.6 *	10.5 *	10.3 *
	10.4 *	10.3 *	9.8 →	10.4 *	10.2 *
beste Teiler	50.5 (12.)	99.0 (13.)	114.6 (14.)		
Trefferlage	0.25 mm links, 0.55 mm hoch				
Streuwert	1.10, horizontal: 1.46, vertikal: 0.56				





Serie 3:	10.8 *	10.4 *	10.7 *	10.7 *	9.9 ↙
	9.6 ↗	10.3 *	10.1 ↑	10.6 *	10.3 *
beste Teiler	50.0 (21.)	61.0 (23.)	72.9 (24.)		
Trefferlage	0.07 mm rechts, 0.54 mm hoch				
Streuwert	1.31, horizontal: 1.27, vertikal: 1.35				



Serie 4:	10.7 *	9.7 ↘	10.7 *	10.4 *	10.0 ↘
	10.1 ↗	10.2 *	10.8 *	10.4 *	10.4 *
beste Teiler	31.3 (38.)	51.5 (33.)	62.6 (31.)		
Trefferlage	0.11 mm rechts, 0.16 mm hoch				
Streuwert	1.28, horizontal: 1.28, vertikal: 1.29				

Unterschrift des Schützen


Ergebnis:	395	(413.7)
Serien:	99 97 99 100	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	30	
weiteste:	355 (11), 340 (26), 338 (12)	
beste Teiler	9.4 (28.) 26.4 (6.) 36.1 (34.)	
Trefferlage	0.09 mm links, 0.19 mm hoch	
Streuwert	1.26, horizontal: 1.15, vertikal: 1.36	



Serie 1:

10.3 *	10.6 *	10.7 *	10.0 ↗	10.2 *
10.8 *	10.0 ↘	10.2 *	9.9 ←	10.5 *


beste Teiler 26.4 (6.) 65.2 (3.) 88.0 (2.)
 Trefferlage 0.18 mm links, 0.06 mm tief
 Streuwert 1.31, horizontal: 1.15, vertikal: 1.45



Serie 2:

9.5 ↑	9.6 ↑	10.3 *	9.7 →	10.5 *
10.7 *	10.3 *	10.4 *	10.8 *	10.5 *


beste Teiler 38.4 (19.) 55.0 (16.) 117.3 (20.)
 Trefferlage 0.25 mm rechts, 0.86 mm hoch
 Streuwert 1.42, horizontal: 1.23, vertikal: 1.59



Serie 3:

10.0 ↙	10.2 *	10.8 *	10.6 *	10.5 *
9.6 ↙	10.4 *	10.9 *	10.4 *	10.1 ↑

beste Teiler 9.4 (28.) 42.1 (23.) 91.8 (24.)
 Trefferlage 0.58 mm links, 0.21 mm hoch
 Streuwert 1.26, horizontal: 1.23, vertikal: 1.29



Serie 4:



10.1 ↓	10.4 *	10.4 *	10.8 *	10.6 *
10.7 *	10.3 *	10.4 *	10.6 *	10.4 *

beste Teiler 36.1 (34.) 53.4 (36.) 86.3 (35.)
 Trefferlage 0.14 mm rechts, 0.25 mm tief
 Streuwert 0.96, horizontal: 0.93, vertikal: 0.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(405.0)
Serien:	95	98 98 95
Zähler:	27	12 1 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	621 (5), 475 (11), 448 (15)	
beste Teiler	3.6 (23.)	45.1 (14.) 49.4 (12.)
Trefferlage	0.37 mm links, 0.54 mm hoch	
Streuwert	1.68, horizontal: 1.94, vertikal: 1.38	




Serie 1:	9.8 →	10.4 *	10.3 *	9.9 ↗	8.5 ↖
	10.4 *	10.1 ↑	10.7 *	10.7 *	9.8 ↘
beste Teiler	52.0 (9.) 65.0 (8.) 135.6 (2.)				
Trefferlage	0.25 mm rechts, 0.59 mm hoch				
Streuwert	1.97, horizontal: 2.39, vertikal: 1.44				



Serie 2:	9.1 ←	10.8 *	10.5 *	10.8 *	9.2 ↖
	10.6 *	10.5 *	10.4 *	10.2 *	10.7 *
beste Teiler	45.1 (14.) 49.4 (12.) 58.2 (20.)				
Trefferlage	1.24 mm links, 0.40 mm hoch				
Streuwert	1.38, horizontal: 1.79, vertikal: 0.79				





Serie 3:	10.3 *	9.5 ↖	10.9 *	10.4 *	9.6 ↗
	10.6 *	10.3 *	10.2 *	10.0 ↑	10.4 *
beste Teiler	3.6 (23.) 83.0 (26.) 145.6 (24.)				
Trefferlage	0.03 mm links, 0.33 mm hoch				
Streuwert	1.54, horizontal: 1.50, vertikal: 1.58				




Serie 4:	9.8 ↓	9.5 ↖	9.6 ↖	10.0 ↑	9.8 ↗
	10.3 *	10.4 *	10.0 ↑	9.8 →	10.2 *
beste Teiler	130.0 (37.) 172.4 (36.) 182.7 (40.)				
Trefferlage	0.47 mm links, 0.84 mm hoch				
Streuwert	1.81, horizontal: 1.92, vertikal: 1.69				

Unterschrift des Schützen


Ergebnis: **388** (405.2)
 Serien: 94 98 97 99
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 405 (18), 337 (10), 332 (3)
 beste Teiler 39.8 (17.) 73.8 (33.) 77.8 (21.)
 Trefferlage 0.20 mm rechts, 0.10 mm hoch
 Streuwert 1.58, horizontal: 1.63, vertikal: 1.52




Serie 1:
 10.1 ↘ 9.8 ↑ 9.6 ↗ 9.8 ↘ 10.4 *
 10.1 ↘ 9.9 → 10.2 * 9.9 ↙ 9.6 ↑
 beste Teiler 138.7 (5.) 190.1 (8.) 216.0 (1.)
 Trefferlage 0.72 mm rechts, 0.24 mm hoch
 Streuwert 1.87, horizontal: 1.81, vertikal: 1.92



Serie 2:
 9.8 ↓ 10.5 * 10.1 ↘ 10.0 ↙ 10.5 *
 10.5 * 10.8 * 9.3 ↙ 10.0 → 10.3 *
 beste Teiler 39.8 (17.) 102.8 (15.) 106.8 (12.)
 Trefferlage 0.02 mm links, 0.88 mm tief
 Streuwert 1.48, horizontal: 1.80, vertikal: 1.06



Serie 3:
 10.6 * 10.3 * 9.8 ↘ 10.3 * 10.1 ↗
 10.2 * 10.0 ↗ 9.8 ↗ 9.8 ↙ 10.4 *
 beste Teiler 77.8 (21.) 137.6 (30.) 169.2 (24.)
 Trefferlage 0.35 mm rechts, 0.84 mm hoch
 Streuwert 1.48, horizontal: 1.74, vertikal: 1.18





Serie 4:
 10.1 ↖ 10.2 * 10.7 * 10.6 * 10.1 ↗
 10.2 * 10.4 * 9.9 ↙ 10.2 * 10.3 *
 beste Teiler 73.8 (33.) 78.2 (34.) 131.0 (37.)
 Trefferlage 0.25 mm links, 0.22 mm hoch
 Streuwert 1.32, horizontal: 1.16, vertikal: 1.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(410.9)
Serien:	97 99 98 98	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	29	
weiteste:	387 (40), 340 (31), 313 (2)	
beste Teiler	40.1 (14.) 56.3 (13.) 64.0 (33.)	
Trefferlage	0.11 mm links, 0.00 mm	
Streuwert	1.35, horizontal: 1.40, vertikal: 1.30	




Serie 1:	10.2 *	9.7 ↖	10.5 *	9.8 ←	10.6 *
	10.5 *	10.0 ↖	9.9 ↙	10.4 *	10.1 ↙
beste Teiler	98.6 (5.)	116.4 (6.)	125.0 (3.)		
Trefferlage	0.82 mm links, 0.08 mm hoch				
Streuwert	1.45, horizontal: 1.34, vertikal: 1.54				



Serie 2:	10.6 *	9.9 ↙	10.7 *	10.8 *	10.4 *
	10.3 *	10.5 *	10.4 *	10.4 *	10.6 *
beste Teiler	40.1 (14.)	56.3 (13.)	84.4 (11.)		
Trefferlage	0.41 mm links, 0.43 mm tief				
Streuwert	0.90, horizontal: 0.81, vertikal: 0.97				





Serie 3:	10.5 *	10.4 *	10.7 *	10.2 *	9.8 ↗
	10.2 *	9.8 →	10.6 *	10.5 *	10.5 *
beste Teiler	74.6 (23.)	86.1 (28.)	116.7 (30.)		
Trefferlage	0.32 mm rechts, 0.12 mm hoch				
Streuwert	1.29, horizontal: 1.26, vertikal: 1.31				




Serie 4:	9.6 ↖	10.0 ↖	10.7 *	10.2 *	10.2 *
	10.4 *	10.2 *	10.5 *	10.2 *	9.4 →
beste Teiler	64.0 (33.)	108.0 (38.)	126.0 (36.)		
Trefferlage	0.44 mm rechts, 0.20 mm hoch				
Streuwert	1.61, horizontal: 1.78, vertikal: 1.42				

Unterschrift des Schützen


Ergebnis:	388	(402.6)
Serien:	97 98 97 96	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	485 (34), 387 (37), 378 (20)	
beste Teiler	45.3 (28.) 72.0 (25.) 78.1 (22.)	
Trefferlage	0.56 mm rechts, 0.57 mm hoch	
Streuwert	1.62, horizontal: 1.69, vertikal: 1.54	




Serie 1:					
	10.4 *	10.6 *	10.0 →	10.1 →	9.8 ↑
	10.0 ↑	9.8 ↓	9.9 ↑	10.3 *	10.3 *
beste Teiler	85.4 (2.) 126.0 (1.) 153.9 (9.)				
Trefferlage	1.19 mm rechts, 0.50 mm hoch				
Streuwert	1.28, horizontal: 0.63, vertikal: 1.70				



Serie 2:					
	10.6 *	10.0 ↖	10.1 ↘	10.0 ↙	10.2 *
	10.0 ←	10.1 ↑	10.0 →	9.6 ↑	9.4 →
beste Teiler	96.1 (11.) 197.0 (15.) 209.9 (17.)				
Trefferlage	0.37 mm rechts, 0.28 mm hoch				
Streuwert	1.81, horizontal: 1.72, vertikal: 1.91				





Serie 3:					
	10.1 ↑	10.6 *	10.1 ↖	9.6 →	10.7 *
	10.2 *	10.2 *	10.8 *	9.5 ↖	9.8 ↖
beste Teiler	45.3 (28.) 72.0 (25.) 78.1 (22.)				
Trefferlage	0.01 mm links, 0.68 mm hoch				
Streuwert	1.58, horizontal: 1.93, vertikal: 1.11				




Serie 4:					
	9.9 ↖	10.0 →	10.5 *	9.0 →	9.8 ↖
	10.5 *	9.4 ↗	10.0 ↑	10.4 *	10.3 *
beste Teiler	120.9 (36.) 125.9 (33.) 133.1 (39.)				
Trefferlage	0.71 mm rechts, 0.80 mm hoch				
Streuwert	1.85, horizontal: 2.12, vertikal: 1.54				

Unterschrift des Schützen


Ergebnis: **387** (405.0)
 Serien: 97 95 97 98
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 441 (9), 414 (1), 411 (33)
 beste Teiler 28.3 (7.) 34.8 (37.) 38.9 (32.)
 Trefferlage 0.33 mm rechts, 0.10 mm hoch
 Streuwert 1.67, horizontal: 1.75, vertikal: 1.58




Serie 1:
 9.3 → 10.0 ↙ 10.4 * 10.1 → 9.6 →
 10.1 ↓ 10.8 * 10.4 * 9.2 ↙ 10.3 *
 beste Teiler 28.3 (7.) 135.7 (3.) 141.8 (8.)
 Trefferlage 0.66 mm rechts, 0.45 mm tief
 Streuwert 1.87, horizontal: 2.33, vertikal: 1.23



Serie 2:
 10.4 * 9.8 ↘ 9.7 ↙ 9.4 ↙ 9.8 ↖
 10.5 * 9.9 ↗ 10.1 ↓ 10.0 ↑ 10.2 *
 beste Teiler 121.7 (16.) 136.8 (11.) 194.0 (20.)
 Trefferlage 0.01 mm rechts, 0.37 mm tief
 Streuwert 1.88, horizontal: 1.80, vertikal: 1.96



Serie 3:
 9.9 ↖ 10.2 * 10.4 * 9.9 ↗ 10.0 ↖
 10.6 * 10.4 * 10.1 ↗ 9.4 ↗ 10.1 ↑
 beste Teiler 97.6 (26.) 133.0 (23.) 140.0 (27.)
 Trefferlage 0.21 mm rechts, 1.31 mm hoch
 Streuwert 1.42, horizontal: 1.68, vertikal: 1.09





Serie 4:
 10.7 * 10.8 * 9.3 ↗ 10.7 * 10.7 *
 9.9 ↙ 10.8 * 10.5 * 10.1 ↓ 10.5 *
 beste Teiler 34.8 (37.) 38.9 (32.) 59.4 (35.)
 Trefferlage 0.43 mm rechts, 0.05 mm tief
 Streuwert 1.31, horizontal: 1.21, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (408.4)
 Serien: 97 97 98 97
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 347 (11), 313 (14), 283 (5)
 beste Teiler 46.3 (35.) 52.9 (34.) 61.2 (32.)
 Trefferlage 0.52 mm rechts, 0.27 mm tief
 Streuwert 1.39, horizontal: 1.27, vertikal: 1.50




Serie 1:
 10.2 * 9.9 ↘ 10.4 * 10.6 * 9.8 ↘
 10.0 ↖ 10.3 * 9.9 ↖ 10.5 * 10.2 *
 beste Teiler 84.5 (4.) 109.3 (9.) 139.0 (3.)
 Trefferlage 0.14 mm links, 0.40 mm tief
 Streuwert 1.48, horizontal: 1.58, vertikal: 1.36



Serie 2:
 9.6 ↘ 10.1 ↓ 10.5 * 9.7 → 10.0 ↓
 10.2 * 9.9 ↑ 10.0 ↓ 10.5 * 10.2 *
 beste Teiler 108.4 (19.) 117.2 (13.) 180.5 (16.)
 Trefferlage 1.02 mm rechts, 0.50 mm tief
 Streuwert 1.54, horizontal: 1.04, vertikal: 1.92



Serie 3:
 10.5 * 10.3 * 10.2 * 10.2 * 10.0 ↘
 10.6 * 9.9 ↓ 10.5 * 10.6 * 9.9 ↑
 beste Teiler 94.0 (26.) 96.4 (29.) 104.6 (21.)
 Trefferlage 0.55 mm rechts, 0.58 mm tief
 Streuwert 1.24, horizontal: 1.01, vertikal: 1.43



Serie 4:
 9.9 ↑ 10.7 * 10.6 * 10.7 * 10.8 *
 10.0 ↓ 10.5 * 10.3 * 9.8 → 9.9 →
 beste Teiler 46.3 (35.) 52.9 (34.) 61.2 (32.)
 Trefferlage 0.66 mm rechts, 0.38 mm hoch
 Streuwert 1.25, horizontal: 1.28, vertikal: 1.21

Unterschrift des Schützen

Meyton Elektronik