





Ergebnis: **386** (404.6)
 Serien: 95 98 97 96
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 470 (34), 460 (10), 442 (27)
 beste Teiler 49.8 (15.) 53.8 (17.) 66.8 (39.)
 Trefferlage 0.13 mm rechts, 1.10 mm hoch
 Streuwert 1.52, horizontal: 1.75, vertikal: 1.26




Serie 1:
 10.2 * 10.0 → 9.6 ↗ 10.1 ↘ 9.8 ↑
 10.6 * 9.9 ↖ 9.9 ↑ 10.1 ↙ 9.1 →
 beste Teiler 76.6 (6.) 199.8 (1.) 214.6 (9.)
 Trefferlage 1.02 mm rechts, 1.23 mm hoch
 Streuwert 1.63, horizontal: 1.81, vertikal: 1.43



Serie 2:
 10.5 * 10.5 * 10.3 * 10.5 * 10.8 *
 9.7 ↘ 10.7 * 10.4 * 9.5 ← 10.5 *
 beste Teiler 49.8 (15.) 53.8 (17.) 101.7 (14.)
 Trefferlage 0.37 mm links, 0.59 mm hoch
 Streuwert 1.25, horizontal: 1.63, vertikal: 0.68



Serie 3:
 10.2 * 9.7 ↘ 10.6 * 10.5 * 9.7 ↑
 10.3 * 9.2 ← 10.1 ↑ 10.1 → 10.6 *
 beste Teiler 76.6 (23.) 82.7 (30.) 114.5 (24.)
 Trefferlage 0.46 mm links, 1.22 mm hoch
 Streuwert 1.50, horizontal: 1.91, vertikal: 0.93





Serie 4:
 10.6 * 9.7 ↑ 10.6 * 9.1 ↘ 10.3 *
 9.9 ↗ 10.6 * 10.1 ↑ 10.7 * 9.3 ↗
 beste Teiler 66.8 (39.) 78.4 (37.) 79.6 (31.)
 Trefferlage 0.35 mm rechts, 1.35 mm hoch
 Streuwert 1.60, horizontal: 1.43, vertikal: 1.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	379	(395.3)
Serien:	95 95 96 93	
Zähler:	21 17 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	578 (20), 549 (37), 446 (8)	
beste Teiler	54.5 (29.) 82.2 (7.) 84.5 (27.)	
Trefferlage	0.06 mm rechts, 0.35 mm hoch	
Streuwert	2.13, horizontal: 2.55, vertikal: 1.62	




Serie 1:	10.0 ↖	9.8 ↙	9.4 ↘	9.4 ↗	9.6 ←
	10.2 *	10.6 *	9.2 ↑	10.0 ↗	10.6 *
beste Teiler	82.2 (7.)	92.6 (10.)	179.2 (6.)		
Trefferlage	0.06 mm links, 0.49 mm hoch				
Streuwert	2.17, horizontal: 2.38, vertikal: 1.95				



Serie 2:	10.3 *	10.5 *	9.3 ↘	9.2 ↗	10.0 ↓
	10.0 ←	10.6 *	9.4 ↘	10.2 *	8.6 →
beste Teiler	97.9 (17.)	123.0 (12.)	160.0 (11.)		
Trefferlage	1.66 mm rechts, 0.12 mm tief				
Streuwert	2.05, horizontal: 2.54, vertikal: 1.40				





Serie 3:	9.5 ↘	9.9 ↘	10.3 *	9.8 →	10.2 *
	10.1 ↑	10.6 *	10.4 *	10.7 *	9.5 ↖
beste Teiler	54.5 (29.)	84.5 (27.)	133.4 (28.)		
Trefferlage	0.13 mm links, 0.64 mm hoch				
Streuwert	1.69, horizontal: 1.96, vertikal: 1.38				




Serie 4:	10.2 *	9.2 ←	10.4 *	9.6 →	9.5 ↘
	10.5 *	8.8 ←	10.4 *	9.2 ↘	9.6 ↖
beste Teiler	108.8 (36.)	129.1 (33.)	149.2 (38.)		
Trefferlage	1.21 mm links, 0.38 mm hoch				
Streuwert	2.32, horizontal: 2.74, vertikal: 1.81				

Unterschrift des Schützen


Ergebnis:	389	(407.5)			
Serien:	98	96	99	96	
Zähler:	29	11	0	0	0 0 0 0 0 0
Innenzehner:	23				
weiteste:	454 (14), 398 (13), 389 (25)				
beste Teiler	49.2 (18.) 57.6 (38.) 71.5 (19.)				
Trefferlage	0.01 mm rechts, 0.42 mm hoch				
Streuwert	1.52, horizontal: 1.57, vertikal: 1.46				




Serie 1:	10.3 *	10.5 *	10.5 *	9.7 →	10.3 *
	10.6 *	10.6 *	9.9 ↘	10.2 *	10.6 *
beste Teiler	88.6 (10.) 90.4 (6.) 97.9 (7.)				
Trefferlage	0.14 mm links, 0.59 mm hoch				
Streuwert	1.22, horizontal: 1.53, vertikal: 0.81				



Serie 2:	10.6 *	10.4 *	9.4 ↗	9.1 ↘	10.7 *
	9.7 ↙	10.1 ↖	10.8 *	10.7 *	9.8 ↑
beste Teiler	49.2 (18.) 71.5 (19.) 72.0 (15.)				
Trefferlage	0.11 mm rechts, 0.01 mm tief				
Streuwert	1.87, horizontal: 2.04, vertikal: 1.69				





Serie 3:	10.0 ↓	10.2 *	10.4 *	10.0 ↑	9.4 ↗
	10.1 ↘	10.0 ↖	10.4 *	10.1 ↙	10.2 *
beste Teiler	131.3 (23.) 143.4 (28.) 190.6 (30.)				
Trefferlage	0.03 mm rechts, 0.21 mm hoch				
Streuwert	1.68, horizontal: 1.69, vertikal: 1.66				




Serie 4:	10.2 *	9.8 ↗	10.3 *	10.6 *	9.9 ↑
	9.8 ↘	10.7 *	10.7 *	10.4 *	9.8 ↖
beste Teiler	57.6 (38.) 71.8 (37.) 97.8 (34.)				
Trefferlage	0.05 mm rechts, 0.89 mm hoch				
Streuwert	1.37, horizontal: 1.13, vertikal: 1.57				

Unterschrift des Schützen


Ergebnis:	396	(414.0)
Serien:	99 98 99 100	
Zähler:	36 4 0 0 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	401 (29), 265 (6), 258 (12)	
beste Teiler	37.2 (37.) 46.2 (39.) 49.4 (26.)	
Trefferlage	0.48 mm rechts, 0.07 mm hoch	
Streuwert	1.16, horizontal: 1.25, vertikal: 1.07	




Serie 1:	10.2 *	10.6 *	10.3 *	10.1 →	10.6 *
	9.9 ↖	10.5 *	10.4 *	10.0 ↓	10.0 ↘
beste Teiler	86.0 (5.)	87.3 (2.)	110.2 (7.)		
Trefferlage	0.03 mm links, 0.36 mm tief				
Streuwert	1.35, horizontal: 1.40, vertikal: 1.29				



Serie 2:	10.1 ↑	9.9 ↗	10.3 *	10.0 →	10.1 →
	10.2 *	10.6 *	9.9 ↙	10.5 *	10.7 *
beste Teiler	51.0 (20.)	93.7 (17.)	124.7 (19.)		
Trefferlage	0.46 mm rechts, 0.17 mm hoch				
Streuwert	1.35, horizontal: 1.43, vertikal: 1.27				



Serie 3:	10.7 *	10.3 *	10.4 *	10.5 *	10.5 *
	10.8 *	10.5 *	10.6 *	9.3 →	10.7 *
beste Teiler	49.4 (26.)	51.0 (30.)	69.2 (21.)		
Trefferlage	0.77 mm rechts, 0.10 mm hoch				
Streuwert	1.08, horizontal: 1.26, vertikal: 0.85				





Serie 4:	10.4 *	10.6 *	10.7 *	10.1 →	10.4 *
	10.7 *	10.8 *	10.1 →	10.8 *	10.2 *
beste Teiler	37.2 (37.)	46.2 (39.)	54.4 (33.)		
Trefferlage	0.72 mm rechts, 0.36 mm hoch				
Streuwert	0.81, horizontal: 0.84, vertikal: 0.78				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (408.7)
 Serien: 96 98 97 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 409 (37), 352 (3), 336 (6)
 beste Teiler 17.8 (29.) 44.4 (8.) 76.5 (30.)
 Trefferlage 0.52 mm rechts, 0.08 mm hoch
 Streuwert 1.41, horizontal: 1.41, vertikal: 1.41




Serie 1:
 9.8 → 10.6 * 9.5 ↘ 10.5 * 9.8 ↘
 9.6 ↗ 10.5 * 10.8 * 10.0 ↙ 10.5 *
 beste Teiler 44.4 (8.) 97.2 (2.) 101.7 (10.)
 Trefferlage 0.78 mm rechts, 0.51 mm tief
 Streuwert 1.51, horizontal: 1.52, vertikal: 1.50



Serie 2:
 9.8 → 10.2 * 10.4 * 10.1 ↖ 10.4 *
 10.2 * 10.1 ↗ 10.5 * 10.2 * 9.8 ↑
 beste Teiler 112.8 (18.) 132.3 (13.) 133.8 (15.)
 Trefferlage 0.37 mm rechts, 1.13 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.95



Serie 3:
 10.2 * 10.5 * 10.2 * 10.5 * 9.9 ↘
 9.8 ↙ 10.4 * 9.6 ↓ 10.9 * 10.6 *
 beste Teiler 17.8 (29.) 76.5 (30.) 114.2 (22.)
 Trefferlage 0.08 mm rechts, 0.91 mm tief
 Streuwert 1.30, horizontal: 1.42, vertikal: 1.16





Serie 4:
 10.6 * 10.3 * 10.3 * 10.1 ↖ 10.5 *
 10.4 * 9.3 ↗ 10.6 * 10.5 * 10.2 *
 beste Teiler 88.1 (31.) 100.8 (38.) 104.0 (39.)
 Trefferlage 0.86 mm rechts, 0.63 mm hoch
 Streuwert 1.19, horizontal: 1.35, vertikal: 1.01

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	379	(397.6)
Serien:	99 92 93 95	
Zähler:	22 15 3 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	549 (11), 510 (18), 508 (21)	
beste Teiler	30.5 (23.) 32.7 (31.) 61.0 (4.)	
Trefferlage	0.68 mm links, 0.02 mm tief	
Streuwert	2.00, horizontal: 2.10, vertikal: 1.89	




Serie 1:

10.1 ↘	10.5 *	10.3 *	10.7 *	10.5 *
10.1 ↗	10.3 *	9.6 ↖	10.5 *	10.1 ↓
beste Teiler	61.0 (4.)	108.5 (2.)	121.9 (9.)	
Trefferlage	0.38 mm links, 0.02 mm tief			
Streuwert	1.38, horizontal: 1.35, vertikal: 1.40			




Serie 2:

8.8 ↙	10.0 ↘	9.0 ↖	10.0 ↗	9.6 ↖
10.0 ↗	9.8 ←	8.9 ↙	9.5 ←	10.5 *
beste Teiler	118.1 (20.)	230.8 (14.)	232.4 (16.)	
Trefferlage	2.06 mm links, 0.16 mm hoch			
Streuwert	2.23, horizontal: 2.00, vertikal: 2.44			



Serie 3:

8.9 ↙	9.8 ↘	10.8 *	9.3 ←	9.4 →
9.6 ↖	10.1 ←	10.1 ↖	9.4 ↑	10.3 *
beste Teiler	30.5 (23.)	154.2 (30.)	203.4 (27.)	
Trefferlage	0.91 mm links, 0.14 mm hoch			
Streuwert	2.32, horizontal: 2.48, vertikal: 2.14			





Serie 4:

10.8 *	9.8 ↗	9.4 →	9.8 ↘	9.8 ↙
10.6 *	9.8 ↓	10.1 ↖	10.7 *	10.3 *
beste Teiler	32.7 (31.)	75.4 (39.)	78.2 (36.)	
Trefferlage	0.62 mm rechts, 0.38 mm tief			
Streuwert	1.69, horizontal: 1.71, vertikal: 1.66			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (404.5)
 Serien: 93 99 96 100
 Zähler: 30 9 0 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 780 (4), 368 (13), 361 (7)
 beste Teiler 9.2 (14.) 22.3 (39.) 23.7 (33.)
 Trefferlage 0.38 mm rechts, 0.17 mm tief
 Streuwert 1.73, horizontal: 2.00, vertikal: 1.39




Serie 1:
 10.3 * 10.2 * 10.0 ← 7.8 → 9.7 ↗
 9.9 ↘ 9.5 ← 10.3 * 10.6 * 9.6 ↘
 beste Teiler 96.0 (9.) 157.8 (8.) 161.3 (1.)
 Trefferlage 0.46 mm rechts, 0.06 mm tief
 Streuwert 2.52, horizontal: 3.26, vertikal: 1.44



Serie 2:
 10.4 * 10.0 ↖ 9.5 → 10.9 * 10.6 *
 10.3 * 10.1 → 10.5 * 10.5 * 10.0 ↗
 beste Teiler 9.2 (14.) 91.2 (15.) 112.6 (19.)
 Trefferlage 0.52 mm rechts, 0.61 mm hoch
 Streuwert 1.31, horizontal: 1.45, vertikal: 1.16





Serie 3:
 10.3 * 9.9 ← 10.2 * 10.2 * 10.0 ↓
 10.1 ↘ 9.6 ↓ 9.9 ← 10.1 ↓ 9.8 ←
 beste Teiler 166.3 (21.) 187.5 (23.) 200.0 (24.)
 Trefferlage 0.33 mm links, 0.92 mm tief
 Streuwert 1.65, horizontal: 1.82, vertikal: 1.46




Serie 4:
 10.4 * 10.4 * 10.9 * 10.3 * 10.1 ↑
 10.2 * 10.4 * 10.1 ↓ 10.9 * 10.0 →
 beste Teiler 22.3 (39.) 23.7 (33.) 130.6 (37.)
 Trefferlage 0.88 mm rechts, 0.30 mm tief
 Streuwert 0.98, horizontal: 0.64, vertikal: 1.24

Unterschrift des Schützen


Ergebnis:	384	(401.1)
Serien:	95	94 100 95
Zähler:	26	12 2 0 0 0 0 0 0 0
Innenzehner:	19	
weiteste:	677	(9), 629 (33), 478 (31)
beste Teiler	31.1	(17.) 68.9 (27.) 70.3 (23.)
Trefferlage	0.01 mm	links, 0.38 mm hoch
Streuwert	1.92,	horizontal: 1.90, vertikal: 1.93




Serie 1:	10.1 ←	10.1 ↓	9.7 ↘	10.0 ↓	10.1 ↑
	10.2 *	10.1 ↘	9.2 ↗	8.2 ↖	9.7 ↗
beste Teiler	184.8	(6.) 204.4 (1.)	209.9 (2.)		
Trefferlage	0.48 mm	rechts, 0.43 mm	hoch		
Streuwert	2.44,	horizontal: 2.28, vertikal: 2.59			



Serie 2:	10.4 *	9.6 ↗	9.4 ↖	9.9 ↗	9.9 ↖
	10.3 *	10.8 *	10.4 *	9.2 ↑	9.8 ↖
beste Teiler	31.1	(17.) 133.5 (18.)	142.7 (11.)		
Trefferlage	0.22 mm	links, 1.71 mm	hoch		
Streuwert	1.55,	horizontal: 1.61, vertikal: 1.48			



Serie 3:	10.5 *	10.4 *	10.7 *	10.1 ↘	10.4 *
	10.3 *	10.7 *	10.2 *	10.5 *	10.6 *
beste Teiler	68.9	(27.) 70.3 (23.)	84.1 (30.)		
Trefferlage	0.73 mm	rechts, 0.03 mm	hoch		
Streuwert	0.87,	horizontal: 0.68, vertikal: 1.02			



Serie 4:	9.0 ↓	9.9 ↓	8.4 ←	10.0 →	10.5 *
	10.5 *	10.7 *	9.9 ←	10.3 *	10.4 *
beste Teiler	73.4	(37.) 111.1 (36.)	116.2 (35.)		
Trefferlage	1.06 mm	links, 0.65 mm	tief		
Streuwert	2.02,	horizontal: 2.29, vertikal: 1.71			

Unterschrift des Schützen

Meyton Elektronik