





Ergebnis: **387** (407.8)  
 Serien: 98 95 99 95  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 520 (19), 431 (20), 394 (35)  
 beste Teiler 20.1 (23.) 42.7 (25.) 43.3 (1.)  
 Trefferlage 1.28 mm rechts, 0.34 mm tief  
 Streuwert 1.28, horizontal: 1.47, vertikal: 1.05




Serie 1:  
 10.8 \* 10.0 → 10.2 \* 10.6 \* 9.8 →  
 9.7 ↗ 10.6 \* 10.6 \* 10.3 \* 10.4 \*  
 beste Teiler 43.3 (1.) 87.6 (7.) 89.6 (4.)  
 Trefferlage 0.98 mm rechts, 0.12 mm hoch  
 Streuwert 1.18, horizontal: 1.17, vertikal: 1.19



Serie 2:  
 10.5 \* 10.3 \* 9.8 → 10.2 \* 9.5 →  
 10.2 \* 10.6 \* 10.5 \* 8.9 ↘ 9.2 →  
 beste Teiler 80.9 (17.) 108.0 (11.) 114.1 (18.)  
 Trefferlage 1.92 mm rechts, 0.59 mm tief  
 Streuwert 1.48, horizontal: 1.76, vertikal: 1.14



Serie 3:  
 10.5 \* 10.3 \* 10.9 \* 10.1 ↘ 10.8 \*  
 9.9 → 10.2 \* 10.7 \* 10.4 \* 10.3 \*  
 beste Teiler 20.1 (23.) 42.7 (25.) 75.3 (28.)  
 Trefferlage 1.16 mm rechts, 0.30 mm tief  
 Streuwert 0.74, horizontal: 0.83, vertikal: 0.63



Serie 4:  
 10.5 \* 9.8 → 9.9 ↘ 9.6 ↘ 9.4 ↘  
 10.7 \* 10.1 ↘ 10.7 \* 10.4 \* 9.9 ↗  
 beste Teiler 53.2 (36.) 60.6 (38.) 105.1 (31.)  
 Trefferlage 1.04 mm rechts, 0.58 mm tief  
 Streuwert 1.56, horizontal: 1.89, vertikal: 1.13

Unterschrift des Schützen

Ergebnis: **388** (405.2)

Serien: 98 97 96 97

Zähler: 28 12 0 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 481 (36), 444 (28), 411 (18)

beste Teiler 17.7 (5.) 40.3 (16.) 43.0 (31.)

Trefferlage 0.09 mm links, 0.05 mm tief

Streuwert 1.67, horizontal: 1.94, vertikal: 1.36




Serie 1:

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 10.0 ← | 10.2 * | 10.1 → | 10.4 * | 10.9 * |
| 10.3 * | 9.8 →  | 10.4 * | 9.4 ↓  | 10.2 * |

beste Teiler 17.7 (5.) 128.6 (4.) 141.9 (8.)

Trefferlage 0.36 mm rechts, 0.25 mm tief

Streuwert 1.58, horizontal: 1.74, vertikal: 1.39




Serie 2:

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 9.9 →  | 10.2 * | 10.0 ↘ | 10.5 * | 9.9 ↗  |
| 10.8 * | 10.2 * | 9.3 ←  | 10.2 * | 10.3 * |

beste Teiler 40.3 (16.) 104.6 (14.) 160.0 (20.)

Trefferlage 0.07 mm rechts, 0.18 mm tief

Streuwert 1.68, horizontal: 1.92, vertikal: 1.41




Serie 3:

|       |        |        |        |        |
|-------|--------|--------|--------|--------|
| 9.6 ← | 10.4 * | 10.8 * | 10.7 * | 10.2 * |
| 9.8 ↓ | 10.2 * | 9.2 ←  | 9.7 ↙  | 10.1 ↗ |

beste Teiler 44.2 (23.) 71.7 (24.) 134.0 (22.)

Trefferlage 0.53 mm links, 0.49 mm tief

Streuwert 1.80, horizontal: 2.14, vertikal: 1.37



Serie 4:

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 10.8 * | 10.4 * | 10.6 * | 10.2 * | 9.7 →  |
| 9.0 ↖  | 10.3 * | 10.3 * | 9.7 ↖  | 10.5 * |

beste Teiler 43.0 (31.) 93.1 (33.) 124.7 (40.)



Trefferlage 0.27 mm links, 0.70 mm hoch

Streuwert 1.69, horizontal: 2.11, vertikal: 1.13


Unterschrift des Schützen

Meyton Elektronik


|              |            |                                  |
|--------------|------------|----------------------------------|
| Ergebnis:    | <b>380</b> | (399.5)                          |
| Serien:      | 93         | 97 96 94                         |
| Zähler:      | 23         | 14 3 0 0 0 0 0 0 0               |
| Innenzehner: | 19         |                                  |
| weiteste:    | 563        | (38), 536 (36), 503 (1)          |
| beste Teiler | 7.0        | (23.) 8.0 (31.) 24.3 (5.)        |
| Trefferlage  | 0.17 mm    | links, 0.72 mm hoch              |
| Streuwert    | 1.91,      | horizontal: 2.21, vertikal: 1.54 |




|              |         |                   |                |       |        |
|--------------|---------|-------------------|----------------|-------|--------|
| Serie 1:     | 8.9 ↘   | 10.5 *            | 9.8 ↙          | 9.5 ↘ | 10.9 * |
|              | 9.8 ↗   | 10.2 *            | 9.9 →          | 9.9 ↖ | 10.2 * |
| beste Teiler | 24.3    | (5.) 114.9        | (2.) 187.4     | (7.)  |        |
| Trefferlage  | 0.48 mm | links, 0.89 mm    | hoch           |       |        |
| Streuwert    | 1.92,   | horizontal: 2.49, | vertikal: 1.08 |       |        |



|              |         |                   |                |        |        |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 2:     | 10.7 *  | 9.6 ↗             | 10.2 *         | 10.3 * | 10.2 * |
|              | 10.2 *  | 10.3 *            | 9.2 ↑          | 10.2 * | 9.7 ↑  |
| beste Teiler | 59.1    | (11.) 154.9       | (14.) 158.4    | (17.)  |        |
| Trefferlage  | 0.81 mm | rechts, 0.29 mm   | hoch           |        |        |
| Streuwert    | 1.71,   | horizontal: 1.27, | vertikal: 2.06 |        |        |





|              |         |                   |                |       |        |
|--------------|---------|-------------------|----------------|-------|--------|
| Serie 3:     | 10.3 *  | 10.7 *            | 10.9 *         | 9.4 ↗ | 10.0 ↑ |
|              | 9.4 ↖   | 9.5 ↖             | 10.0 ↗         | 9.7 ↑ | 10.1 ↑ |
| beste Teiler | 7.0     | (23.) 64.1        | (22.) 175.9    | (21.) |        |
| Trefferlage  | 0.06 mm | rechts, 1.24 mm   | hoch           |       |        |
| Streuwert    | 1.78,   | horizontal: 2.14, | vertikal: 1.32 |       |        |




|              |         |                   |                |        |        |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 4:     | 10.9 *  | 9.5 ↖             | 10.4 *         | 10.3 * | 10.1 ↗ |
|              | 8.8 ↘   | 9.9 ↓             | 8.7 ↖          | 10.2 * | 10.5 * |
| beste Teiler | 8.0     | (31.) 123.7       | (40.) 146.0    | (33.)  |        |
| Trefferlage  | 1.09 mm | links, 0.47 mm    | hoch           |        |        |
| Streuwert    | 2.13,   | horizontal: 2.58, | vertikal: 1.57 |        |        |

Unterschrift des Schützen


Ergebnis: **387** (404.2)  
 Serien: 98 96 98 95  
 Zähler: 29 9 2 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 528 (34), 501 (36), 483 (19)  
 beste Teiler 35.3 (27.) 41.3 (22.) 51.0 (7.)  
 Trefferlage 0.36 mm links, 0.52 mm hoch  
 Streuwert 1.72, horizontal: 1.96, vertikal: 1.43




Serie 1:  
 10.4 \*                      10.7 \*                      9.7 ↗                      10.3 \*                      10.5 \*  
 10.7 \*                      10.7 \*                      9.3 →                      10.0 ←                      10.3 \*  
 beste Teiler 51.0 (7.) 61.0 (6.) 66.9 (2.)  
 Trefferlage 0.07 mm links, 0.12 mm tief  
 Streuwert 1.53, horizontal: 1.95, vertikal: 0.92



Serie 2:  
 10.3 \*                      9.6 ↗                      10.0 ↘                      10.3 \*                      10.1 ←  
 9.1 ↗                      9.9 ↘                      10.5 \*                      9.0 ←                      10.6 \*  
 beste Teiler 100.8 (20.) 113.5 (18.) 167.4 (11.)  
 Trefferlage 0.66 mm links, 0.85 mm hoch  
 Streuwert 1.95, horizontal: 2.18, vertikal: 1.68



Serie 3:  
 10.0 ↘                      10.8 \*                      10.6 \*                      10.5 \*                      10.0 ↘  
 9.5 ←                      10.8 \*                      9.9 →                      10.4 \*                      10.0 →  
 beste Teiler 35.3 (27.) 41.3 (22.) 91.0 (23.)  
 Trefferlage 0.14 mm rechts, 0.33 mm hoch  
 Streuwert 1.49, horizontal: 1.81, vertikal: 1.07





Serie 4:  
 10.1 ↗                      9.9 ↙                      10.0 ↘                      8.8 ↘                      10.7 \*  
 8.9 ↗                      10.6 \*                      10.1 ↘                      10.4 \*                      10.2 \*  
 beste Teiler 56.0 (35.) 86.9 (37.) 147.2 (39.)  
 Trefferlage 0.86 mm links, 1.05 mm hoch  
 Streuwert 1.89, horizontal: 1.99, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (404.5)  
 Serien: 97 97 98 95  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 482 (27), 477 (19), 426 (22)  
 beste Teiler 52.3 (38.) 55.1 (26.) 60.1 (6.)  
 Trefferlage 0.36 mm links, 0.52 mm tief  
 Streuwert 1.62, horizontal: 1.62, vertikal: 1.63




Serie 1:  
 9.8 ↖ 10.2 \* 10.2 \* 10.5 \* 9.7 ←  
 10.7 \* 10.4 \* 10.1 ↗ 9.9 ← 10.2 \*  
 beste Teiler 60.1 (6.) 104.7 (4.) 128.7 (7.)  
 Trefferlage 0.73 mm links, 0.13 mm tief  
 Streuwert 1.43, horizontal: 1.72, vertikal: 1.05



Serie 2:  
 10.3 \* 10.3 \* 10.5 \* 9.9 ↗ 9.8 ↖  
 10.1 ↘ 10.3 \* 10.4 \* 9.0 ↘ 10.3 \*  
 beste Teiler 123.9 (13.) 126.2 (18.) 154.2 (20.)  
 Trefferlage 0.46 mm links, 0.01 mm hoch  
 Streuwert 1.75, horizontal: 1.45, vertikal: 2.00



Serie 3:  
 10.6 \* 9.2 ↓ 10.5 \* 10.3 \* 10.5 \*  
 10.7 \* 9.0 ← 10.5 \* 10.0 ↗ 10.3 \*  
 beste Teiler 55.1 (26.) 77.6 (21.) 101.4 (28.)  
 Trefferlage 0.39 mm links, 0.81 mm tief  
 Streuwert 1.65, horizontal: 1.88, vertikal: 1.40



Serie 4:  
 9.9 ↘ 9.7 ← 9.5 ↓ 9.7 ↓ 9.5 ↓  
 10.5 \* 10.0 ↑ 10.7 \* 10.3 \* 10.5 \*  
 beste Teiler 52.3 (38.) 108.9 (40.) 118.6 (36.)  
 Trefferlage 0.12 mm rechts, 1.17 mm tief  
 Streuwert 1.69, horizontal: 1.54, vertikal: 1.83

Unterschrift des Schützen

Meyton Elektronik

**LG Liga – Wertung – offene Klasse**

**StartNr: 6**



StandNr: 107

16. November 2019 15:51


**Poschinger, Christina #74**

Bruckhäusl / Bruckhäusl


Ergebnis: **386** (401.3)  
 Serien: 96 96 96 98  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 452 (14), 451 (3), 427 (2)  
 beste Teiler 35.2 (39.) 56.3 (5.) 61.3 (20.)  
 Trefferlage 0.42 mm links, 0.30 mm hoch  
 Streuwert 1.77, horizontal: 1.82, vertikal: 1.73




Serie 1:  
 10.0 ←                      9.2 ↘                      9.1 ←                      10.4 \*                      10.7 \*  
 10.3 \*                      10.5 \*                      9.4 →                      9.9 ↗                      10.4 \*  
 beste Teiler 56.3 (5.) 111.0 (7.) 131.5 (4.)  
 Trefferlage 0.30 mm links, 0.24 mm tief  
 Streuwert 2.01, horizontal: 2.32, vertikal: 1.63



Serie 2:  
 10.3 \*                      9.9 ↘                      9.7 ←                      9.1 ↖                      10.1 ←  
 9.7 ←                      10.0 →                      10.5 \*                      10.3 \*                      10.7 \*  
 beste Teiler 61.3 (20.) 101.2 (18.) 152.1 (11.)  
 Trefferlage 0.69 mm links, 0.38 mm hoch  
 Streuwert 1.78, horizontal: 1.93, vertikal: 1.60



Serie 3:  
 9.8 ↖                      10.2 \*                      9.7 ↑                      10.6 \*                      10.0 ↘  
 10.4 \*                      9.3 ↖                      10.1 ↗                      10.2 \*                      9.9 ↖  
 beste Teiler 90.3 (24.) 148.9 (26.) 194.8 (22.)  
 Trefferlage 0.27 mm links, 0.74 mm hoch  
 Streuwert 1.78, horizontal: 1.75, vertikal: 1.82





Serie 4:  
 10.1 ↖                      9.6 ↘                      10.0 ↑                      9.5 ↑                      10.5 \*  
 10.1 ←                      10.1 ↓                      10.2 \*                      10.8 \*                      10.0 →  
 beste Teiler 35.2 (39.) 110.0 (35.) 195.9 (38.)  
 Trefferlage 0.41 mm links, 0.33 mm hoch  
 Streuwert 1.71, horizontal: 1.43, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.6)  
 Serien: 93 97 93 98  
 Zähler: 23 15 2 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 631 (9), 556 (2), 464 (27)  
 beste Teiler 43.6 (20.) 46.6 (39.) 67.0 (11.)  
 Trefferlage 0.82 mm rechts, 0.70 mm hoch  
 Streuwert 1.85, horizontal: 2.30, vertikal: 1.26




Serie 1:  
 10.4 \* 8.7 → 9.4 → 10.2 \* 10.4 \*  
 10.4 \* 10.7 \* 9.3 ↗ 8.4 → 9.7 ↖  
 beste Teiler 72.9 (7.) 127.0 (5.) 134.6 (1.)  
 Trefferlage 1.02 mm rechts, 1.20 mm hoch  
 Streuwert 2.32, horizontal: 3.16, vertikal: 0.88



Serie 2:  
 10.7 \* 10.1 ↖ 10.0 → 10.0 → 10.0 ↖  
 9.3 ↗ 10.4 \* 9.8 ↗ 9.9 → 10.8 \*  
 beste Teiler 43.6 (20.) 67.0 (11.) 126.5 (17.)  
 Trefferlage 0.81 mm rechts, 1.03 mm hoch  
 Streuwert 1.48, horizontal: 1.66, vertikal: 1.28



Serie 3:  
 10.3 \* 9.9 ↗ 10.0 ↖ 9.1 → 9.9 ←  
 9.9 ↗ 9.1 → 9.8 ↖ 9.9 → 10.6 \*  
 beste Teiler 100.4 (30.) 152.0 (21.) 245.4 (23.)  
 Trefferlage 0.64 mm rechts, 0.57 mm hoch  
 Streuwert 2.10, horizontal: 2.60, vertikal: 1.42





Serie 4:  
 9.3 → 10.0 ↖ 10.4 \* 10.3 \* 10.1 →  
 10.4 \* 10.2 \* 9.9 ↗ 10.8 \* 10.1 ←  
 beste Teiler 46.6 (39.) 136.9 (33.) 140.6 (36.)  
 Trefferlage 0.82 mm rechts, 0.01 mm hoch  
 Streuwert 1.56, horizontal: 1.82, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (404.8)  
 Serien: 96 97 99 95  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 553 (13), 465 (23), 459 (6)  
 beste Teiler 40.3 (7.) 47.0 (21.) 60.1 (22.)  
 Trefferlage 0.03 mm links, 0.40 mm hoch  
 Streuwert 1.72, horizontal: 1.94, vertikal: 1.46




Serie 1:  
 10.0 ↑                      10.5 \*                      9.5 →                      10.4 \*                      10.2 \*  
 9.1 →                      10.8 \*                      10.5 \*                      9.8 ↗                      9.8 ↘  
 beste Teiler 40.3 (7.) 122.0 (8.) 124.0 (2.)  
 Trefferlage 0.63 mm rechts, 0.40 mm hoch  
 Streuwert 1.82, horizontal: 2.01, vertikal: 1.61



Serie 2:  
 10.7 \*                      10.0 ↘                      8.7 →                      10.7 \*                      10.3 \*  
 10.1 →                      10.7 \*                      9.7 ↘                      10.1 ←                      10.1 ↑  
 beste Teiler 64.5 (11.) 75.2 (14.) 75.5 (17.)  
 Trefferlage 0.16 mm rechts, 0.05 mm tief  
 Streuwert 1.86, horizontal: 2.23, vertikal: 1.40



Serie 3:  
 10.8 \*                      10.7 \*                      9.1 ←                      10.5 \*                      10.7 \*  
 10.3 \*                      10.2 \*                      10.1 ↑                      10.3 \*                      10.7 \*  
 beste Teiler 47.0 (21.) 60.1 (22.) 60.6 (25.)  
 Trefferlage 0.60 mm links, 0.40 mm hoch  
 Streuwert 1.34, horizontal: 1.56, vertikal: 1.08





Serie 4:  
 10.3 \*                      10.4 \*                      10.0 ↘                      10.2 \*                      9.9 ↑  
 9.4 ↘                      10.3 \*                      9.4 →                      9.9 ↑                      9.9 ↘  
 beste Teiler 137.6 (32.) 169.4 (31.) 171.3 (37.)  
 Trefferlage 0.32 mm links, 0.87 mm hoch  
 Streuwert 1.85, horizontal: 1.94, vertikal: 1.76

Unterschrift des Schützen

Meyton Elektronik




|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>384</b>                             | (404.7) |
| Serien:      | 96 95 97 96                            |         |
| Zähler:      | 24 16 0 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 18                                     |         |
| weiteste:    | 498 (15), 472 (40), 411 (4)            |         |
| beste Teiler | 11.1 (18.) 18.9 (13.) 47.6 (1.)        |         |
| Trefferlage  | 0.02 mm rechts, 0.64 mm hoch           |         |
| Streuwert    | 1.64, horizontal: 1.77, vertikal: 1.51 |         |




Serie 1:

|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 10.8 *       | 10.0 ↘                                 | 9.8 ↗      | 9.3 ↖      | 10.5 * |
| 10.0 ↓       | 9.9 ↖                                  | 10.3 *     | 9.9 →      | 10.0 ← |
| beste Teiler | 47.6 (1.)                              | 120.2 (5.) | 173.9 (8.) |        |
| Trefferlage  | 0.46 mm links, 0.27 mm hoch            |            |            |        |
| Streuwert    | 1.81, horizontal: 1.82, vertikal: 1.79 |            |            |        |




Serie 2:

|              |  |            |             |       |
|--------------|--|------------|-------------|-------|
| 10.5 *       | 9.5 ↑                                  | 10.9 *     | 9.8 ↖       | 9.0 ↖ |
| 10.2 *       | 10.4 *                                 | 10.9 *     | 9.6 ↖       | 9.9 ↑ |
| beste Teiler | 11.1 (18.)                             | 18.9 (13.) | 113.5 (11.) |       |
| Trefferlage  | 0.52 mm links, 1.42 mm hoch            |            |             |       |
| Streuwert    | 1.66, horizontal: 1.87, vertikal: 1.42 |            |             |       |



Serie 3:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 9.9 ↑        | 10.0 →                                 | 10.1 →      | 10.2 *      | 10.5 * |
| 10.4 *       | 9.9 →                                  | 9.9 →       | 10.5 *      | 10.1 ↗ |
| beste Teiler | 105.7 (29.)                            | 118.8 (25.) | 128.3 (26.) |        |
| Trefferlage  | 1.00 mm rechts, 1.26 mm hoch           |             |             |        |
| Streuwert    | 0.93, horizontal: 1.12, vertikal: 0.70 |             |             |        |





Serie 4:


|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 9.8 ↓        | 9.8 ↘                                  | 10.5 *     | 10.6 *     | 10.7 * |
| 10.5 *       | 10.6 *                                 | 9.9 ↘      | 10.5 *     | 9.1 ←  |
| beste Teiler | 64.2 (35.)                             | 82.5 (34.) | 99.2 (37.) |        |
| Trefferlage  | 0.08 mm rechts, 0.37 mm tief           |            |            |        |
| Streuwert    | 1.67, horizontal: 1.97, vertikal: 1.30 |            |            |        |

Unterschrift des Schützen


Ergebnis: **386** (406.1)  
 Serien: 95 99 95 97  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 461 (40), 375 (24), 370 (28)  
 beste Teiler 31.4 (16.) 49.2 (1.) 65.3 (33.)  
 Trefferlage 0.28 mm links, 0.47 mm hoch  
 Streuwert 1.56, horizontal: 1.94, vertikal: 1.06




Serie 1:  
 10.8 \*                      9.9 ←                      10.3 \*                      9.9 ←                      9.7 ↙  
    9.7 ←                      10.5 \*                      10.6 \*                      10.3 \*                      9.9 ←  
 beste Teiler 49.2 (1.) 88.0 (8.) 112.6 (7.)  
 Trefferlage 1.08 mm links, 0.12 mm hoch  
 Streuwert 1.45, horizontal: 1.82, vertikal: 0.96



Serie 2:  
 10.6 \*                      10.4 \*                      10.6 \*                      10.0 →                      10.3 \*  
    10.8 \*                      9.9 ↗                      10.0 ←                      10.7 \*                      10.6 \*  
 beste Teiler 31.4 (16.) 67.4 (19.) 76.5 (13.)  
 Trefferlage 0.30 mm rechts, 0.17 mm hoch  
 Streuwert 1.16, horizontal: 1.37, vertikal: 0.90



Serie 3:  
 9.6 →                      10.1 →                      9.9 ↗                      9.5 ↗                      9.9 ↑  
    10.4 \*                      10.1 ←                      9.5 ↖                      10.4 \*                      10.2 \*  
 beste Teiler 131.2 (26.) 143.6 (29.) 176.6 (30.)  
 Trefferlage 0.68 mm rechts, 1.06 mm hoch  
 Streuwert 1.70, horizontal: 2.04, vertikal: 1.26





Serie 4:  
 10.4 \*                      10.3 \*                      10.7 \*                      10.6 \*                      9.6 ←  
    10.1 →                      9.7 ↖                      10.3 \*                      10.2 \*                      9.1 ↖  
 beste Teiler 65.3 (33.) 88.2 (34.) 141.4 (31.)  
 Trefferlage 1.04 mm links, 0.54 mm hoch  
 Streuwert 1.59, horizontal: 2.03, vertikal: 0.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.3)  
 Serien: 91 94 93 92  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 739 (39), 737 (33), 585 (23)  
 beste Teiler 66.0 (35.) 66.2 (40.) 67.0 (30.)  
 Trefferlage 0.08 mm links, 0.20 mm hoch  
 Streuwert 2.59, horizontal: 3.28, vertikal: 1.62




Serie 1:  
 9.1 ↘ 10.1 ↗ 9.3 ← 9.9 ↑ 9.6 →  
 9.0 ↘ 9.7 ↙ 9.4 → 9.5 ← 9.8 →  
 beste Teiler 205.0 (2.) 257.9 (4.) 288.0 (10.)  
 Trefferlage 0.77 mm rechts, 0.43 mm tief  
 Streuwert 2.62, horizontal: 3.12, vertikal: 1.99



Serie 2:  
 10.1 ↑ 9.8 ← 9.4 → 10.5 \* 10.5 \*  
 10.3 \* 9.5 → 9.0 ← 10.7 \* 8.9 ←  
 beste Teiler 71.3 (19.) 109.8 (15.) 115.1 (14.)  
 Trefferlage 0.34 mm links, 0.46 mm hoch  
 Streuwert 2.31, horizontal: 3.12, vertikal: 0.96





Serie 3:  
 10.4 \* 10.0 ↘ 8.6 → 9.6 ← 9.7 ↘  
 9.5 ↘ 9.0 ↘ 9.0 → 10.3 \* 10.7 \*  
 beste Teiler 67.0 (30.) 139.7 (21.) 158.7 (29.)  
 Trefferlage 0.24 mm links, 0.59 mm hoch  
 Streuwert 2.63, horizontal: 3.34, vertikal: 1.64




Serie 4:  
 9.9 ↘ 10.0 → 8.0 ↘ 10.5 \* 10.7 \*  
 10.2 \* 8.8 ↘ 9.6 ↙ 8.0 → 10.7 \*  
 beste Teiler 66.0 (35.) 66.2 (40.) 104.7 (34.)  
 Trefferlage 0.54 mm links, 0.20 mm hoch  
 Streuwert 3.01, horizontal: 3.86, vertikal: 1.78

Unterschrift des Schützen


Ergebnis: **388** (400.9)  
 Serien: 99 97 95 97  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 496 (20), 451 (39), 450 (10)  
 beste Teiler 59.6 (9.) 71.4 (5.) 95.2 (17.)  
 Trefferlage 0.16 mm links, 0.46 mm hoch  
 Streuwert 1.80, horizontal: 1.65, vertikal: 1.94




Serie 1:  
 10.3 \*                      10.0 ↘                      10.5 \*                      10.2 \*                      10.7 \*  
 10.1 ↖                      10.2 \*                      10.1 ↑                      10.7 \*                      9.2 ↑  
 beste Teiler 59.6 (9.) 71.4 (5.) 123.0 (3.)  
 Trefferlage 0.74 mm links, 1.04 mm hoch  
 Streuwert 1.28, horizontal: 0.66, vertikal: 1.68



Serie 2:  
 10.4 \*                      10.3 \*                      9.5 ↓                      10.1 ↑                      10.0 ↑  
 10.3 \*                      10.6 \*                      10.3 \*                      9.4 ↘                      9.0 ←  
 beste Teiler 95.2 (17.) 131.7 (11.) 153.0 (18.)  
 Trefferlage 0.77 mm links, 0.50 mm hoch  
 Streuwert 1.90, horizontal: 1.67, vertikal: 2.10



Serie 3:  
 10.2 \*                      9.8 →                      10.2 \*                      10.3 \*                      9.9 ←  
 10.0 ↓                      9.4 ↑                      10.1 ↑                      9.9 ↑                      9.3 ↖  
 beste Teiler 167.9 (24.) 180.6 (23.) 184.6 (21.)  
 Trefferlage 0.00 mm , 0.86 mm hoch  
 Streuwert 1.94, horizontal: 1.98, vertikal: 1.91





Serie 4:  
 9.9 ↘                      10.2 \*                      10.2 \*                      9.3 ↓                      10.2 \*  
 10.1 ↗                      10.1 ↓                      10.5 \*                      9.1 →                      10.3 \*  
 beste Teiler 122.0 (38.) 152.2 (40.) 176.2 (33.)  
 Trefferlage 0.88 mm rechts, 0.56 mm tief  
 Streuwert 1.78, horizontal: 1.61, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>369</b>                             | (388.0) |
| Serien:      | 93 93 90 93                            |         |
| Zähler:      | 18 16 4 1 1 0 0 0 0 0                  |         |
| Innenzehner: | 15                                     |         |
| weiteste:    | 1143 (23), 771 (19), 668 (24)          |         |
| beste Teiler | 47.0 (36.) 52.4 (18.) 105.5 (25.)      |         |
| Trefferlage  | 0.73 mm rechts, 0.33 mm hoch           |         |
| Streuwert    | 2.64, horizontal: 3.45, vertikal: 1.43 |         |




|              |  |            |            |       |       |
|--------------|--|------------|------------|-------|-------|
| Serie 1:     | 10.4 *                                 | 10.4 *     | 10.4 *     | 9.5 ↖ | 9.8 ↗ |
|              | 9.8 ↗                                  | 9.8 →      | 10.4 *     | 9.8 ↓ | 8.9 ↗ |
| beste Teiler | 131.9 (2.)                             | 132.8 (8.) | 138.3 (3.) |       |       |
| Trefferlage  | 0.81 mm rechts, 0.37 mm hoch           |            |            |       |       |
| Streuwert    | 1.99, horizontal: 2.42, vertikal: 1.42 |            |            |       |       |



|              |  |             |             |       |        |
|--------------|--|-------------|-------------|-------|--------|
| Serie 2:     | 10.1 ↗                                 | 9.8 ←       | 10.3 *      | 9.6 ← | 10.2 * |
|              | 10.2 *                                 | 9.2 →       | 10.7 *      | 7.9 ↘ | 9.7 →  |
| beste Teiler | 52.4 (18.)                             | 172.8 (13.) | 194.0 (16.) |       |        |
| Trefferlage  | 1.12 mm rechts, 0.23 mm tief           |             |             |       |        |
| Streuwert    | 2.49, horizontal: 3.12, vertikal: 1.64 |             |             |       |        |





|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3:     | 9.8 ↖                                  | 10.5 *      | 6.4 →       | 8.3 ←  | 10.5 * |
|              | 10.0 ↖                                 | 10.2 *      | 9.1 →       | 10.0 ← | 8.7 →  |
| beste Teiler | 105.5 (25.)                            | 117.7 (22.) | 188.7 (27.) |        |        |
| Trefferlage  | 0.69 mm rechts, 0.90 mm hoch           |             |             |        |        |
| Streuwert    | 3.66, horizontal: 5.12, vertikal: 0.69 |             |             |        |        |




|              |  |             |             |       |        |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4:     | 9.6 ↑                                  | 8.6 →       | 9.2 ↖       | 9.2 ← | 9.8 ↓  |
|              | 10.8 *                                 | 10.2 *      | 10.3 *      | 9.6 → | 10.3 * |
| beste Teiler | 47.0 (36.)                             | 165.4 (40.) | 169.7 (38.) |       |        |
| Trefferlage  | 0.32 mm rechts, 0.28 mm hoch           |             |             |       |        |
| Streuwert    | 2.48, horizontal: 3.08, vertikal: 1.70 |             |             |       |        |

Unterschrift des Schützen


Ergebnis: **388** (409.2)  
 Serien: 98 97 97 96  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 509 (20), 388 (31), 368 (40)  
 beste Teiler 17.6 (19.) 25.3 (23.) 25.4 (38.)  
 Trefferlage 0.09 mm rechts, 0.38 mm tief  
 Streuwert 1.51, horizontal: 1.59, vertikal: 1.43




Serie 1:  
 10.5 \* 9.8 ↓ 10.6 \* 10.5 \* 10.5 \*  
 10.5 \* 10.3 \* 10.5 \* 10.2 \* 9.8 ↘  
 beste Teiler 79.0 (3.) 101.2 (5.) 102.5 (6.)  
 Trefferlage 0.20 mm rechts, 0.83 mm tief  
 Streuwert 1.10, horizontal: 1.08, vertikal: 1.13



Serie 2:  
 10.7 \* 9.8 ↘ 10.2 \* 10.7 \* 10.2 \*  
 10.4 \* 10.4 \* 10.7 \* 10.9 \* 8.9 ↘  
 beste Teiler 17.6 (19.) 63.0 (18.) 69.4 (14.)  
 Trefferlage 0.52 mm rechts, 0.55 mm tief  
 Streuwert 1.53, horizontal: 1.63, vertikal: 1.43



Serie 3:  
 10.4 \* 9.8 ↖ 10.9 \* 10.6 \* 10.3 \*  
 10.4 \* 9.8 ↗ 9.8 ↖ 10.3 \* 10.2 \*  
 beste Teiler 25.3 (23.) 91.3 (24.) 129.7 (21.)  
 Trefferlage 0.11 mm links, 0.43 mm tief  
 Streuwert 1.42, horizontal: 1.70, vertikal: 1.09





Serie 4:  
 9.4 ↓ 10.0 ↖ 10.8 \* 10.0 → 9.6 ↖  
 10.5 \* 10.4 \* 10.9 \* 9.5 ↗ 9.5 →  
 beste Teiler 25.4 (38.) 38.2 (33.) 122.9 (36.)  
 Trefferlage 0.22 mm links, 0.29 mm hoch  
 Streuwert 1.93, horizontal: 1.97, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.2)  
 Serien: 93 95 91 93  
 Zähler: 14 24 2 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 664 (26), 511 (9), 499 (3)  
 beste Teiler 58.6 (17.) 83.8 (32.) 85.5 (1.)  
 Trefferlage 0.36 mm rechts, 0.05 mm tief  
 Streuwert 2.36, horizontal: 2.69, vertikal: 1.96




Serie 1:  
 10.6 \* 10.5 \* 9.0 ↘ 9.4 ↖ 10.0 ↗  
 10.5 \* 9.5 ← 9.3 ↘ 8.9 ↖ 9.7 ↗  
 beste Teiler 85.5 (1.) 124.2 (2.) 124.8 (6.)  
 Trefferlage 0.06 mm links, 0.01 mm tief  
 Streuwert 2.55, horizontal: 2.89, vertikal: 2.15



Serie 2:  
 9.6 ↖ 10.0 ↖ 9.4 ↖ 10.3 \* 10.3 \*  
 9.3 ↘ 10.7 \* 10.0 ↗ 9.5 ↓ 9.5 →  
 beste Teiler 58.6 (17.) 157.9 (14.) 165.4 (15.)  
 Trefferlage 0.07 mm rechts, 0.13 mm hoch  
 Streuwert 2.20, horizontal: 2.24, vertikal: 2.17





Serie 3:  
 9.3 ↘ 10.6 \* 9.9 ↗ 9.4 ↑ 9.3 →  
 8.3 → 9.8 ← 10.5 \* 9.4 ↘ 9.7 ←  
 beste Teiler 100.2 (22.) 116.2 (28.) 264.6 (23.)  
 Trefferlage 1.39 mm rechts, 0.19 mm hoch  
 Streuwert 2.55, horizontal: 2.98, vertikal: 2.02




Serie 4:  
 9.7 → 10.6 \* 9.8 ↓ 9.3 → 9.2 ←  
 10.3 \* 10.5 \* 9.7 ↓ 9.2 ↖ 9.7 ↘  
 beste Teiler 83.8 (32.) 118.6 (37.) 165.8 (36.)  
 Trefferlage 0.08 mm rechts, 0.52 mm tief  
 Streuwert 2.29, horizontal: 2.76, vertikal: 1.69

Unterschrift des Schützen


Ergebnis: **387** (404.5)  
 Serien: 98 98 96 95  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 542 (21), 372 (19), 368 (32)  
 beste Teiler 31.7 (7.) 35.0 (20.) 41.1 (9.)  
 Trefferlage 0.28 mm rechts, 0.17 mm hoch  
 Streuwert 1.67, horizontal: 1.80, vertikal: 1.52




Serie 1:  
 10.2 \*                      10.5 \*                      10.4 \*                      9.7 ↖                      10.5 \*  
 10.2 \*                      10.8 \*                      10.4 \*                      10.8 \*                      9.7 ↖  
 beste Teiler 31.7 (7.) 41.1 (9.) 106.3 (5.)  
 Trefferlage 0.33 mm links, 0.44 mm hoch  
 Streuwert 1.31, horizontal: 1.49, vertikal: 1.10



Serie 2:  
 10.3 \*                      10.1 ↘                      10.4 \*                      10.0 ↗                      9.5 ↗  
 10.0 ↓                      10.2 \*                      10.3 \*                      9.5 ↑                      10.8 \*  
 beste Teiler 35.0 (20.) 136.1 (13.) 151.0 (11.)  
 Trefferlage 0.80 mm rechts, 0.53 mm hoch  
 Streuwert 1.57, horizontal: 1.24, vertikal: 1.84



Serie 3:  
 8.8 ↖                      10.3 \*                      10.0 ↙                      9.9 ↖                      10.1 →  
 10.5 \*                      10.5 \*                      10.0 ↗                      9.5 ↗                      10.3 \*  
 beste Teiler 104.7 (26.) 119.2 (27.) 169.3 (22.)  
 Trefferlage 0.16 mm links, 0.41 mm hoch  
 Streuwert 1.99, horizontal: 2.20, vertikal: 1.75





Serie 4:  
 9.6 ↗                      9.5 →                      10.3 \*                      9.9 ←                      10.7 \*  
 9.8 ↘                      9.8 ↙                      10.6 \*                      10.0 ↘                      10.1 ↓  
 beste Teiler 73.8 (35.) 78.4 (38.) 156.2 (33.)  
 Trefferlage 0.84 mm rechts, 0.68 mm tief  
 Streuwert 1.64, horizontal: 2.02, vertikal: 1.14


Unterschrift des Schützen




Ergebnis: **392** (406.9)  
 Serien: 96 99 100 97  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 468 (36), 463 (7), 462 (1)  
 beste Teiler 20.0 (32.) 38.3 (17.) 77.0 (35.)  
 Trefferlage 0.23 mm links, 0.87 mm tief  
 Streuwert 1.47, horizontal: 1.80, vertikal: 1.05




Serie 1:  
 9.1 ←                      9.7 ↓                      10.5 \*                      9.6 ↙                      10.2 \*  
 10.3 \*                      9.1 ←                      10.2 \*                      10.3 \*                      10.5 \*  
 beste Teiler 120.7 (10.) 123.4 (3.) 154.7 (6.)  
 Trefferlage 1.20 mm links, 1.27 mm tief  
 Streuwert 1.64, horizontal: 1.97, vertikal: 1.23



Serie 2:  
 10.1 ↘                      10.5 \*                      10.4 \*                      10.2 \*                      9.5 ←  
 10.4 \*                      10.8 \*                      10.2 \*                      10.0 ↗                      10.6 \*  
 beste Teiler 38.3 (17.) 89.7 (20.) 110.6 (12.)  
 Trefferlage 0.73 mm links, 0.66 mm tief  
 Streuwert 1.21, horizontal: 1.23, vertikal: 1.18



Serie 3:  
 10.6 \*                      10.2 \*                      10.4 \*                      10.6 \*                      10.0 →  
 10.4 \*                      10.4 \*                      10.3 \*                      10.4 \*                      10.4 \*  
 beste Teiler 81.0 (21.) 87.7 (24.) 129.7 (26.)  
 Trefferlage 0.07 mm links, 0.51 mm tief  
 Streuwert 1.05, horizontal: 1.27, vertikal: 0.75





Serie 4:  
 9.4 →                      10.9 \*                      10.0 ↘                      10.6 \*                      10.6 \*  
 9.1 →                      10.0 ↘                      9.8 ↓                      10.4 \*                      10.2 \*  
 beste Teiler 20.0 (32.) 77.0 (35.) 90.1 (34.)  
 Trefferlage 1.07 mm rechts, 1.05 mm tief  
 Streuwert 1.53, horizontal: 1.94, vertikal: 0.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (411.6)  
 Serien: 100 99 98 97  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 366 (27), 306 (18), 297 (37)  
 beste Teiler 7.2 (10.) 34.9 (21.) 40.3 (25.)  
 Trefferlage 0.37 mm rechts, 0.49 mm hoch  
 Streuwert 1.25, horizontal: 1.05, vertikal: 1.42




Serie 1:  
 10.4 \*                      10.7 \*                      10.2 \*                      10.6 \*                      10.5 \*  
 10.7 \*                      10.2 \*                      10.3 \*                      10.1 ↓                      10.9 \*  
 beste Teiler 7.2 (10.) 69.4 (2.) 74.0 (6.)  
 Trefferlage 0.47 mm rechts, 0.61 mm tief  
 Streuwert 0.86, horizontal: 0.79, vertikal: 0.93



Serie 2:  
 10.5 \*                      10.3 \*                      10.5 \*                      10.4 \*                      10.8 \*  
 10.1 ↗                      10.3 \*                      9.7 ↑                      10.7 \*                      10.4 \*  
 beste Teiler 50.2 (15.) 58.1 (19.) 101.0 (13.)  
 Trefferlage 0.28 mm rechts, 0.24 mm hoch  
 Streuwert 1.16, horizontal: 0.97, vertikal: 1.32





Serie 3:  
 10.8 \*                      9.9 ↗                      10.1 ↘                      10.5 \*                      10.8 \*  
 10.2 \*                      9.5 ↗                      10.3 \*                      10.5 \*                      10.5 \*  
 beste Teiler 34.9 (21.) 40.3 (25.) 103.0 (24.)  
 Trefferlage 0.44 mm rechts, 0.51 mm hoch  
 Streuwert 1.30, horizontal: 1.22, vertikal: 1.38




Serie 4:  
 9.9 ↗                      10.1 ↗                      10.0 ↑                      9.8 ↘                      10.0 ↗  
 10.0 ↗                      9.8 ↘                      10.0 →                      10.1 ↑                      10.5 \*  
 beste Teiler 109.5 (40.) 209.6 (32.) 214.3 (39.)  
 Trefferlage 0.30 mm rechts, 1.81 mm hoch  
 Streuwert 1.13, horizontal: 1.30, vertikal: 0.93

Unterschrift des Schützen


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>379</b>                             | (398.5) |
| Serien:      | 97 94 94 94                            |         |
| Zähler:      | 22 16 1 1 0 0 0 0 0 0                  |         |
| Innenzehner: | 19                                     |         |
| weiteste:    | 835 (40), 505 (23), 462 (29)           |         |
| beste Teiler | 18.7 (18.) 34.3 (34.) 37.2 (1.)        |         |
| Trefferlage  | 0.21 mm links, 0.31 mm hoch            |         |
| Streuwert    | 2.10, horizontal: 2.28, vertikal: 1.90 |         |




|              |  |            |            |        |        |
|--------------|--|------------|------------|--------|--------|
| Serie 1:     | 10.8 *                                 | 10.4 *     | 9.3 ←      | 10.0 ↑ | 10.2 * |
|              | 10.2 *                                 | 9.4 ↘      | 10.5 *     | 9.6 ✓  | 10.7 * |
| beste Teiler | 37.2 (1.)                              | 53.2 (10.) | 113.4 (8.) |        |        |
| Trefferlage  | 1.23 mm links, 0.46 mm hoch            |            |            |        |        |
| Streuwert    | 1.56, horizontal: 1.44, vertikal: 1.68 |            |            |        |        |



|              |  |            |             |       |       |
|--------------|--|------------|-------------|-------|-------|
| Serie 2:     | 9.7 ↘                                  | 10.4 *     | 10.7 *      | 9.7 ↓ | 9.4 ↖ |
|              | 10.3 *                                 | 9.7 ↖      | 10.9 *      | 9.4 ↑ | 9.7 ✓ |
| beste Teiler | 18.7 (18.)                             | 73.4 (13.) | 139.4 (12.) |       |       |
| Trefferlage  | 0.83 mm links, 0.46 mm hoch            |            |             |       |       |
| Streuwert    | 1.91, horizontal: 1.71, vertikal: 2.09 |            |             |       |       |





|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3:     | 9.9 ←                                  | 10.3 *      | 8.9 ←       | 10.4 * | 9.8 ↑  |
|              | 9.7 ↑                                  | 10.5 *      | 10.6 *      | 9.1 →  | 10.4 * |
| beste Teiler | 82.0 (28.)                             | 123.3 (27.) | 142.8 (24.) |        |        |
| Trefferlage  | 0.22 mm links, 0.57 mm hoch            |             |             |        |        |
| Streuwert    | 2.08, horizontal: 2.51, vertikal: 1.52 |             |             |        |        |




|              |  |            |             |        |        |
|--------------|--|------------|-------------|--------|--------|
| Serie 4:     | 10.4 *                                 | 10.0 ↗     | 9.5 ↘       | 10.8 * | 10.0 → |
|              | 10.4 *                                 | 9.3 →      | 9.3 ↘       | 10.6 * | 7.6 ↘  |
| beste Teiler | 34.3 (34.)                             | 92.1 (39.) | 131.2 (36.) |        |        |
| Trefferlage  | 1.43 mm rechts, 0.24 mm tief           |            |             |        |        |
| Streuwert    | 2.48, horizontal: 2.57, vertikal: 2.40 |            |             |        |        |

Unterschrift des Schützen


Ergebnis: **386** (405.5)  
 Serien: 95 98 95 98  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 394 (3), 391 (22), 315 (34)  
 beste Teiler 56.4 (20.) 68.4 (17.) 96.1 (37.)  
 Trefferlage 0.66 mm rechts, 0.32 mm hoch  
 Streuwert 1.49, horizontal: 1.56, vertikal: 1.41




Serie 1:  
 10.0 → 9.9 ↘ 9.4 → 10.1 ← 9.8 ↘  
 10.1 ↗ 10.4 \* 9.8 ↖ 10.5 \* 9.8 →  
 beste Teiler 113.1 (9.) 127.3 (7.) 202.6 (4.)  
 Trefferlage 1.23 mm rechts, 0.09 mm tief  
 Streuwert 1.65, horizontal: 2.00, vertikal: 1.20



Serie 2:  
 9.9 ↑ 10.2 \* 10.5 \* 10.4 \* 9.8 →  
 10.0 → 10.7 \* 10.4 \* 10.4 \* 10.7 \*  
 beste Teiler 56.4 (20.) 68.4 (17.) 107.2 (13.)  
 Trefferlage 0.46 mm rechts, 0.25 mm hoch  
 Streuwert 1.29, horizontal: 1.36, vertikal: 1.22



Serie 3:  
 10.5 \* 9.4 ↑ 9.9 ↑ 10.1 ↘ 10.3 \*  
 9.9 → 9.7 ↑ 10.1 ↘ 10.6 \* 9.7 →  
 beste Teiler 97.4 (29.) 120.5 (21.) 158.5 (25.)  
 Trefferlage 0.49 mm rechts, 1.46 mm hoch  
 Streuwert 1.45, horizontal: 1.46, vertikal: 1.43





Serie 4:  
 10.5 \* 10.3 \* 10.4 \* 9.7 ↘ 10.3 \*  
 10.0 ← 10.6 \* 10.5 \* 9.8 ↘ 10.4 \*  
 beste Teiler 96.1 (37.) 110.9 (31.) 115.9 (38.)  
 Trefferlage 0.45 mm rechts, 0.32 mm tief  
 Streuwert 1.36, horizontal: 1.47, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>375</b>                             | (393.0) |
| Serien:      | 95 95 95 90                            |         |
| Zähler:      | 19 17 4 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 15                                     |         |
| weiteste:    | 655 (32), 597 (16), 550 (26)           |         |
| beste Teiler | 51.8 (17.) 62.2 (13.) 87.6 (12.)       |         |
| Trefferlage  | 0.04 mm links, 0.69 mm hoch            |         |
| Streuwert    | 2.22, horizontal: 2.56, vertikal: 1.82 |         |




|              |  |        |        |       |        |
|--------------|--|--------|--------|-------|--------|
| Serie 1:     | 9.3 →                                  | 10.2 * | 10.4 * | 9.8 ← | 10.3 * |
|              | 9.4 ↗                                  | 10.0 ↖ | 9.6 →  | 9.7 ↘ | 10.3 * |
| beste Teiler | 141.0 (3.) 151.3 (5.) 151.7 (10.)      |        |        |       |        |
| Trefferlage  | 0.19 mm rechts, 0.24 mm hoch           |        |        |       |        |
| Streuwert    | 2.03, horizontal: 2.41, vertikal: 1.56 |        |        |       |        |



|              |  |        |        |       |        |
|--------------|--|--------|--------|-------|--------|
| Serie 2:     | 10.2 *                                 | 10.6 * | 10.7 * | 9.1 ↘ | 9.2 ↖  |
|              | 8.6 →                                  | 10.7 * | 10.0 ↗ | 9.7 ↑ | 10.4 * |
| beste Teiler | 51.8 (17.) 62.2 (13.) 87.6 (12.)       |        |        |       |        |
| Trefferlage  | 0.33 mm links, 0.73 mm hoch            |        |        |       |        |
| Streuwert    | 2.25, horizontal: 2.77, vertikal: 1.56 |        |        |       |        |





|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 3:     | 10.4 *                                 | 10.0 → | 10.0 ↗ | 8.8 ←  | 10.4 * |
|              | 8.8 ↗                                  | 10.4 * | 10.5 * | 10.4 * | 9.8 ↘  |
| beste Teiler | 106.0 (28.) 132.1 (25.) 135.8 (27.)    |        |        |        |        |
| Trefferlage  | 0.19 mm rechts, 0.37 mm hoch           |        |        |        |        |
| Streuwert    | 2.20, horizontal: 2.76, vertikal: 1.43 |        |        |        |        |




|              |  |       |       |        |       |
|--------------|--|-------|-------|--------|-------|
| Serie 4:     | 9.6 ↗                                  | 8.3 ↖ | 9.4 ↘ | 9.6 ↑  | 9.5 ↗ |
|              | 9.3 ↘                                  | 9.6 ↗ | 9.8 ↘ | 10.6 * | 9.6 ↑ |
| beste Teiler | 97.4 (39.) 292.5 (38.) 326.0 (31.)     |       |       |        |       |
| Trefferlage  | 0.23 mm links, 1.42 mm hoch            |       |       |        |       |
| Streuwert    | 2.60, horizontal: 2.64, vertikal: 2.55 |       |       |        |       |

Unterschrift des Schützen


Ergebnis: **373** (392.1)  
 Serien: 95 94 93 91  
 Zähler: 20 15 3 2 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 944 (38), 761 (31), 720 (16)  
 beste Teiler 26.0 (4.) 73.6 (35.) 74.3 (6.)  
 Trefferlage 0.17 mm rechts, 0.28 mm tief  
 Streuwert 2.54, horizontal: 3.10, vertikal: 1.83




Serie 1:  
 9.2 ←                      10.5 \*                      9.6 ↓                      10.8 \*                      10.6 \*  
 10.7 \*                      9.2 ↓                      10.3 \*                      9.8 ↓                      9.1 ↗  
 beste Teiler 26.0 (4.) 74.3 (6.) 83.3 (5.)  
 Trefferlage 0.04 mm links, 0.96 mm tief  
 Streuwert 2.05, horizontal: 1.91, vertikal: 2.17



Serie 2:  
 9.9 ↓                      10.6 \*                      10.4 \*                      10.0 ←                      9.5 ↖  
 8.1 →                      10.6 \*                      10.1 →                      10.5 \*                      8.2 ←  
 beste Teiler 93.1 (12.) 93.5 (17.) 121.0 (19.)  
 Trefferlage 0.56 mm links, 0.09 mm tief  
 Streuwert 2.68, horizontal: 3.33, vertikal: 1.81



Serie 3:  
 9.7 ↘                      9.7 ↓                      10.3 \*                      8.4 →                      9.7 ↖  
 10.5 \*                      10.5 \*                      10.6 \*                      9.3 ↙                      9.6 ↓  
 beste Teiler 80.7 (28.) 104.0 (27.) 110.3 (26.)  
 Trefferlage 0.14 mm rechts, 0.55 mm tief  
 Streuwert 2.35, horizontal: 2.71, vertikal: 1.93





Serie 4:  
 7.9 →                      10.0 ↖                      9.8 ←                      10.3 \*                      10.7 \*  
 10.5 \*                      10.3 \*                      7.2 →                      9.5 →                      9.9 ←  
 beste Teiler 73.6 (35.) 118.1 (36.) 152.1 (34.)  
 Trefferlage 1.15 mm rechts, 0.46 mm hoch  
 Streuwert 3.10, horizontal: 4.21, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.5)  
 Serien: 82 96 91 96  
 Zähler: 17 19 3 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3350 (4), 635 (26), 591 (7)  
 beste Teiler 38.0 (8.) 46.4 (19.) 47.0 (17.)  
 Trefferlage 0.64 mm links, 0.56 mm hoch  
 Streuwert 4.33, horizontal: 2.50, vertikal: 5.59




Serie 1:  
 10.1 ←                      9.6 →                      9.5 ↘                      0.0 ↑                      9.1 ↙  
 8.9 ↗                      8.6 ←                      10.8 \*                      9.9 ↓                      10.1 ↓  
 beste Teiler 38.0 (8.) 202.0 (1.) 210.6 (10.)  
 Trefferlage 1.18 mm links, 2.47 mm hoch  
 Streuwert 8.06, horizontal: 2.91, vertikal: 11.02



Serie 2:  
 9.3 ↙                      10.5 \*                      10.5 \*                      9.9 ↙                      9.9 ↙  
 10.6 \*                      10.8 \*                      10.0 ↑                      10.8 \*                      9.2 ↘  
 beste Teiler 46.4 (19.) 47.0 (17.) 77.4 (16.)  
 Trefferlage 0.06 mm links, 0.78 mm tief  
 Streuwert 1.72, horizontal: 1.97, vertikal: 1.43



Serie 3:  
 9.7 ←                      10.5 \*                      9.3 ↗                      9.7 →                      9.6 ↗  
 8.4 ←                      9.9 ←                      9.8 ↑                      9.8 ↙                      10.1 ↓  
 beste Teiler 102.0 (22.) 209.0 (30.) 254.7 (27.)  
 Trefferlage 0.60 mm links, 0.22 mm hoch  
 Streuwert 2.49, horizontal: 2.90, vertikal: 1.99





Serie 4:  
 10.2 \*                      9.4 ↙                      9.1 ←                      10.2 \*                      9.7 ←  
 10.4 \*                      10.3 \*                      9.8 ↘                      10.1 ↗                      10.4 \*  
 beste Teiler 135.4 (40.) 142.6 (36.) 165.4 (37.)  
 Trefferlage 0.72 mm links, 0.34 mm hoch  
 Streuwert 1.88, horizontal: 2.37, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>366</b>                             | (380.3) |
| Serien:      | 89 95 89 93                            |         |
| Zähler:      | 16 15 8 1 0 0 0 0 0 0                  |         |
| Innenzehner: | 15                                     |         |
| weiteste:    | 954 (1), 701 (10), 678 (22)            |         |
| beste Teiler | 59.5 (39.) 66.5 (18.) 111.5 (8.)       |         |
| Trefferlage  | 1.56 mm rechts, 0.63 mm tief           |         |
| Streuwert    | 2.75, horizontal: 3.34, vertikal: 1.99 |         |




|              |  |            |            |        |        |
|--------------|--|------------|------------|--------|--------|
| Serie 1:     | 7.1 ↘                                  | 10.0 ←     | 9.7 ↙      | 8.6 ↘  | 10.2 * |
|              | 8.4 →                                  | 9.9 ↗      | 10.5 *     | 10.2 * | 8.1 →  |
| beste Teiler | 111.5 (8.)                             | 185.6 (9.) | 187.6 (5.) |        |        |
| Trefferlage  | 2.09 mm rechts, 1.31 mm tief           |            |            |        |        |
| Streuwert    | 3.20, horizontal: 3.76, vertikal: 2.51 |            |            |        |        |



|              |  |             |             |       |        |
|--------------|--|-------------|-------------|-------|--------|
| Serie 2:     | 9.1 →                                  | 10.3 *      | 10.2 *      | 9.1 → | 10.2 * |
|              | 10.5 *                                 | 10.5 *      | 10.7 *      | 9.6 ← | 8.8 ↘  |
| beste Teiler | 66.5 (18.)                             | 116.2 (16.) | 124.1 (17.) |       |        |
| Trefferlage  | 1.10 mm rechts, 0.77 mm tief           |             |             |       |        |
| Streuwert    | 2.09, horizontal: 2.71, vertikal: 1.19 |             |             |       |        |



|              |  |             |             |        |       |
|--------------|--|-------------|-------------|--------|-------|
| Serie 3:     | 9.2 ↘                                  | 8.2 ↘       | 9.4 ↖       | 10.3 * | 9.1 → |
|              | 9.1 →                                  | 10.2 *      | 8.3 →       | 8.4 ←  | 9.4 ↖ |
| beste Teiler | 165.3 (24.)                            | 187.9 (27.) | 377.7 (30.) |        |       |
| Trefferlage  | 1.18 mm rechts, 0.50 mm tief           |             |             |        |       |
| Streuwert    | 3.45, horizontal: 4.46, vertikal: 1.98 |             |             |        |       |



|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4:     | 9.4 →                                  | 8.4 ↘       | 9.4 ↖       | 10.4 * | 9.0 →  |
|              | 9.7 ↗                                  | 10.4 *      | 9.3 →       | 10.7 * | 10.3 * |
| beste Teiler | 59.5 (39.)                             | 131.2 (34.) | 135.3 (37.) |        |        |
| Trefferlage  | 1.88 mm rechts, 0.05 mm hoch           |             |             |        |        |
| Streuwert    | 2.29, horizontal: 2.48, vertikal: 2.09 |             |             |        |        |

Unterschrift des Schützen

Meyton Elektronik