





Ergebnis: **405.3** (387)
 Serien: 101.4 101.8 101.8 100.3
 Zähler: 30 7 3 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 640 (38), 586 (23), 501 (4)
 beste Teiler 21.3 (24.) 38.0 (6.) 41.7 (14.)
 Trefferlage 0.02 mm rechts, 0.08 mm hoch
 Streuwert 1.79, horizontal: 2.07, vertikal: 1.45




Serie 1:
 10.4 * 10.1 ↘ 10.2 * 8.9 ↗ 10.3 *
 10.8 * 10.0 ← 10.7 * 9.7 ↙ 10.3 *
 beste Teiler 38.0 (6.) 63.2 (8.) 144.3 (1.)
 Trefferlage 1.09 mm links, 0.61 mm hoch
 Streuwert 1.50, horizontal: 1.23, vertikal: 1.72



Serie 2:
 10.6 * 10.3 * 9.1 ↘ 10.8 * 10.2 *
 10.4 * 10.4 * 10.4 * 9.9 ↘ 9.7 →
 beste Teiler 41.7 (14.) 88.2 (11.) 128.8 (18.)
 Trefferlage 0.39 mm rechts, 0.67 mm tief
 Streuwert 1.59, horizontal: 1.75, vertikal: 1.41



Serie 3:
 10.6 * 10.3 * 8.6 → 10.9 * 10.0 ↑
 10.4 * 10.7 * 9.8 ↗ 10.1 → 10.4 *
 beste Teiler 21.3 (24.) 73.1 (27.) 87.3 (21.)
 Trefferlage 0.83 mm rechts, 0.55 mm hoch
 Streuwert 1.66, horizontal: 2.05, vertikal: 1.15





Serie 4:
 9.8 → 10.6 * 10.6 * 9.3 ↘ 10.4 *
 10.0 → 10.3 * 8.4 ← 10.2 * 10.7 *
 beste Teiler 64.3 (40.) 88.2 (33.) 96.3 (32.)
 Trefferlage 0.00 mm , 0.14 mm tief
 Streuwert 2.13, horizontal: 2.74, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.3** (392)
 Serien: 101.0 104.2 103.0 102.1
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 386 (36), 382 (39), 362 (29)
 beste Teiler 26.1 (21.) 59.6 (11.) 69.6 (14.)
 Trefferlage 0.29 mm rechts, 0.23 mm tief
 Streuwert 1.36, horizontal: 1.40, vertikal: 1.33




Serie 1:
 10.1 ↗ 9.8 ↘ 10.3 * 9.8 ← 9.9 ←
 9.9 ↓ 10.0 ↓ 10.4 * 10.4 * 10.4 *
 beste Teiler 133.0 (8.) 134.9 (9.) 136.8 (10.)
 Trefferlage 0.39 mm links, 0.62 mm tief
 Streuwert 1.56, horizontal: 1.72, vertikal: 1.37



Serie 2:
 10.7 * 10.4 * 10.4 * 10.7 * 10.1 ↗
 10.6 * 10.2 * 10.3 * 10.6 * 10.2 *
 beste Teiler 59.6 (11.) 69.6 (14.) 83.6 (16.)
 Trefferlage 0.52 mm rechts, 0.52 mm tief
 Streuwert 0.93, horizontal: 0.90, vertikal: 0.95



Serie 3:
 10.8 * 10.6 * 10.2 * 10.4 * 10.5 *
 9.8 ← 10.4 * 10.5 * 9.5 ↖ 10.3 *
 beste Teiler 26.1 (21.) 87.7 (22.) 123.4 (25.)
 Trefferlage 0.21 mm links, 0.75 mm hoch
 Streuwert 1.28, horizontal: 1.36, vertikal: 1.19





Serie 4:
 10.6 * 10.5 * 10.6 * 10.2 * 10.3 *
 9.4 → 10.5 * 10.2 * 9.4 ↓ 10.4 *
 beste Teiler 77.3 (31.) 89.5 (33.) 116.7 (37.)
 Trefferlage 1.27 mm rechts, 0.56 mm tief
 Streuwert 1.20, horizontal: 0.97, vertikal: 1.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.0** (390)
 Serien: 102.5 100.1 102.7 103.7
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 402 (38), 353 (18), 318 (26)
 beste Teiler 27.1 (33.) 31.7 (35.) 43.0 (21.)
 Trefferlage 0.51 mm links, 0.33 mm hoch
 Streuwert 1.39, horizontal: 1.54, vertikal: 1.23




Serie 1:
 10.3 * 10.1 ↑ 10.7 * 10.1 ↗ 9.7 ↘
 10.3 * 10.5 * 10.8 * 10.0 ↙ 10.0 ←
 beste Teiler 47.6 (8.) 64.8 (3.) 118.9 (7.)
 Trefferlage 0.43 mm links, 0.17 mm hoch
 Streuwert 1.37, horizontal: 1.41, vertikal: 1.33



Serie 2:
 9.8 ← 10.3 * 9.8 ↘ 10.2 * 9.9 ↘
 10.2 * 10.1 ↑ 9.5 ↓ 9.9 ↘ 10.4 *
 beste Teiler 137.4 (20.) 168.5 (12.) 183.1 (16.)
 Trefferlage 0.25 mm links, 0.04 mm tief
 Streuwert 1.80, horizontal: 1.87, vertikal: 1.72



Serie 3:
 10.8 * 9.7 ← 10.5 * 10.7 * 10.2 *
 9.7 ← 10.5 * 10.3 * 10.4 * 9.9 ↘
 beste Teiler 43.0 (21.) 57.3 (24.) 115.6 (27.)
 Trefferlage 1.00 mm links, 0.54 mm hoch
 Streuwert 1.17, horizontal: 1.40, vertikal: 0.89





Serie 4:
 10.5 * 10.6 * 10.8 * 10.2 * 10.8 *
 10.8 * 10.2 * 9.3 ← 10.2 * 10.3 *
 beste Teiler 27.1 (33.) 31.7 (35.) 45.5 (36.)
 Trefferlage 0.35 mm links, 0.65 mm hoch
 Streuwert 1.24, horizontal: 1.55, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.5** (389)
 Serien: 102.7 101.7 99.9 100.2
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 432 (34), 409 (26), 406 (29)
 beste Teiler 7.0 (1.) 84.0 (11.) 109.7 (19.)
 Trefferlage 0.01 mm rechts, 0.01 mm tief
 Streuwert 1.65, horizontal: 1.64, vertikal: 1.65




Serie 1:
 10.9 * 10.2 * 9.9 ↓ 10.1 ↗ 10.0 ↖
 10.1 ↓ 10.5 * 10.3 * 10.4 * 10.3 *
 beste Teiler 7.0 (1.) 125.0 (7.) 139.4 (9.)
 Trefferlage 0.35 mm rechts, 0.38 mm tief
 Streuwert 1.33, horizontal: 0.96, vertikal: 1.61



Serie 2:
 10.6 * 10.2 * 9.8 ↘ 9.7 ← 10.2 *
 9.6 ↓ 10.5 * 10.4 * 10.5 * 10.2 *
 beste Teiler 84.0 (11.) 109.7 (19.) 110.4 (17.)
 Trefferlage 0.89 mm links, 0.63 mm tief
 Streuwert 1.38, horizontal: 1.31, vertikal: 1.44



Serie 3:
 10.4 * 9.6 ↙ 10.4 * 9.8 ↑ 10.5 *
 9.3 ↗ 10.2 * 10.1 ↖ 9.3 ↖ 10.3 *
 beste Teiler 112.0 (25.) 129.1 (21.) 150.5 (23.)
 Trefferlage 0.65 mm links, 0.68 mm hoch
 Streuwert 1.84, horizontal: 1.77, vertikal: 1.91





Serie 4:
 10.3 * 10.1 ↖ 10.1 ↗ 9.2 ↘ 10.3 *
 10.2 * 10.0 ↗ 9.9 ↗ 10.3 * 9.8 →
 beste Teiler 154.4 (39.) 160.1 (35.) 173.0 (31.)
 Trefferlage 1.23 mm rechts, 0.28 mm hoch
 Streuwert 1.57, horizontal: 1.64, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (379)
 Serien: 99.2 98.4 98.7 99.0
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 639 (28), 635 (14), 518 (26)
 beste Teiler 74.0 (18.) 108.2 (7.) 111.2 (21.)
 Trefferlage 0.79 mm links, 0.18 mm tief
 Streuwert 2.09, horizontal: 2.41, vertikal: 1.70




Serie 1:
 9.7 ↘ 9.1 ↘ 9.2 ↗ 10.4 * 9.9 ↗
 10.5 * 10.5 * 10.2 * 9.7 ↘ 10.0 ↑
 beste Teiler 108.2 (7.) 114.5 (6.) 128.8 (4.)
 Trefferlage 1.15 mm links, 0.38 mm tief
 Streuwert 1.95, horizontal: 1.67, vertikal: 2.19



Serie 2:
 10.5 * 10.0 ↖ 9.8 ↗ 8.4 ← 9.8 ↘
 9.7 ↘ 10.2 * 10.7 * 9.2 ← 10.1 ↓
 beste Teiler 74.0 (18.) 117.2 (11.) 195.7 (17.)
 Trefferlage 0.52 mm links, 0.39 mm tief
 Streuwert 2.32, horizontal: 2.96, vertikal: 1.43



Serie 3:
 10.5 * 9.9 ↘ 10.2 * 9.4 ↖ 10.3 *
 8.9 ← 10.4 * 8.4 ← 10.4 * 10.3 *
 beste Teiler 111.2 (21.) 127.0 (27.) 138.1 (29.)
 Trefferlage 1.61 mm links, 0.23 mm hoch
 Streuwert 2.06, horizontal: 2.43, vertikal: 1.61





Serie 4:
 9.2 ↘ 10.0 ↘ 10.1 ← 10.3 * 10.4 *
 9.3 ↘ 9.8 ↖ 10.2 * 10.1 ↗ 9.6 ←
 beste Teiler 140.8 (35.) 161.7 (34.) 192.6 (38.)
 Trefferlage 0.12 mm rechts, 0.20 mm tief
 Streuwert 2.08, horizontal: 2.43, vertikal: 1.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.6** (367)
 Serien: 96.5 92.4 96.8 97.9
 Zähler: 16 17 5 2 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 896 (4), 797 (30), 720 (36)
 beste Teiler 39.5 (25.) 48.6 (29.) 75.8 (37.)
 Trefferlage 0.19 mm rechts, 0.68 mm tief
 Streuwert 2.81, horizontal: 3.41, vertikal: 2.05




Serie 1:
 10.6 * 9.2 → 10.2 * 7.4 ↘ 10.2 *
 9.6 ↘ 10.0 ↑ 9.4 ← 9.7 ↘ 10.2 *
 beste Teiler 94.0 (1.) 193.0 (10.) 195.2 (5.)
 Trefferlage 0.81 mm rechts, 0.53 mm tief
 Streuwert 2.84, horizontal: 2.68, vertikal: 3.00



Serie 2:
 9.8 → 9.0 ← 10.6 * 9.1 ← 8.5 ↘
 9.0 ↘ 8.9 ↓ 10.3 * 8.3 ← 8.9 ↙
 beste Teiler 99.0 (13.) 152.1 (18.) 291.2 (11.)
 Trefferlage 0.57 mm links, 1.50 mm tief
 Streuwert 3.23, horizontal: 4.10, vertikal: 2.02



Serie 3:
 9.2 ← 9.0 → 10.0 ↘ 9.6 → 10.8 *
 9.8 ↙ 9.7 ↗ 10.1 ↓ 10.8 * 7.8 →
 beste Teiler 39.5 (25.) 48.6 (29.) 208.5 (28.)
 Trefferlage 1.24 mm rechts, 0.20 mm tief
 Streuwert 2.70, horizontal: 3.53, vertikal: 1.45





Serie 4:
 10.3 * 10.4 * 9.5 ↘ 9.5 ← 10.4 *
 8.1 → 10.7 * 9.4 ← 10.4 * 9.2 ↙
 beste Teiler 75.8 (37.) 128.2 (32.) 132.0 (39.)
 Trefferlage 0.70 mm links, 0.47 mm tief
 Streuwert 2.51, horizontal: 3.28, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.6** (392)
 Serien: 102.8 100.1 101.7 103.0
 Zähler: 33 6 1 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 567 (32), 500 (11), 457 (16)
 beste Teiler 16.1 (25.) 43.3 (37.) 65.1 (39.)
 Trefferlage 0.02 mm rechts, 0.30 mm hoch
 Streuwert 1.59, horizontal: 1.68, vertikal: 1.50




Serie 1:
 10.3 * 10.4 * 10.6 * 10.4 * 9.8 ↓
 10.6 * 9.7 → 10.3 * 10.2 * 10.5 *
 beste Teiler 86.3 (6.) 94.2 (3.) 125.8 (10.)
 Trefferlage 0.03 mm links, 0.09 mm tief
 Streuwert 1.34, horizontal: 1.33, vertikal: 1.36



Serie 2:
 9.0 → 10.2 * 10.2 * 10.1 ↗ 10.4 *
 9.1 ↑ 10.1 ↖ 10.1 ↖ 10.3 * 10.6 *
 beste Teiler 89.8 (20.) 139.0 (15.) 171.4 (19.)
 Trefferlage 0.25 mm rechts, 1.12 mm hoch
 Streuwert 1.80, horizontal: 1.77, vertikal: 1.82



Serie 3:
 10.0 ↑ 10.3 * 9.8 → 10.7 * 10.9 *
 10.4 * 9.3 → 10.2 * 10.1 ↓ 10.0 ↘
 beste Teiler 16.1 (25.) 74.1 (24.) 150.8 (26.)
 Trefferlage 0.79 mm rechts, 0.21 mm hoch
 Streuwert 1.54, horizontal: 1.60, vertikal: 1.48





Serie 4:
 10.6 * 8.7 ← 10.2 * 10.2 * 10.3 *
 10.5 * 10.8 * 10.5 * 10.7 * 10.5 *
 beste Teiler 43.3 (37.) 65.1 (39.) 87.3 (31.)
 Trefferlage 0.91 mm links, 0.02 mm tief
 Streuwert 1.48, horizontal: 1.75, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **418.2** (399)
 Serien: 104.1 104.5 105.0 104.6
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 298 (2), 228 (16), 205 (24)
 beste Teiler 8.5 (10.) 28.0 (33.) 42.0 (20.)
 Trefferlage 0.27 mm rechts, 0.04 mm tief
 Streuwert 0.96, horizontal: 0.99, vertikal: 0.93




Serie 1:
 10.4 * 9.8 → 10.3 * 10.7 * 10.5 *
 10.6 * 10.2 * 10.4 * 10.3 * 10.9 *
 beste Teiler 8.5 (10.) 66.8 (4.) 100.0 (6.)
 Trefferlage 0.53 mm rechts, 0.61 mm tief
 Streuwert 0.98, horizontal: 1.06, vertikal: 0.88



Serie 2:
 10.2 * 10.6 * 10.7 * 10.5 * 10.4 *
 10.0 → 10.6 * 10.5 * 10.2 * 10.8 *
 beste Teiler 42.0 (20.) 57.3 (13.) 90.8 (17.)
 Trefferlage 0.50 mm rechts, 0.16 mm hoch
 Streuwert 0.98, horizontal: 1.07, vertikal: 0.87



Serie 3:
 10.5 * 10.5 * 10.6 * 10.1 ↗ 10.5 *
 10.5 * 10.7 * 10.4 * 10.5 * 10.7 *
 beste Teiler 54.7 (27.) 67.1 (30.) 95.4 (23.)
 Trefferlage 0.11 mm rechts, 0.25 mm hoch
 Streuwert 0.85, horizontal: 0.90, vertikal: 0.80





Serie 4:
 10.5 * 10.1 ↗ 10.8 * 10.6 * 10.4 *
 10.4 * 10.3 * 10.5 * 10.3 * 10.7 *
 beste Teiler 28.0 (33.) 73.0 (40.) 85.8 (34.)
 Trefferlage 0.05 mm links, 0.00 mm
 Streuwert 0.99, horizontal: 0.93, vertikal: 1.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.1** (394)
 Serien: 103.3 103.1 102.6 104.1
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 319 (20), 295 (10), 294 (32)
 beste Teiler 15.1 (33.) 21.0 (1.) 26.9 (15.)
 Trefferlage 0.53 mm links, 0.47 mm hoch
 Streuwert 1.17, horizontal: 1.33, vertikal: 0.98




Serie 1:
 10.9 * 10.3 * 10.1 ↗ 10.4 * 10.0 ↗
 10.5 * 10.8 * 10.4 * 10.1 ↖ 9.8 ↖
 beste Teiler 21.0 (1.) 44.9 (7.) 121.6 (6.)
 Trefferlage 0.12 mm links, 0.46 mm hoch
 Streuwert 1.28, horizontal: 1.49, vertikal: 1.03



Serie 2:
 10.1 ↗ 10.6 * 9.9 ↖ 10.2 * 10.8 *
 10.6 * 10.0 ← 10.5 * 10.7 * 9.7 ←
 beste Teiler 26.9 (15.) 70.0 (19.) 78.4 (16.)
 Trefferlage 0.35 mm links, 0.19 mm hoch
 Streuwert 1.36, horizontal: 1.73, vertikal: 0.82



Serie 3:
 10.2 * 9.8 ↘ 10.2 * 10.2 * 10.3 *
 10.1 ↘ 10.7 * 10.6 * 10.1 ↖ 10.4 *
 beste Teiler 53.2 (27.) 83.6 (28.) 140.2 (30.)
 Trefferlage 0.90 mm links, 1.06 mm hoch
 Streuwert 0.88, horizontal: 0.60, vertikal: 1.09





Serie 4:
 10.4 * 9.8 ↖ 10.9 * 10.1 ↖ 10.6 *
 10.6 * 10.7 * 10.4 * 10.7 * 9.9 ←
 beste Teiler 15.1 (33.) 51.6 (39.) 52.4 (37.)
 Trefferlage 0.76 mm links, 0.18 mm hoch
 Streuwert 1.07, horizontal: 1.28, vertikal: 0.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.8** (395)
 Serien: 103.9 102.1 103.9 103.9
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 382 (19), 348 (5), 290 (34)
 beste Teiler 11.4 (21.) 32.9 (27.) 36.0 (1.)
 Trefferlage 0.10 mm links, 0.47 mm hoch
 Streuwert 1.22, horizontal: 1.29, vertikal: 1.14




Serie 1:
 10.8 * 10.2 * 10.2 * 10.3 * 9.6 ↗
 10.7 * 10.5 * 10.4 * 10.4 * 10.8 *
 beste Teiler 36.0 (1.) 48.0 (10.) 65.1 (6.)
 Trefferlage 0.13 mm links, 0.04 mm hoch
 Streuwert 1.22, horizontal: 0.98, vertikal: 1.42



Serie 2:
 10.5 * 10.7 * 10.6 * 10.5 * 10.1 ↗
 10.0 ← 10.2 * 10.2 * 9.4 ↖ 9.9 ↑
 beste Teiler 75.1 (12.) 82.0 (13.) 114.2 (14.)
 Trefferlage 0.98 mm links, 0.40 mm hoch
 Streuwert 1.35, horizontal: 1.30, vertikal: 1.40



Serie 3:
 10.9 * 10.5 * 10.7 * 10.2 * 10.5 *
 9.8 → 10.8 * 10.2 * 10.3 * 10.0 ↗
 beste Teiler 11.4 (21.) 32.9 (27.) 65.7 (23.)
 Trefferlage 0.19 mm rechts, 0.89 mm hoch
 Streuwert 1.04, horizontal: 1.26, vertikal: 0.76



Serie 4:
 10.4 * 10.3 * 10.8 * 9.8 ↗ 10.7 *
 10.5 * 10.2 * 10.5 * 10.7 * 10.0 ↗
 beste Teiler 39.3 (33.) 59.0 (35.) 67.0 (39.)
 Trefferlage 0.50 mm rechts, 0.54 mm hoch
 Streuwert 1.06, horizontal: 1.25, vertikal: 0.83

Unterschrift des Schützen