





Ergebnis: **392.2** (375)
 Serien: 94.2 97.8 100.7 99.5
 Zähler: 18 20 1 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 819 (6), 631 (13), 495 (1)
 beste Teiler 31.0 (14.) 58.4 (29.) 63.8 (32.)
 Trefferlage 0.73 mm rechts, 0.20 mm hoch
 Streuwert 2.30, horizontal: 2.49, vertikal: 2.09




Serie 1:
 9.0 ↕ 9.2 ↑ 9.4 ↑ 9.8 ↗ 10.1 →
 7.7 → 10.4 * 9.9 ↘ 9.7 ↗ 9.0 ↗
 beste Teiler 139.4 (7.) 208.0 (5.) 265.3 (8.)
 Trefferlage 1.81 mm rechts, 1.79 mm hoch
 Streuwert 2.54, horizontal: 2.57, vertikal: 2.51



Serie 2:
 10.5 * 9.4 ↑ 8.4 ↘ 10.8 * 10.4 *
 9.2 ↗ 9.7 ← 9.9 ↘ 9.2 ↗ 10.3 *
 beste Teiler 31.0 (14.) 116.8 (11.) 147.8 (15.)
 Trefferlage 1.34 mm rechts, 0.48 mm hoch
 Streuwert 2.27, horizontal: 2.54, vertikal: 1.97



Serie 3:
 10.5 * 9.6 ↓ 10.1 ↓ 9.8 ↗ 10.5 *
 9.7 ↘ 9.3 → 10.2 * 10.7 * 10.3 *
 beste Teiler 58.4 (29.) 112.1 (21.) 112.8 (25.)
 Trefferlage 1.12 mm rechts, 1.10 mm tief
 Streuwert 1.43, horizontal: 1.54, vertikal: 1.30





Serie 4:
 9.6 ← 10.7 * 9.3 ↙ 10.1 ← 10.3 *
 10.2 * 9.4 ← 9.2 ↘ 10.4 * 10.3 *
 beste Teiler 63.8 (32.) 134.8 (39.) 166.3 (40.)
 Trefferlage 1.33 mm links, 0.34 mm tief
 Streuwert 1.82, horizontal: 2.18, vertikal: 1.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **592.1** (567)
 Serien: 96.4 99.9 101.8 100.7 95.2 98.1
 Zähler: 33 21 6 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 749 (57), 685 (47), 627 (2)
 beste Teiler 23.7 (37.) 41.0 (25.) 66.7 (59.)
 Trefferlage 0.18 mm rechts, 0.20 mm tief
 Streuwert 2.26, horizontal: 2.72, vertikal: 1.69




Serie 1:
 8.8 → 8.4 → 10.1 ↘ 9.8 ← 9.9 ↖
 9.6 ↓ 9.7 ↘ 9.4 ← 10.3 * 10.4 *
 beste Teiler 136.6 (10.) 170.4 (9.) 218.1 (3.)
 Trefferlage 0.47 mm rechts, 0.86 mm tief
 Streuwert 2.61, horizontal: 3.35, vertikal: 1.56




Serie 2:
 9.6 ↑ 10.5 * 10.6 * 10.0 → 8.6 →
 10.3 * 9.7 ↙ 10.1 ↙ 10.5 * 10.0 ↙
 beste Teiler 99.6 (13.) 108.2 (12.) 113.6 (19.)
 Trefferlage 0.16 mm rechts, 0.22 mm hoch
 Streuwert 2.08, horizontal: 2.24, vertikal: 1.89




Serie 3:
 10.4 * 10.2 * 10.3 * 9.7 ← 10.8 *
 10.0 ↙ 9.6 ↖ 10.4 * 10.0 ↑ 10.4 *
 beste Teiler 41.0 (25.) 126.5 (30.) 128.5 (21.)
 Trefferlage 0.52 mm links, 0.40 mm hoch
 Streuwert 1.50, horizontal: 1.72, vertikal: 1.25



Serie 4:
 9.9 ↑ 10.0 ↖ 10.2 * 9.9 ↓ 10.6 *
 9.3 ← 10.9 * 9.0 → 10.3 * 10.6 *
 beste Teiler 23.7 (37.) 80.8 (40.) 83.7 (35.)
 Trefferlage 0.06 mm rechts, 0.58 mm hoch
 Streuwert 1.89, horizontal: 2.13, vertikal: 1.61



Serie 5:
 9.4 ↘ 8.5 ← 9.7 ↘ 10.2 * 9.4 ←
 9.9 ↑ 8.2 → 10.4 * 10.1 ↑ 9.4 →
 beste Teiler 145.8 (48.) 179.1 (44.) 204.4 (49.)
 Trefferlage 0.71 mm rechts, 0.30 mm tief
 Streuwert 2.91, horizontal: 3.58, vertikal: 2.03



Serie 6:
 10.5 * 10.4 * 10.0 ↙ 9.2 → 9.1 ←
 10.1 ↙ 8.0 → 10.7 * 10.7 * 9.4 ↙
 beste Teiler 66.7 (59.) 69.2 (58.) 108.5 (51.)
 Trefferlage 0.24 mm rechts, 1.25 mm tief
 Streuwert 2.47, horizontal: 3.28, vertikal: 1.22

Meyton Elektronik

LG 60 ZR – Wertung – Männer

StandNr: 110

Fuchs,, Andreas #70406019

StartNr: 11



13. Januar 2019 15:55

SG_Bruckhäusl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.6** (367)
 Serien: 98.9 96.8 95.3 95.6
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 816 (19), 640 (7), 632 (17)
 beste Teiler 41.8 (27.) 50.0 (22.) 85.3 (11.)
 Trefferlage 0.26 mm rechts, 0.11 mm tief
 Streuwert 2.63, horizontal: 3.00, vertikal: 2.19




Serie 1:
 10.3 * 10.5 * 9.8 ↑ 10.0 ↗ 9.5 ↙
 10.5 * 8.4 ↗ 9.8 ↗ 9.7 ↖ 10.4 *
 beste Teiler 103.0 (6.) 104.9 (2.) 127.8 (10.)
 Trefferlage 0.46 mm rechts, 1.10 mm hoch
 Streuwert 2.09, horizontal: 2.15, vertikal: 2.02



Serie 2:
 10.6 * 10.4 * 9.8 ↘ 10.0 ↓ 9.4 →
 10.4 * 8.4 → 10.2 * 7.7 ← 9.9 ↙
 beste Teiler 85.3 (11.) 126.1 (12.) 132.2 (16.)
 Trefferlage 0.45 mm rechts, 0.50 mm tief
 Streuwert 2.85, horizontal: 3.62, vertikal: 1.76





Serie 3:
 10.3 * 10.8 * 8.9 ↘ 9.2 ↓ 8.9 ←
 9.3 ↓ 10.8 * 8.8 ↖ 9.4 ↙ 8.9 ↖
 beste Teiler 41.8 (27.) 50.0 (22.) 160.5 (21.)
 Trefferlage 1.48 mm links, 0.17 mm tief
 Streuwert 2.81, horizontal: 2.72, vertikal: 2.90




Serie 4:
 9.5 ← 8.8 ↘ 10.4 * 9.1 → 10.4 *
 10.0 ↗ 9.5 → 9.7 ↙ 9.1 → 9.1 →
 beste Teiler 141.1 (35.) 141.8 (33.) 226.7 (36.)
 Trefferlage 1.62 mm rechts, 0.89 mm tief
 Streuwert 2.36, horizontal: 2.90, vertikal: 1.67

Unterschrift des Schützen


Ergebnis: **391.6** (375)
 Serien: 98.3 95.3 99.7 98.3
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 614 (15), 575 (33), 559 (20)
 beste Teiler 47.2 (22.) 51.0 (36.) 70.4 (5.)
 Trefferlage 0.48 mm links, 0.08 mm hoch
 Streuwert 2.29, horizontal: 2.53, vertikal: 2.02




Serie 1:
 9.1 ↓ 10.2 * 9.5 ↙ 9.3 ↑ 10.7 *
 9.4 ↗ 10.3 * 9.9 → 9.9 → 10.0 ↗
 beste Teiler 70.4 (5.) 175.9 (7.) 177.2 (2.)
 Trefferlage 1.03 mm rechts, 0.02 mm tief
 Streuwert 2.15, horizontal: 1.57, vertikal: 2.61



Serie 2:
 9.8 → 9.4 ↖ 9.2 ↖ 10.2 * 8.5 ←
 10.1 ↑ 9.3 ↖ 10.1 → 10.0 → 8.7 ↖
 beste Teiler 193.0 (14.) 216.6 (18.) 225.1 (16.)
 Trefferlage 1.26 mm links, 1.52 mm hoch
 Streuwert 2.46, horizontal: 3.14, vertikal: 1.48





Serie 3:
 10.3 * 10.8 * 9.7 ↖ 10.0 ↑ 9.7 ←
 9.0 → 10.4 * 9.3 ↙ 10.5 * 10.0 →
 beste Teiler 47.2 (22.) 115.1 (29.) 130.3 (27.)
 Trefferlage 0.35 mm links, 0.17 mm tief
 Streuwert 2.10, horizontal: 2.69, vertikal: 1.27




Serie 4:
 9.7 ↙ 10.0 ↖ 8.7 ↙ 10.1 ← 9.8 →
 10.7 * 9.6 ↙ 10.0 ↖ 9.9 ↓ 9.8 ←
 beste Teiler 51.0 (36.) 211.1 (34.) 231.6 (32.)
 Trefferlage 1.35 mm links, 1.01 mm tief
 Streuwert 1.91, horizontal: 2.01, vertikal: 1.80

Unterschrift des Schützen


Ergebnis: **383.6** (365)
 Serien: 98.6 94.2 91.4 99.4
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 809 (24), 740 (14), 675 (27)
 beste Teiler 81.3 (38.) 97.9 (2.) 126.5 (20.)
 Trefferlage 0.46 mm links, 0.54 mm hoch
 Streuwert 2.70, horizontal: 3.15, vertikal: 2.17




Serie 1:
 9.8 ↘ 10.6 * 10.3 * 10.0 ↘ 10.1 ↘
 10.3 * 10.1 ↗ 10.1 ↑ 8.4 → 8.9 ↖
 beste Teiler 97.9 (2.) 172.3 (6.) 175.8 (3.)
 Trefferlage 0.24 mm links, 0.32 mm hoch
 Streuwert 2.37, horizontal: 2.76, vertikal: 1.90



Serie 2:
 9.7 ← 9.6 ← 9.7 ← 8.0 ↘ 9.4 →
 9.7 ↗ 8.8 ← 9.0 ↗ 9.9 ↑ 10.4 *
 beste Teiler 126.5 (20.) 253.1 (19.) 312.4 (11.)
 Trefferlage 1.02 mm links, 1.48 mm hoch
 Streuwert 2.79, horizontal: 3.55, vertikal: 1.74



Serie 3:
 8.3 → 8.7 ← 9.8 ↑ 7.7 ↓ 9.5 →
 9.6 ↘ 8.3 ← 9.7 ← 9.6 ↑ 10.2 *
 beste Teiler 176.1 (30.) 291.8 (23.) 317.3 (28.)
 Trefferlage 0.00 mm , 0.03 mm tief
 Streuwert 3.66, horizontal: 4.10, vertikal: 3.16





Serie 4:
 9.8 → 10.1 ↓ 9.7 ↗ 9.3 ← 10.3 *
 9.5 ↘ 10.3 * 10.6 * 10.2 * 9.6 ↖
 beste Teiler 81.3 (38.) 157.0 (37.) 161.0 (35.)
 Trefferlage 0.58 mm links, 0.40 mm hoch
 Streuwert 1.96, horizontal: 2.30, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.7** (351)
 Serien: 95.6 93.4 86.9 92.8
 Zähler: 11 15 8 6 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 947 (39), 909 (24), 856 (11)
 beste Teiler 16.6 (7.) 115.9 (32.) 131.8 (3.)
 Trefferlage 1.15 mm links, 1.02 mm hoch
 Streuwert 3.38, horizontal: 4.27, vertikal: 2.16




Serie 1:
 10.2 * 8.7 ↖ 10.4 * 8.3 ↖ 10.3 *
 10.1 ↑ 10.9 * 9.2 ↘ 10.0 ↑ 7.5 ←
 beste Teiler 16.6 (7.) 131.8 (3.) 169.5 (5.)
 Trefferlage 2.26 mm links, 1.43 mm hoch
 Streuwert 2.53, horizontal: 3.18, vertikal: 1.62



Serie 2:
 7.5 ← 8.5 ↗ 9.4 ↑ 9.3 ↗ 10.0 ↗
 10.1 ↘ 10.2 * 9.2 ↑ 9.7 ↘ 9.5 ←
 beste Teiler 188.3 (17.) 206.4 (16.) 246.0 (15.)
 Trefferlage 0.56 mm links, 2.52 mm hoch
 Streuwert 2.70, horizontal: 3.65, vertikal: 1.09



Serie 3:
 8.3 ↘ 9.2 ← 9.7 ↓ 7.3 ↘ 8.5 →
 8.5 → 7.9 ← 9.6 ↓ 9.8 ↘ 8.1 ←
 beste Teiler 295.1 (29.) 322.3 (23.) 332.2 (28.)
 Trefferlage 1.59 mm links, 0.01 mm tief
 Streuwert 4.31, horizontal: 5.32, vertikal: 2.97





Serie 4:
 9.5 ↖ 10.5 * 7.7 → 8.6 → 10.1 ↖
 9.7 ↘ 9.8 ← 9.8 ← 7.2 ← 9.9 ↗
 beste Teiler 115.9 (32.) 219.2 (35.) 254.5 (40.)
 Trefferlage 0.21 mm links, 0.14 mm hoch
 Streuwert 3.68, horizontal: 4.92, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.9** (359)
 Serien: 95.3 90.7 98.8 95.1
 Zähler: 15 14 6 5 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 988 (39), 834 (11), 823 (15)
 beste Teiler 14.0 (17.) 49.6 (18.) 61.5 (29.)
 Trefferlage 0.17 mm links, 1.67 mm hoch
 Streuwert 2.86, horizontal: 3.46, vertikal: 2.09




Serie 1:
 9.3 ← 9.9 ↑ 9.9 ↗ 10.1 ↑ 10.1 ↘
 9.7 ↑ 7.8 ↖ 9.2 ↗ 9.7 ← 9.6 ↖
 beste Teiler 206.7 (5.) 215.0 (4.) 255.8 (3.)
 Trefferlage 1.20 mm links, 1.65 mm hoch
 Streuwert 2.47, horizontal: 3.09, vertikal: 1.63



Serie 2:
 7.6 ↑ 7.8 ↖ 8.4 ↖ 8.9 → 7.7 ↖
 10.0 ↑ 10.9 * 10.8 * 9.8 → 8.8 →
 beste Teiler 14.0 (17.) 49.6 (18.) 239.8 (16.)
 Trefferlage 0.49 mm links, 2.56 mm hoch
 Streuwert 3.66, horizontal: 4.34, vertikal: 2.83



Serie 3:
 10.0 ↗ 8.7 ↖ 9.6 ↖ 10.3 * 9.7 →
 10.2 * 10.5 * 10.3 * 10.7 * 8.8 ↗
 beste Teiler 61.5 (29.) 123.0 (27.) 159.9 (28.)
 Trefferlage 0.22 mm rechts, 0.66 mm hoch
 Streuwert 2.27, horizontal: 2.84, vertikal: 1.50





Serie 4:
 9.4 ↑ 9.8 ↑ 8.8 ↑ 10.5 * 9.4 ↗
 10.2 * 10.4 * 9.3 ← 7.0 → 10.3 *
 beste Teiler 112.5 (34.) 146.7 (37.) 171.2 (40.)
 Trefferlage 0.76 mm rechts, 1.81 mm hoch
 Streuwert 2.90, horizontal: 3.59, vertikal: 1.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.4** (381)
 Serien: 98.9 99.1 98.2 101.2
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 623 (30), 569 (8), 476 (22)
 beste Teiler 51.1 (34.) 60.4 (7.) 61.5 (37.)
 Trefferlage 0.05 mm links, 0.21 mm hoch
 Streuwert 2.07, horizontal: 2.58, vertikal: 1.36




Serie 1:
 10.2 * 9.1 ↙ 9.6 ← 10.0 ↓ 10.3 *
 9.4 ← 10.7 * 8.7 ← 10.2 * 10.7 *
 beste Teiler 60.4 (7.) 73.9 (10.) 157.1 (5.)
 Trefferlage 1.61 mm links, 0.42 mm tief
 Streuwert 1.93, horizontal: 2.18, vertikal: 1.64



Serie 2:
 9.8 → 10.5 * 10.6 * 9.6 → 9.7 ←
 9.1 ← 9.6 ↑ 9.9 ↘ 10.2 * 10.1 ←
 beste Teiler 83.8 (13.) 103.6 (12.) 182.0 (19.)
 Trefferlage 0.24 mm links, 0.85 mm hoch
 Streuwert 1.94, horizontal: 2.38, vertikal: 1.36



Serie 3:
 10.3 * 9.0 → 10.5 * 10.4 * 10.1 →
 10.0 ← 9.8 ← 10.0 ↘ 9.6 → 8.5 →
 beste Teiler 107.2 (23.) 150.4 (24.) 160.4 (21.)
 Trefferlage 0.80 mm rechts, 0.61 mm hoch
 Streuwert 2.27, horizontal: 3.01, vertikal: 1.12





Serie 4:
 9.6 → 10.5 * 10.5 * 10.7 * 10.5 *
 10.0 ↙ 10.7 * 10.0 ← 9.6 → 9.1 →
 beste Teiler 51.1 (34.) 61.5 (37.) 105.5 (33.)
 Trefferlage 0.83 mm rechts, 0.17 mm tief
 Streuwert 1.72, horizontal: 2.23, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363.0** (345)
 Serien: 89.3 90.2 92.1 91.4
 Zähler: 6 18 11 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 988 (38), 902 (27), 867 (3)
 beste Teiler 104.8 (32.) 130.7 (31.) 204.4 (12.)
 Trefferlage 1.46 mm links, 0.01 mm tief
 Streuwert 3.55, horizontal: 3.83, vertikal: 3.25




Serie 1:
 9.8 ↙ 8.8 ← 7.5 ← 9.8 ↘ 9.1 ↑
 9.1 ↘ 8.6 ↗ 8.5 ↖ 9.0 ↗ 9.1 ←
 beste Teiler 278.0 (4.) 295.0 (1.) 455.1 (6.)
 Trefferlage 2.23 mm links, 0.69 mm tief
 Streuwert 3.57, horizontal: 3.74, vertikal: 3.39



Serie 2:
 8.7 ↗ 10.1 ↑ 7.6 ↖ 8.2 ↘ 9.4 ↘
 9.3 ↑ 8.9 ↘ 10.0 ← 9.5 ↘ 8.5 ←
 beste Teiler 204.4 (12.) 246.0 (18.) 364.8 (19.)
 Trefferlage 0.84 mm links, 0.03 mm hoch
 Streuwert 3.82, horizontal: 4.09, vertikal: 3.53





Serie 3:
 9.2 ↑ 9.1 ← 9.5 ↓ 10.1 ↑ 8.9 ↘
 9.9 → 7.3 ↘ 9.8 ↓ 9.5 ↑ 8.8 ↖
 beste Teiler 225.3 (24.) 266.8 (26.) 295.5 (28.)
 Trefferlage 1.13 mm links, 0.07 mm hoch
 Streuwert 3.43, horizontal: 3.60, vertikal: 3.25




Serie 4:
 10.4 * 10.5 * 9.8 ↖ 9.9 ↓ 9.3 ↓
 8.5 ← 8.0 ← 7.0 ↗ 7.9 ↘ 10.1 ↖
 beste Teiler 104.8 (32.) 130.7 (31.) 209.0 (40.)
 Trefferlage 1.64 mm links, 0.53 mm hoch
 Streuwert 3.80, horizontal: 4.31, vertikal: 3.21

Unterschrift des Schützen


Ergebnis: **394.6** (376)
 Serien: 97.6 100.2 99.4 97.4
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 587 (31), 517 (16), 461 (3)
 beste Teiler 58.1 (7.) 85.5 (39.) 88.2 (17.)
 Trefferlage 0.03 mm rechts, 0.15 mm tief
 Streuwert 2.17, horizontal: 2.58, vertikal: 1.67




Serie 1:
 9.5 ↘ 9.5 ↘ 9.1 ← 9.8 → 10.1 ↗
 9.6 ↘ 10.7 * 9.1 ← 10.3 * 9.9 ↓
 beste Teiler 58.1 (7.) 174.9 (9.) 204.3 (5.)
 Trefferlage 0.95 mm links, 0.26 mm hoch
 Streuwert 2.27, horizontal: 2.62, vertikal: 1.86



Serie 2:
 10.0 ↗ 10.0 ← 10.3 * 9.9 ↘ 10.4 *
 8.9 ↗ 10.6 * 10.6 * 10.1 ↓ 9.4 ↘
 beste Teiler 88.2 (17.) 92.3 (18.) 142.0 (15.)
 Trefferlage 0.94 mm rechts, 0.38 mm tief
 Streuwert 1.85, horizontal: 2.04, vertikal: 1.64



Serie 3:
 10.4 * 9.2 ← 9.2 ↘ 9.8 ← 10.6 *
 9.9 ↑ 10.2 * 10.3 * 9.8 ↓ 10.0 →
 beste Teiler 99.0 (25.) 150.6 (21.) 172.0 (28.)
 Trefferlage 0.99 mm links, 0.07 mm hoch
 Streuwert 1.93, horizontal: 2.18, vertikal: 1.64





Serie 4:
 8.6 → 10.4 * 9.2 ↘ 9.4 → 10.6 *
 9.6 ↗ 9.4 ← 9.7 ↘ 10.6 * 9.9 →
 beste Teiler 85.5 (39.) 96.1 (35.) 137.2 (32.)
 Trefferlage 1.13 mm rechts, 0.57 mm tief
 Streuwert 2.37, horizontal: 2.90, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.1** (376)
 Serien: 101.4 98.2 98.6 99.9
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 564 (17), 534 (36), 442 (24)
 beste Teiler 7.6 (31.) 37.5 (8.) 59.9 (16.)
 Trefferlage 0.61 mm links, 0.19 mm tief
 Streuwert 1.93, horizontal: 2.08, vertikal: 1.78




Serie 1:
 10.4 * 10.0 ↘ 10.2 * 9.9 ↗ 10.0 ↑
 9.9 ↗ 10.0 ← 10.8 * 10.5 * 9.7 ↓
 beste Teiler 37.5 (8.) 112.1 (9.) 127.4 (1.)
 Trefferlage 0.15 mm links, 0.74 mm hoch
 Streuwert 1.52, horizontal: 1.34, vertikal: 1.68



Serie 2:
 10.1 ↗ 10.5 * 9.9 ← 9.5 ↓ 9.7 ↘
 10.7 * 8.7 ← 9.7 ← 9.8 → 9.6 ↘
 beste Teiler 59.9 (16.) 109.1 (12.) 208.1 (11.)
 Trefferlage 0.80 mm links, 0.64 mm tief
 Streuwert 2.20, horizontal: 2.65, vertikal: 1.62



Serie 3:
 9.4 ↓ 9.6 → 10.1 ↘ 9.2 ← 9.9 ↙
 9.9 ← 10.5 * 9.5 ↘ 10.6 * 9.9 ↑
 beste Teiler 91.8 (29.) 125.2 (27.) 225.7 (23.)
 Trefferlage 0.68 mm links, 0.32 mm tief
 Streuwert 2.12, horizontal: 2.20, vertikal: 2.04





Serie 4:
 10.9 * 10.5 * 10.5 * 10.0 ↓ 9.6 ←
 8.8 ↘ 9.7 ↙ 9.9 ↘ 9.9 → 10.1 ↘
 beste Teiler 7.6 (31.) 111.9 (33.) 124.8 (32.)
 Trefferlage 0.80 mm links, 0.55 mm tief
 Streuwert 1.93, horizontal: 2.18, vertikal: 1.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.9** (377)
 Serien: 96.7 103.1 98.9 96.2
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 608 (1), 539 (39), 517 (25)
 beste Teiler 20.5 (10.) 25.0 (11.) 31.7 (19.)
 Trefferlage 0.27 mm rechts, 0.56 mm hoch
 Streuwert 2.18, horizontal: 2.10, vertikal: 2.26




Serie 1:
 8.5 ↘ 9.5 ↙ 9.5 ↑ 10.0 → 10.0 ↗
 8.9 ↘ 9.8 ↗ 9.8 ↓ 9.8 ↖ 10.9 *
 beste Teiler 20.5 (10.) 241.2 (5.) 248.9 (4.)
 Trefferlage 1.35 mm rechts, 0.50 mm hoch
 Streuwert 2.43, horizontal: 2.36, vertikal: 2.51



Serie 2:
 10.9 * 10.0 ↗ 10.5 * 10.1 ↑ 9.1 ↑
 10.6 * 10.1 ↓ 10.4 * 10.8 * 10.6 *
 beste Teiler 25.0 (11.) 31.7 (19.) 88.5 (20.)
 Trefferlage 0.08 mm links, 0.71 mm hoch
 Streuwert 1.42, horizontal: 0.82, vertikal: 1.83





Serie 3:
 9.7 ↓ 10.2 * 10.2 * 9.5 → 8.9 ↖
 9.3 ↖ 10.3 * 10.1 ↓ 10.7 * 10.0 ↓
 beste Teiler 72.4 (29.) 163.8 (27.) 179.3 (22.)
 Trefferlage 0.28 mm links, 0.56 mm tief
 Streuwert 2.15, horizontal: 2.11, vertikal: 2.18




Serie 4:
 9.3 ↖ 9.5 ↖ 10.1 ↖ 9.6 ↑ 10.4 *
 10.5 * 8.9 → 10.0 ↖ 8.8 ↑ 9.1 →
 beste Teiler 123.4 (36.) 128.0 (35.) 211.8 (33.)
 Trefferlage 0.12 mm rechts, 1.61 mm hoch
 Streuwert 2.42, horizontal: 2.58, vertikal: 2.24

Unterschrift des Schützen


Ergebnis: **387.3** (368)
 Serien: 96.3 99.3 98.6 93.1
 Zähler: 16 18 5 0 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1133 (8), 709 (32), 666 (31)
 beste Teiler 19.9 (21.) 33.9 (19.) 49.7 (34.)
 Trefferlage 0.37 mm rechts, 0.82 mm hoch
 Streuwert 2.69, horizontal: 3.56, vertikal: 1.33




Serie 1:
 10.7 * 9.4 ↘ 9.7 ↗ 10.6 * 10.2 *
 9.5 → 9.4 ↙ 6.4 → 10.4 * 10.0 ←
 beste Teiler 67.4 (1.) 86.4 (4.) 127.2 (9.)
 Trefferlage 0.66 mm rechts, 0.88 mm hoch
 Streuwert 3.18, horizontal: 4.19, vertikal: 1.62



Serie 2:
 10.0 ← 9.6 ↘ 10.6 * 9.8 → 9.8 ↘
 10.4 * 8.7 ↘ 10.1 ↑ 10.8 * 9.5 →
 beste Teiler 33.9 (19.) 100.4 (13.) 150.6 (16.)
 Trefferlage 0.61 mm links, 1.41 mm hoch
 Streuwert 1.89, horizontal: 2.46, vertikal: 1.04





Serie 3:
 10.9 * 9.1 ↘ 9.9 ← 9.8 → 10.4 *
 10.6 * 10.2 * 9.1 → 9.1 → 9.5 ↗
 beste Teiler 19.9 (21.) 79.7 (26.) 128.4 (25.)
 Trefferlage 0.90 mm rechts, 0.57 mm hoch
 Streuwert 2.21, horizontal: 2.97, vertikal: 1.00




Serie 4:
 8.3 → 8.1 ↗ 8.9 ← 10.8 * 9.3 ←
 10.4 * 9.9 → 9.3 ↘ 8.3 → 9.8 ←
 beste Teiler 49.7 (34.) 135.7 (36.) 251.4 (37.)
 Trefferlage 0.55 mm rechts, 0.42 mm hoch
 Streuwert 3.41, horizontal: 4.58, vertikal: 1.53

Unterschrift des Schützen


Ergebnis: **388.8** (371)
 Serien: 98.9 95.5 96.7 97.7
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 866 (11), 727 (7), 597 (25)
 beste Teiler 28.2 (4.) 71.0 (37.) 78.1 (12.)
 Trefferlage 0.39 mm links, 0.07 mm tief
 Streuwert 2.55, horizontal: 2.83, vertikal: 2.24




Serie 1:
 10.3 * 10.6 * 10.4 * 10.8 * 10.1 ←
 9.9 ↓ 8.0 ↘ 9.9 ↗ 10.1 ↗ 8.8 →
 beste Teiler 28.2 (4.) 93.1 (2.) 140.9 (3.)
 Trefferlage 1.21 mm rechts, 0.02 mm hoch
 Streuwert 2.32, horizontal: 2.80, vertikal: 1.70



Serie 2:
 7.5 ↖ 10.6 * 9.7 → 10.2 * 9.1 ↓
 9.7 ↓ 10.1 ↖ 9.8 ↑ 9.6 ← 9.2 ↘
 beste Teiler 78.1 (12.) 176.1 (14.) 209.7 (17.)
 Trefferlage 0.47 mm links, 0.35 mm hoch
 Streuwert 2.98, horizontal: 2.53, vertikal: 3.36



Serie 3:
 9.3 ↓ 10.5 * 8.6 ← 9.6 ↖ 8.6 ←
 10.0 ↓ 10.5 * 10.1 ← 9.4 ↑ 10.1 ↖
 beste Teiler 106.0 (22.) 118.4 (27.) 216.5 (28.)
 Trefferlage 1.53 mm links, 0.44 mm tief
 Streuwert 2.42, horizontal: 2.54, vertikal: 2.30





Serie 4:
 10.5 * 9.8 ↓ 8.7 ↖ 9.6 ← 10.2 *
 9.2 ← 10.7 * 9.9 ↗ 9.1 → 10.0 ←
 beste Teiler 71.0 (37.) 118.7 (31.) 188.1 (35.)
 Trefferlage 0.78 mm links, 0.23 mm tief
 Streuwert 2.40, horizontal: 3.08, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **197.2** (191)
 Serien: 96.3 100.9
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 707 (1), 471 (5), 468 (13)
 beste Teiler 65.1 (11.) 103.7 (6.) 123.3 (14.)
 Trefferlage 0.22 mm links, 0.33 mm tief
 Streuwert 2.26, horizontal: 2.69, vertikal: 1.71





Serie 1:
 8.1 ↙ 10.3 * 9.1 → 10.2 * 9.1 →
 10.5 * 9.7 → 9.6 ↘ 10.0 ↗ 9.7 ↖
 beste Teiler 103.7 (6.) 162.5 (2.) 192.5 (4.)
 Trefferlage 0.73 mm rechts, 0.24 mm tief
 Streuwert 2.69, horizontal: 3.32, vertikal: 1.85




Serie 2:
 10.7 * 10.1 ↓ 9.1 ↙ 10.5 * 9.5 ←
 10.4 * 10.1 ↙ 10.0 ↘ 10.1 ↓ 10.4 *
 beste Teiler 65.1 (11.) 123.3 (14.) 126.8 (16.)
 Trefferlage 1.18 mm links, 0.42 mm tief
 Streuwert 1.57, horizontal: 1.49, vertikal: 1.64

Unterschrift des Schützen

Ergebnis: **201.9** (195)
 Serien: 102.0 99.9
 Zähler: 16 3 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 604 (12), 391 (14), 327 (16)
 beste Teiler 16.1 (2.) 70.0 (17.) 79.1 (11.)
 Trefferlage 0.06 mm rechts, 0.45 mm hoch
 Streuwert 1.76, horizontal: 1.88, vertikal: 1.64





Serie 1:
 10.0 ↙ 10.9 * 10.4 * 10.0 ↘ 10.1 ←
 9.7 ↑ 10.3 * 10.2 * 10.4 * 10.0 ↑
 beste Teiler 16.1 (2.) 137.7 (9.) 142.7 (3.)
 Trefferlage 0.14 mm links, 0.26 mm hoch
 Streuwert 1.51, horizontal: 1.52, vertikal: 1.50




Serie 2:
 10.6 * 8.5 ↗ 10.2 * 9.4 ↗ 10.1 ↖
 9.6 ← 10.7 * 10.3 * 10.3 * 10.2 *
 beste Teiler 70.0 (17.) 79.1 (11.) 151.3 (19.)
 Trefferlage 0.28 mm rechts, 0.64 mm hoch
 Streuwert 2.05, horizontal: 2.24, vertikal: 1.83

Unterschrift des Schützen

Ergebnis: **203.0** (193)
 Serien: 102.7 100.3
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 365 (16), 364 (14), 299 (1)
 beste Teiler 62.5 (8.) 77.8 (9.) 93.3 (11.)
 Trefferlage 0.17 mm links, 0.02 mm hoch
 Streuwert 1.58, horizontal: 1.04, vertikal: 1.98





Serie 1:
 9.8 ↗ 10.5 * 9.9 ↑ 10.4 * 10.5 *
 9.8 ↓ 10.3 * 10.7 * 10.6 * 10.2 *
 beste Teiler 62.5 (8.) 77.8 (9.) 106.0 (5.)
 Trefferlage 0.09 mm links, 0.06 mm hoch
 Streuwert 1.42, horizontal: 0.91, vertikal: 1.78




Serie 2:
 10.6 * 10.0 ← 10.3 * 9.5 ↑ 10.3 *
 9.5 ↓ 10.0 ↗ 9.9 ↓ 10.4 * 9.8 ↘
 beste Teiler 93.3 (11.) 136.4 (19.) 156.2 (15.)
 Trefferlage 0.26 mm links, 0.02 mm tief
 Streuwert 1.81, horizontal: 1.19, vertikal: 2.26

Unterschrift des Schützen

Ergebnis: **197.2** (189)
 Serien: 99.9 97.3
 Zähler: 11 7 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 696 (13), 661 (16), 435 (19)
 beste Teiler 38.2 (1.) 115.9 (14.) 122.3 (18.)
 Trefferlage 0.18 mm rechts, 0.37 mm hoch
 Streuwert 2.32, horizontal: 2.90, vertikal: 1.54





Serie 1:
 10.8 * 9.3 ↖ 9.6 → 9.7 ← 10.0 ↓
 10.3 * 9.8 ← 10.4 * 10.2 * 9.8 ↖
 beste Teiler 38.2 (1.) 148.0 (8.) 159.5 (6.)
 Trefferlage 0.55 mm links, 0.25 mm hoch
 Streuwert 1.94, horizontal: 2.20, vertikal: 1.62




Serie 2:
 10.4 * 10.3 * 8.2 → 10.5 * 10.0 →
 8.3 ← 10.1 ← 10.5 * 9.2 ↗ 9.8 ↑
 beste Teiler 115.9 (14.) 122.3 (18.) 143.4 (11.)
 Trefferlage 0.92 mm rechts, 0.50 mm hoch
 Streuwert 2.65, horizontal: 3.41, vertikal: 1.54

Unterschrift des Schützen

Ergebnis: **200.7** (191)
 Serien: 99.9 100.8
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 360 (17), 343 (2), 336 (9)
 beste Teiler 128.2 (5.) 129.8 (11.) 148.1 (6.)
 Trefferlage 0.03 mm rechts, 0.63 mm hoch
 Streuwert 1.68, horizontal: 2.01, vertikal: 1.28





Serie 1:
 9.7 ← 9.6 ↑ 9.9 ↙ 9.9 → 10.4 *
 10.4 * 10.2 * 10.3 * 9.6 ↘ 9.9 ↗
 beste Teiler 128.2 (5.) 148.1 (6.) 159.6 (8.)
 Trefferlage 0.10 mm links, 0.31 mm hoch
 Streuwert 1.88, horizontal: 2.06, vertikal: 1.68




Serie 2:
 10.4 * 9.8 → 9.8 ← 10.3 * 10.0 ↖
 10.2 * 9.5 → 10.2 * 10.3 * 10.3 *
 beste Teiler 129.8 (11.) 167.0 (19.) 170.8 (20.)
 Trefferlage 0.16 mm rechts, 0.96 mm hoch
 Streuwert 1.53, horizontal: 2.06, vertikal: 0.64

Unterschrift des Schützen

Ergebnis: **197.0** (188)
 Serien: 97.2 99.8
 Zähler: 10 8 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 621 (19), 534 (10), 467 (1)
 beste Teiler 106.2 (16.) 110.4 (17.) 117.5 (5.)
 Trefferlage 0.28 mm rechts, 0.26 mm hoch
 Streuwert 2.26, horizontal: 2.50, vertikal: 1.99





Serie 1:
 9.1 ↗ 9.2 ↗ 10.1 ↖ 10.2 * 10.5 *
 9.9 ↘ 9.7 ← 9.7 ↙ 10.0 ↘ 8.8 →
 beste Teiler 117.5 (5.) 180.2 (4.) 216.1 (3.)
 Trefferlage 0.50 mm rechts, 0.79 mm hoch
 Streuwert 2.41, horizontal: 2.85, vertikal: 1.86




Serie 2:
 9.8 ↗ 10.5 * 10.3 * 10.1 ↗ 9.6 ↘
 10.5 * 10.5 * 9.5 ↘ 8.5 ↙ 10.5 *
 beste Teiler 106.2 (16.) 110.4 (17.) 120.9 (12.)
 Trefferlage 0.06 mm rechts, 0.27 mm tief
 Streuwert 2.15, horizontal: 2.23, vertikal: 2.06

Unterschrift des Schützen

Ergebnis: **188.1** (180)
 Serien: 93.3 94.8
 Zähler: 6 9 4 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 767 (1), 714 (17), 660 (8)
 beste Teiler 129.2 (14.) 165.8 (10.) 187.9 (20.)
 Trefferlage 0.53 mm rechts, 0.34 mm tief
 Streuwert 3.06, horizontal: 3.59, vertikal: 2.42





Serie 1:
 7.9 → 9.8 ← 10.0 → 9.2 ↑ 9.2 ↘
 9.7 ↘ 10.0 ↑ 8.3 → 8.9 ↖ 10.3 *
 beste Teiler 165.8 (10.) 239.7 (3.) 243.5 (7.)
 Trefferlage 1.68 mm rechts, 0.69 mm hoch
 Streuwert 3.07, horizontal: 3.71, vertikal: 2.26




Serie 2:
 9.5 → 9.4 ↘ 9.4 ← 10.4 * 8.6 ↓
 9.9 ← 8.1 ↖ 9.3 ← 10.0 ↗ 10.2 *
 beste Teiler 129.2 (14.) 187.9 (20.) 232.8 (19.)
 Trefferlage 0.61 mm links, 1.38 mm tief
 Streuwert 2.77, horizontal: 3.25, vertikal: 2.20

Unterschrift des Schützen

Ergebnis: **196.5** (188)
 Serien: 96.0 100.5
 Zähler: 10 8 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 633 (5), 632 (8), 441 (13)
 beste Teiler 18.0 (16.) 71.5 (17.) 151.8 (11.)
 Trefferlage 0.44 mm links, 0.88 mm tief
 Streuwert 2.22, horizontal: 2.90, vertikal: 1.20





Serie 1:
 10.3 * 9.5 → 9.5 ↘ 9.6 → 8.4 ←
 9.9 ↙ 10.1 → 8.4 ← 10.0 ↙ 10.3 *
 beste Teiler 161.9 (10.) 170.7 (1.) 205.9 (7.)
 Trefferlage 0.28 mm links, 0.96 mm tief
 Streuwert 2.68, horizontal: 3.56, vertikal: 1.32




Serie 2:
 10.3 * 10.2 * 9.2 → 9.8 ← 10.2 *
 10.9 * 10.7 * 10.0 ← 9.9 ↓ 9.3 ←
 beste Teiler 18.0 (16.) 71.5 (17.) 151.8 (11.)
 Trefferlage 0.60 mm links, 0.79 mm tief
 Streuwert 1.78, horizontal: 2.25, vertikal: 1.14

Unterschrift des Schützen

Ergebnis: **190.7** (183)
 Serien: 102.3 88.4
 Zähler: 14 4 0 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2991 (14), 871 (15), 349 (11)
 beste Teiler 28.0 (3.) 77.1 (17.) 77.3 (1.)
 Trefferlage 1.44 mm rechts, 1.75 mm tief
 Streuwert 4.99, horizontal: 3.65, vertikal: 6.04





Serie 1:
 10.6 * 10.0 ↘ 10.8 * 10.5 * 9.6 ↗
 9.8 ↖ 10.3 * 10.1 → 10.4 * 10.2 *
 beste Teiler 28.0 (3.) 77.3 (1.) 103.2 (4.)
 Trefferlage 0.05 mm rechts, 0.29 mm tief
 Streuwert 1.47, horizontal: 1.76, vertikal: 1.10




Serie 2:
 9.6 ↗ 10.1 ↘ 10.3 * 0.0 ↘ 7.5 →
 10.5 * 10.6 * 10.0 ↘ 9.7 → 10.1 ←
 beste Teiler 77.1 (17.) 103.6 (16.) 151.0 (13.)
 Trefferlage 2.84 mm rechts, 3.21 mm tief
 Streuwert 6.77, horizontal: 4.56, vertikal: 8.42

Unterschrift des Schützen

Ergebnis: **195.3** (185)
 Serien: 96.0 99.3
 Zähler: 8 9 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 711 (16), 670 (10), 530 (4)
 beste Teiler 34.7 (17.) 35.3 (12.) 55.3 (8.)
 Trefferlage 0.35 mm rechts, 0.40 mm hoch
 Streuwert 2.53, horizontal: 3.12, vertikal: 1.76





Serie 1:
 10.3 * 9.7 ↙ 9.7 ↘ 8.8 ↘ 9.1 ←
 9.4 ↘ 10.2 * 10.7 * 9.8 → 8.3 →
 beste Teiler 55.3 (8.) 160.6 (1.) 182.4 (7.)
 Trefferlage 0.05 mm rechts, 0.59 mm hoch
 Streuwert 2.79, horizontal: 3.63, vertikal: 1.54




Serie 2:
 9.2 → 10.8 * 10.5 * 9.6 → 10.4 *
 8.1 ↘ 10.8 * 9.8 → 10.3 * 9.8 ↘
 beste Teiler 34.7 (17.) 35.3 (12.) 119.0 (13.)
 Trefferlage 0.65 mm rechts, 0.21 mm hoch
 Streuwert 2.37, horizontal: 2.67, vertikal: 2.01

Unterschrift des Schützen

Ergebnis: **172.6** (163)
 Serien: 90.9 81.7
 Zähler: 2 7 6 3 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 1388 (20), 1187 (12), 850 (9)
 beste Teiler 87.0 (18.) 156.9 (5.) 305.7 (11.)
 Trefferlage 1.15 mm links, 2.24 mm hoch
 Streuwert 4.41, horizontal: 5.69, vertikal: 2.55





Serie 1:
 8.8 ↗ 9.5 ↘ 9.4 ← 8.1 ↑ 10.3 *
 9.2 ← 9.1 ↗ 9.7 ↑ 7.6 → 9.2 ←
 beste Teiler 156.9 (5.) 325.7 (8.) 366.8 (2.)
 Trefferlage 0.69 mm links, 2.03 mm hoch
 Streuwert 3.38, horizontal: 3.86, vertikal: 2.81




Serie 2:
 9.7 ← 6.2 ↘ 7.6 ↘ 8.7 ↗ 7.7 ←
 8.5 ↘ 8.9 → 10.6 * 8.4 ↘ 5.4 →
 beste Teiler 87.0 (18.) 305.7 (11.) 515.1 (17.)
 Trefferlage 1.61 mm links, 2.44 mm hoch
 Streuwert 5.41, horizontal: 7.27, vertikal: 2.39

Unterschrift des Schützen

Ergebnis: **199.5** (189)
 Serien: 100.5 99.0
 Zähler: 11 7 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 569 (13), 537 (1), 354 (10)
 beste Teiler 40.4 (5.) 48.2 (8.) 86.0 (15.)
 Trefferlage 0.32 mm links, 0.77 mm hoch
 Streuwert 1.94, horizontal: 1.97, vertikal: 1.91





Serie 1:
 8.8 ← 10.1 ↖ 9.9 ↘ 10.5 * 10.8 *
 10.0 ↗ 9.9 ← 10.8 * 10.2 * 9.5 ↘
 beste Teiler 40.4 (5.) 48.2 (8.) 117.6 (4.)
 Trefferlage 0.75 mm links, 0.31 mm hoch
 Streuwert 1.90, horizontal: 2.18, vertikal: 1.58




Serie 2:
 9.5 ↗ 10.4 * 8.7 ↖ 9.9 ↘ 10.6 *
 10.1 ↘ 9.7 ↙ 10.2 * 10.2 * 9.7 ↑
 beste Teiler 86.0 (15.) 141.6 (12.) 178.4 (18.)
 Trefferlage 0.11 mm rechts, 1.24 mm hoch
 Streuwert 1.97, horizontal: 1.75, vertikal: 2.17

Unterschrift des Schützen

Ergebnis: **201.3** (193)
 Serien: 101.3 100.0
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 648 (16), 424 (19), 306 (1)
 beste Teiler 45.5 (6.) 72.0 (18.) 90.0 (11.)
 Trefferlage 0.00 mm , 0.45 mm hoch
 Streuwert 1.86, horizontal: 2.36, vertikal: 1.17



Serie 1:
 9.7 ↘ 10.4 * 9.7 → 10.0 → 10.0 →
 10.8 * 10.0 ↗ 10.5 * 10.1 ← 10.1 ←
 beste Teiler 45.5 (6.) 109.0 (8.) 130.7 (2.)
 Trefferlage 0.81 mm rechts, 0.17 mm hoch
 Streuwert 1.51, horizontal: 1.99, vertikal: 0.78



Serie 2:
 10.6 * 9.8 ↑ 10.5 * 10.2 * 9.9 ←
 8.4 ← 10.6 * 10.7 * 9.3 ↘ 10.0 →
 beste Teiler 72.0 (18.) 90.0 (11.) 98.3 (17.)
 Trefferlage 0.80 mm links, 0.73 mm hoch
 Streuwert 2.05, horizontal: 2.51, vertikal: 1.45

Unterschrift des Schützen