





Ergebnis: **391.5** (373)
 Serien: 98.0 93.6 98.6 101.3
 Zähler: 21 12 6 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 779 (14), 667 (26), 615 (7)
 beste Teiler 48.2 (9.) 49.3 (32.) 66.0 (33.)
 Trefferlage 0.89 mm rechts, 1.19 mm tief
 Streuwert 2.22, horizontal: 2.31, vertikal: 2.12




Serie 1:
 9.3 → 9.4 ↘ 9.9 ← 9.9 → 9.6 ↖
 10.4 * 8.5 ↙ 10.2 * 10.8 * 10.0 →
 beste Teiler 48.2 (9.) 134.4 (6.) 179.6 (8.)
 Trefferlage 0.39 mm rechts, 0.47 mm tief
 Streuwert 2.38, horizontal: 2.38, vertikal: 2.38



Serie 2:
 8.6 ↗ 8.7 ↘ 10.3 * 7.8 ↘ 9.6 ↘
 9.2 ↓ 10.1 ↘ 10.5 * 8.8 ↙ 10.0 ↘
 beste Teiler 110.9 (18.) 171.8 (13.) 219.6 (17.)
 Trefferlage 1.34 mm rechts, 2.84 mm tief
 Streuwert 2.38, horizontal: 2.66, vertikal: 2.07



Serie 3:
 9.5 ↗ 10.5 * 10.0 ↙ 9.6 → 10.0 ↓
 8.3 ↘ 10.6 * 10.1 → 10.1 ↘ 9.9 ←
 beste Teiler 87.7 (27.) 105.5 (22.) 208.2 (29.)
 Trefferlage 1.14 mm rechts, 0.99 mm tief
 Streuwert 2.05, horizontal: 2.47, vertikal: 1.51





Serie 4:
 9.2 ↗ 10.8 * 10.7 * 8.8 ↘ 10.2 *
 10.5 * 10.4 * 10.4 * 9.9 ↗ 10.4 *
 beste Teiler 49.3 (32.) 66.0 (33.) 113.5 (36.)
 Trefferlage 0.70 mm rechts, 0.45 mm tief
 Streuwert 1.82, horizontal: 1.91, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.6** (374)
 Serien: 98.4 97.2 99.1 98.9
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 569 (3), 560 (13), 559 (19)
 beste Teiler 6.4 (7.) 82.2 (18.) 88.7 (14.)
 Trefferlage 0.43 mm links, 0.90 mm hoch
 Streuwert 2.11, horizontal: 2.39, vertikal: 1.78




Serie 1:
 9.8 ↘ 10.2 * 8.7 ↘ 9.9 ↑ 10.4 *
 9.4 ↗ 10.9 * 10.0 ↘ 9.9 ↘ 9.2 ↑
 beste Teiler 6.4 (7.) 150.8 (5.) 183.1 (2.)
 Trefferlage 0.48 mm links, 1.32 mm hoch
 Streuwert 2.10, horizontal: 2.36, vertikal: 1.81



Serie 2:
 10.0 ↗ 9.5 ↑ 8.7 ↘ 10.6 * 9.7 ↘
 10.4 * 9.9 ↘ 10.6 * 8.7 ← 9.1 ↗
 beste Teiler 82.2 (18.) 88.7 (14.) 149.2 (16.)
 Trefferlage 1.20 mm links, 1.89 mm hoch
 Streuwert 2.01, horizontal: 2.60, vertikal: 1.15



Serie 3:
 9.7 ↘ 10.4 * 8.9 ← 9.3 ← 10.2 *
 10.1 ↘ 9.9 → 10.5 * 9.6 → 10.5 *
 beste Teiler 104.2 (28.) 112.4 (30.) 140.4 (22.)
 Trefferlage 0.08 mm links, 0.07 mm hoch
 Streuwert 2.16, horizontal: 2.83, vertikal: 1.16





Serie 4:
 10.1 ↓ 9.9 ↑ 10.3 * 9.9 ↘ 10.1 ↑
 10.4 * 9.2 ↘ 10.1 ↘ 9.3 ↘ 9.6 ↘
 beste Teiler 150.3 (36.) 172.0 (33.) 205.3 (35.)
 Trefferlage 0.02 mm rechts, 0.32 mm hoch
 Streuwert 2.09, horizontal: 1.86, vertikal: 2.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.1** (384)
 Serien: 99.0 101.7 100.1 98.3
 Zähler: 24 16 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 493 (40), 454 (32), 440 (16)
 beste Teiler 60.0 (20.) 62.6 (13.) 66.8 (27.)
 Trefferlage 0.54 mm rechts, 0.18 mm tief
 Streuwert 1.88, horizontal: 1.86, vertikal: 1.90




Serie 1:
 9.9 ↘ 9.7 ↖ 9.8 ↑ 9.3 ↘ 10.1 ↗
 10.2 * 10.0 → 9.8 ↘ 10.0 → 10.2 *
 beste Teiler 183.5 (10.) 183.8 (6.) 211.5 (5.)
 Trefferlage 0.44 mm rechts, 0.58 mm tief
 Streuwert 1.94, horizontal: 1.49, vertikal: 2.30



Serie 2:
 9.7 ↗ 9.7 ← 10.7 * 10.0 ↘ 10.1 ↖
 9.2 → 10.6 * 10.4 * 10.6 * 10.7 *
 beste Teiler 60.0 (20.) 62.6 (13.) 77.6 (17.)
 Trefferlage 0.15 mm rechts, 0.11 mm hoch
 Streuwert 1.72, horizontal: 2.07, vertikal: 1.27



Serie 3:
 10.4 * 10.4 * 9.4 ↑ 10.0 ↑ 9.3 →
 10.0 ← 10.7 * 10.3 * 9.3 → 10.3 *
 beste Teiler 66.8 (27.) 141.4 (22.) 150.6 (21.)
 Trefferlage 0.35 mm rechts, 0.87 mm hoch
 Streuwert 1.86, horizontal: 2.18, vertikal: 1.47





Serie 4:
 10.2 * 9.1 ↘ 10.3 * 10.2 * 9.8 ↑
 9.5 ↘ 10.3 * 10.2 * 9.7 ↘ 9.0 ↘
 beste Teiler 157.4 (33.) 175.2 (37.) 181.6 (34.)
 Trefferlage 1.22 mm rechts, 1.13 mm tief
 Streuwert 1.88, horizontal: 1.74, vertikal: 2.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.6** (376)
 Serien: 97.7 96.1 100.3 99.5
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 564 (2), 548 (18), 494 (20)
 beste Teiler 54.5 (7.) 91.6 (29.) 94.0 (25.)
 Trefferlage 0.11 mm rechts, 0.32 mm hoch
 Streuwert 2.20, horizontal: 2.72, vertikal: 1.51




Serie 1:
 9.4 ↖ 8.7 → 9.8 → 9.0 → 10.2 *
 10.3 * 10.7 * 9.9 ↙ 10.3 * 9.4 →
 beste Teiler 54.5 (7.) 159.1 (6.) 170.6 (9.)
 Trefferlage 1.06 mm rechts, 0.72 mm tief
 Streuwert 2.28, horizontal: 2.96, vertikal: 1.28



Serie 2:
 10.3 * 10.2 * 9.6 ↑ 10.0 ↑ 10.1 ↘
 9.6 ↗ 9.3 → 8.8 → 9.2 → 9.0 ←
 beste Teiler 169.1 (11.) 199.2 (12.) 205.5 (15.)
 Trefferlage 0.71 mm rechts, 0.70 mm hoch
 Streuwert 2.59, horizontal: 3.37, vertikal: 1.46



Serie 3:
 9.5 ↑ 9.8 ← 9.8 → 9.4 ← 10.6 *
 9.8 ↑ 10.2 * 10.4 * 10.6 * 10.2 *
 beste Teiler 91.6 (29.) 94.0 (25.) 130.3 (28.)
 Trefferlage 0.39 mm links, 0.96 mm hoch
 Streuwert 1.71, horizontal: 2.03, vertikal: 1.32





Serie 4:
 9.9 ↘ 9.5 ← 10.0 ↗ 10.5 * 10.2 *
 9.2 ← 9.7 ← 10.5 * 9.7 ↑ 10.3 *
 beste Teiler 109.4 (38.) 122.5 (34.) 156.0 (40.)
 Trefferlage 0.93 mm links, 0.33 mm hoch
 Streuwert 1.92, horizontal: 2.21, vertikal: 1.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.7** (372)
 Serien: 92.6 94.7 100.6 100.8
 Zähler: 19 16 4 0 1 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1107 (2), 679 (1), 644 (11)
 beste Teiler 83.9 (5.) 86.9 (25.) 101.3 (22.)
 Trefferlage 0.91 mm links, 0.75 mm tief
 Streuwert 2.47, horizontal: 2.97, vertikal: 1.83




Serie 1:
 8.2 → 6.5 ↘ 8.8 ← 9.0 ← 10.6 *
 9.6 ↓ 10.2 * 10.3 * 9.6 ↘ 9.8 ←
 beste Teiler 83.9 (5.) 156.1 (8.) 194.2 (7.)
 Trefferlage 0.31 mm rechts, 1.80 mm tief
 Streuwert 3.54, horizontal: 4.59, vertikal: 1.98



Serie 2:
 8.4 ← 10.1 ↓ 10.2 * 9.1 ↖ 9.9 ←
 9.2 ↓ 9.7 ↘ 9.2 ← 9.6 ↖ 9.3 ←
 beste Teiler 181.4 (13.) 213.6 (12.) 264.6 (15.)
 Trefferlage 2.34 mm links, 0.87 mm tief
 Streuwert 2.27, horizontal: 2.45, vertikal: 2.07



Serie 3:
 10.2 * 10.5 * 9.7 ↘ 9.7 ← 10.6 *
 10.0 ↖ 10.0 ↖ 9.8 ↓ 10.0 ↑ 10.1 ←
 beste Teiler 86.9 (25.) 101.3 (22.) 183.4 (21.)
 Trefferlage 0.73 mm links, 0.04 mm hoch
 Streuwert 1.66, horizontal: 1.72, vertikal: 1.61





Serie 4:
 10.4 * 9.6 → 10.3 * 10.4 * 10.2 *
 10.4 * 8.9 ← 10.3 * 9.9 ← 10.4 *
 beste Teiler 136.8 (36.) 138.8 (31.) 147.1 (34.)
 Trefferlage 0.88 mm links, 0.36 mm tief
 Streuwert 1.71, horizontal: 2.08, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382.0** (364)
 Serien: 97.3 96.2 92.7 95.8
 Zähler: 12 20 8 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 690 (13), 663 (36), 621 (7)
 beste Teiler 43.5 (32.) 59.9 (14.) 94.5 (8.)
 Trefferlage 0.09 mm links, 0.03 mm hoch
 Streuwert 2.79, horizontal: 3.08, vertikal: 2.45




Serie 1:
 10.5 * 10.0 ↓ 10.2 * 8.9 ← 9.0 →
 10.2 * 8.5 ↓ 10.6 * 9.8 ↓ 9.6 ↓
 beste Teiler 94.5 (8.) 110.4 (1.) 179.2 (3.)
 Trefferlage 0.58 mm rechts, 1.54 mm tief
 Streuwert 2.28, horizontal: 2.43, vertikal: 2.13



Serie 2:
 10.2 * 9.4 ↙ 8.2 ↘ 10.7 * 9.2 ↖
 10.1 ↑ 10.4 * 8.5 ↘ 9.7 → 9.8 ↖
 beste Teiler 59.9 (14.) 135.7 (17.) 197.2 (11.)
 Trefferlage 1.44 mm links, 1.29 mm hoch
 Streuwert 2.47, horizontal: 2.44, vertikal: 2.50



Serie 3:
 10.1 → 9.0 → 9.3 → 9.9 ↓ 8.5 ↖
 8.6 ← 9.8 → 9.6 → 9.2 ↓ 8.7 ↖
 beste Teiler 223.3 (21.) 266.8 (24.) 299.0 (27.)
 Trefferlage 0.34 mm rechts, 0.24 mm tief
 Streuwert 3.29, horizontal: 3.97, vertikal: 2.44





Serie 4:
 9.4 ↖ 10.8 * 9.2 ← 9.9 ↖ 9.8 ↓
 8.3 → 9.3 ← 9.6 → 10.0 ↑ 9.5 ↑
 beste Teiler 43.5 (32.) 230.8 (39.) 273.5 (34.)
 Trefferlage 0.13 mm rechts, 0.62 mm hoch
 Streuwert 2.75, horizontal: 3.28, vertikal: 2.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.5** (370)
 Serien: 94.4 97.0 99.2 97.9
 Zähler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 660 (8), 565 (12), 547 (13)
 beste Teiler 63.5 (17.) 70.0 (23.) 81.0 (20.)
 Trefferlage 0.88 mm rechts, 0.34 mm hoch
 Streuwert 2.34, horizontal: 2.62, vertikal: 2.02




Serie 1:
 9.1 ↗ 9.7 ↖ 9.6 ↗ 9.9 → 9.3 ↖
 9.3 ↘ 10.2 * 8.3 → 10.0 ↓ 9.0 ↘
 beste Teiler 183.8 (7.) 232.1 (9.) 274.5 (4.)
 Trefferlage 1.52 mm rechts, 0.13 mm hoch
 Streuwert 2.77, horizontal: 3.29, vertikal: 2.13



Serie 2:
 9.0 → 8.7 ↘ 8.8 → 9.7 ← 9.5 ↓
 9.9 ← 10.7 * 10.2 * 9.9 ↗ 10.6 *
 beste Teiler 63.5 (17.) 81.0 (20.) 189.5 (18.)
 Trefferlage 1.21 mm rechts, 0.29 mm tief
 Streuwert 2.50, horizontal: 3.14, vertikal: 1.61



Serie 3:
 9.9 ↓ 10.1 ↑ 10.7 * 9.4 ↗ 9.8 ↓
 10.1 → 9.3 ← 10.1 ↗ 9.4 ↑ 10.4 *
 beste Teiler 70.0 (23.) 147.0 (30.) 202.2 (28.)
 Trefferlage 0.08 mm rechts, 0.17 mm hoch
 Streuwert 2.09, horizontal: 2.10, vertikal: 2.08





Serie 4:
 10.0 ↖ 10.3 * 9.4 ↓ 10.4 * 10.1 ↗
 9.9 ↗ 9.6 ↗ 8.9 ↑ 9.9 ↖ 9.4 →
 beste Teiler 128.4 (34.) 161.9 (32.) 219.4 (35.)
 Trefferlage 0.70 mm rechts, 1.37 mm hoch
 Streuwert 1.99, horizontal: 1.86, vertikal: 2.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.0** (376)
 Serien: 97.3 96.6 100.0 98.1
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 739 (8), 727 (12), 451 (33)
 beste Teiler 48.2 (19.) 100.4 (17.) 108.3 (22.)
 Trefferlage 0.88 mm links, 0.57 mm tief
 Streuwert 2.18, horizontal: 2.79, vertikal: 1.32




Serie 1:
 10.4 * 9.9 ← 9.4 ← 10.2 * 9.6 ←
 10.5 * 10.0 → 8.0 ← 9.7 ↓ 9.6 ←
 beste Teiler 117.3 (6.) 126.2 (1.) 187.2 (4.)
 Trefferlage 1.63 mm links, 0.94 mm tief
 Streuwert 2.17, horizontal: 2.82, vertikal: 1.22



Serie 2:
 9.5 → 8.0 ← 9.4 ↓ 9.4 ↙ 10.0 ↓
 9.5 ↘ 10.6 * 9.6 ↖ 10.8 * 9.8 →
 beste Teiler 48.2 (19.) 100.4 (17.) 242.9 (15.)
 Trefferlage 0.48 mm links, 1.10 mm tief
 Streuwert 2.60, horizontal: 3.31, vertikal: 1.60



Serie 3:
 9.5 → 10.5 * 10.4 * 10.0 ← 10.2 *
 10.4 * 10.1 ↓ 9.6 ↖ 9.2 → 10.1 ↖
 beste Teiler 108.3 (22.) 131.7 (23.) 133.7 (26.)
 Trefferlage 0.11 mm rechts, 0.35 mm tief
 Streuwert 1.87, horizontal: 2.47, vertikal: 0.96





Serie 4:
 10.1 ↙ 9.8 ↖ 9.1 ← 9.3 ← 10.1 →
 9.5 ↖ 10.3 * 9.9 → 9.5 ← 10.5 *
 beste Teiler 111.5 (40.) 158.0 (37.) 216.0 (35.)
 Trefferlage 1.52 mm links, 0.09 mm hoch
 Streuwert 1.97, horizontal: 2.51, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390.0	(373)
Serien:	96.4	96.9 99.0 97.7
Zähler:	18 18 3	1 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	850 (5), 558 (16), 524 (35)	
beste Teiler	56.5 (31.)	70.9 (8.) 81.0 (1.)
Trefferlage	0.26 mm links, 0.54 mm hoch	
Streuwert	2.42, horizontal: 2.93, vertikal: 1.77	




Serie 1:	10.6 *	9.3 ↗	9.6 ←	10.2 *	7.6 →
	9.5 ←	9.2 ↙	10.7 *	10.5 *	9.2 ↗
beste Teiler	70.9 (8.) 81.0 (1.) 124.0 (9.)				
Trefferlage	0.31 mm rechts, 0.31 mm hoch				
Streuwert	2.95, horizontal: 3.82, vertikal: 1.66				



Serie 2:	9.2 ←	10.0 ↑	9.0 ↙	10.6 *	10.5 *
	8.7 ↗	10.0 ↘	9.2 ←	9.2 ↗	10.5 *
beste Teiler	90.0 (14.) 102.7 (15.) 120.3 (20.)				
Trefferlage	0.71 mm links, 0.71 mm hoch				
Streuwert	2.53, horizontal: 2.90, vertikal: 2.09				





Serie 3:	9.6 ↘	9.4 ←	10.0 ↑	9.9 ↗	10.2 *
	10.2 *	9.3 ↙	9.9 ↘	10.5 *	10.0 ↘
beste Teiler	101.3 (29.) 177.0 (26.) 192.2 (25.)				
Trefferlage	0.76 mm links, 0.47 mm hoch				
Streuwert	1.94, horizontal: 2.11, vertikal: 1.75				




Serie 4:	10.7 *	8.9 →	10.1 ↙	10.5 *	8.9 ↗
	9.6 →	9.6 ↘	9.4 ↘	9.8 ↙	10.2 *
beste Teiler	56.5 (31.) 122.6 (34.) 176.6 (40.)				
Trefferlage	0.11 mm rechts, 0.66 mm hoch				
Streuwert	2.43, horizontal: 2.93, vertikal: 1.80				

Unterschrift des Schützen


Ergebnis: **400.0** (381)
 Serien: 98.1 99.3 100.3 102.3
 Zähler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 491 (5), 484 (4), 446 (23)
 beste Teiler 56.5 (29.) 61.1 (12.) 75.9 (34.)
 Trefferlage 0.40 mm links, 0.09 mm hoch
 Streuwert 1.87, horizontal: 2.14, vertikal: 1.55




Serie 1:
 9.5 ↘ 10.3 * 10.4 * 9.0 → 9.0 →
 10.4 * 10.2 * 9.4 ← 9.3 ← 10.6 *
 beste Teiler 94.6 (10.) 144.1 (3.) 146.0 (6.)
 Trefferlage 0.18 mm rechts, 0.14 mm hoch
 Streuwert 2.39, horizontal: 3.21, vertikal: 1.06



Serie 2:
 10.0 ↙ 10.7 * 9.5 ↑ 9.8 ↙ 9.6 ↓
 10.2 * 9.7 ↗ 9.9 ↗ 9.8 ↖ 10.1 ↘
 beste Teiler 61.1 (12.) 188.1 (16.) 202.3 (20.)
 Trefferlage 0.02 mm rechts, 0.23 mm hoch
 Streuwert 1.97, horizontal: 1.77, vertikal: 2.15



Serie 3:
 10.6 * 9.7 ↖ 9.2 ← 9.9 ↙ 9.7 ↑
 9.9 ↓ 10.4 * 9.8 ← 10.7 * 10.4 *
 beste Teiler 56.5 (29.) 77.1 (21.) 131.2 (30.)
 Trefferlage 1.41 mm links, 0.12 mm tief
 Streuwert 1.64, horizontal: 1.63, vertikal: 1.66





Serie 4:
 10.2 * 10.4 * 10.3 * 10.7 * 10.2 *
 9.7 ↘ 10.3 * 9.9 ↑ 10.4 * 10.2 *
 beste Teiler 75.9 (34.) 128.5 (39.) 147.5 (32.)
 Trefferlage 0.41 mm links, 0.13 mm hoch
 Streuwert 1.40, horizontal: 1.41, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	379.2	(365)
Serien:	97.3	90.9 94.6 96.4
Zähler:	16	16 6 1 1 0 0 0 0 0
Innenzehner:	5	
weiteste:	1003 (14), 973 (30), 724 (19)	
beste Teiler	50.9 (25.)	71.6 (8.) 82.2 (10.)
Trefferlage	0.08 mm links,	0.30 mm hoch
Streuwert	3.02,	horizontal: 3.57, vertikal: 2.34




Serie 1:	9.2 ↗	10.2 *	8.3 ←	9.6 ←	10.1 →
	9.1 ←	10.0 ↓	10.7 *	9.5 ↖	10.6 *
beste Teiler	71.6 (8.)	82.2 (10.)	187.2 (2.)		
Trefferlage	1.54 mm links, 0.05 mm hoch				
Streuwert	2.35, horizontal: 2.89, vertikal: 1.64				



Serie 2:	8.9 ↖	9.4 ↖	9.2 ←	6.9 →	10.0 ↖
	9.6 →	9.6 ↓	10.0 ←	8.1 →	9.2 ←
beste Teiler	238.7 (18.)	242.6 (15.)	329.6 (16.)		
Trefferlage	0.02 mm links, 0.68 mm tief				
Streuwert	3.80, horizontal: 4.73, vertikal: 2.53				





Serie 3:	9.8 ←	10.1 ←	9.5 ↗	8.3 →	10.8 *
	10.1 →	10.5 *	9.3 ↑	9.1 ↑	7.1 →
beste Teiler	50.9 (25.)	119.0 (27.)	219.9 (22.)		
Trefferlage	1.66 mm rechts, 0.97 mm hoch				
Streuwert	3.11, horizontal: 3.65, vertikal: 2.45				




Serie 4:	10.0 ↙	10.0 ↗	10.1 ↘	9.2 ↘	9.6 ↑
	9.6 ↖	8.9 ↘	10.1 ↖	10.0 ↙	8.9 ↑
beste Teiler	209.2 (33.)	225.6 (38.)	235.6 (32.)		
Trefferlage	0.42 mm links, 0.86 mm hoch				
Streuwert	2.46, horizontal: 2.31, vertikal: 2.59				

Unterschrift des Schützen


Ergebnis: **386.4** (368)
 Serien: 96.9 96.4 94.4 98.7
 Zähler: 14 20 6 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 632 (18), 583 (30), 575 (6)
 beste Teiler 36.3 (34.) 80.6 (33.) 117.6 (14.)
 Trefferlage 0.13 mm rechts, 0.61 mm hoch
 Streuwert 2.49, horizontal: 2.95, vertikal: 1.92




Serie 1:
 10.2 * 9.3 ← 9.9 ↖ 9.8 ↙ 10.1 ↘
 8.7 ← 8.9 ↘ 10.2 * 9.7 ↗ 10.1 ←
 beste Teiler 191.9 (1.) 198.5 (8.) 203.2 (5.)
 Trefferlage 1.59 mm links, 0.63 mm hoch
 Streuwert 2.20, horizontal: 2.51, vertikal: 1.84



Serie 2:
 10.0 ↘ 9.6 ↙ 10.0 ↗ 10.5 * 10.4 *
 9.0 → 9.1 ↓ 8.4 ← 9.8 ↘ 9.6 ↗
 beste Teiler 117.6 (14.) 144.4 (15.) 249.0 (11.)
 Trefferlage 0.06 mm rechts, 0.56 mm hoch
 Streuwert 2.67, horizontal: 3.03, vertikal: 2.25



Serie 3:
 9.1 → 9.5 ↗ 9.8 ↑ 9.5 → 8.9 ←
 10.1 ↘ 10.1 ↘ 9.2 ↘ 9.6 ↘ 8.6 →
 beste Teiler 204.5 (27.) 213.0 (26.) 300.7 (23.)
 Trefferlage 1.31 mm rechts, 0.50 mm hoch
 Streuwert 2.74, horizontal: 3.44, vertikal: 1.78





Serie 4:
 9.7 ↗ 8.9 → 10.6 * 10.8 * 9.5 ↗
 10.3 * 9.2 ↙ 10.5 * 9.9 ↓ 9.3 ↑
 beste Teiler 36.3 (34.) 80.6 (33.) 125.5 (38.)
 Trefferlage 0.75 mm rechts, 0.74 mm hoch
 Streuwert 2.16, horizontal: 2.24, vertikal: 2.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.9** (374)
 Serien: 97.0 96.3 100.7 97.9
 Zähler: 22 12 4 2 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 856 (4), 800 (19), 704 (34)
 beste Teiler 17.4 (33.) 50.0 (7.) 78.4 (25.)
 Trefferlage 0.98 mm rechts, 0.63 mm hoch
 Streuwert 2.41, horizontal: 3.19, vertikal: 1.19




Serie 1:
 10.6 * 10.0 ↑ 9.3 → 7.5 → 10.3 *
 8.4 ↖ 10.8 * 9.7 ↗ 10.4 * 10.0 ↑
 beste Teiler 50.0 (7.) 90.9 (1.) 144.5 (9.)
 Trefferlage 1.05 mm rechts, 1.33 mm hoch
 Streuwert 2.68, horizontal: 3.61, vertikal: 1.17



Serie 2:
 9.0 ↖ 10.1 → 10.5 * 9.4 → 9.1 ←
 9.5 → 10.0 → 10.6 * 7.8 → 10.3 *
 beste Teiler 93.5 (18.) 117.0 (13.) 167.0 (20.)
 Trefferlage 0.87 mm rechts, 0.27 mm hoch
 Streuwert 2.83, horizontal: 3.86, vertikal: 1.04



Serie 3:
 9.2 → 10.0 ↑ 10.6 * 9.5 → 10.6 *
 10.5 * 9.8 ↖ 10.5 * 10.3 * 9.7 →
 beste Teiler 78.4 (25.) 96.2 (23.) 111.5 (26.)
 Trefferlage 0.69 mm rechts, 0.63 mm hoch
 Streuwert 1.73, horizontal: 2.25, vertikal: 0.95





Serie 4:
 8.8 → 10.3 * 10.9 * 8.1 → 10.6 *
 9.6 → 9.8 ↑ 8.9 ↖ 10.5 * 10.4 *
 beste Teiler 17.4 (33.) 90.0 (35.) 121.7 (39.)
 Trefferlage 1.30 mm rechts, 0.30 mm hoch
 Streuwert 2.53, horizontal: 3.29, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.2** (373)
 Serien: 97.9 96.2 93.5 100.6
 Zähler: 20 15 3 2 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 888 (19), 832 (20), 748 (22)
 beste Teiler 87.3 (18.) 127.0 (35.) 133.7 (37.)
 Trefferlage 0.74 mm rechts, 0.84 mm hoch
 Streuwert 2.48, horizontal: 3.03, vertikal: 1.76




Serie 1:
 9.2 → 9.7 ↘ 9.5 → 9.9 → 10.1 →
 9.2 ↘ 10.3 * 9.7 → 10.1 ↑ 10.2 *
 beste Teiler 169.4 (7.) 191.4 (10.) 219.3 (9.)
 Trefferlage 1.58 mm rechts, 0.08 mm tief
 Streuwert 1.94, horizontal: 2.11, vertikal: 1.76



Serie 2:
 10.2 * 10.3 * 10.2 * 10.2 * 9.0 ↘
 10.3 * 10.4 * 10.6 * 7.4 → 7.6 ←
 beste Teiler 87.3 (18.) 148.4 (17.) 153.5 (12.)
 Trefferlage 0.00 mm , 1.02 mm hoch
 Streuwert 3.16, horizontal: 4.23, vertikal: 1.45



Serie 3:
 10.0 → 8.0 → 10.0 ↘ 9.1 ↘ 9.1 ↗
 8.8 ↑ 9.7 ↘ 9.6 ↘ 10.4 * 8.8 →
 beste Teiler 150.2 (29.) 233.6 (21.) 241.1 (23.)
 Trefferlage 0.72 mm rechts, 1.92 mm hoch
 Streuwert 2.88, horizontal: 3.72, vertikal: 1.66





Serie 4:
 9.9 → 10.1 ↑ 9.4 ↘ 9.9 ↘ 10.4 *
 10.0 → 10.4 * 9.9 ↑ 10.3 * 10.3 *
 beste Teiler 127.0 (35.) 133.7 (37.) 151.7 (40.)
 Trefferlage 0.67 mm rechts, 0.52 mm hoch
 Streuwert 1.61, horizontal: 1.44, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.8** (378)
 Serien: 96.6 100.6 101.0 97.6
 Zähler: 22 14 4 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 611 (35), 565 (4), 557 (12)
 beste Teiler 76.3 (24.) 77.4 (21.) 86.0 (23.)
 Trefferlage 0.66 mm links, 0.42 mm tief
 Streuwert 2.10, horizontal: 2.40, vertikal: 1.77




Serie 1:
 10.5 * 10.3 * 9.7 ← 8.7 ↖ 9.2 ↙
 9.3 ← 9.0 ← 10.1 ↗ 10.3 * 9.5 ↘
 beste Teiler 105.1 (1.) 163.6 (2.) 174.6 (9.)
 Trefferlage 1.62 mm links, 0.04 mm hoch
 Streuwert 2.37, horizontal: 2.67, vertikal: 2.02



Serie 2:
 10.5 * 8.7 → 10.4 * 10.0 ↓ 10.4 *
 9.9 ← 10.3 * 10.1 ↗ 9.9 → 10.4 *
 beste Teiler 115.1 (11.) 137.6 (20.) 145.5 (15.)
 Trefferlage 0.09 mm rechts, 0.42 mm tief
 Streuwert 1.89, horizontal: 2.29, vertikal: 1.37



Serie 3:
 10.6 * 10.5 * 10.6 * 10.6 * 10.1 ↙
 9.7 ↘ 9.4 ↖ 9.3 ↘ 10.4 * 9.8 ↗
 beste Teiler 76.3 (24.) 77.4 (21.) 86.0 (23.)
 Trefferlage 0.06 mm rechts, 0.78 mm tief
 Streuwert 1.75, horizontal: 1.72, vertikal: 1.78





Serie 4:
 8.9 ← 10.6 * 10.1 ↗ 9.8 → 8.5 ←
 10.0 ↓ 10.3 * 9.4 ↓ 10.4 * 9.6 ↘
 beste Teiler 93.8 (32.) 132.4 (39.) 151.3 (37.)
 Trefferlage 1.21 mm links, 0.52 mm tief
 Streuwert 2.35, horizontal: 2.64, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.6** (377)
 Serien: 98.4 98.4 97.7 100.1
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 653 (3), 550 (33), 472 (17)
 beste Teiler 93.0 (28.) 100.0 (37.) 103.0 (39.)
 Trefferlage 0.32 mm links, 0.15 mm tief
 Streuwert 2.16, horizontal: 2.05, vertikal: 2.26




Serie 1:
 10.2 * 9.9 ← 8.3 ↓ 9.5 ↑ 9.7 ↖
 10.4 * 10.3 * 9.4 ← 10.5 * 10.2 *
 beste Teiler 122.6 (9.) 146.6 (6.) 154.7 (7.)
 Trefferlage 0.00 mm , 0.09 mm hoch
 Streuwert 2.36, horizontal: 2.20, vertikal: 2.50



Serie 2:
 9.5 ← 10.4 * 10.2 * 10.5 * 9.2 ↓
 9.5 ↓ 9.1 ↗ 10.3 * 9.9 ↑ 9.8 ↖
 beste Teiler 117.4 (14.) 132.4 (12.) 159.2 (18.)
 Trefferlage 0.21 mm links, 0.56 mm tief
 Streuwert 2.20, horizontal: 1.91, vertikal: 2.45



Serie 3:
 9.6 ↗ 9.2 ↖ 9.1 ↗ 10.0 ↙ 9.4 →
 9.7 ↖ 10.2 * 10.6 * 9.9 ← 10.0 ↑
 beste Teiler 93.0 (28.) 197.3 (27.) 232.4 (24.)
 Trefferlage 0.78 mm links, 0.18 mm tief
 Streuwert 2.28, horizontal: 2.00, vertikal: 2.52





Serie 4:
 9.4 ↖ 10.0 → 8.8 ← 10.4 * 9.9 ↗
 10.5 * 10.6 * 9.5 ↓ 10.5 * 10.5 *
 beste Teiler 100.0 (37.) 103.0 (39.) 113.0 (40.)
 Trefferlage 0.30 mm links, 0.05 mm hoch
 Streuwert 2.08, horizontal: 2.32, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.2** (376)
 Serien: 99.1 98.1 98.9 97.1
 Zähler: 19 19 1 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 761 (30), 613 (31), 473 (20)
 beste Teiler 99.3 (40.) 103.2 (10.) 103.5 (32.)
 Trefferlage 0.31 mm links, 0.01 mm hoch
 Streuwert 2.26, horizontal: 2.39, vertikal: 2.11




Serie 1:
 9.7 ↙ 10.4 * 10.0 → 9.7 ↓ 10.2 *
 9.4 → 10.2 * 9.6 ↖ 9.4 → 10.5 *
 beste Teiler 103.2 (10.) 142.2 (2.) 194.8 (5.)
 Trefferlage 0.42 mm rechts, 0.79 mm tief
 Streuwert 1.95, horizontal: 2.33, vertikal: 1.46



Serie 2:
 9.2 ↖ 10.3 * 10.4 * 10.4 * 9.3 ↗
 10.4 * 9.4 ↓ 9.6 ↖ 10.0 ↖ 9.1 ↗
 beste Teiler 136.2 (13.) 136.5 (16.) 147.9 (14.)
 Trefferlage 0.84 mm links, 0.30 mm hoch
 Streuwert 2.26, horizontal: 2.00, vertikal: 2.49



Serie 3:
 10.0 ↓ 9.7 ↗ 9.4 ↑ 10.5 * 10.2 *
 9.9 ↓ 10.4 * 10.5 * 10.4 * 7.9 →
 beste Teiler 109.5 (28.) 112.2 (24.) 128.1 (29.)
 Trefferlage 0.79 mm rechts, 0.58 mm tief
 Streuwert 2.30, horizontal: 2.44, vertikal: 2.15





Serie 4:
 8.5 ↖ 10.5 * 9.9 ← 9.4 ↖ 9.2 ↖
 9.6 ↖ 10.0 ↑ 9.9 ↖ 9.5 ↘ 10.6 *
 beste Teiler 99.3 (40.) 103.5 (32.) 248.0 (37.)
 Trefferlage 1.61 mm links, 1.12 mm hoch
 Streuwert 2.12, horizontal: 2.28, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (378)
 Serien: 99.8 97.9 99.3 98.3
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 608 (40), 577 (12), 518 (26)
 beste Teiler 47.8 (21.) 48.0 (32.) 64.3 (39.)
 Trefferlage 0.63 mm links, 0.41 mm hoch
 Streuwert 2.11, horizontal: 2.15, vertikal: 2.07




Serie 1:
 9.3 ↘ 10.7 * 10.5 * 10.1 ↘ 10.7 *
 9.4 ← 10.2 * 9.3 ↙ 9.4 ↖ 10.2 *
 beste Teiler 70.8 (5.) 75.6 (2.) 116.6 (3.)
 Trefferlage 0.93 mm links, 0.28 mm tief
 Streuwert 1.96, horizontal: 2.08, vertikal: 1.84



Serie 2:
 10.0 ← 8.6 ↖ 10.0 → 9.9 ← 10.2 *
 10.1 ↘ 9.5 ↓ 10.3 * 9.6 ↑ 9.7 ↘
 beste Teiler 155.2 (18.) 189.9 (15.) 215.3 (16.)
 Trefferlage 0.75 mm links, 0.43 mm hoch
 Streuwert 2.22, horizontal: 2.29, vertikal: 2.14



Serie 3:
 10.8 * 10.1 ↘ 9.9 ↑ 10.2 * 9.9 →
 8.9 ← 9.6 ↑ 10.4 * 10.1 → 9.4 ↘
 beste Teiler 47.8 (21.) 128.2 (28.) 184.4 (24.)
 Trefferlage 0.13 mm links, 0.81 mm hoch
 Streuwert 2.04, horizontal: 2.20, vertikal: 1.86





Serie 4:
 10.3 * 10.8 * 9.8 ↙ 10.3 * 9.1 ↘
 9.1 ↘ 10.4 * 9.3 ← 10.7 * 8.5 ↘
 beste Teiler 48.0 (32.) 64.3 (39.) 146.8 (37.)
 Trefferlage 0.71 mm links, 0.67 mm hoch
 Streuwert 2.41, horizontal: 2.30, vertikal: 2.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.5** (379)
 Serien: 98.6 99.0 100.0 99.9
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 609 (6), 534 (3), 451 (35)
 beste Teiler 35.1 (1.) 49.4 (21.) 57.2 (14.)
 Trefferlage 0.80 mm links, 0.46 mm hoch
 Streuwert 2.00, horizontal: 2.33, vertikal: 1.61




Serie 1:
 10.8 * 10.7 * 8.8 ↗ 9.8 ↓ 10.4 *
 8.5 ← 10.6 * 9.4 ← 9.2 ← 10.4 *
 beste Teiler 35.1 (1.) 62.9 (2.) 98.6 (7.)
 Trefferlage 1.26 mm links, 0.35 mm hoch
 Streuwert 2.33, horizontal: 2.91, vertikal: 1.54



Serie 2:
 10.5 * 10.4 * 9.2 ↘ 10.7 * 9.6 ↗
 10.1 ↘ 9.5 ↘ 9.6 → 10.0 ↗ 9.4 ↘
 beste Teiler 57.2 (14.) 114.9 (11.) 143.8 (12.)
 Trefferlage 0.17 mm links, 0.66 mm hoch
 Streuwert 2.09, horizontal: 2.20, vertikal: 1.97



Serie 3:
 10.8 * 9.8 ← 9.2 ← 10.2 * 10.1 ↗
 9.5 ← 9.9 ← 9.6 ↘ 10.7 * 10.2 *
 beste Teiler 49.4 (21.) 71.0 (29.) 178.7 (30.)
 Trefferlage 1.70 mm links, 0.44 mm hoch
 Streuwert 1.52, horizontal: 1.63, vertikal: 1.39





Serie 4:
 9.2 ↘ 9.3 → 10.3 * 10.2 * 9.1 ↘
 10.5 * 10.6 * 9.8 ↘ 10.4 * 10.5 *
 beste Teiler 95.7 (37.) 124.4 (40.) 124.5 (36.)
 Trefferlage 0.09 mm links, 0.39 mm hoch
 Streuwert 2.06, horizontal: 2.33, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.0** (379)
 Serien: 100.4 98.3 100.0 99.3
 Zähler: 22 16 1 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 767 (22), 528 (17), 493 (39)
 beste Teiler 53.6 (9.) 77.0 (21.) 78.2 (28.)
 Trefferlage 0.65 mm rechts, 0.64 mm tief
 Streuwert 1.94, horizontal: 2.14, vertikal: 1.72




Serie 1:
 10.5 * 9.9 ← 10.1 → 9.3 → 9.6 ↘
 10.1 ↖ 10.3 * 10.2 * 10.7 * 9.7 ↘
 beste Teiler 53.6 (9.) 113.8 (1.) 151.4 (7.)
 Trefferlage 0.38 mm rechts, 0.46 mm tief
 Streuwert 1.81, horizontal: 2.27, vertikal: 1.20



Serie 2:
 9.9 ↖ 10.3 * 9.9 ↘ 10.0 ↗ 10.0 ↑
 10.1 ↗ 8.8 ↘ 9.4 ↘ 9.3 ↘ 10.6 *
 beste Teiler 93.4 (20.) 175.3 (12.) 213.6 (16.)
 Trefferlage 1.23 mm rechts, 0.54 mm tief
 Streuwert 2.06, horizontal: 1.77, vertikal: 2.32



Serie 3:
 10.6 * 7.9 ↘ 10.4 * 9.8 ↓ 10.6 *
 9.9 ↘ 9.7 ↓ 10.6 * 10.1 ↓ 10.4 *
 beste Teiler 77.0 (21.) 78.2 (28.) 84.5 (25.)
 Trefferlage 0.66 mm rechts, 1.59 mm tief
 Streuwert 1.89, horizontal: 2.42, vertikal: 1.14





Serie 4:
 10.1 ↑ 9.8 ↘ 9.9 ↖ 10.4 * 10.2 *
 9.5 ← 9.9 ↘ 10.2 * 9.0 → 10.3 *
 beste Teiler 133.2 (34.) 153.0 (40.) 177.0 (35.)
 Trefferlage 0.34 mm rechts, 0.03 mm hoch
 Streuwert 2.03, horizontal: 2.27, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377.4** (362)
 Serien: 95.4 94.0 92.7 95.3
 Zähler: 16 13 8 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 966 (23), 903 (33), 845 (30)
 beste Teiler 45.1 (20.) 63.1 (36.) 112.8 (7.)
 Trefferlage 0.49 mm links, 1.05 mm hoch
 Streuwert 3.07, horizontal: 3.23, vertikal: 2.89




Serie 1:
 8.1 ↘ 9.8 → 8.9 ↑ 9.6 ↘ 10.3 *
 10.2 * 10.5 * 9.4 ← 8.6 → 10.0 ↓
 beste Teiler 112.8 (7.) 173.0 (5.) 184.5 (6.)
 Trefferlage 0.78 mm links, 0.32 mm hoch
 Streuwert 2.89, horizontal: 3.32, vertikal: 2.38



Serie 2:
 9.6 ↘ 10.2 * 8.1 ↘ 9.5 ↘ 9.9 ↘
 8.4 ↑ 9.2 ↘ 9.7 → 8.6 ↗ 10.8 *
 beste Teiler 45.1 (20.) 187.3 (12.) 265.9 (15.)
 Trefferlage 0.04 mm rechts, 2.01 mm hoch
 Streuwert 2.87, horizontal: 2.87, vertikal: 2.86



Serie 3:
 9.3 ↙ 9.6 ↗ 7.1 ↑ 10.0 → 10.1 ↑
 9.1 ↙ 10.3 * 9.4 → 10.2 * 7.6 ←
 beste Teiler 156.4 (27.) 196.8 (29.) 209.8 (25.)
 Trefferlage 1.22 mm links, 0.63 mm hoch
 Streuwert 3.55, horizontal: 3.72, vertikal: 3.37



Serie 4:
 10.3 * 8.5 → 7.3 ↑ 9.2 ← 10.4 *
 10.7 * 10.0 ↓ 10.2 * 10.2 * 8.5 ↖
 beste Teiler 63.1 (36.) 149.0 (35.) 166.9 (31.)
 Trefferlage 0.03 mm links, 1.24 mm hoch
 Streuwert 3.18, horizontal: 3.32, vertikal: 3.04

Unterschrift des Schützen

Meyton Elektronik