





Ergebnis: **393.0** (376)
 Serien: 100.6 98.6 97.5 96.3
 Zähler: 22 13 4 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 783 (24), 602 (34), 595 (25)
 beste Teiler 54.4 (14.) 92.6 (8.) 95.1 (27.)
 Trefferlage 0.36 mm rechts, 0.15 mm hoch
 Streuwert 2.33, horizontal: 2.99, vertikal: 1.37




Serie 1:
 10.5 * 9.9 ↗ 10.6 * 9.6 ↖ 10.2 *
 10.0 → 9.5 ↙ 10.6 * 9.4 → 10.3 *
 beste Teiler 92.6 (8.) 98.7 (3.) 125.2 (1.)
 Trefferlage 0.19 mm rechts, 0.17 mm tief
 Streuwert 1.85, horizontal: 2.30, vertikal: 1.24



Serie 2:
 10.2 * 8.9 → 9.9 → 10.7 * 10.0 ↖
 9.6 ↑ 10.0 ↑ 10.0 ↑ 10.3 * 9.0 →
 beste Teiler 54.4 (14.) 157.8 (19.) 177.8 (11.)
 Trefferlage 0.79 mm rechts, 1.28 mm hoch
 Streuwert 1.96, horizontal: 2.37, vertikal: 1.43



Serie 3:
 10.5 * 9.8 → 9.2 → 7.8 ← 8.6 →
 10.5 * 10.6 * 10.0 ↖ 10.2 * 10.3 *
 beste Teiler 95.1 (27.) 106.9 (21.) 120.4 (26.)
 Trefferlage 0.64 mm rechts, 0.07 mm tief
 Streuwert 2.76, horizontal: 3.76, vertikal: 1.02





Serie 4:
 9.3 ← 9.8 ↘ 10.4 * 8.5 → 9.1 ←
 10.4 * 8.8 → 10.2 * 10.2 * 9.6 ↖
 beste Teiler 127.2 (36.) 134.3 (33.) 181.0 (39.)
 Trefferlage 0.16 mm links, 0.41 mm tief
 Streuwert 2.70, horizontal: 3.62, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366.6** (347)
 Serien: 94.8 82.0 98.7 91.1
 Zähler: 10 16 8 3 3 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1103 (19), 1035 (17), 1012 (36)
 beste Teiler 73.9 (26.) 98.2 (9.) 123.8 (39.)
 Trefferlage 2.16 mm rechts, 1.23 mm hoch
 Streuwert 3.29, horizontal: 3.97, vertikal: 2.43




Serie 1:
 9.9 ↙ 8.5 → 9.9 ↓ 8.9 ↘ 8.7 ↗
 9.3 ↖ 8.9 ↗ 10.2 * 10.6 * 9.9 ↓
 beste Teiler 98.2 (9.) 186.5 (8.) 265.6 (3.)
 Trefferlage 1.02 mm rechts, 0.21 mm hoch
 Streuwert 2.93, horizontal: 3.30, vertikal: 2.50



Serie 2:
 7.1 ↗ 9.2 ↖ 10.0 ↗ 7.4 → 9.8 ↗
 7.6 → 6.8 ↖ 8.3 ↘ 6.5 ↘ 9.3 ↗
 beste Teiler 247.6 (13.) 296.2 (15.) 423.5 (20.)
 Trefferlage 3.16 mm rechts, 1.82 mm hoch
 Streuwert 4.93, horizontal: 6.22, vertikal: 3.15



Serie 3:
 10.2 * 10.0 ↑ 10.0 ↗ 10.3 * 9.9 ↙
 10.7 * 9.1 ↑ 9.2 ↗ 9.9 → 9.4 ↑
 beste Teiler 73.9 (26.) 155.9 (24.) 194.7 (21.)
 Trefferlage 0.54 mm rechts, 1.28 mm hoch
 Streuwert 1.92, horizontal: 1.78, vertikal: 2.04





Serie 4:
 9.6 ↗ 10.2 * 8.5 ↗ 9.3 → 8.4 ↘
 6.9 ↗ 9.2 → 9.9 ↗ 10.5 * 8.6 →
 beste Teiler 123.8 (39.) 199.7 (32.) 263.6 (38.)
 Trefferlage 3.92 mm rechts, 1.63 mm hoch
 Streuwert 2.27, horizontal: 2.60, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.7** (362)
 Serien: 92.0 97.1 96.3 95.3
 Zähler: 11 21 7 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 791 (10), 695 (34), 681 (23)
 beste Teiler 56.4 (15.) 80.7 (13.) 86.4 (12.)
 Trefferlage 0.14 mm rechts, 0.37 mm hoch
 Streuwert 2.86, horizontal: 3.47, vertikal: 2.08




Serie 1:
 9.4 ↘ 8.4 → 10.4 * 9.0 → 8.5 ↑
 9.3 ← 9.6 ↗ 9.8 ↓ 9.8 → 7.8 ←
 beste Teiler 133.2 (3.) 276.0 (8.) 278.4 (9.)
 Trefferlage 0.64 mm rechts, 0.67 mm hoch
 Streuwert 3.48, horizontal: 4.10, vertikal: 2.72



Serie 2:
 9.2 → 10.6 * 10.6 * 8.7 ← 10.7 *
 10.1 ↖ 10.2 * 9.7 ↖ 9.0 → 8.3 →
 beste Teiler 56.4 (15.) 80.7 (13.) 86.4 (12.)
 Trefferlage 0.66 mm rechts, 0.31 mm hoch
 Streuwert 2.70, horizontal: 3.73, vertikal: 0.84



Serie 3:
 9.7 ↑ 10.2 * 8.2 ← 9.8 ↑ 9.8 ↗
 10.6 * 9.6 ↖ 10.1 ↘ 8.9 → 9.4 ↖
 beste Teiler 98.1 (26.) 189.5 (22.) 205.8 (28.)
 Trefferlage 0.50 mm links, 0.85 mm hoch
 Streuwert 2.62, horizontal: 3.23, vertikal: 1.82





Serie 4:
 9.4 ← 9.5 ↘ 9.1 ↙ 8.2 ↗ 9.5 ↓
 10.3 * 9.8 ↗ 10.3 * 9.5 ↓ 9.7 ↖
 beste Teiler 164.6 (36.) 173.4 (38.) 276.8 (37.)
 Trefferlage 0.22 mm links, 0.32 mm tief
 Streuwert 2.85, horizontal: 3.11, vertikal: 2.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.0** (373)
 Serien: 98.9 95.4 99.1 97.6
 Zähler: 16 22 1 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 785 (13), 591 (16), 462 (4)
 beste Teiler 39.2 (12.) 77.7 (32.) 87.1 (37.)
 Trefferlage 0.97 mm links, 0.02 mm hoch
 Streuwert 2.22, horizontal: 2.24, vertikal: 2.20




Serie 1:
 10.0 ← 10.5 * 9.3 ↙ 9.1 ↘ 10.0 ↘
 10.0 ↘ 9.7 ↓ 9.9 ← 10.2 * 10.2 *
 beste Teiler 106.8 (2.) 180.3 (10.) 197.8 (9.)
 Trefferlage 1.23 mm links, 0.74 mm tief
 Streuwert 1.81, horizontal: 1.78, vertikal: 1.83



Serie 2:
 9.8 ← 10.8 * 7.8 ↖ 9.3 ↗ 9.2 ↗
 8.6 ↑ 10.1 ↘ 9.9 ↗ 10.0 ← 9.9 ↖
 beste Teiler 39.2 (12.) 221.0 (17.) 239.4 (19.)
 Trefferlage 1.96 mm links, 1.45 mm hoch
 Streuwert 2.41, horizontal: 2.28, vertikal: 2.53



Serie 3:
 9.9 ↓ 9.7 ↙ 10.0 ↗ 9.7 ↘ 10.5 *
 9.7 ↗ 10.2 * 9.7 → 9.3 → 10.4 *
 beste Teiler 102.2 (25.) 134.3 (30.) 198.3 (27.)
 Trefferlage 1.01 mm rechts, 0.02 mm tief
 Streuwert 1.91, horizontal: 2.25, vertikal: 1.49





Serie 4:
 9.9 ↖ 10.6 * 9.5 ↓ 10.0 ↓ 9.3 ↙
 9.4 ↘ 10.6 * 9.1 ← 9.7 ↘ 9.5 ↙
 beste Teiler 77.7 (32.) 87.1 (37.) 229.4 (34.)
 Trefferlage 1.72 mm links, 0.58 mm tief
 Streuwert 1.96, horizontal: 1.42, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.9** (381)
 Serien: 97.4 98.3 102.0 99.2
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 602 (11), 459 (5), 459 (18)
 beste Teiler 10.4 (26.) 89.8 (32.) 98.2 (16.)
 Trefferlage 0.01 mm links, 0.32 mm tief
 Streuwert 2.03, horizontal: 2.28, vertikal: 1.75




Serie 1:
 9.3 → 9.9 ↗ 10.2 * 9.3 ↙ 9.1 ↘
 9.5 ← 9.5 → 10.3 * 10.4 * 9.9 ↙
 beste Teiler 131.7 (9.) 154.7 (8.) 195.4 (3.)
 Trefferlage 0.39 mm rechts, 0.84 mm tief
 Streuwert 2.31, horizontal: 2.91, vertikal: 1.48



Serie 2:
 8.5 ↘ 10.3 * 9.6 ↙ 9.3 → 10.5 *
 10.6 * 10.2 * 9.1 → 10.2 * 10.0 ←
 beste Teiler 98.2 (16.) 120.2 (15.) 172.8 (12.)
 Trefferlage 0.72 mm rechts, 0.56 mm tief
 Streuwert 2.32, horizontal: 2.76, vertikal: 1.79



Serie 3:
 9.8 ↙ 10.2 * 10.5 * 10.3 * 10.1 ←
 10.9 * 9.7 → 10.2 * 10.3 * 10.0 ↓
 beste Teiler 10.4 (26.) 103.5 (23.) 162.8 (29.)
 Trefferlage 0.22 mm links, 0.37 mm tief
 Streuwert 1.50, horizontal: 1.50, vertikal: 1.50





Serie 4:
 9.7 ← 10.6 * 10.2 * 9.9 ↙ 9.8 ↘
 10.0 ↘ 9.4 ↘ 10.1 ↓ 9.5 ↘ 10.0 ↘
 beste Teiler 89.8 (32.) 185.0 (33.) 225.3 (38.)
 Trefferlage 0.94 mm links, 0.48 mm hoch
 Streuwert 1.85, horizontal: 1.53, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.4** (377)
 Serien: 99.7 98.6 99.3 97.8
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 652 (17), 645 (31), 605 (4)
 beste Teiler 36.0 (8.) 86.1 (22.) 92.0 (13.)
 Trefferlage 0.19 mm links, 0.31 mm hoch
 Streuwert 2.15, horizontal: 2.33, vertikal: 1.95




Serie 1:
 9.7 ← 10.4 * 10.3 * 8.5 ← 9.8 ↖
 10.1 ↘ 9.8 ↗ 10.8 * 10.0 ↘ 10.3 *
 beste Teiler 36.0 (8.) 143.0 (2.) 153.9 (10.)
 Trefferlage 1.21 mm links, 0.61 mm hoch
 Streuwert 1.85, horizontal: 2.23, vertikal: 1.38



Serie 2:
 10.1 ↘ 9.3 ↘ 10.6 * 10.6 * 9.6 ↖
 9.9 ↑ 8.3 ↘ 9.9 ↘ 9.9 → 10.4 *
 beste Teiler 92.0 (13.) 96.5 (14.) 131.5 (20.)
 Trefferlage 0.76 mm rechts, 0.10 mm tief
 Streuwert 2.26, horizontal: 2.50, vertikal: 2.00



Serie 3:
 10.5 * 10.6 * 9.5 ↙ 9.0 ↘ 10.3 *
 9.6 ↑ 10.1 ↙ 9.6 ↗ 9.9 ↘ 10.2 *
 beste Teiler 86.1 (22.) 103.4 (21.) 167.5 (25.)
 Trefferlage 0.14 mm rechts, 0.20 mm hoch
 Streuwert 2.09, horizontal: 2.03, vertikal: 2.15





Serie 4:
 8.4 ↘ 10.4 * 10.0 ↖ 9.4 ← 9.9 ↘
 9.2 ↗ 9.9 ↙ 10.2 * 10.4 * 10.0 ←
 beste Teiler 133.6 (32.) 135.4 (39.) 195.3 (38.)
 Trefferlage 0.47 mm links, 0.53 mm hoch
 Streuwert 2.40, horizontal: 2.41, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	396.9	(381)
Serien:	99.3	99.0 99.2 99.4
Zähler:	24	13 3 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	604 (18), 553 (24), 551 (1)	
beste Teiler	48.0 (40.)	59.0 (5.) 83.6 (27.)
Trefferlage	0.38 mm links, 0.07 mm tief	
Streuwert	2.08, horizontal: 2.58, vertikal: 1.40	




Serie 1:	8.7 ←	10.3 *	10.1 ↖	9.1 ↘	10.7 *
	10.5 *	10.0 ↓	10.1 ↖	9.4 →	10.4 *
beste Teiler	59.0 (5.) 111.2 (6.) 136.5 (10.)				
Trefferlage	0.20 mm rechts, 0.01 mm hoch				
Streuwert	2.18, horizontal: 2.71, vertikal: 1.46				



Serie 2:	10.3 *	10.6 *	9.9 ↘	10.5 *	10.1 ↗
	9.6 →	10.2 *	8.5 ←	10.0 ←	9.3 ↓
beste Teiler	98.3 (12.) 114.9 (14.) 158.4 (11.)				
Trefferlage	0.11 mm rechts, 0.59 mm tief				
Streuwert	2.19, horizontal: 2.67, vertikal: 1.56				



Serie 3:	10.4 *	10.3 *	9.4 ↘	8.7 ↖	9.0 ←
	10.4 *	10.6 *	10.1 ↗	10.3 *	10.0 ←
beste Teiler	83.6 (27.) 130.3 (26.) 133.9 (21.)				
Trefferlage	1.02 mm links, 0.47 mm hoch				
Streuwert	2.05, horizontal: 2.71, vertikal: 1.03				





Serie 4:	9.7 ↖	9.2 ↖	10.4 *	10.4 *	9.9 ↗
	9.4 →	9.6 ←	9.9 ↘	10.1 ↓	10.8 *
beste Teiler	48.0 (40.) 144.2 (33.) 146.7 (34.)				
Trefferlage	0.83 mm links, 0.20 mm tief				
Streuwert	2.00, horizontal: 2.40, vertikal: 1.49				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.2** (363)
 Serien: 97.0 96.6 91.6 95.0
 Zähler: 18 13 5 3 0 1 0 0 0 0
 Innenzehner: 10
 weiteste: 1327 (23), 869 (2), 769 (18)
 beste Teiler 52.0 (5.) 124.0 (35.) 128.5 (17.)
 Trefferlage 0.24 mm links, 0.06 mm tief
 Streuwert 3.13, horizontal: 3.77, vertikal: 2.32




Serie 1:
 10.0 ↘ 7.5 ↘ 8.8 ↘ 10.2 * 10.7 *
 10.4 * 9.8 ↓ 10.0 ↙ 9.5 ↑ 10.1 ↗
 beste Teiler 52.0 (5.) 135.2 (6.) 193.2 (4.)
 Trefferlage 1.31 mm rechts, 1.23 mm tief
 Streuwert 2.52, horizontal: 2.65, vertikal: 2.38



Serie 2:
 10.1 ↗ 9.8 ← 8.5 ↖ 9.9 ↘ 10.4 *
 10.1 ↓ 10.4 * 7.9 ↖ 10.3 * 9.2 ←
 beste Teiler 128.5 (17.) 141.4 (15.) 173.1 (19.)
 Trefferlage 1.85 mm links, 0.70 mm hoch
 Streuwert 2.43, horizontal: 2.94, vertikal: 1.79



Serie 3:
 9.7 → 9.5 ↗ 5.6 ← 10.1 ↓ 10.2 *
 8.3 ← 9.2 ↖ 10.0 ← 9.9 ↘ 9.1 ↖
 beste Teiler 189.9 (25.) 204.4 (24.) 232.4 (28.)
 Trefferlage 2.47 mm links, 1.22 mm hoch
 Streuwert 3.55, horizontal: 4.71, vertikal: 1.74





Serie 4:
 10.1 ↗ 9.6 ↖ 7.9 ↘ 9.5 → 10.5 *
 10.2 * 9.6 ↘ 8.8 ↓ 10.3 * 8.5 ↘
 beste Teiler 124.0 (35.) 168.8 (39.) 186.2 (36.)
 Trefferlage 2.02 mm rechts, 0.94 mm tief
 Streuwert 2.60, horizontal: 2.63, vertikal: 2.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377.3** (361)
 Serien: 92.8 95.1 96.7 92.7
 Zähler: 12 18 9 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 968 (8), 714 (10), 681 (18)
 beste Teiler 32.3 (26.) 106.0 (7.) 108.2 (39.)
 Trefferlage 0.45 mm links, 0.29 mm hoch
 Streuwert 3.04, horizontal: 3.39, vertikal: 2.64




Serie 1:
 9.8 ← 9.7 ↑ 9.9 ↗ 9.7 → 9.1 ↓
 10.3 * 10.5 * 7.1 ← 8.6 ↖ 8.1 →
 beste Teiler 106.0 (7.) 174.9 (6.) 266.6 (3.)
 Trefferlage 0.53 mm links, 0.00 mm
 Streuwert 3.64, horizontal: 4.39, vertikal: 2.68



Serie 2:
 10.1 ↖ 9.2 ← 9.4 ↗ 9.4 → 9.2 →
 9.3 ↓ 10.2 * 8.2 ↖ 10.0 ↓ 10.1 ↗
 beste Teiler 192.8 (17.) 202.0 (20.) 221.8 (11.)
 Trefferlage 0.06 mm links, 0.38 mm hoch
 Streuwert 2.86, horizontal: 3.22, vertikal: 2.45



Serie 3:
 8.7 ↘ 10.1 ↖ 10.4 * 10.3 * 9.9 ←
 10.8 * 8.4 ↑ 8.5 ← 9.6 ↗ 10.0 ←
 beste Teiler 32.3 (26.) 143.3 (23.) 156.7 (24.)
 Trefferlage 1.10 mm links, 0.16 mm hoch
 Streuwert 2.69, horizontal: 2.82, vertikal: 2.56





Serie 4:
 9.9 ← 8.4 ← 8.5 ↖ 9.7 ↘ 9.5 ↓
 9.4 → 8.6 → 9.0 ↑ 10.5 * 9.2 ↑
 beste Teiler 108.2 (39.) 258.9 (31.) 302.0 (34.)
 Trefferlage 0.10 mm links, 0.61 mm hoch
 Streuwert 3.30, horizontal: 3.39, vertikal: 3.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.7** (375)
 Serien: 95.4 98.6 101.2 97.5
 Zähler: 23 11 5 0 1 0 0 0 0 0
 Innenzehner: 17
 weiteste: 1033 (2), 724 (33), 604 (9)
 beste Teiler 42.7 (21.) 72.1 (28.) 98.9 (40.)
 Trefferlage 0.47 mm links, 0.56 mm hoch
 Streuwert 2.43, horizontal: 3.12, vertikal: 1.43




Serie 1:
 10.2 * 6.8 ← 9.8 ↖ 10.1 ↑ 9.9 ↘
 10.0 ↓ 9.8 ← 10.0 ↓ 8.5 → 10.3 *
 beste Teiler 154.9 (10.) 193.7 (1.) 212.2 (4.)
 Trefferlage 1.24 mm links, 0.19 mm hoch
 Streuwert 3.11, horizontal: 4.08, vertikal: 1.63



Serie 2:
 10.3 * 9.5 ↖ 10.5 * 8.8 ← 10.0 ↘
 9.1 → 9.9 → 9.8 ↑ 10.4 * 10.3 *
 beste Teiler 106.6 (13.) 144.8 (19.) 154.1 (20.)
 Trefferlage 0.51 mm links, 0.71 mm hoch
 Streuwert 2.19, horizontal: 2.93, vertikal: 1.01



Serie 3:
 10.8 * 10.4 * 10.3 * 10.4 * 9.9 ↘
 10.5 * 9.4 → 10.7 * 10.1 ↙ 8.7 ←
 beste Teiler 42.7 (21.) 72.1 (28.) 103.7 (26.)
 Trefferlage 0.75 mm links, 0.45 mm hoch
 Streuwert 1.78, horizontal: 2.25, vertikal: 1.13





Serie 4:
 10.5 * 8.6 ↖ 8.1 → 9.5 ↑ 10.2 *
 9.5 ↖ 10.3 * 10.2 * 10.0 ↑ 10.6 *
 beste Teiler 98.9 (40.) 119.2 (31.) 162.1 (37.)
 Trefferlage 0.60 mm rechts, 0.87 mm hoch
 Streuwert 2.59, horizontal: 3.13, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385.9** (369)
 Serien: 95.8 96.3 95.2 98.6
 Zähler: 12 25 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 684 (4), 569 (2), 505 (11)
 beste Teiler 92.6 (32.) 100.6 (39.) 152.0 (24.)
 Trefferlage 0.57 mm rechts, 0.33 mm hoch
 Streuwert 2.48, horizontal: 2.80, vertikal: 2.11




Serie 1:
 10.0 ↑ 8.7 → 10.0 ↑ 8.2 → 9.4 ↖
 9.8 ← 10.2 * 9.6 ↗ 10.3 * 9.6 ↓
 beste Teiler 158.2 (9.) 184.0 (7.) 232.6 (1.)
 Trefferlage 0.73 mm rechts, 0.93 mm hoch
 Streuwert 2.68, horizontal: 3.17, vertikal: 2.08



Serie 2:
 8.9 → 9.1 ↖ 9.5 ↖ 9.8 ↘ 10.2 *
 9.6 ↗ 9.7 ← 10.3 * 10.2 * 9.0 →
 beste Teiler 160.1 (18.) 183.6 (15.) 191.6 (19.)
 Trefferlage 0.27 mm rechts, 0.72 mm hoch
 Streuwert 2.56, horizontal: 3.10, vertikal: 1.85



Serie 3:
 9.8 ↘ 10.2 * 9.6 ↘ 10.3 * 9.6 ↘
 9.0 ← 9.2 → 9.1 → 9.1 ← 9.3 ↘
 beste Teiler 152.0 (24.) 198.6 (22.) 286.4 (21.)
 Trefferlage 0.97 mm rechts, 1.03 mm tief
 Streuwert 2.58, horizontal: 3.14, vertikal: 1.85



Serie 4:
 9.9 ↗ 10.6 * 9.3 ↗ 9.7 ↖ 10.1 ←
 9.6 ↘ 9.9 ↑ 9.6 ↖ 10.6 * 9.3 ↓
 beste Teiler 92.6 (32.) 100.6 (39.) 215.6 (35.)
 Trefferlage 0.29 mm rechts, 0.71 mm hoch
 Streuwert 2.16, horizontal: 2.02, vertikal: 2.30

Unterschrift des Schützen