





Ergebnis: **367.3** (351)
 Serien: 88.8 89.8 93.1 95.6
 Zähler: 12 10 15 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 880 (29), 879 (36), 762 (21)
 beste Teiler 106.1 (30.) 119.1 (39.) 126.8 (38.)
 Trefferlage 0.90 mm links, 0.36 mm hoch
 Streuwert 3.50, horizontal: 4.28, vertikal: 2.49




Serie 1:
 10.2 * 8.1 ↘ 8.2 ← 8.5 ↖ 9.0 ←
 8.3 → 9.3 ↓ 8.9 → 8.0 ↗ 10.3 *
 beste Teiler 169.4 (10.) 198.6 (1.) 424.0 (7.)
 Trefferlage 0.68 mm links, 0.43 mm tief
 Streuwert 4.09, horizontal: 5.10, vertikal: 2.74



Serie 2:
 8.5 ← 8.2 ↖ 8.6 ↑ 8.4 ← 10.1 ↙
 9.2 ↘ 9.6 ↘ 8.7 ↘ 9.8 ↗ 8.7 →
 beste Teiler 208.8 (15.) 287.6 (19.) 339.2 (17.)
 Trefferlage 2.19 mm links, 1.63 mm hoch
 Streuwert 3.25, horizontal: 3.81, vertikal: 2.59



Serie 3:
 7.9 ← 8.0 ↙ 10.1 ↗ 10.3 * 10.2 *
 10.1 ↘ 9.8 ↘ 8.8 → 7.4 ← 10.5 *
 beste Teiler 106.1 (30.) 174.6 (24.) 191.6 (25.)
 Trefferlage 0.98 mm links, 0.38 mm tief
 Streuwert 3.62, horizontal: 4.48, vertikal: 2.48





Serie 4:
 9.8 ↑ 8.3 ↖ 10.3 * 10.1 ↓ 9.5 ↖
 7.4 → 9.5 ↘ 10.4 * 10.5 * 9.8 ↑
 beste Teiler 119.1 (39.) 126.8 (38.) 161.5 (33.)
 Trefferlage 0.22 mm rechts, 0.65 mm hoch
 Streuwert 3.05, horizontal: 3.92, vertikal: 1.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.3** (364)
 Serien: 95.0 97.4 95.8 95.1
 Zähler: 12 22 4 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 816 (9), 754 (35), 588 (32)
 beste Teiler 93.0 (7.) 117.9 (17.) 126.1 (38.)
 Trefferlage 1.07 mm links, 0.58 mm hoch
 Streuwert 2.57, horizontal: 2.87, vertikal: 2.23




Serie 1:
 10.0 → 8.7 ← 9.6 → 9.3 → 10.2 *
 9.4 → 10.6 * 10.0 ↗ 7.7 ← 9.5 ↓
 beste Teiler 93.0 (7.) 189.7 (5.) 242.1 (8.)
 Trefferlage 0.00 mm , 0.34 mm hoch
 Streuwert 3.08, horizontal: 3.95, vertikal: 1.83



Serie 2:
 9.7 ← 9.7 ↗ 10.3 * 9.7 ← 8.7 ←
 9.7 ← 10.5 * 10.4 * 9.1 ↗ 9.6 ←
 beste Teiler 117.9 (17.) 134.0 (18.) 162.3 (13.)
 Trefferlage 1.93 mm links, 0.49 mm hoch
 Streuwert 1.96, horizontal: 2.01, vertikal: 1.91



Serie 3:
 9.1 ← 10.3 * 9.6 → 8.8 ↙ 9.5 ←
 9.8 ↑ 9.3 ← 10.1 ← 9.4 ↗ 9.9 ←
 beste Teiler 151.0 (22.) 202.1 (28.) 263.6 (30.)
 Trefferlage 1.57 mm links, 0.27 mm hoch
 Streuwert 2.42, horizontal: 2.67, vertikal: 2.14





Serie 4:
 10.3 * 8.6 ↖ 9.5 → 9.9 → 7.9 ↖
 9.3 ← 9.8 ↓ 10.4 * 10.1 ← 9.3 ←
 beste Teiler 126.1 (38.) 160.3 (31.) 224.7 (39.)
 Trefferlage 0.80 mm links, 1.22 mm hoch
 Streuwert 2.82, horizontal: 2.56, vertikal: 3.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.5** (353)
 Serien: 96.3 84.1 98.5 92.6
 Zähler: 14 9 13 4 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 904 (19), 804 (36), 791 (20)
 beste Teiler 39.0 (10.) 48.0 (22.) 78.0 (39.)
 Trefferlage 0.89 mm rechts, 0.93 mm hoch
 Streuwert 3.29, horizontal: 4.08, vertikal: 2.23




Serie 1:
 10.4 * 8.5 → 9.5 ↖ 9.4 ↗ 7.9 ←
 10.5 * 10.2 * 9.1 ↗ 10.0 ↓ 10.8 *
 beste Teiler 39.0 (10.) 118.8 (6.) 150.6 (1.)
 Trefferlage 0.54 mm rechts, 0.75 mm hoch
 Streuwert 2.88, horizontal: 3.65, vertikal: 1.81



Serie 2:
 8.2 → 9.3 ↖ 8.2 ↖ 8.2 → 9.2 ↗
 8.7 ← 8.3 → 8.9 ↖ 7.3 → 7.8 →
 beste Teiler 423.7 (12.) 442.4 (15.) 506.5 (18.)
 Trefferlage 2.12 mm rechts, 0.85 mm hoch
 Streuwert 4.57, horizontal: 6.00, vertikal: 2.40



Serie 3:
 10.3 * 10.8 * 9.7 ↙ 10.1 ↖ 9.6 →
 10.3 * 9.1 ↑ 9.4 ↘ 8.7 ↗ 10.5 *
 beste Teiler 48.0 (22.) 107.7 (30.) 163.0 (26.)
 Trefferlage 0.91 mm rechts, 0.59 mm hoch
 Streuwert 2.22, horizontal: 2.28, vertikal: 2.16



Serie 4:
 8.9 ↖ 10.0 ← 10.1 ↗ 10.1 ← 8.8 ↑
 7.7 → 8.9 ↖ 8.9 ↖ 10.6 * 8.6 ↘
 beste Teiler 78.0 (39.) 203.0 (34.) 221.9 (33.)
 Trefferlage 0.01 mm rechts, 1.54 mm hoch
 Streuwert 3.33, horizontal: 3.87, vertikal: 2.69

Unterschrift des Schützen

Meyton Elektronik