





Ergebnis: **362** (381.0)
 Serien: 92 93 85 92
 Zähler: 14 15 10 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2564 (23), 2209 (14), 2026 (28)
 beste Teiler 218.9 (12.) 311.8 (29.) 335.9 (19.)
 Trefferlage 0.41 mm links, 0.29 mm tief
 Streuwert 9.16, horizontal: 9.49, vertikal: 8.83




Serie 1:
 8.7 ← 9.2 ← 9.1 ↗ 10.3 → 9.6 ↗
 9.7 ↙ 10.3 ↙ 10.5 * 8.8 ↖ 10.2 ↓
 beste Teiler 357.4 (8.) 542.8 (4.) 549.1 (7.)
 Trefferlage 3.52 mm links, 0.21 mm hoch
 Streuwert 8.26, horizontal: 9.84, vertikal: 6.30



Serie 2:
 10.3 ↘ 10.7 * 9.8 ↙ 8.2 ↗ 10.2 ↗
 10.2 ← 9.4 ↗ 9.4 ↙ 10.5 * 8.6 ↙
 beste Teiler 218.9 (12.) 335.9 (19.) 519.2 (11.)
 Trefferlage 0.76 mm links, 0.27 mm hoch
 Streuwert 8.61, horizontal: 9.78, vertikal: 7.24



Serie 3:
 8.7 ↗ 10.2 ↖ 7.7 ↘ 9.3 ← 8.7 ↘
 8.7 ↗ 9.7 → 8.4 ↓ 10.6 * 8.9 ↑
 beste Teiler 311.8 (29.) 602.2 (22.) 1016.8 (27.)
 Trefferlage 3.71 mm rechts, 0.54 mm hoch
 Streuwert 11.78, horizontal: 10.80, vertikal: 12.69





Serie 4:
 9.5 → 9.2 ← 10.1 ↙ 9.9 ↓ 8.6 ↑
 9.7 ↓ 10.0 ← 9.7 ↓ 10.2 → 9.5 ↓
 beste Teiler 613.5 (39.) 666.0 (33.) 740.0 (37.)
 Trefferlage 1.09 mm links, 2.22 mm tief
 Streuwert 8.05, horizontal: 7.11, vertikal: 8.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.3)
 Serien: 90 94 96 91
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2583 (8), 2307 (37), 2273 (16)
 beste Teiler 186.0 (18.) 206.0 (13.) 213.1 (9.)
 Trefferlage 0.20 mm rechts, 1.97 mm tief
 Streuwert 8.14, horizontal: 8.44, vertikal: 7.83




Serie 1:
 9.9 ← 9.4 ↙ 9.4 ↓ 9.7 ↗ 10.3 ↘
 10.2 → 9.1 ↗ 7.7 → 10.7 * 8.4 ↙
 beste Teiler 213.1 (9.) 494.4 (5.) 586.0 (6.)
 Trefferlage 1.51 mm rechts, 1.92 mm tief
 Streuwert 9.89, horizontal: 12.04, vertikal: 7.12



Serie 2:
 10.2 ↓ 10.1 ↗ 10.7 * 9.1 ↑ 8.9 ↘
 8.1 ↓ 10.0 → 10.7 * 9.8 ↓ 10.1 ↖
 beste Teiler 186.0 (18.) 206.0 (13.) 580.4 (11.)
 Trefferlage 1.00 mm links, 2.84 mm tief
 Streuwert 8.14, horizontal: 6.35, vertikal: 9.61



Serie 3:
 10.5 * 10.5 * 9.7 ↗ 9.4 ↙ 10.2 →
 9.5 ↗ 10.4 * 10.0 ↓ 10.2 ↙ 9.8 ↑
 beste Teiler 325.3 (22.) 341.3 (21.) 448.4 (27.)
 Trefferlage 0.24 mm rechts, 0.81 mm hoch
 Streuwert 5.93, horizontal: 6.22, vertikal: 5.62





Serie 4:
 9.8 ↓ 10.2 ↑ 10.6 * 10.3 → 9.8 →
 9.3 → 8.1 ↙ 9.1 ← 9.7 ↓ 8.7 ↓
 beste Teiler 294.3 (33.) 530.6 (34.) 583.9 (32.)
 Trefferlage 0.06 mm rechts, 3.95 mm tief
 Streuwert 8.89, horizontal: 8.99, vertikal: 8.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (365.9)
 Serien: 83 88 90 89
 Zähler: 8 20 7 4 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3302 (4), 2810 (6), 2792 (35)
 beste Teiler 374.0 (28.) 418.6 (16.) 495.9 (9.)
 Trefferlage 2.20 mm rechts, 2.14 mm hoch
 Streuwert 11.17, horizontal: 11.99, vertikal: 10.29




Serie 1:
 9.3 ↘ 10.1 ↑ 9.6 ← 6.8 ↗ 8.6 ←
 7.4 ↙ 7.8 ← 8.7 → 10.3 ← 9.2 ↗
 beste Teiler 495.9 (9.) 676.3 (2.) 1104.2 (3.)
 Trefferlage 4.24 mm links, 3.81 mm hoch
 Streuwert 13.76, horizontal: 15.17, vertikal: 12.18



Serie 2:
 9.0 ↗ 8.3 → 9.2 ↘ 9.3 ↓ 9.1 ↗
 10.4 * 10.2 → 7.9 ↑ 9.7 ↓ 8.6 ↑
 beste Teiler 418.6 (16.) 606.3 (17.) 987.5 (19.)
 Trefferlage 6.09 mm rechts, 3.81 mm hoch
 Streuwert 10.23, horizontal: 6.75, vertikal: 12.79



Serie 3:
 9.5 ↘ 9.5 ↘ 9.4 ↗ 9.6 ↘ 9.1 ↘
 9.6 ↙ 10.0 ↘ 10.5 * 8.0 → 8.8 ←
 beste Teiler 374.0 (28.) 747.2 (27.) 1052.6 (24.)
 Trefferlage 4.17 mm rechts, 2.86 mm tief
 Streuwert 9.15, horizontal: 11.60, vertikal: 5.73





Serie 4:
 9.2 ↑ 9.5 ↘ 10.1 ↘ 9.2 ↗ 7.5 →
 10.0 ↓ 9.2 ↘ 9.2 ↗ 8.8 ← 9.7 ↑
 beste Teiler 710.8 (33.) 741.2 (36.) 982.0 (40.)
 Trefferlage 2.78 mm rechts, 3.82 mm hoch
 Streuwert 10.53, horizontal: 12.03, vertikal: 8.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.8)
 Serien: 89 91 91 88
 Zähler: 12 17 9 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2639 (37), 2550 (32), 2283 (9)
 beste Teiler 179.0 (6.) 238.5 (36.) 245.0 (10.)
 Trefferlage 1.77 mm links, 1.85 mm hoch
 Streuwert 9.60, horizontal: 10.44, vertikal: 8.67




Serie 1:
 8.3 ↙ 9.2 ↓ 9.5 ↙ 8.8 ← 10.0 ↑
 10.7 * 9.0 ← 8.6 → 8.1 ↗ 10.6 *
 beste Teiler 179.0 (6.) 245.0 (10.) 745.4 (5.)
 Trefferlage 0.75 mm links, 2.24 mm tief
 Streuwert 11.06, horizontal: 11.72, vertikal: 10.36



Serie 2:
 9.7 ↑ 9.9 → 9.8 ← 8.5 ↑ 10.1 →
 9.6 ↖ 10.3 ↖ 8.8 ← 9.7 → 10.0 ←
 beste Teiler 506.4 (17.) 680.4 (15.) 734.8 (20.)
 Trefferlage 2.72 mm links, 2.91 mm hoch
 Streuwert 7.88, horizontal: 8.74, vertikal: 6.91



Serie 3:
 9.6 ↖ 10.4 * 10.0 ↗ 8.5 ↖ 9.8 ↖
 8.2 ↗ 10.2 ↖ 9.8 → 9.6 ↑ 9.5 ↑
 beste Teiler 467.0 (22.) 597.1 (27.) 745.2 (23.)
 Trefferlage 2.30 mm links, 7.06 mm hoch
 Streuwert 7.31, horizontal: 8.33, vertikal: 6.12





Serie 4:
 9.0 ↗ 7.8 ← 9.1 ← 10.3 ↗ 9.5 ↖
 10.7 * 7.7 ↗ 10.4 * 8.8 ↙ 9.7 ↙
 beste Teiler 238.5 (36.) 453.6 (38.) 543.5 (34.)
 Trefferlage 1.32 mm links, 0.30 mm tief
 Streuwert 11.51, horizontal: 13.66, vertikal: 8.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.5)
 Serien: 93 92 91 88
 Zähler: 14 17 8 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2674 (34), 2226 (9), 2210 (35)
 beste Teiler 99.5 (29.) 161.6 (18.) 217.9 (16.)
 Trefferlage 2.73 mm rechts, 2.15 mm tief
 Streuwert 8.96, horizontal: 9.64, vertikal: 8.22




Serie 1:
 10.6 * 9.0 ↓ 9.5 → 9.3 ← 9.0 ↗
 10.1 → 9.9 ← 10.1 ← 8.2 → 10.1 ↗
 beste Teiler 288.8 (1.) 675.7 (8.) 697.6 (6.)
 Trefferlage 2.67 mm rechts, 1.71 mm tief
 Streuwert 8.88, horizontal: 9.93, vertikal: 7.69



Serie 2:
 9.2 ↓ 10.3 ↓ 8.8 ↗ 8.6 ← 9.3 →
 10.7 * 9.7 → 10.7 * 10.6 * 9.0 ↗
 beste Teiler 161.6 (18.) 217.9 (16.) 289.0 (19.)
 Trefferlage 2.06 mm rechts, 0.12 mm hoch
 Streuwert 8.75, horizontal: 9.77, vertikal: 7.58



Serie 3:
 8.8 ↘ 9.7 ← 10.2 ↙ 9.0 → 9.9 ↗
 9.1 ↓ 10.1 ↓ 8.4 → 10.8 * 9.9 ↓
 beste Teiler 99.5 (29.) 612.4 (23.) 712.1 (27.)
 Trefferlage 3.40 mm rechts, 4.70 mm tief
 Streuwert 8.00, horizontal: 9.21, vertikal: 6.57





Serie 4:
 9.4 ↙ 9.3 ↗ 8.7 → 7.6 ↗ 8.2 ↘
 8.9 ↙ 10.1 ↙ 10.4 * 10.6 * 9.7 ↓
 beste Teiler 255.0 (39.) 436.3 (38.) 661.4 (37.)
 Trefferlage 2.79 mm rechts, 2.33 mm tief
 Streuwert 11.00, horizontal: 11.07, vertikal: 10.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.7)
 Serien: 88 85 91 90
 Zähler: 14 13 7 5 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3407 (4), 3194 (20), 2876 (28)
 beste Teiler 268.0 (1.) 332.4 (38.) 349.0 (36.)
 Trefferlage 0.04 mm links, 5.76 mm tief
 Streuwert 10.48, horizontal: 10.74, vertikal: 10.21




Serie 1:
 10.6 * 10.2 ↗ 9.9 → 6.7 ↘ 9.2 ↓
 9.1 ↘ 8.5 ↗ 10.5 * 9.9 ↓ 8.0 ←
 beste Teiler 268.0 (1.) 390.3 (8.) 634.0 (2.)
 Trefferlage 3.56 mm rechts, 3.19 mm tief
 Streuwert 11.78, horizontal: 12.74, vertikal: 10.75



Serie 2:
 9.3 ← 8.6 ↘ 8.2 ↘ 7.4 ↙ 10.4 *
 8.6 ↘ 9.6 ↘ 10.3 ↓ 9.3 ↘ 7.0 ↘
 beste Teiler 416.2 (15.) 557.5 (18.) 1089.9 (17.)
 Trefferlage 1.03 mm rechts, 8.35 mm tief
 Streuwert 12.52, horizontal: 14.60, vertikal: 10.03



Serie 3:
 10.0 → 9.2 ↓ 10.2 ↗ 7.8 ↓ 9.5 ↓
 9.5 ↓ 10.0 ↙ 7.4 ↙ 10.3 ↙ 10.2 ↗
 beste Teiler 523.0 (29.) 601.5 (23.) 638.3 (30.)
 Trefferlage 3.23 mm links, 7.70 mm tief
 Streuwert 8.97, horizontal: 7.40, vertikal: 10.31





Serie 4:
 10.2 ↗ 8.8 ↘ 8.9 ↙ 9.6 ↗ 7.9 ↓
 10.5 * 9.8 ↘ 10.5 * 9.9 ← 10.2 ←
 beste Teiler 332.4 (38.) 349.0 (36.) 568.9 (31.)
 Trefferlage 1.54 mm links, 3.82 mm tief
 Streuwert 8.57, horizontal: 6.36, vertikal: 10.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.3)
 Serien: 89 93 96 95
 Zähler: 20 15 4 0 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3771 (9), 1766 (6), 1677 (11)
 beste Teiler 220.0 (39.) 230.8 (33.) 291.3 (40.)
 Trefferlage 0.91 mm rechts, 1.76 mm hoch
 Streuwert 8.06, horizontal: 7.90, vertikal: 8.22




Serie 1:
 9.3 ↘ 10.4 * 9.5 ↘ 9.3 → 9.5 ↘
 8.7 ← 9.3 → 10.4 * 6.2 ↑ 10.5 *
 beste Teiler 347.0 (10.) 435.8 (2.) 442.7 (8.)
 Trefferlage 0.55 mm rechts, 4.98 mm hoch
 Streuwert 11.34, horizontal: 10.73, vertikal: 11.91



Serie 2:
 8.9 ↗ 9.8 → 10.0 ↙ 9.6 ↘ 9.6 ↘
 9.4 ↗ 10.1 → 10.6 * 10.5 * 9.8 ↗
 beste Teiler 295.3 (18.) 400.2 (19.) 692.6 (17.)
 Trefferlage 6.07 mm rechts, 0.18 mm tief
 Streuwert 5.69, horizontal: 5.18, vertikal: 6.17



Serie 3:
 10.2 → 10.3 → 10.2 → 9.7 ↖ 8.9 ↑
 10.4 * 10.0 ↖ 10.0 ↓ 10.4 ↖ 9.1 →
 beste Teiler 474.1 (26.) 478.7 (29.) 557.9 (22.)
 Trefferlage 0.79 mm rechts, 2.73 mm hoch
 Streuwert 6.50, horizontal: 6.54, vertikal: 6.46





Serie 4:
 10.5 * 10.0 ↙ 10.7 * 9.0 ← 10.1 ↖
 9.8 ↖ 9.4 ↖ 8.9 ↓ 10.7 * 10.6 *
 beste Teiler 220.0 (39.) 230.8 (33.) 291.3 (40.)
 Trefferlage 3.74 mm links, 0.49 mm tief
 Streuwert 6.33, horizontal: 5.62, vertikal: 6.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (354.9)
 Serien: 90 83 88 80
 Zähler: 9 15 9 4 1 2 0 0 0 0
 Innenzehner: 3
 weiteste: 4682 (26), 4069 (32), 3755 (35)
 beste Teiler 314.0 (16.) 379.3 (31.) 451.7 (24.)
 Trefferlage 1.40 mm rechts, 0.02 mm hoch
 Streuwert 13.91, horizontal: 12.53, vertikal: 15.16




Serie 1:
 8.0 → 10.1 ↘ 9.6 → 10.2 → 10.0 ↘
 10.0 ↓ 8.1 ↓ 8.3 ↓ 10.3 ← 7.1 ↗
 beste Teiler 500.5 (9.) 570.3 (4.) 660.6 (2.)
 Trefferlage 4.52 mm rechts, 2.83 mm tief
 Streuwert 11.94, horizontal: 9.75, vertikal: 13.79



Serie 2:
 9.2 ↖ 8.7 ↓ 7.4 ↙ 8.7 → 7.4 →
 10.6 * 8.0 → 9.5 ↘ 8.5 ↙ 9.0 ↙
 beste Teiler 314.0 (16.) 1161.2 (18.) 1381.0 (11.)
 Trefferlage 0.17 mm links, 4.00 mm tief
 Streuwert 14.22, horizontal: 17.34, vertikal: 10.20



Serie 3:
 9.0 → 10.2 → 9.7 ↓ 10.4 * 9.1 ↘
 5.1 ↘ 9.4 → 9.2 → 9.4 ↖ 9.7 ↓
 beste Teiler 451.7 (24.) 569.8 (22.) 979.8 (30.)
 Trefferlage 3.12 mm rechts, 3.83 mm hoch
 Streuwert 13.27, horizontal: 10.78, vertikal: 15.37





Serie 4:
 10.5 * 5.9 ↑ 9.3 ↘ 9.6 → 6.3 ↘
 8.9 → 9.0 ↙ 9.1 ↘ 7.9 ↓ 8.5 ↓
 beste Teiler 379.3 (31.) 1066.5 (34.) 1281.7 (33.)
 Trefferlage 1.86 mm links, 3.10 mm hoch
 Streuwert 16.61, horizontal: 11.83, vertikal: 20.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.3)
 Serien: 95 90 92 90
 Zähler: 15 18 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2479 (38), 2376 (39), 2320 (20)
 beste Teiler 158.4 (6.) 287.1 (8.) 343.2 (33.)
 Trefferlage 0.66 mm links, 1.45 mm hoch
 Streuwert 8.67, horizontal: 8.53, vertikal: 8.81




Serie 1:
 10.0 ↘ 8.5 ↑ 10.4 * 9.5 ↗ 9.7 ↖
 10.8 * 9.9 ← 10.6 * 10.1 ← 10.0 ↖
 beste Teiler 158.4 (6.) 287.1 (8.) 464.7 (3.)
 Trefferlage 1.53 mm links, 3.16 mm hoch
 Streuwert 6.45, horizontal: 4.81, vertikal: 7.76



Serie 2:
 9.9 ← 8.6 ← 10.2 ↙ 10.4 ↖ 9.3 ↓
 9.8 ↑ 9.3 ↓ 9.4 ↘ 9.9 ↓ 8.1 ↗
 beste Teiler 479.3 (14.) 601.5 (13.) 809.5 (11.)
 Trefferlage 1.24 mm links, 0.53 mm tief
 Streuwert 9.63, horizontal: 9.83, vertikal: 9.42



Serie 3:
 9.8 ↗ 9.3 ↗ 10.5 * 10.4 * 9.4 →
 10.2 ↘ 9.0 ↑ 9.9 → 8.2 ← 9.0 ↑
 beste Teiler 392.9 (23.) 460.0 (24.) 586.2 (26.)
 Trefferlage 2.04 mm rechts, 2.93 mm hoch
 Streuwert 8.84, horizontal: 9.46, vertikal: 8.16





Serie 4:
 10.5 * 9.7 ↗ 10.5 * 10.1 ↓ 9.8 ↗
 9.7 ↓ 8.8 ↑ 7.9 ← 8.0 ↘ 10.2 ↑
 beste Teiler 343.2 (33.) 378.0 (31.) 626.7 (40.)
 Trefferlage 1.90 mm links, 0.26 mm hoch
 Streuwert 10.09, horizontal: 9.75, vertikal: 10.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (352.6)
 Serien: 80 89 78 84
 Zähler: 7 12 12 4 4 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4182 (28), 3819 (30), 3666 (27)
 beste Teiler 94.0 (31.) 487.1 (34.) 530.9 (20.)
 Trefferlage 6.12 mm links, 1.74 mm tief
 Streuwert 13.24, horizontal: 13.41, vertikal: 13.07




Serie 1:
 9.3 ↙ 8.8 ↓ 7.9 ↗ 8.7 ↘ 9.6 ↓
 9.1 ↘ 6.8 ↗ 8.8 ← 8.7 ↑ 8.6 ↑
 beste Teiler 1102.5 (5.) 1344.4 (1.) 1486.7 (6.)
 Trefferlage 8.72 mm links, 1.00 mm tief
 Streuwert 12.93, horizontal: 10.39, vertikal: 15.05



Serie 2:
 9.8 ↗ 9.3 ↗ 9.3 ↘ 10.0 ↘ 7.8 ↓
 9.5 ↘ 7.4 ← 10.2 ↗ 9.8 ↗ 10.3 ↗
 beste Teiler 530.9 (20.) 640.6 (18.) 744.0 (14.)
 Trefferlage 1.81 mm links, 0.65 mm hoch
 Streuwert 11.04, horizontal: 10.84, vertikal: 11.24



Serie 3:
 9.6 ← 9.6 ↘ 10.1 → 7.7 ↓ 9.6 ↘
 9.1 ↓ 6.4 ↗ 5.7 ← 8.5 ↑ 6.2 ↗
 beste Teiler 685.7 (23.) 1041.6 (22.) 1057.2 (25.)
 Trefferlage 9.51 mm links, 7.52 mm tief
 Streuwert 16.27, horizontal: 17.47, vertikal: 14.98





Serie 4:
 10.8 * 8.6 ↗ 8.6 ↘ 10.3 ↑ 6.8 ↗
 8.9 → 8.8 ← 8.5 ← 10.2 → 8.9 ↘
 beste Teiler 94.0 (31.) 487.1 (34.) 636.2 (39.)
 Trefferlage 4.43 mm links, 0.90 mm hoch
 Streuwert 12.56, horizontal: 14.29, vertikal: 10.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (381.0)
 Serien: 91 88 89 92
 Zähler: 12 17 10 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2711 (24), 2145 (37), 2140 (12)
 beste Teiler 208.5 (33.) 236.1 (2.) 240.3 (38.)
 Trefferlage 0.73 mm rechts, 1.59 mm hoch
 Streuwert 9.26, horizontal: 9.13, vertikal: 9.40




Serie 1:
 9.3 ↘ 10.7 * 9.4 ↗ 9.8 ↙ 10.5 *
 10.3 ↖ 8.7 ↓ 9.9 ↙ 9.2 ↖ 8.9 ←
 beste Teiler 236.1 (2.) 395.7 (5.) 550.3 (6.)
 Trefferlage 2.27 mm links, 3.85 mm tief
 Streuwert 7.92, horizontal: 8.08, vertikal: 7.76



Serie 2:
 8.9 → 8.3 ↗ 8.5 ↖ 10.6 * 9.8 →
 9.4 ↓ 8.9 ← 9.6 ↘ 10.4 ← 9.4 ↑
 beste Teiler 264.0 (14.) 478.3 (19.) 912.9 (15.)
 Trefferlage 2.79 mm rechts, 2.41 mm hoch
 Streuwert 10.04, horizontal: 10.84, vertikal: 9.18





Serie 3:
 9.4 ↗ 9.0 ↑ 9.1 ↗ 7.6 ↑ 9.5 ↙
 10.3 ← 10.5 * 9.5 ← 9.7 → 8.6 ↙
 beste Teiler 321.3 (27.) 503.6 (26.) 1017.2 (29.)
 Trefferlage 0.50 mm links, 3.68 mm hoch
 Streuwert 10.47, horizontal: 8.39, vertikal: 12.20




Serie 4:
 9.2 → 9.9 ↙ 10.7 * 10.5 * 8.7 ↗
 8.8 ↖ 8.3 ↗ 10.7 * 10.0 ↑ 10.5 *
 beste Teiler 208.5 (33.) 240.3 (38.) 334.6 (40.)
 Trefferlage 2.91 mm rechts, 4.11 mm hoch
 Streuwert 8.06, horizontal: 9.29, vertikal: 6.61

Unterschrift des Schützen


Ergebnis: **340** (359.3)
 Serien: 86 84 87 83
 Zähler: 8 13 13 3 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3430 (35), 3384 (9), 3267 (27)
 beste Teiler 204.0 (23.) 261.0 (7.) 352.3 (39.)
 Trefferlage 2.18 mm rechts, 2.62 mm hoch
 Streuwert 12.67, horizontal: 12.23, vertikal: 13.10




Serie 1:
 9.5 → 10.1 ↙ 9.2 ↘ 8.5 ← 8.7 ←
 9.2 → 10.6 * 9.8 ↗ 6.7 ↗ 8.9 ↗
 beste Teiler 261.0 (7.) 719.2 (2.) 906.5 (8.)
 Trefferlage 1.28 mm rechts, 4.37 mm hoch
 Streuwert 11.98, horizontal: 13.71, vertikal: 9.96



Serie 2:
 10.1 ↘ 8.1 → 7.1 ↙ 8.4 ↙ 8.5 ↑
 9.0 ↑ 10.0 ↘ 9.2 → 7.3 ↗ 8.5 ←
 beste Teiler 690.7 (11.) 764.1 (17.) 1409.0 (18.)
 Trefferlage 1.75 mm rechts, 0.14 mm hoch
 Streuwert 14.88, horizontal: 14.98, vertikal: 14.79





Serie 3:
 9.9 ← 8.8 ↑ 10.7 * 9.5 → 9.9 ↑
 9.6 ↑ 6.9 ↑ 10.1 ↘ 9.6 → 8.7 →
 beste Teiler 204.0 (23.) 678.9 (28.) 874.7 (21.)
 Trefferlage 3.24 mm rechts, 5.89 mm hoch
 Streuwert 9.98, horizontal: 8.18, vertikal: 11.50




Serie 4:
 8.3 ↘ 7.1 ↓ 8.1 ↗ 9.8 ↙ 6.7 →
 9.8 ↓ 8.8 ↙ 10.3 ↘ 10.5 * 8.8 ↗
 beste Teiler 352.3 (39.) 499.0 (38.) 894.6 (36.)
 Trefferlage 2.45 mm rechts, 0.08 mm hoch
 Streuwert 14.68, horizontal: 12.90, vertikal: 16.28

Unterschrift des Schützen


Ergebnis: **361** (378.4)
 Serien: 89 87 92 93
 Zähler: 14 17 7 0 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3785 (10), 3736 (11), 2345 (21)
 beste Teiler 54.4 (8.) 327.0 (27.) 410.7 (29.)
 Trefferlage 1.18 mm rechts, 1.41 mm hoch
 Streuwert 10.11, horizontal: 10.57, vertikal: 9.63




Serie 1:
 9.4 ↙ 8.8 ↓ 9.9 → 9.4 ↘ 8.5 ↘
 10.0 ↓ 10.4 * 10.9 * 10.2 ← 6.2 ↗
 beste Teiler 54.4 (8.) 444.8 (7.) 582.5 (9.)
 Trefferlage 5.24 mm rechts, 3.13 mm tief
 Streuwert 11.15, horizontal: 10.83, vertikal: 11.47



Serie 2:
 6.3 ↗ 9.7 ↙ 9.9 ↖ 9.3 ↗ 10.1 ↖
 8.8 → 9.4 ↓ 9.7 ↘ 10.1 ↖ 8.6 →
 beste Teiler 676.1 (19.) 716.0 (15.) 875.3 (13.)
 Trefferlage 3.72 mm rechts, 3.98 mm hoch
 Streuwert 11.73, horizontal: 11.65, vertikal: 11.81



Serie 3:
 8.0 ↙ 9.2 → 8.7 ← 9.7 ↑ 10.0 ↗
 9.9 ↖ 10.5 * 9.9 ↖ 10.4 * 10.1 ↗
 beste Teiler 327.0 (27.) 410.7 (29.) 693.0 (30.)
 Trefferlage 3.11 mm links, 1.98 mm hoch
 Streuwert 8.58, horizontal: 10.64, vertikal: 5.82





Serie 4:
 9.4 → 10.3 ↓ 10.0 ↘ 9.8 ↖ 9.5 ←
 10.2 ↗ 9.0 ↑ 8.9 ↙ 9.0 ↑ 10.3 ↗
 beste Teiler 484.2 (32.) 496.7 (40.) 571.8 (36.)
 Trefferlage 1.11 mm links, 2.81 mm hoch
 Streuwert 8.06, horizontal: 8.12, vertikal: 8.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.6)
 Serien: 90 89 94 83
 Zähler: 12 17 7 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3715 (35), 2794 (12), 2783 (37)
 beste Teiler 132.3 (3.) 205.4 (27.) 257.5 (5.)
 Trefferlage 2.44 mm links, 3.52 mm hoch
 Streuwert 10.26, horizontal: 11.18, vertikal: 9.25




Serie 1:
 9.6 ↖ 9.3 ↖ 10.8 * 10.1 → 10.6 *
 9.4 ↖ 8.7 ↓ 8.7 ↗ 8.8 ↗ 9.5 ↘
 beste Teiler 132.3 (3.) 257.5 (5.) 673.9 (4.)
 Trefferlage 0.02 mm links, 3.74 mm hoch
 Streuwert 8.87, horizontal: 9.05, vertikal: 8.67



Serie 2:
 10.3 ↑ 7.5 ↖ 9.1 ↑ 9.6 → 9.8 ←
 9.3 ↑ 10.5 * 7.9 ↙ 10.2 ↘ 9.0 ↓
 beste Teiler 371.3 (17.) 508.4 (11.) 633.6 (19.)
 Trefferlage 3.75 mm links, 1.27 mm hoch
 Streuwert 10.95, horizontal: 11.04, vertikal: 10.85





Serie 3:
 9.2 ↗ 10.4 * 10.4 * 9.8 ↑ 8.4 ↖
 9.2 ↘ 10.7 * 9.8 ↗ 10.5 * 10.2 ↖
 beste Teiler 205.4 (27.) 361.9 (29.) 409.8 (23.)
 Trefferlage 2.31 mm links, 4.77 mm hoch
 Streuwert 6.67, horizontal: 7.71, vertikal: 5.42




Serie 4:
 8.9 ↘ 8.1 ↗ 8.2 ← 9.3 ↗ 6.3 ↘
 9.6 ↖ 7.5 ← 9.4 ↘ 10.3 ↘ 9.7 →
 beste Teiler 503.1 (39.) 1009.0 (40.) 1092.2 (36.)
 Trefferlage 3.68 mm links, 4.28 mm hoch
 Streuwert 14.28, horizontal: 16.36, vertikal: 11.85

Unterschrift des Schützen


Ergebnis: **372** (391.9)
 Serien: 94 92 94 92
 Zähler: 18 16 6 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2306 (7), 1938 (12), 1888 (34)
 beste Teiler 103.4 (5.) 207.7 (20.) 228.4 (39.)
 Trefferlage 1.83 mm links, 2.99 mm tief
 Streuwert 7.38, horizontal: 6.81, vertikal: 7.90




Serie 1:
 9.4 ↖ 9.0 ↗ 10.6 * 10.5 * 10.8 *
 9.0 ↘ 8.1 ↙ 9.8 ↘ 10.5 * 10.0 ↖
 beste Teiler 103.4 (5.) 283.3 (3.) 365.7 (4.)
 Trefferlage 3.35 mm links, 3.18 mm tief
 Streuwert 8.01, horizontal: 5.79, vertikal: 9.74



Serie 2:
 10.6 * 8.5 ↘ 10.0 ↗ 8.8 ← 9.9 ↖
 10.6 * 9.8 ← 9.8 ↗ 9.7 ↓ 10.7 *
 beste Teiler 207.7 (20.) 260.7 (16.) 320.9 (11.)
 Trefferlage 0.28 mm links, 0.77 mm tief
 Streuwert 7.78, horizontal: 8.70, vertikal: 6.74



Serie 3:
 9.3 ← 10.5 * 10.3 ↑ 9.8 ↘ 9.9 ↗
 10.5 * 8.9 ↘ 9.3 ← 10.5 * 10.4 *
 beste Teiler 361.7 (26.) 368.4 (29.) 384.7 (22.)
 Trefferlage 2.34 mm links, 2.57 mm tief
 Streuwert 6.48, horizontal: 6.59, vertikal: 6.37





Serie 4:
 10.4 * 9.1 ↘ 10.0 ↖ 8.6 ↘ 9.9 ↑
 9.6 ↘ 9.2 ↘ 10.1 ↖ 10.7 * 8.8 ↓
 beste Teiler 228.4 (39.) 409.8 (31.) 642.5 (38.)
 Trefferlage 1.37 mm links, 5.43 mm tief
 Streuwert 7.74, horizontal: 6.53, vertikal: 8.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (351.7)
 Serien: 84 82 92 77
 Zähler: 7 14 8 9 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3880 (1), 3243 (37), 3055 (2)
 beste Teiler 208.8 (6.) 229.3 (25.) 317.2 (26.)
 Trefferlage 0.59 mm links, 6.59 mm tief
 Streuwert 13.11, horizontal: 15.65, vertikal: 9.95




Serie 1:
 6.1 ← 7.1 → 10.5 * 9.0 ← 9.0 ←
 10.7 * 8.4 ↓ 7.3 → 8.5 ↙ 10.0 ↘
 beste Teiler 208.8 (6.) 365.2 (3.) 724.1 (10.)
 Trefferlage 0.93 mm links, 6.65 mm tief
 Streuwert 15.25, horizontal: 20.26, vertikal: 7.38



Serie 2:
 9.2 ↙ 9.2 ↙ 7.7 → 8.9 ↑ 7.7 ↙
 9.1 ← 9.4 → 8.1 ↘ 7.4 ← 9.3 →
 beste Teiler 1202.2 (17.) 1327.7 (20.) 1379.2 (11.)
 Trefferlage 1.00 mm links, 4.50 mm tief
 Streuwert 14.37, horizontal: 17.62, vertikal: 10.12



Serie 3:
 9.8 ↑ 8.5 ↓ 8.6 ↙ 10.5 * 10.7 *
 10.6 * 10.3 ↘ 9.0 ↙ 9.1 ← 9.2 ↙
 beste Teiler 229.3 (25.) 317.2 (26.) 365.5 (24.)
 Trefferlage 3.58 mm links, 5.82 mm tief
 Streuwert 7.71, horizontal: 6.38, vertikal: 8.83





Serie 4:
 9.1 ↘ 8.6 ↓ 9.5 → 9.8 ↑ 7.9 ↙
 7.9 ↓ 6.9 → 8.2 → 7.7 ↓ 7.2 ↙
 beste Teiler 896.0 (34.) 1163.5 (33.) 1452.9 (31.)
 Trefferlage 3.13 mm rechts, 9.38 mm tief
 Streuwert 15.05, horizontal: 16.54, vertikal: 13.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (357.5)
 Serien: 81 88 89 86
 Zähler: 9 15 8 7 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3770 (4), 3122 (34), 3104 (11)
 beste Teiler 369.7 (33.) 427.4 (37.) 526.8 (13.)
 Trefferlage 0.91 mm links, 0.92 mm hoch
 Streuwert 13.08, horizontal: 13.79, vertikal: 12.32




Serie 1:
 8.8 ↘ 7.8 ↗ 8.0 → 6.2 ↙ 9.0 ↘
 7.1 ← 9.3 ↙ 9.8 ↗ 9.1 ↗ 9.8 ↗
 beste Teiler 892.8 (10.) 944.2 (8.) 1333.6 (7.)
 Trefferlage 1.38 mm links, 2.91 mm hoch
 Streuwert 15.91, horizontal: 19.39, vertikal: 11.40



Serie 2:
 7.1 ↙ 9.3 ↗ 10.3 ↘ 8.0 ↘ 9.4 ↘
 9.2 ← 10.1 ↘ 7.5 ↗ 10.0 ↙ 9.1 ↘
 beste Teiler 526.8 (13.) 697.5 (17.) 767.9 (19.)
 Trefferlage 4.14 mm links, 3.71 mm hoch
 Streuwert 12.58, horizontal: 13.37, vertikal: 11.73



Serie 3:
 8.6 ↙ 10.0 → 10.1 ↗ 9.8 ↑ 7.1 ↓
 9.6 ↘ 9.9 ↙ 9.9 ↗ 8.5 ↗ 10.0 ↗
 beste Teiler 657.2 (23.) 723.2 (22.) 752.2 (30.)
 Trefferlage 2.64 mm rechts, 1.13 mm tief
 Streuwert 10.71, horizontal: 7.17, vertikal: 13.34





Serie 4:
 9.1 ↓ 8.8 ↘ 10.5 * 7.0 ↙ 10.2 ↗
 8.0 → 10.4 * 8.2 ↙ 9.0 ↑ 7.9 ↑
 beste Teiler 369.7 (33.) 427.4 (37.) 639.1 (35.)
 Trefferlage 0.76 mm links, 1.80 mm tief
 Streuwert 13.74, horizontal: 13.84, vertikal: 13.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **299** (317.5)
 Serien: 82 66 74 77
 Zähler: 4 11 9 5 5 1 4 0 1 0
 Innenzehner: 1
 weiteste: 6759 (29), 5490 (34), 4909 (13)
 beste Teiler 433.7 (7.) 600.1 (3.) 705.0 (28.)
 Trefferlage 5.90 mm links, 9.03 mm hoch
 Streuwert 18.68, horizontal: 15.66, vertikal: 21.28




Serie 1:
 6.2 ← 8.2 ← 10.2 ↑ 7.6 ↖ 8.3 ↘
 7.7 ↗ 10.4 * 9.0 ← 9.9 ← 8.8 →
 beste Teiler 433.7 (7.) 600.1 (3.) 838.6 (9.)
 Trefferlage 8.54 mm links, 2.45 mm hoch
 Streuwert 14.15, horizontal: 17.29, vertikal: 10.09



Serie 2:
 4.9 ↑ 6.3 ↙ 4.8 ↑ 9.1 ↗ 6.6 ←
 7.2 ↘ 10.1 ← 8.6 → 4.8 ↘ 8.8 →
 beste Teiler 710.5 (17.) 1518.4 (14.) 1710.7 (20.)
 Trefferlage 4.86 mm links, 14.56 mm hoch
 Streuwert 22.53, horizontal: 19.19, vertikal: 25.44



Serie 3:
 9.9 ↗ 9.6 ↙ 6.9 ↘ 9.3 ← 5.8 ↘
 9.2 ↑ 7.6 ↘ 10.1 ↑ 2.5 ↑ 8.4 ↘
 beste Teiler 705.0 (28.) 808.7 (21.) 1047.8 (22.)
 Trefferlage 2.09 mm links, 8.45 mm hoch
 Streuwert 21.44, horizontal: 12.08, vertikal: 27.81



Serie 4:
 9.0 ↘ 9.5 ↘ 8.7 ↘ 4.1 ↘ 9.4 ↘
 8.1 ↓ 7.4 ↘ 8.4 → 6.5 ↘ 9.6 →
 beste Teiler 1051.8 (40.) 1128.3 (32.) 1227.7 (35.)
 Trefferlage 8.11 mm links, 10.67 mm hoch
 Streuwert 16.93, horizontal: 14.79, vertikal: 18.83

Unterschrift des Schützen

Meyton Elektronik