





Ergebnis: **376** (393.1)  
 Serien: 93 95 94 94  
 Zähler: 21 14 5 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2368 (20), 1858 (6), 1849 (23)  
 beste Teiler 137.6 (26.) 267.8 (3.) 291.7 (36.)  
 Trefferlage 0.45 mm links, 3.38 mm tief  
 Streuwert 7.03, horizontal: 6.96, vertikal: 7.10




Serie 1:  
 10.3 ↘                      9.6 ↘                      10.6 \*                      9.1 ←                      9.5 ↙  
 8.6 ↓                      10.4 \*                      10.1 ↓                      8.8 ↘                      10.0 ↓  
 beste Teiler 267.8 (3.) 451.2 (7.) 538.8 (1.)  
 Trefferlage 0.06 mm rechts, 6.41 mm tief  
 Streuwert 6.92, horizontal: 7.51, vertikal: 6.28



Serie 2:  
 9.4 ↓                      9.8 →                      9.1 ←                      10.2 ↗                      10.5 \*  
 10.4 \*                      10.2 ←                      10.0 ↙                      10.3 →                      8.0 ↓  
 beste Teiler 378.5 (15.) 458.2 (16.) 501.3 (19.)  
 Trefferlage 1.48 mm links, 3.77 mm tief  
 Streuwert 7.71, horizontal: 7.23, vertikal: 8.17



Serie 3:  
 8.9 ↙                      9.7 ↗                      8.6 ←                      10.2 ←                      10.5 \*  
 10.8 \*                      10.4 \*                      9.9 ↓                      10.5 \*                      10.6 \*  
 beste Teiler 137.6 (26.) 320.4 (30.) 339.1 (25.)  
 Trefferlage 3.05 mm links, 3.06 mm tief  
 Streuwert 6.22, horizontal: 6.46, vertikal: 5.97





Serie 4:  
 10.0 →                      9.5 ↗                      10.0 ↙                      9.8 ↘                      9.4 ↓  
 10.6 \*                      9.4 ↘                      9.8 ↙                      10.0 ↗                      9.6 ↗  
 beste Teiler 291.7 (36.) 740.3 (31.) 751.5 (39.)  
 Trefferlage 2.67 mm rechts, 0.29 mm tief  
 Streuwert 6.89, horizontal: 6.30, vertikal: 7.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>366</b>	(384.7)
Serien:	94 91 92 89	
Zähler:	14 18 8 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2313 (18), 2233 (33), 2140 (40)	
beste Teiler	141.6 (32.) 158.4 (12.) 159.2 (10.)	
Trefferlage	2.29 mm rechts, 3.54 mm hoch	
Streuwert	8.26, horizontal: 8.27, vertikal: 8.24	




Serie 1:	9.8 ←	8.9 ↘	10.1 →	9.9 ↘	10.3 ↑
	10.6 *	9.8 ↓	10.5 *	9.2 ↑	10.8 *
beste Teiler	159.2 (10.) 302.0 (6.) 375.6 (8.)				
Trefferlage	0.96 mm links, 2.55 mm hoch				
Streuwert	6.36, horizontal: 5.41, vertikal: 7.19				



Serie 2:	10.6 *	10.8 *	8.3 ↗	9.3 ↑	8.9 →
	10.1 ↘	10.0 ←	8.1 →	9.7 ↑	9.6 ↖
beste Teiler	158.4 (12.) 255.4 (11.) 682.0 (16.)				
Trefferlage	3.94 mm rechts, 4.77 mm hoch				
Streuwert	8.71, horizontal: 10.34, vertikal: 6.70				



Serie 3:	9.9 ↘	10.1 →	9.0 ↑	10.1 ↘	9.9 ↓
	9.4 ↗	9.0 →	9.9 ↘	10.4 *	8.8 ↑
beste Teiler	473.6 (29.) 646.7 (22.) 691.5 (24.)				
Trefferlage	2.38 mm rechts, 3.78 mm hoch				
Streuwert	7.76, horizontal: 6.67, vertikal: 8.72				



Serie 4:	9.2 ↘	10.8 *	8.2 ↓	9.1 ↑	9.6 ←
	9.1 →	10.4 *	8.7 →	9.5 ↑	8.3 ↗
beste Teiler	141.6 (32.) 404.6 (37.) 1084.5 (35.)				
Trefferlage	3.80 mm rechts, 3.07 mm hoch				
Streuwert	10.41, horizontal: 9.91, vertikal: 10.89				

Unterschrift des Schützen

Ergebnis: **356** (377.2)

Serien: 86 88 88 94

Zähler: 11 17 9 3 0 0 0 0 0 0



Innenzehner: 3

weiteste: 2836 (11), 2520 (26), 2422 (1)

beste Teiler 223.3 (39.) 310.4 (25.) 445.3 (31.)

Trefferlage 2.11 mm links, 3.51 mm hoch

Streuwert 9.32, horizontal: 8.65, vertikal: 9.95




Serie 1:

7.9 ↑	8.9 ←	9.9 ↓	9.6 ↗	9.4 ↘
9.1 ↖	8.9 ↗	10.0 ↑	9.7 ↖	8.9 ↑

beste Teiler 774.2 (8.) 863.7 (3.) 977.8 (9.)

Trefferlage 0.75 mm links, 6.34 mm hoch

Streuwert 9.70, horizontal: 8.64, vertikal: 10.66




Serie 2:

7.4 ↑	9.7 ↗	9.5 ←	9.1 ↓	9.1 ↗
8.6 ←	10.1 ←	9.7 ↖	8.4 ←	10.3 ↗

beste Teiler 524.8 (20.) 715.1 (17.) 1035.5 (18.)

Trefferlage 3.96 mm links, 4.18 mm hoch

Streuwert 10.81, horizontal: 10.75, vertikal: 10.87




Serie 3:

9.4 ↑	9.9 ↓	8.6 ↑	10.2 ↖	10.6 *
7.8 ↑	9.8 ↖	8.7 ←	9.6 ↓	9.7 ←

beste Teiler 310.4 (25.) 591.5 (24.) 877.6 (22.)

Trefferlage 2.07 mm links, 3.67 mm hoch

Streuwert 9.81, horizontal: 7.95, vertikal: 11.36



Serie 4:

10.4 *	10.3 ↗	8.7 ←	9.8 ↗	9.4 ↖
10.1 ↖	10.3 ↗	10.1 ↗	10.7 *	8.9 ↓



beste Teiler 223.3 (39.) 445.3 (31.) 497.6 (37.)

Trefferlage 1.68 mm links, 0.13 mm tief

Streuwert 7.35, horizontal: 8.04, vertikal: 6.60

Unterschrift des Schützen


Ergebnis:	<b>361</b>				(379.7)	
Serien:	90	90	90	91		
Zähler:	12	17	11	0	0 0 0 0 0 0	
Innenzehner:	4					
weiteste:	2352	(32),	2234	(17),	2138	(12)
beste Teiler	348.5	(16.)	443.4	(20.)	446.1	(29.)
Trefferlage	0.74 mm links, 3.38 mm tief					
Streuwert	8.89, horizontal: 7.95, vertikal: 9.73					



Serie 1:

10.1 ↙	9.8 ↙	9.8 ↙	9.1 ↓	9.7 ↘
9.7 ↓	8.5 ↘	9.8 ↑	9.6 ←	9.4 ↓


beste Teiler 715.0 (1.) 883.1 (2.) 908.6 (8.)  
 Trefferlage 2.75 mm links, 4.43 mm tief  
 Streuwert 7.77, horizontal: 6.68, vertikal: 8.73



Serie 2:

8.9 ↙	8.3 ↑	10.2 ↘	8.9 ↘	9.8 ↓
10.5 *	8.2 ↙	10.1 ↓	9.1 →	10.4 *


beste Teiler 348.5 (16.) 443.4 (20.) 591.6 (13.)  
 Trefferlage 0.65 mm rechts, 3.85 mm tief  
 Streuwert 9.84, horizontal: 9.84, vertikal: 9.84



Serie 3:

8.8 ↘	10.3 ↑	10.2 ↓	9.5 ↓	8.5 ↘
8.7 ↘	9.3 ↓	9.4 ←	10.4 *	9.8 ←

beste Teiler 446.1 (29.) 481.2 (22.) 599.9 (23.)  
 Trefferlage 1.88 mm links, 4.46 mm tief  
 Streuwert 8.80, horizontal: 7.88, vertikal: 9.63





Serie 4:

10.3 ↘	8.0 ↑	8.9 ↙	9.6 ↘	9.3 ↙
9.7 ↘	10.2 ↗	8.4 ↘	10.4 *	10.1 ↑

beste Teiler 455.2 (39.) 543.3 (31.) 607.5 (37.)  
 Trefferlage 1.02 mm rechts, 0.77 mm tief  
 Streuwert 9.83, horizontal: 7.67, vertikal: 11.59

Unterschrift des Schützen


Ergebnis: **372** (390.7)  
 Serien: 93 92 94 93  
 Zähler: 16 21 2 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2446 (1), 2303 (7), 1630 (40)  
 beste Teiler 217.2 (23.) 236.6 (36.) 248.0 (9.)  
 Trefferlage 0.62 mm rechts, 1.98 mm hoch  
 Streuwert 7.58, horizontal: 7.76, vertikal: 7.39




Serie 1:  
 7.9 ↘ 10.5 \* 9.9 → 9.8 ← 10.2 ←  
 10.3 ↖ 8.1 ↗ 10.2 → 10.6 \* 10.6 \*  
 beste Teiler 248.0 (9.) 253.5 (10.) 350.6 (2.)  
 Trefferlage 1.11 mm links, 2.81 mm hoch  
 Streuwert 8.55, horizontal: 9.13, vertikal: 7.93



Serie 2:  
 9.7 → 10.1 ↘ 10.3 ↗ 9.6 ↘ 9.7 ↓  
 9.4 ↘ 9.9 → 9.6 ↘ 9.1 ↑ 9.1 ↖  
 beste Teiler 502.0 (13.) 713.9 (12.) 858.0 (17.)  
 Trefferlage 3.51 mm rechts, 2.15 mm tief  
 Streuwert 7.39, horizontal: 6.31, vertikal: 8.32



Serie 3:  
 9.2 ↘ 10.0 ← 10.7 \* 9.9 ↗ 9.2 ↑  
 9.1 ↗ 10.5 \* 9.6 ↑ 10.2 ↑ 9.4 ↑  
 beste Teiler 217.2 (23.) 363.4 (27.) 634.1 (29.)  
 Trefferlage 3.61 mm rechts, 3.84 mm hoch  
 Streuwert 6.63, horizontal: 6.18, vertikal: 7.05





Serie 4:  
 9.2 ↖ 10.4 \* 9.4 ↘ 9.7 → 10.6 \*  
 10.7 \* 9.5 ← 9.7 ← 10.2 ↖ 8.9 ↑  
 beste Teiler 236.6 (36.) 290.8 (35.) 471.8 (32.)  
 Trefferlage 3.49 mm links, 3.44 mm hoch  
 Streuwert 6.59, horizontal: 7.63, vertikal: 5.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.4)  
 Serien: 87 88 93 88  
 Zähler: 12 16 9 2 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3286 (18), 2830 (34), 2487 (10)  
 beste Teiler 76.0 (37.) 178.1 (32.) 331.1 (35.)  
 Trefferlage 2.48 mm rechts, 1.70 mm hoch  
 Streuwert 10.12, horizontal: 7.21, vertikal: 12.35




Serie 1:  
 9.3 ↗ 8.7 ↗ 9.0 ↑ 8.4 ↑ 9.3 ↘  
 10.3 → 8.6 ↑ 10.2 ↗ 9.9 ↗ 7.8 →  
 beste Teiler 497.0 (6.) 610.6 (8.) 814.0 (9.)  
 Trefferlage 5.36 mm rechts, 7.85 mm hoch  
 Streuwert 9.19, horizontal: 8.41, vertikal: 9.90



Serie 2:  
 10.4 \* 9.7 → 9.3 ↓ 8.7 ↙ 10.1 →  
 9.6 ← 9.3 ↗ 6.8 ↑ 9.3 ↗ 9.8 ↘  
 beste Teiler 422.0 (11.) 717.6 (15.) 888.4 (20.)  
 Trefferlage 2.14 mm rechts, 1.44 mm hoch  
 Streuwert 11.11, horizontal: 7.30, vertikal: 13.91





Serie 3:  
 10.5 \* 8.0 ↗ 9.4 ↙ 10.2 ↗ 9.8 →  
 9.5 ↙ 9.4 ↗ 9.7 ↗ 10.4 \* 10.1 →  
 beste Teiler 383.4 (21.) 452.5 (29.) 586.2 (24.)  
 Trefferlage 2.97 mm rechts, 3.04 mm hoch  
 Streuwert 7.81, horizontal: 6.31, vertikal: 9.07




Serie 4:  
 8.8 ↘ 10.7 \* 9.1 ↓ 7.4 ↓ 10.5 \*  
 8.5 ↙ 10.9 \* 8.7 ↓ 10.5 \* 8.8 ↗  
 beste Teiler 76.0 (37.) 178.1 (32.) 331.1 (35.)  
 Trefferlage 0.56 mm links, 5.53 mm tief  
 Streuwert 10.66, horizontal: 6.46, vertikal: 13.62

Unterschrift des Schützen


Ergebnis: **346** (363.9)  
 Serien: 86 84 88 88  
 Zähler: 8 18 8 4 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3306 (40), 3205 (8), 2894 (18)  
 beste Teiler 427.9 (36.) 501.2 (9.) 535.5 (23.)  
 Trefferlage 0.16 mm links, 2.67 mm hoch  
 Streuwert 11.66, horizontal: 11.90, vertikal: 11.42




Serie 1:  
 9.1 ↑                      8.7 ↘                      8.5 →                      9.4 →                      10.0 ↓  
 8.5 →                      10.0 ↙                      6.9 ↖                      10.3 ↖                      8.9 ↖  
 beste Teiler 501.2 (9.) 770.0 (7.) 778.0 (5.)  
 Trefferlage 0.73 mm links, 4.87 mm hoch  
 Streuwert 12.17, horizontal: 13.76, vertikal: 10.33



Serie 2:  
 9.8 ↑                      7.9 ↖                      7.9 ←                      9.2 ↑                      9.9 ↗  
 9.6 ↗                      9.2 ←                      7.3 ↘                      9.6 ↑                      9.6 ↓  
 beste Teiler 869.4 (15.) 936.7 (11.) 1059.8 (19.)  
 Trefferlage 0.32 mm links, 4.88 mm hoch  
 Streuwert 12.23, horizontal: 13.27, vertikal: 11.09



Serie 3:  
 7.8 ↑                      9.3 ←                      10.3 ↙                      9.0 ↘                      8.5 ↓  
 9.7 ↙                      8.7 ↘                      9.7 ↙                      10.0 ↑                      9.0 ↙  
 beste Teiler 535.5 (23.) 775.9 (29.) 976.9 (28.)  
 Trefferlage 1.37 mm links, 3.19 mm tief  
 Streuwert 10.98, horizontal: 10.32, vertikal: 11.60





Serie 4:  
 9.8 ↗                      10.1 ↘                      8.0 →                      9.0 ↖                      9.5 ↑  
 10.4 \*                      9.3 →                      10.0 ←                      8.7 ↙                      6.8 ↖  
 beste Teiler 427.9 (36.) 712.6 (32.) 764.9 (38.)  
 Trefferlage 1.76 mm rechts, 4.15 mm hoch  
 Streuwert 11.92, horizontal: 11.63, vertikal: 12.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (360.1)  
 Serien: 83 88 81 88  
 Zähler: 6 17 13 1 2 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4977 (27), 3922 (22), 3321 (1)  
 beste Teiler 309.6 (38.) 430.5 (21.) 469.3 (20.)  
 Trefferlage 4.18 mm links, 4.18 mm hoch  
 Streuwert 12.26, horizontal: 11.81, vertikal: 12.69




Serie 1:  
 6.8 ↗ 7.5 ← 9.4 ← 9.3 ← 8.9 ↑  
 9.7 ← 9.6 ↗ 8.5 ↑ 9.1 ← 9.7 ←  
 beste Teiler 1004.1 (10.) 1011.9 (6.) 1117.9 (7.)  
 Trefferlage 5.50 mm links, 5.91 mm hoch  
 Streuwert 12.41, horizontal: 14.14, vertikal: 10.40



Serie 2:  
 9.5 ↘ 8.3 ↘ 9.9 ← 8.7 ↑ 9.2 →  
 9.8 ↑ 10.2 ↙ 8.9 ↘ 8.1 → 10.4 \*  
 beste Teiler 469.3 (20.) 608.1 (17.) 842.9 (13.)  
 Trefferlage 1.57 mm links, 6.25 mm hoch  
 Streuwert 9.71, horizontal: 11.45, vertikal: 7.59



Serie 3:  
 10.4 \* 6.0 ↗ 10.2 ↘ 8.8 ← 9.5 ↘  
 9.6 ↘ 4.7 ↙ 9.2 ↘ 8.9 ↑ 8.1 ↓  
 beste Teiler 430.5 (21.) 570.0 (23.) 1089.3 (26.)  
 Trefferlage 7.04 mm links, 2.19 mm hoch  
 Streuwert 16.76, horizontal: 13.68, vertikal: 19.36





Serie 4:  
 9.3 ↑ 10.1 ↓ 8.6 ↘ 8.7 ↘ 9.7 ←  
 9.8 ↓ 8.7 ↘ 10.6 \* 9.2 ↗ 8.5 ↓  
 beste Teiler 309.6 (38.) 651.2 (32.) 889.8 (36.)  
 Trefferlage 2.59 mm links, 2.39 mm hoch  
 Streuwert 10.16, horizontal: 8.09, vertikal: 11.88


Unterschrift des Schützen




Ergebnis: **377** (394.2)  
 Serien: 96 93 93 95  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2277 (17), 1935 (31), 1737 (11)  
 beste Teiler 65.0 (32.) 139.6 (38.) 175.6 (40.)  
 Trefferlage 3.07 mm links, 2.15 mm tief  
 Streuwert 6.69, horizontal: 6.84, vertikal: 6.54




Serie 1:  
 10.6 \*                      10.6 \*                      9.0 ←                      9.5 ↘                      10.0 ↓  
 9.2 ↙                      10.1 ←                      10.5 \*                      10.0 ↖                      9.6 ↖  
 beste Teiler 256.1 (2.) 317.4 (1.) 360.2 (8.)  
 Trefferlage 4.22 mm links, 1.10 mm tief  
 Streuwert 6.04, horizontal: 6.94, vertikal: 4.99



Serie 2:  
 8.8 ↙                      10.4 \*                      10.2 ←                      10.2 →                      9.6 ←  
 9.7 ↘                      8.1 ↙                      10.3 ↙                      9.9 ↙                      10.5 \*  
 beste Teiler 400.2 (20.) 447.4 (12.) 527.8 (18.)  
 Trefferlage 4.94 mm links, 5.62 mm tief  
 Streuwert 6.17, horizontal: 6.63, vertikal: 5.67



Serie 3:  
 9.7 ↗                      9.8 ↘                      10.3 ↗                      9.3 ↙                      9.4 ↙  
 10.4 \*                      10.0 ←                      9.3 ←                      9.0 ↙                      9.7 →  
 beste Teiler 434.6 (26.) 550.9 (23.) 731.0 (27.)  
 Trefferlage 2.07 mm links, 2.25 mm tief  
 Streuwert 7.61, horizontal: 8.69, vertikal: 6.36





Serie 4:  
 8.5 ↑                      10.9 \*                      9.8 ↑                      9.5 ↓                      10.4 ↓  
 10.2 ↗                      10.2 ↓                      10.8 \*                      9.5 ←                      10.7 \*  
 beste Teiler 65.0 (32.) 139.6 (38.) 175.6 (40.)  
 Trefferlage 1.04 mm links, 0.36 mm hoch  
 Streuwert 6.72, horizontal: 4.91, vertikal: 8.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (387.6)  
 Serien: 92 93 94 93  
 Zähler: 15 22 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2131 (32), 2016 (6), 1825 (11)  
 beste Teiler 361.7 (10.) 367.3 (26.) 370.2 (13.)  
 Trefferlage 3.37 mm rechts, 1.92 mm hoch  
 Streuwert 7.44, horizontal: 7.85, vertikal: 7.02




Serie 1:  
 9.9 ↙ 9.9 ↗ 9.2 → 10.0 ↓ 10.2 ↓  
 8.4 ↗ 9.0 ↙ 9.2 → 9.6 ↑ 10.5 \*  
 beste Teiler 361.7 (10.) 627.0 (5.) 749.3 (4.)  
 Trefferlage 3.80 mm rechts, 0.30 mm hoch  
 Streuwert 8.41, horizontal: 7.76, vertikal: 9.01



Serie 2:  
 8.7 → 9.5 ↘ 10.5 \* 10.4 \* 9.2 ↗  
 10.1 → 9.9 ↗ 9.1 → 10.5 \* 9.3 ←  
 beste Teiler 370.2 (13.) 374.4 (19.) 401.8 (14.)  
 Trefferlage 3.57 mm rechts, 2.64 mm hoch  
 Streuwert 7.56, horizontal: 9.28, vertikal: 5.31



Serie 3:  
 10.3 ↓ 9.5 ↙ 9.8 ↙ 9.5 ↘ 10.0 ↘  
 10.5 \* 10.0 ↗ 9.1 ↗ 9.4 → 9.7 ↘  
 beste Teiler 367.3 (26.) 500.3 (21.) 725.2 (27.)  
 Trefferlage 0.70 mm rechts, 0.28 mm hoch  
 Streuwert 7.30, horizontal: 7.35, vertikal: 7.26





Serie 4:  
 9.2 ↗ 8.3 ↗ 9.2 → 9.3 ↗ 10.5 \*  
 9.8 ↗ 10.3 ↘ 9.7 → 10.3 ↙ 10.1 ↘  
 beste Teiler 390.8 (35.) 495.4 (39.) 506.0 (37.)  
 Trefferlage 5.43 mm rechts, 4.48 mm hoch  
 Streuwert 6.77, horizontal: 7.33, vertikal: 6.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.2)  
 Serien: 94 89 92 92  
 Zähler: 14 21 3 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2732 (12), 2575 (36), 2095 (25)  
 beste Teiler 264.4 (29.) 285.8 (32.) 288.7 (14.)  
 Trefferlage 1.47 mm links, 1.40 mm hoch  
 Streuwert 8.75, horizontal: 8.65, vertikal: 8.85




Serie 1:  
 9.0 ↖                      9.2 ↑                      9.3 ↘                      10.4 \*                      9.1 ↑  
 9.1 ↗                      10.0 ↓                      10.5 \*                      9.9 ↘                      10.0 ↓  
 beste Teiler 360.9 (8.) 429.9 (4.) 742.0 (10.)  
 Trefferlage 2.20 mm links, 5.15 mm hoch  
 Streuwert 7.22, horizontal: 7.79, vertikal: 6.59



Serie 2:  
 9.4 ↘                      7.5 ↘                      9.7 ↗                      10.6 \*                      8.5 ↗  
 9.7 ↗                      8.6 ↗                      9.6 ←                      10.1 ↖                      10.3 ↑  
 beste Teiler 288.7 (14.) 544.2 (20.) 698.3 (19.)  
 Trefferlage 3.34 mm links, 3.79 mm hoch  
 Streuwert 9.90, horizontal: 10.83, vertikal: 8.87



Serie 3:  
 10.2 ↘                      9.3 →                      9.8 ↓                      9.6 ↘                      8.3 ↓  
 9.6 ←                      10.4 ←                      9.4 →                      10.6 \*                      9.4 ←  
 beste Teiler 264.4 (29.) 480.7 (27.) 563.7 (21.)  
 Trefferlage 2.41 mm links, 3.10 mm tief  
 Streuwert 8.03, horizontal: 8.47, vertikal: 7.57





Serie 4:  
 10.4 \*                      10.6 \*                      10.2 ↗                      9.3 ↑                      9.4 ↘  
 7.7 ↗                      10.2 ↘                      9.6 ↓                      9.4 ↗                      9.3 ↗  
 beste Teiler 285.8 (32.) 454.5 (31.) 625.0 (37.)  
 Trefferlage 2.08 mm rechts, 0.22 mm tief  
 Streuwert 9.15, horizontal: 7.39, vertikal: 10.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (377.3)  
 Serien: 89 93 89 91  
 Zähler: 12 19 8 1 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 2937 (4), 2149 (29), 2127 (35)  
 beste Teiler 386.4 (32.) 481.3 (8.) 517.9 (9.)  
 Trefferlage 2.52 mm rechts, 1.95 mm hoch  
 Streuwert 9.32, horizontal: 8.76, vertikal: 9.86




Serie 1:  
 8.8 ↑                      8.4 ↗                      9.8 ↘                      7.3 ↗                      9.6 ↓  
 9.6 ↗                      10.2 ←                      10.3 ↘                      10.3 ↘                      9.9 →  
 beste Teiler 481.3 (8.) 517.9 (9.) 638.0 (7.)  
 Trefferlage 2.79 mm rechts, 6.20 mm hoch  
 Streuwert 9.33, horizontal: 6.92, vertikal: 11.23



Serie 2:  
 10.2 ←                      9.6 ↖                      10.2 →                      9.9 ↓                      9.5 ↗  
 10.0 ↓                      8.4 ↘                      9.5 →                      9.1 ↑                      10.3 ↑  
 beste Teiler 538.0 (20.) 614.0 (11.) 623.3 (13.)  
 Trefferlage 1.34 mm rechts, 0.98 mm tief  
 Streuwert 8.31, horizontal: 7.96, vertikal: 8.65





Serie 3:  
 9.3 ↖                      9.5 ↑                      9.3 ↙                      10.1 ↓                      8.6 ←  
 9.6 ↓                      9.0 →                      9.0 →                      8.3 →                      9.4 ↑  
 beste Teiler 665.5 (24.) 1086.0 (26.) 1145.6 (22.)  
 Trefferlage 1.93 mm rechts, 1.22 mm tief  
 Streuwert 10.64, horizontal: 12.48, vertikal: 8.39




Serie 4:  
 10.2 ↗                      10.5 \*                      8.7 ↗                      9.7 ↗                      8.3 ↓  
 8.6 ↗                      10.0 ↗                      9.0 ↑                      9.3 ↖                      10.0 →  
 beste Teiler 386.4 (32.) 615.9 (31.) 730.3 (37.)  
 Trefferlage 4.02 mm rechts, 3.84 mm hoch  
 Streuwert 9.11, horizontal: 7.78, vertikal: 10.26

Unterschrift des Schützen


Ergebnis: **358** (379.6)  
 Serien: 89 88 88 93  
 Zähler: 8 24 6 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2796 (2), 2667 (4), 2122 (19)  
 beste Teiler 191.6 (40.) 209.2 (18.) 215.1 (9.)  
 Trefferlage 0.66 mm links, 0.97 mm hoch  
 Streuwert 9.45, horizontal: 8.73, vertikal: 10.12




Serie 1:  
 10.6 \* 7.5 ↙ 9.9 ↘ 7.6 ↗ 9.8 ↑  
 9.8 ↘ 9.7 ↗ 10.6 \* 10.7 \* 9.6 ↘  
 beste Teiler 215.1 (9.) 250.8 (1.) 274.7 (8.)  
 Trefferlage 0.55 mm links, 2.29 mm hoch  
 Streuwert 10.36, horizontal: 10.37, vertikal: 10.35



Serie 2:  
 9.2 ↗ 8.8 → 8.9 ↑ 9.1 → 8.4 ↗  
 10.4 \* 9.3 ↓ 10.7 \* 8.3 ↙ 9.5 ↘  
 beste Teiler 209.2 (18.) 415.0 (16.) 1179.0 (20.)  
 Trefferlage 2.61 mm rechts, 1.58 mm hoch  
 Streuwert 10.79, horizontal: 9.84, vertikal: 11.66



Serie 3:  
 9.6 ↑ 9.3 ↘ 9.4 ↗ 8.5 ↓ 8.9 ↗  
 9.1 ↘ 9.5 ↙ 9.1 ↑ 9.4 ↓ 9.9 ↑  
 beste Teiler 864.4 (30.) 1054.5 (21.) 1150.5 (27.)  
 Trefferlage 0.74 mm links, 1.15 mm tief  
 Streuwert 10.20, horizontal: 7.55, vertikal: 12.29





Serie 4:  
 9.8 ↑ 10.7 \* 9.8 ↘ 9.6 ↘ 10.0 →  
 9.7 ↘ 9.7 ↓ 9.1 ↘ 9.4 ↙ 10.7 \*  
 beste Teiler 191.6 (40.) 217.0 (32.) 787.9 (35.)  
 Trefferlage 3.98 mm links, 1.19 mm hoch  
 Streuwert 6.58, horizontal: 6.68, vertikal: 6.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (358.3)  
 Serien: 86 90 84 83  
 Zähler: 8 15 10 6 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3336 (24), 3180 (39), 3077 (28)  
 beste Teiler 152.0 (34.) 261.3 (23.) 485.7 (21.)  
 Trefferlage 0.69 mm rechts, 1.70 mm tief  
 Streuwert 12.79, horizontal: 14.58, vertikal: 10.70




Serie 1:  
 8.6 ↘                      8.4 ↗                      8.5 ↘                      10.0 ←                      10.3 ↘  
 9.1 ↘                      7.7 ↘                      9.5 ↗                      9.3 ↘                      8.3 ↘  
 beste Teiler 505.0 (5.) 789.8 (4.) 1162.3 (8.)  
 Trefferlage 1.17 mm rechts, 7.10 mm tief  
 Streuwert 11.40, horizontal: 8.57, vertikal: 13.66



Serie 2:  
 9.9 ←                      9.9 ↘                      8.5 →                      9.5 ↗                      10.3 ↘  
 10.1 →                      8.4 ↘                      9.0 ↘                      9.2 ↘                      9.5 ↘  
 beste Teiler 517.0 (15.) 712.9 (16.) 846.4 (12.)  
 Trefferlage 1.77 mm rechts, 4.08 mm tief  
 Streuwert 9.26, horizontal: 10.22, vertikal: 8.18



Serie 3:  
 10.3 ↑                      8.0 ←                      10.6 \*                      6.8 →                      10.2 ↘  
 7.6 ↗                      8.8 ↑                      7.1 ←                      9.2 ↑                      9.0 ↘  
 beste Teiler 261.3 (23.) 485.7 (21.) 571.8 (25.)  
 Trefferlage 2.05 mm rechts, 4.93 mm hoch  
 Streuwert 14.60, horizontal: 19.16, vertikal: 7.71





Serie 4:  
 8.1 ←                      8.7 ←                      9.1 ↘                      10.8 \*                      9.0 ↘  
 9.3 ↗                      9.7 ↑                      7.3 ←                      7.0 ↘                      7.7 →  
 beste Teiler 152.0 (34.) 1000.8 (37.) 1303.0 (36.)  
 Trefferlage 2.20 mm links, 0.58 mm tief  
 Streuwert 15.11, horizontal: 19.05, vertikal: 9.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (364.9)  
 Serien: 87 93 81 86  
 Zähler: 9 16 9 5 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3238 (24), 3027 (2), 2476 (29)  
 beste Teiler 444.1 (16.) 493.7 (4.) 555.7 (20.)  
 Trefferlage 6.89 mm rechts, 2.54 mm hoch  
 Streuwert 10.48, horizontal: 9.08, vertikal: 11.70




Serie 1:  
 8.4 ↘                      7.2 →                      10.0 ↘                      10.3 ↗                      9.7 ↙  
 10.2 →                      8.4 →                      7.9 ↑                      9.7 ↙                      9.5 ↓  
 beste Teiler 493.7 (4.) 630.9 (6.) 732.5 (3.)  
 Trefferlage 7.00 mm rechts, 1.94 mm tief  
 Streuwert 11.24, horizontal: 11.59, vertikal: 10.88



Serie 2:  
 9.0 ↑                      9.1 ↖                      9.9 ↘                      10.0 →                      10.2 →  
 10.4 \*                      9.1 ↗                      8.6 ↓                      9.1 →                      10.3 ↓  
 beste Teiler 444.1 (16.) 555.7 (20.) 628.9 (15.)  
 Trefferlage 4.25 mm rechts, 0.43 mm tief  
 Streuwert 8.51, horizontal: 7.69, vertikal: 9.25





Serie 3:  
 7.9 ↗                      9.9 ↑                      9.8 ↑                      6.9 ↑                      8.9 →  
 9.8 →                      9.7 ↘                      9.7 ↑                      7.9 ↑                      8.1 →  
 beste Teiler 875.2 (22.) 914.0 (23.) 947.2 (26.)  
 Trefferlage 8.74 mm rechts, 9.12 mm hoch  
 Streuwert 10.28, horizontal: 7.86, vertikal: 12.23




Serie 4:  
 9.0 →                      8.6 →                      8.2 ↑                      9.0 ↗                      7.9 ↓  
 10.0 ↗                      8.5 →                      10.1 ↙                      8.4 ↗                      9.6 ↑  
 beste Teiler 716.7 (38.) 760.0 (36.) 1098.9 (40.)  
 Trefferlage 7.58 mm rechts, 3.43 mm hoch  
 Streuwert 11.17, horizontal: 9.50, vertikal: 12.62

Unterschrift des Schützen


Ergebnis: **335** (350.8)  
 Serien: 84 86 85 80  
 Zähler: 6 11 15 8 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3119 (40), 3116 (30), 3103 (23)  
 beste Teiler 289.3 (16.) 295.0 (27.) 356.3 (10.)  
 Trefferlage 2.79 mm links, 7.78 mm tief  
 Streuwert 12.34, horizontal: 12.27, vertikal: 12.42




Serie 1:  
 9.0 →                      9.3 ↘                      7.8 ↓                      9.5 →                      8.0 ↗  
 9.7 ↑                      7.5 ↙                      8.9 ↙                      8.1 ↖                      10.5 \*  
 beste Teiler 356.3 (10.) 1032.6 (6.) 1121.0 (4.)  
 Trefferlage 2.21 mm links, 8.91 mm tief  
 Streuwert 11.99, horizontal: 12.51, vertikal: 11.43



Serie 2:  
 10.1 ↖                      9.2 ↖                      8.3 ↖                      8.5 ↓                      9.5 ↓  
 10.6 \*                      7.9 ↖                      9.0 ↖                      8.6 ↙                      8.7 ↓  
 beste Teiler 289.3 (16.) 691.2 (11.) 1168.2 (15.)  
 Trefferlage 6.85 mm links, 5.82 mm tief  
 Streuwert 10.37, horizontal: 10.77, vertikal: 9.96



Serie 3:  
 10.0 ↖                      9.0 ↓                      7.1 ↓                      8.4 ↗                      8.5 ↑  
 9.0 ↘                      10.6 \*                      8.0 ↖                      9.2 ↓                      7.1 ↓  
 beste Teiler 295.0 (27.) 749.8 (21.) 1380.4 (29.)  
 Trefferlage 2.96 mm links, 11.39 mm tief  
 Streuwert 12.15, horizontal: 9.83, vertikal: 14.09



Serie 4:  
 8.9 ↑                      8.3 ↖                      7.6 ↓                      8.4 ↙                      7.4 ↙  
 8.7 ←                      10.3 ↘                      8.7 →                      9.8 →                      7.1 →  
 beste Teiler 497.6 (37.) 897.2 (39.) 1661.2 (31.)  
 Trefferlage 0.86 mm rechts, 5.00 mm tief  
 Streuwert 15.17, horizontal: 15.79, vertikal: 14.53

Unterschrift des Schützen