





Ergebnis: **370** (386.6)
 Serien: 92 94 92 92
 Zähler: 15 21 3 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2631 (4), 1922 (26), 1832 (21)
 beste Teiler 148.9 (15.) 329.3 (28.) 366.1 (33.)
 Trefferlage 2.81 mm links, 2.03 mm hoch
 Streuwert 7.81, horizontal: 8.19, vertikal: 7.42




Serie 1:
 10.0 ↓ 10.2 ↗ 9.0 ← 7.7 ← 9.8 ↘
 9.5 ← 9.3 ← 10.2 ↘ 9.5 ← 10.1 ↘
 beste Teiler 593.7 (2.) 613.3 (8.) 667.4 (10.)
 Trefferlage 8.38 mm links, 3.09 mm tief
 Streuwert 6.94, horizontal: 8.67, vertikal: 4.59



Serie 2:
 9.4 ← 9.2 ↗ 10.0 ↘ 10.3 → 10.8 *
 9.9 ← 9.7 ↗ 9.7 ↘ 10.4 * 9.8 ←
 beste Teiler 148.9 (15.) 422.6 (19.) 542.0 (14.)
 Trefferlage 3.93 mm links, 1.86 mm hoch
 Streuwert 5.76, horizontal: 5.59, vertikal: 5.92



Serie 3:
 8.7 → 9.2 ↑ 10.3 ↘ 9.1 ↑ 10.2 ↘
 8.5 ↘ 9.6 ↗ 10.5 * 9.3 ↗ 10.2 ←
 beste Teiler 329.3 (28.) 530.8 (23.) 573.6 (30.)
 Trefferlage 2.95 mm rechts, 3.35 mm hoch
 Streuwert 8.53, horizontal: 8.25, vertikal: 8.80





Serie 4:
 9.2 ↑ 9.4 ↗ 10.5 * 10.5 * 9.4 ↘
 9.7 ↗ 10.1 → 9.7 ← 8.7 ↑ 9.3 ↘
 beste Teiler 366.1 (33.) 374.7 (34.) 670.8 (37.)
 Trefferlage 1.88 mm links, 5.99 mm hoch
 Streuwert 7.01, horizontal: 6.48, vertikal: 7.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.8)
 Serien: 91 87 86 87
 Zähler: 9 17 10 4 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2827 (24), 2776 (32), 2596 (16)
 beste Teiler 274.4 (1.) 484.2 (3.) 516.6 (12.)
 Trefferlage 3.03 mm links, 3.58 mm hoch
 Streuwert 10.38, horizontal: 10.63, vertikal: 10.12




Serie 1:
 10.6 * 7.9 ↑ 10.3 ← 9.9 ↗ 9.9 ↘
 8.5 ← 9.8 → 10.0 ↑ 10.0 ↖ 9.1 ↘
 beste Teiler 274.4 (1.) 484.2 (3.) 721.0 (8.)
 Trefferlage 3.07 mm links, 5.68 mm hoch
 Streuwert 7.92, horizontal: 7.73, vertikal: 8.11



Serie 2:
 9.4 → 10.3 → 9.3 ↘ 9.7 ↗ 9.1 ↘
 7.7 ↑ 8.6 ↘ 8.5 ↖ 9.6 ↗ 9.5 ↘
 beste Teiler 516.6 (12.) 979.0 (14.) 1120.6 (19.)
 Trefferlage 0.45 mm links, 4.57 mm hoch
 Streuwert 10.91, horizontal: 9.99, vertikal: 11.76



Serie 3:
 8.8 ↘ 9.3 ← 10.0 ↓ 7.4 ← 9.7 ↓
 8.6 ← 9.2 ↘ 9.0 ↘ 8.6 ↘ 9.2 ←
 beste Teiler 785.6 (23.) 1039.2 (25.) 1343.2 (22.)
 Trefferlage 11.33 mm links, 3.44 mm hoch
 Streuwert 8.70, horizontal: 7.69, vertikal: 9.61





Serie 4:
 9.0 ↑ 7.5 → 8.5 ↗ 8.8 ↓ 10.2 ↗
 8.8 ↗ 10.1 ↗ 10.2 ↓ 9.6 ↘ 8.6 →
 beste Teiler 601.6 (35.) 630.1 (38.) 718.6 (37.)
 Trefferlage 2.71 mm rechts, 0.64 mm hoch
 Streuwert 11.88, horizontal: 12.26, vertikal: 11.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (373.4)
 Serien: 93 90 87 89
 Zähler: 14 13 11 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2629 (6), 2517 (21), 2351 (13)
 beste Teiler 309.0 (12.) 313.4 (1.) 412.5 (31.)
 Trefferlage 2.74 mm links, 4.05 mm hoch
 Streuwert 9.72, horizontal: 10.28, vertikal: 9.12




Serie 1:
 10.6 * 10.1 ← 9.3 ↘ 10.4 * 10.2 ↗
 7.7 ↗ 10.1 ↗ 10.2 ↖ 9.0 ← 8.4 ↑
 beste Teiler 313.4 (1.) 473.6 (4.) 576.1 (8.)
 Trefferlage 1.42 mm links, 7.25 mm hoch
 Streuwert 8.00, horizontal: 8.67, vertikal: 7.27



Serie 2:
 10.1 ↘ 10.6 * 8.0 ↑ 10.0 ↑ 8.7 ↘
 9.2 ↗ 8.8 ↙ 9.5 ↗ 9.8 ↖ 9.1 ↘
 beste Teiler 309.0 (12.) 658.4 (11.) 764.5 (14.)
 Trefferlage 2.71 mm links, 6.44 mm hoch
 Streuwert 8.90, horizontal: 9.19, vertikal: 8.61



Serie 3:
 7.8 ↗ 9.1 ↘ 10.2 ↘ 9.3 ↙ 9.8 ↙
 9.4 ← 8.5 ↑ 8.7 ↙ 9.2 → 9.4 ←
 beste Teiler 615.2 (23.) 919.5 (25.) 1208.3 (30.)
 Trefferlage 0.67 mm links, 0.04 mm tief
 Streuwert 11.42, horizontal: 12.65, vertikal: 10.03





Serie 4:
 10.4 * 10.1 ↙ 8.1 ← 8.7 ← 10.0 ↗
 8.3 ← 8.7 ↑ 9.2 ↘ 10.2 ↖ 8.5 ↘
 beste Teiler 412.5 (31.) 606.6 (39.) 719.6 (32.)
 Trefferlage 6.15 mm links, 2.57 mm hoch
 Streuwert 10.32, horizontal: 10.90, vertikal: 9.71

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	350	(369.4)
Serien:	88 89 88 85	
Zähler:	6 20 12 2 0 0 0 0 0 0	
Innenzehner:	1	
weiteste:	2875 (9), 2470 (3), 2356 (28)	
beste Teiler	168.3 (20.) 549.6 (14.) 567.5 (7.)	
Trefferlage	1.28 mm rechts, 4.35 mm hoch	
Streuwert	10.16, horizontal: 11.26, vertikal: 8.93	




Serie 1:

9.4 →	9.6 ↗	7.9 ↖	9.9 ↗	9.1 ↖
10.2 ↘	10.2 ↗	9.4 ↓	7.4 →	9.6 ↗
beste Teiler	567.5 (7.) 620.6 (6.) 858.1 (4.)			
Trefferlage	1.48 mm rechts, 2.99 mm hoch			
Streuwert	11.10, horizontal: 14.13, vertikal: 6.85			




Serie 2:

8.3 ↗	8.5 →	10.1 ↖	10.3 ←	8.2 ↖
9.0 →	9.7 ←	9.5 ↗	8.8 →	10.7 *
beste Teiler	168.3 (20.) 549.6 (14.) 705.3 (13.)			
Trefferlage	1.71 mm rechts, 2.20 mm hoch			
Streuwert	10.75, horizontal: 12.99, vertikal: 7.90			



Serie 3:

9.3 ←	9.3 ↖	9.6 ↑	8.9 →	8.7 ↗
9.7 ↗	9.7 ←	8.0 ↗	9.4 ↖	10.2 ↓
beste Teiler	628.9 (30.) 982.5 (26.) 986.4 (27.)			
Trefferlage	0.62 mm rechts, 5.88 mm hoch			
Streuwert	9.54, horizontal: 10.72, vertikal: 8.19			





Serie 4:


8.4 ↑	8.7 ↑	8.8 ↑	9.3 ↗	9.2 ↘
9.7 ↗	9.6 ↗	8.6 ←	8.8 ↑	9.7 ↗
beste Teiler	994.3 (36.) 1008.9 (40.) 1076.1 (37.)			
Trefferlage	1.30 mm rechts, 6.31 mm hoch			
Streuwert	10.50, horizontal: 8.08, vertikal: 12.45			

Unterschrift des Schützen


Ergebnis: **364** (381.2)
 Serien: 90 87 96 91
 Zähler: 14 18 6 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2813 (19), 2786 (15), 2244 (34)
 beste Teiler 265.2 (30.) 272.4 (25.) 375.1 (21.)
 Trefferlage 3.79 mm rechts, 2.23 mm tief
 Streuwert 8.80, horizontal: 7.94, vertikal: 9.57




Serie 1:
 10.1 ↙ 8.9 ↓ 9.6 ↘ 8.7 ↘ 9.7 →
 9.3 ↑ 9.7 → 9.4 ↘ 9.1 ↖ 10.0 ↓
 beste Teiler 697.4 (1.) 758.3 (10.) 977.7 (7.)
 Trefferlage 2.92 mm rechts, 3.35 mm tief
 Streuwert 8.61, horizontal: 8.31, vertikal: 8.89



Serie 2:
 9.0 ↓ 8.3 ↙ 9.2 ↓ 10.3 → 7.5 →
 9.3 ↗ 10.3 ↘ 9.4 ↙ 7.4 ↘ 9.9 →
 beste Teiler 481.1 (14.) 501.0 (17.) 822.9 (20.)
 Trefferlage 4.43 mm rechts, 5.59 mm tief
 Streuwert 11.51, horizontal: 11.84, vertikal: 11.17



Serie 3:
 10.5 * 9.7 ↓ 10.1 → 10.4 * 10.6 *
 9.7 ↓ 10.3 ↑ 8.3 ↘ 10.0 ↗ 10.6 *
 beste Teiler 265.2 (30.) 272.4 (25.) 375.1 (21.)
 Trefferlage 2.69 mm rechts, 2.12 mm tief
 Streuwert 6.28, horizontal: 4.15, vertikal: 7.85





Serie 4:
 10.5 * 9.2 ↗ 9.8 ↗ 8.1 ↘ 10.4 *
 9.9 ↘ 8.6 ↑ 9.7 ↑ 9.2 ↓ 10.5 *
 beste Teiler 375.6 (31.) 381.2 (40.) 405.5 (35.)
 Trefferlage 5.12 mm rechts, 2.12 mm hoch
 Streuwert 8.33, horizontal: 6.50, vertikal: 9.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(378.2)
Serien:	88 91 92 93	
Zähler:	14 17 8 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2501 (1), 2335 (24), 2321 (6)	
beste Teiler	133.1 (31.) 341.1 (14.) 372.4 (40.)	
Trefferlage	4.72 mm links, 1.20 mm tief	
Streuwert	8.88, horizontal: 8.40, vertikal: 9.34	




Serie 1:	7.8 ↙	10.2 ↗	9.0 ↓	9.8 ↖	10.0 ↘
	8.0 ←	9.8 ↓	9.1 ↗	8.3 ↘	9.8 ↑
beste Teiler	584.3 (2.) 765.7 (5.) 893.9 (4.)				
Trefferlage	7.19 mm links, 5.35 mm tief				
Streuwert	9.51, horizontal: 8.75, vertikal: 10.21				



Serie 2:	10.0 ↓	9.3 ↓	9.0 ↖	10.5 *	9.3 ↘
	9.2 ↗	8.6 ↘	10.3 ↗	9.2 ↖	8.7 ↖
beste Teiler	341.1 (14.) 548.9 (18.) 731.2 (11.)				
Trefferlage	7.31 mm links, 1.28 mm tief				
Streuwert	8.05, horizontal: 5.94, vertikal: 9.72				



Serie 3:	9.3 ↓	10.3 ↘	10.3 ↖	8.0 ↗	10.5 *
	10.0 ↗	9.3 ↑	10.2 ↗	8.9 →	8.8 ↘
beste Teiler	381.0 (25.) 499.2 (22.) 537.4 (23.)				
Trefferlage	2.39 mm links, 0.72 mm tief				
Streuwert	9.33, horizontal: 9.13, vertikal: 9.52				





Serie 4:	10.8 *	9.3 ↑	10.4 *	8.9 ←	9.0 ↘
	9.1 ←	9.5 →	10.1 ↑	9.1 ↑	10.5 *
beste Teiler	133.1 (31.) 372.4 (40.) 442.5 (33.)				
Trefferlage	1.99 mm links, 2.54 mm hoch				
Streuwert	8.23, horizontal: 9.05, vertikal: 7.33				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.7)
 Serien: 92 94 96 89
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2007 (38), 1949 (24), 1825 (39)
 beste Teiler 134.4 (22.) 344.2 (12.) 363.1 (29.)
 Trefferlage 0.38 mm rechts, 1.41 mm hoch
 Streuwert 7.93, horizontal: 8.18, vertikal: 7.68




Serie 1:
 9.1 ↖ 10.0 ↗ 8.8 ↙ 9.0 ↘ 10.1 →
 10.2 ↙ 9.3 ← 9.9 ↖ 9.8 ↗ 9.7 ↑
 beste Teiler 584.1 (6.) 694.3 (5.) 747.0 (2.)
 Trefferlage 3.66 mm links, 1.42 mm hoch
 Streuwert 8.13, horizontal: 7.88, vertikal: 8.37



Serie 2:
 10.0 ↖ 10.5 * 10.2 ↙ 9.0 ↑ 9.6 ↙
 9.1 ↗ 10.5 * 9.8 → 9.7 ↗ 9.0 →
 beste Teiler 344.2 (12.) 389.9 (17.) 639.2 (13.)
 Trefferlage 3.13 mm rechts, 4.52 mm hoch
 Streuwert 6.80, horizontal: 8.08, vertikal: 5.23



Serie 3:
 9.9 ↘ 10.8 * 9.1 ↖ 8.5 ↗ 10.2 ↘
 10.3 ↓ 10.5 * 10.2 ↖ 10.5 * 10.3 ↙
 beste Teiler 134.4 (22.) 363.1 (29.) 385.0 (27.)
 Trefferlage 0.65 mm links, 0.03 mm hoch
 Streuwert 6.79, horizontal: 6.07, vertikal: 7.44





Serie 4:
 10.3 → 9.4 ↘ 9.5 → 9.5 → 9.7 ↗
 9.3 ↙ 9.4 ↖ 8.4 ↑ 8.7 ↘ 9.9 ↙
 beste Teiler 495.8 (31.) 827.2 (40.) 964.1 (35.)
 Trefferlage 2.73 mm rechts, 0.33 mm tief
 Streuwert 9.43, horizontal: 9.56, vertikal: 9.29

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	372	(389.5)
Serien:	93 92 93 94	
Zähler:	16 20 4 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2074 (11), 1701 (16), 1690 (40)	
beste Teiler	266.7 (26.) 330.1 (21.) 362.7 (35.)	
Trefferlage	0.53 mm links, 0.52 mm tief	
Streuwert	7.65, horizontal: 8.00, vertikal: 7.27	




Serie 1:

10.0 ↖	9.8 ↖	9.7 ↓	9.8 ↓	9.9 ↓
10.4 ↑	10.0 ↑	10.4 *	9.9 →	8.9 ↙
beste Teiler	407.4 (8.) 478.1 (6.) 732.5 (7.)			
Trefferlage	3.32 mm links, 2.24 mm tief			
Streuwert	6.08, horizontal: 6.08, vertikal: 6.08			




Serie 2:

8.4 →	9.0 ↙	10.2 →	10.5 *	10.4 *
8.8 ↘	9.1 ↙	10.0 →	9.4 ↗	9.8 ↙
beste Teiler	397.0 (14.) 466.7 (15.) 634.1 (13.)			
Trefferlage	0.25 mm rechts, 0.40 mm hoch			
Streuwert	9.27, horizontal: 10.82, vertikal: 7.40			



Serie 3:

10.5 *	9.1 ↘	10.1 ↘	9.5 ↗	9.2 ↘
10.6 *	9.9 ↘	9.2 ↑	9.7 ↗	9.4 ↘
beste Teiler	266.7 (26.) 330.1 (21.) 677.0 (23.)			
Trefferlage	3.45 mm rechts, 1.62 mm hoch			
Streuwert	7.51, horizontal: 6.35, vertikal: 8.51			





Serie 4:

10.2 ↑	9.2 ↓	9.8 →	10.4 *	10.5 *
10.1 ↖	10.0 ↖	9.1 ↓	9.8 ↘	8.8 ←
beste Teiler	362.7 (35.) 440.7 (34.) 622.8 (31.)			
Trefferlage	2.53 mm links, 1.86 mm tief			
Streuwert	7.27, horizontal: 7.20, vertikal: 7.34			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	367	(384.3)
Serien:	91 91 94 91	
Zähler:	15 17 8 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2119 (15), 2081 (3), 1906 (28)	
beste Teiler	298.8 (12.) 306.0 (30.) 368.5 (26.)	
Trefferlage	1.10 mm rechts, 4.52 mm hoch	
Streuwert	7.86, horizontal: 8.68, vertikal: 6.94	




Serie 1:					
	10.0 ↓	9.8 ↑	8.3 ↘	9.0 ↘	10.3 ↑
	9.2 ↘	9.4 ←	9.8 →	9.9 ←	9.3 ↑
beste Teiler	559.3 (5.)	772.5 (1.)	851.2 (9.)		
Trefferlage	3.74 mm links, 5.33 mm hoch				
Streuwert	7.89, horizontal: 7.22, vertikal: 8.51				



Serie 2:					
	9.5 →	10.6 *	9.9 →	9.8 ↑	8.3 →
	10.0 ←	10.0 ↓	8.9 ↘	9.1 ↗	9.1 ↗
beste Teiler	298.8 (12.)	725.3 (17.)	795.7 (16.)		
Trefferlage	3.07 mm rechts, 4.74 mm hoch				
Streuwert	8.27, horizontal: 9.93, vertikal: 6.18				



Serie 3:					
	10.0 ←	9.2 ↗	8.7 ↗	10.1 ↘	10.4 →
	10.5 *	9.8 →	8.6 ↗	10.3 ↓	10.6 *
beste Teiler	306.0 (30.)	368.5 (26.)	479.0 (25.)		
Trefferlage	4.53 mm rechts, 3.21 mm hoch				
Streuwert	6.85, horizontal: 6.70, vertikal: 6.99				





Serie 4:					
	10.1 ↘	9.5 ↗	9.8 ↙	8.8 ↗	8.6 ↘
	10.4 *	10.5 *	8.9 ←	9.1 ↑	10.2 →
beste Teiler	382.7 (37.)	436.8 (36.)	637.5 (40.)		
Trefferlage	0.56 mm rechts, 4.81 mm hoch				
Streuwert	8.18, horizontal: 9.34, vertikal: 6.83				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (374.0)
 Serien: 92 86 91 85
 Zähler: 11 18 7 2 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3772 (12), 3586 (38), 2427 (15)
 beste Teiler 78.5 (24.) 179.0 (7.) 423.9 (18.)
 Trefferlage 0.37 mm rechts, 2.34 mm hoch
 Streuwert 10.68, horizontal: 10.43, vertikal: 10.91




Serie 1:
 9.6 ↑ 8.7 ↘ 9.6 ↗ 10.4 * 8.4 ↗
 9.2 ↑ 10.7 * 10.4 * 9.0 ↓ 10.3 ←
 beste Teiler 179.0 (7.) 433.2 (8.) 460.8 (4.)
 Trefferlage 0.37 mm rechts, 3.83 mm hoch
 Streuwert 8.61, horizontal: 8.36, vertikal: 8.86



Serie 2:
 9.7 ↗ 6.2 ↑ 9.5 ↑ 9.4 ↑ 7.9 ↗
 7.9 → 10.2 ↙ 10.4 * 9.3 ← 10.0 ↗
 beste Teiler 423.9 (18.) 626.4 (17.) 742.7 (20.)
 Trefferlage 5.45 mm rechts, 8.01 mm hoch
 Streuwert 11.44, horizontal: 11.47, vertikal: 11.40



Serie 3:
 10.4 * 10.1 ↘ 9.4 ↘ 10.9 * 9.6 ↑
 9.6 ↗ 9.2 ↗ 8.4 ↙ 9.9 ↗ 8.9 ↓
 beste Teiler 78.5 (24.) 454.9 (21.) 686.3 (22.)
 Trefferlage 0.17 mm rechts, 2.34 mm hoch
 Streuwert 8.69, horizontal: 8.63, vertikal: 8.75





Serie 4:
 9.7 → 8.9 ← 9.5 ↙ 8.7 ← 9.1 ↗
 9.9 ↑ 9.8 ↓ 6.5 ↙ 10.2 ↗ 8.5 ↙
 beste Teiler 618.8 (39.) 839.2 (36.) 952.8 (37.)
 Trefferlage 4.51 mm links, 4.80 mm tief
 Streuwert 11.76, horizontal: 11.85, vertikal: 11.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.2)
 Serien: 85 86 90 86
 Zähler: 12 11 11 5 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4373 (31), 3075 (2), 2990 (25)
 beste Teiler 101.5 (17.) 233.4 (6.) 394.1 (22.)
 Trefferlage 1.58 mm links, 1.58 mm tief
 Streuwert 12.24, horizontal: 11.12, vertikal: 13.27




Serie 1:
 8.8 ↙ 7.1 ↙ 10.2 ↘ 8.7 ↘ 9.9 ↗
 10.7 * 9.4 ← 7.8 ↑ 8.4 ← 9.5 ↑
 beste Teiler 233.4 (6.) 570.2 (3.) 856.6 (5.)
 Trefferlage 5.25 mm links, 0.64 mm tief
 Streuwert 12.31, horizontal: 12.63, vertikal: 11.98



Serie 2:
 8.7 ↙ 8.1 → 10.4 ↘ 10.0 ↗ 9.3 ↓
 7.3 ↓ 10.8 * 8.7 ↗ 8.1 ↑ 8.8 ↘
 beste Teiler 101.5 (17.) 480.8 (13.) 796.0 (14.)
 Trefferlage 2.23 mm rechts, 1.43 mm tief
 Streuwert 13.01, horizontal: 11.11, vertikal: 14.67



Serie 3:
 10.1 ↘ 10.5 * 9.6 ↖ 7.5 ← 7.2 ↗
 10.2 ↗ 10.2 ↘ 10.4 * 9.2 ← 8.9 ↓
 beste Teiler 394.1 (22.) 408.5 (28.) 568.5 (26.)
 Trefferlage 2.58 mm links, 1.36 mm hoch
 Streuwert 11.34, horizontal: 12.56, vertikal: 9.97





Serie 4:
 5.5 ↓ 8.5 ↓ 10.2 ↙ 8.9 ↗ 9.8 ↖
 9.8 ↖ 10.0 → 9.3 ↘ 9.2 ↓ 9.5 ↘
 beste Teiler 616.7 (33.) 741.0 (37.) 941.3 (36.)
 Trefferlage 0.73 mm links, 5.63 mm tief
 Streuwert 13.00, horizontal: 7.85, vertikal: 16.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **324** (343.2)
 Serien: 81 83 80 80
 Zähler: 1 19 9 7 2 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4512 (26), 4406 (23), 3556 (7)
 beste Teiler 268.8 (16.) 805.4 (22.) 835.1 (27.)
 Trefferlage 3.15 mm links, 5.39 mm tief
 Streuwert 14.57, horizontal: 15.34, vertikal: 13.75




Serie 1:
 7.0 ↙ 9.2 → 8.2 ↘ 7.4 ↗ 9.1 ↘
 9.8 ↘ 6.5 ↘ 8.6 ↗ 9.7 ↙ 9.2 →
 beste Teiler 881.4 (6.) 994.2 (9.) 1396.7 (2.)
 Trefferlage 0.12 mm links, 4.92 mm tief
 Streuwert 15.72, horizontal: 15.82, vertikal: 15.62



Serie 2:
 9.3 ↓ 8.5 ← 8.2 ↓ 7.9 ← 7.7 ↙
 10.6 * 9.2 ↓ 9.0 ↘ 8.6 ↑ 8.7 ↘
 beste Teiler 268.8 (16.) 1286.1 (11.) 1407.0 (17.)
 Trefferlage 8.63 mm links, 8.15 mm tief
 Streuwert 10.67, horizontal: 9.23, vertikal: 11.94



Serie 3:
 9.0 ↙ 9.9 ↘ 5.4 ← 9.7 ↘ 9.1 ↘
 5.3 ↘ 9.9 ← 7.6 ↗ 9.5 ↘ 9.4 ↓
 beste Teiler 805.4 (22.) 835.1 (27.) 977.1 (24.)
 Trefferlage 4.55 mm links, 6.35 mm tief
 Streuwert 16.81, horizontal: 17.02, vertikal: 16.60





Serie 4:
 9.8 ↗ 7.5 → 8.0 ← 9.6 ↗ 9.7 ↑
 8.8 → 8.7 ↓ 6.6 ← 7.9 ↘ 9.4 ↘
 beste Teiler 924.5 (31.) 965.4 (35.) 1075.9 (34.)
 Trefferlage 0.68 mm rechts, 2.12 mm tief
 Streuwert 15.30, horizontal: 18.23, vertikal: 11.66

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **371** (388.1)
 Serien: 91 92 94 94
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2107 (4), 1892 (35), 1846 (18)
 beste Teiler 144.0 (26.) 163.7 (32.) 223.4 (33.)
 Trefferlage 2.10 mm rechts, 3.53 mm hoch
 Streuwert 7.39, horizontal: 7.88, vertikal: 6.87




Serie 1:
 10.2 ↖ 9.0 ↗ 8.8 ↗ 8.3 ↗ 9.4 ↗
 9.8 ↗ 9.4 ↖ 10.1 ↖ 10.3 ↖ 9.5 →

beste Teiler 533.6 (9.) 588.0 (1.) 686.0 (8.)
 Trefferlage 3.09 mm rechts, 5.43 mm hoch
 Streuwert 8.17, horizontal: 10.87, vertikal: 3.93




Serie 2:
 9.7 ↗ 9.3 ↗ 10.3 ↖ 9.9 ↓ 10.6 *
 9.7 → 9.5 → 8.6 ↗ 10.3 → 9.8 ↘

beste Teiler 274.5 (15.) 511.3 (13.) 555.1 (19.)
 Trefferlage 5.74 mm rechts, 1.14 mm hoch
 Streuwert 6.36, horizontal: 6.17, vertikal: 6.55



Serie 3:
 9.5 ↗ 9.5 ↘ 10.2 ↘ 10.2 ↖ 10.5 *
 10.8 * 9.9 ↗ 9.9 ↘ 9.0 ↖ 9.2 ←

beste Teiler 144.0 (26.) 340.2 (25.) 561.3 (24.)
 Trefferlage 2.99 mm links, 5.59 mm hoch
 Streuwert 5.48, horizontal: 6.15, vertikal: 4.70





Serie 4:
 9.2 ↗ 10.7 * 10.7 * 9.5 ↘ 8.6 ↓
 10.1 ← 10.0 ↘ 9.0 ↗ 10.1 → 9.0 ↗

beste Teiler 163.7 (32.) 223.4 (33.) 641.7 (39.)
 Trefferlage 2.56 mm rechts, 1.97 mm hoch
 Streuwert 8.25, horizontal: 5.48, vertikal: 10.30

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	332	(350.4)
Serien:	81 83 78 90	
Zähler:	7 13 9 8 2 1 0 0 0 0	
Innenzehner:	3	
weiteste:	4074 (10), 3818 (24), 3500 (26)	
beste Teiler	104.0 (35.) 290.4 (40.) 407.4 (9.)	
Trefferlage	8.32 mm links, 5.71 mm hoch	
Streuwert	12.51, horizontal: 11.99, vertikal: 13.01	




Serie 1:

8.8 ↑	7.1 ←	9.9 ←	8.7 ←	9.5 ↑
7.0 ↘	9.6 ←	9.6 ↗	10.4 *	5.9 ↘
beste Teiler	407.4 (9.)	834.0 (3.)	1092.8 (7.)	
Trefferlage	11.69 mm links, 7.61 mm hoch			
Streuwert	12.41, horizontal: 11.35, vertikal: 13.38			




Serie 2:

10.1 ↘	8.5 ↗	8.1 ←	8.6 →	7.0 ↑
9.6 ←	9.1 ↗	9.6 ↑	8.7 ↘	7.5 ↑
beste Teiler	682.4 (11.)	1084.2 (16.)	1110.6 (18.)	
Trefferlage	5.28 mm links, 6.70 mm hoch			
Streuwert	13.18, horizontal: 11.37, vertikal: 14.78			



Serie 3:

7.6 ↗	8.6 ↘	10.1 ↘	6.2 ←	9.5 ←
6.6 ↑	7.8 ←	9.4 ↗	9.4 →	7.5 ↘
beste Teiler	671.1 (23.)	1136.2 (25.)	1241.8 (28.)	
Trefferlage	9.31 mm links, 7.61 mm hoch			
Streuwert	15.29, horizontal: 14.78, vertikal: 15.78			





Serie 4:


10.3 →	9.3 ↘	8.8 ←	9.0 ↗	10.8 *
9.0 ↗	10.3 ↓	7.6 ←	8.7 ←	10.6 *
beste Teiler	104.0 (35.)	290.4 (40.)	481.4 (37.)	
Trefferlage	6.99 mm links, 0.92 mm hoch			
Streuwert	9.31, horizontal: 10.99, vertikal: 7.26			

Unterschrift des Schützen


Ergebnis: **367** (383.3)
 Serien: 89 92 97 89
 Zähler: 18 13 7 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2773 (34), 2510 (8), 2363 (31)
 beste Teiler 101.1 (4.) 165.8 (23.) 240.2 (28.)
 Trefferlage 4.76 mm links, 2.54 mm tief
 Streuwert 8.45, horizontal: 8.92, vertikal: 7.96




Serie 1:
 9.7 ↘ 9.4 ↖ 9.8 ↖ 10.8 * 8.9 ↗
 10.4 * 9.0 ↖ 7.8 ← 8.7 ↗ 10.2 ↖
 beste Teiler 101.1 (4.) 445.3 (6.) 624.3 (10.)
 Trefferlage 7.01 mm links, 1.35 mm hoch
 Streuwert 8.65, horizontal: 9.55, vertikal: 7.64



Serie 2:
 9.4 ↑ 8.6 ↓ 9.2 ↗ 8.0 ↖ 9.7 →
 10.6 * 10.1 ↓ 10.1 ← 9.6 ↘ 10.0 ↖
 beste Teiler 257.5 (16.) 643.3 (17.) 664.5 (18.)
 Trefferlage 2.69 mm links, 3.80 mm tief
 Streuwert 8.81, horizontal: 8.68, vertikal: 8.93



Serie 3:
 9.7 ↗ 9.3 → 10.7 * 10.2 ↗ 10.2 ↖
 10.1 ← 9.4 ↗ 10.7 * 10.6 * 10.1 ←
 beste Teiler 165.8 (23.) 240.2 (28.) 279.9 (29.)
 Trefferlage 1.28 mm links, 2.22 mm tief
 Streuwert 5.54, horizontal: 6.59, vertikal: 4.25





Serie 4:
 8.0 ↖ 10.3 ↗ 10.5 * 7.5 ↖ 8.3 ↖
 9.3 ↑ 8.3 ↗ 9.2 ↗ 10.5 * 10.4 *
 beste Teiler 339.7 (39.) 371.9 (33.) 460.4 (40.)
 Trefferlage 8.07 mm links, 5.48 mm tief
 Streuwert 9.72, horizontal: 9.95, vertikal: 9.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (349.2)
 Serien: 84 85 81 80
 Zähler: 7 13 11 3 4 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4389 (40), 4150 (6), 3980 (28)
 beste Teiler 106.5 (20.) 131.1 (30.) 144.9 (32.)
 Trefferlage 0.08 mm links, 1.73 mm hoch
 Streuwert 15.00, horizontal: 12.13, vertikal: 17.40




Serie 1:
 9.0 ← 9.9 → 8.9 ↙ 9.3 ↗ 9.7 ↑
 5.8 ↓ 8.6 → 8.1 ↑ 10.0 ↖ 9.6 ↘
 beste Teiler 776.8 (9.) 825.6 (2.) 993.0 (5.)
 Trefferlage 0.03 mm links, 0.57 mm tief
 Streuwert 14.21, horizontal: 10.84, vertikal: 16.91



Serie 2:
 9.2 ↑ 6.7 ↗ 8.5 ↘ 7.8 ↙ 10.7 *
 9.8 ↑ 9.6 ↑ 8.3 ↓ 9.1 ↑ 10.8 *
 beste Teiler 106.5 (20.) 185.5 (15.) 959.5 (16.)
 Trefferlage 1.54 mm rechts, 1.37 mm hoch
 Streuwert 13.43, horizontal: 12.60, vertikal: 14.21



Serie 3:
 10.1 ↑ 8.3 ↖ 9.8 ↗ 8.7 ↙ 9.2 ↑
 9.3 ↘ 6.3 ↙ 6.0 ↓ 6.3 ↑ 10.8 *
 beste Teiler 131.1 (30.) 709.3 (21.) 906.8 (23.)
 Trefferlage 5.07 mm links, 0.03 mm hoch
 Streuwert 17.24, horizontal: 11.66, vertikal: 21.41





Serie 4:
 10.3 ↓ 10.8 * 9.1 ↗ 8.6 ↗ 8.9 ←
 7.7 ↙ 8.0 ↓ 7.9 ↑ 8.2 ↗ 5.5 ↗
 beste Teiler 144.9 (32.) 501.1 (31.) 1511.3 (33.)
 Trefferlage 3.23 mm rechts, 6.10 mm hoch
 Streuwert 16.08, horizontal: 13.51, vertikal: 18.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (366.9)
 Serien: 89 85 86 91
 Zähler: 10 18 6 5 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3816 (12), 2960 (22), 2863 (26)
 beste Teiler 240.0 (37.) 448.5 (35.) 474.0 (20.)
 Trefferlage 0.42 mm rechts, 1.67 mm tief
 Streuwert 11.58, horizontal: 12.52, vertikal: 10.56




Serie 1:
 8.9 ← 8.9 ↗ 9.6 ↑ 7.6 ↗ 10.3 ←
 10.1 ↘ 9.3 ↗ 9.4 ↓ 9.1 ↘ 10.0 ←
 beste Teiler 488.0 (5.) 667.0 (6.) 735.0 (10.)
 Trefferlage 2.20 mm rechts, 2.20 mm hoch
 Streuwert 10.36, horizontal: 10.88, vertikal: 9.81



Serie 2:
 10.0 ↗ 6.2 ← 9.5 ↘ 9.2 ← 8.8 ↗
 9.4 ↑ 7.4 ↗ 8.8 → 9.5 → 10.4 *
 beste Teiler 474.0 (20.) 730.4 (11.) 1141.1 (19.)
 Trefferlage 4.32 mm links, 0.34 mm tief
 Streuwert 13.70, horizontal: 16.10, vertikal: 10.78



Serie 3:
 8.7 ↓ 7.3 ↗ 9.9 ← 9.8 ↓ 9.2 ↓
 7.4 ← 10.2 → 9.3 ↘ 9.3 ↓ 9.5 →
 beste Teiler 570.1 (27.) 862.8 (23.) 882.9 (24.)
 Trefferlage 0.03 mm rechts, 4.43 mm tief
 Streuwert 12.17, horizontal: 11.92, vertikal: 12.42



Serie 4:
 9.3 ↓ 8.1 ↘ 10.2 ← 9.0 ← 10.4 *
 7.7 ↗ 10.7 * 9.1 ↘ 9.2 ↓ 10.2 ↗
 beste Teiler 240.0 (37.) 448.5 (35.) 589.9 (40.)
 Trefferlage 3.78 mm rechts, 4.11 mm tief
 Streuwert 10.02, horizontal: 10.89, vertikal: 9.08

Unterschrift des Schützen

Meyton Elektronik