





Ergebnis: **371** (388.9)  
 Serien: 91 92 93 95  
 Zähler: 13 25 2 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2322 (12), 1779 (5), 1529 (33)  
 beste Teiler 62.2 (39.) 93.1 (37.) 171.2 (35.)  
 Trefferlage 1.17 mm links, 2.18 mm hoch  
 Streuwert 7.65, horizontal: 7.69, vertikal: 7.61




Serie 1:  
 9.7 ↗ 9.4 ← 9.7 ← 10.4 \* 8.7 ↑  
 9.7 ↓ 9.5 ↘ 10.4 \* 9.5 ← 9.1 ←  
 beste Teiler 424.1 (8.) 454.6 (4.) 1022.0 (6.)  
 Trefferlage 4.75 mm links, 2.60 mm hoch  
 Streuwert 7.51, horizontal: 7.85, vertikal: 7.16



Serie 2:  
 9.3 ↗ 8.0 ↓ 9.1 → 10.1 ← 9.3 ↑  
 10.5 \* 10.7 \* 9.8 ← 9.2 → 9.2 ↑  
 beste Teiler 231.4 (17.) 335.8 (16.) 702.8 (14.)  
 Trefferlage 1.98 mm rechts, 2.90 mm hoch  
 Streuwert 9.19, horizontal: 8.65, vertikal: 9.71



Serie 3:  
 10.6 \* 9.5 ↘ 9.8 ↑ 9.4 ↑ 9.7 ↘  
 9.4 ← 10.3 ↙ 9.4 ↗ 10.3 → 9.3 →  
 beste Teiler 250.4 (21.) 540.9 (29.) 558.0 (27.)  
 Trefferlage 0.02 mm links, 2.90 mm hoch  
 Streuwert 7.18, horizontal: 6.98, vertikal: 7.36





Serie 4:  
 9.6 ↑ 10.0 → 9.0 ↑ 9.3 ← 10.7 \*  
 9.3 ← 10.8 \* 9.8 ↙ 10.9 \* 10.5 \*  
 beste Teiler 62.2 (39.) 93.1 (37.) 171.2 (35.)  
 Trefferlage 1.92 mm links, 0.30 mm hoch  
 Streuwert 6.69, horizontal: 6.61, vertikal: 6.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (388.9)  
 Serien: 90 94 92 96  
 Zähler: 18 18 2 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2671 (9), 2524 (23), 1974 (6)  
 beste Teiler 210.1 (8.) 234.3 (27.) 301.0 (36.)  
 Trefferlage 0.19 mm rechts, 0.04 mm hoch  
 Streuwert 8.16, horizontal: 7.40, vertikal: 8.84




Serie 1:  
 10.0 ↘                      8.7 ↙                      9.3 ↖                      10.1 ↗                      9.8 ↑  
 8.5 ↙                      10.0 ↙                      10.7 \*                      7.6 ↓                      9.7 ↗  
 beste Teiler 210.1 (8.) 701.1 (4.) 735.2 (1.)  
 Trefferlage 5.57 mm links, 1.99 mm tief  
 Streuwert 9.46, horizontal: 6.99, vertikal: 11.41



Serie 2:  
 9.9 ↘                      9.7 ↘                      10.5 \*                      9.3 ↗                      10.5 \*  
 10.5 \*                      9.8 ↓                      9.7 ↓                      9.9 ↓                      10.2 ↗  
 beste Teiler 360.7 (15.) 378.5 (16.) 380.6 (13.)  
 Trefferlage 0.54 mm rechts, 0.94 mm tief  
 Streuwert 6.15, horizontal: 4.21, vertikal: 7.60



Serie 3:  
 9.1 ↗                      10.0 ↑                      7.8 ↗                      9.5 ↘                      10.2 ↓  
 9.6 →                      10.7 \*                      10.4 \*                      9.1 ↓                      9.9 ↗  
 beste Teiler 234.3 (27.) 475.4 (28.) 593.3 (25.)  
 Trefferlage 4.24 mm rechts, 3.23 mm hoch  
 Streuwert 8.27, horizontal: 8.05, vertikal: 8.49





Serie 4:  
 10.5 \*                      9.1 ↓                      10.0 →                      10.1 ←                      9.0 →  
 10.6 \*                      9.4 ↓                      9.2 ↗                      10.2 ↖                      10.1 ↖  
 beste Teiler 301.0 (36.) 394.4 (31.) 603.1 (39.)  
 Trefferlage 1.57 mm rechts, 0.12 mm tief  
 Streuwert 7.43, horizontal: 6.96, vertikal: 7.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.4)  
 Serien: 84 80 85 92  
 Zähler: 8 11 17 3 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4205 (14), 2670 (13), 2595 (29)  
 beste Teiler 394.9 (32.) 428.7 (4.) 525.0 (19.)  
 Trefferlage 3.97 mm rechts, 0.69 mm hoch  
 Streuwert 12.06, horizontal: 10.79, vertikal: 13.20




Serie 1:  
 9.3 ↗ 8.9 ↘ 8.6 ↙ 10.4 \* 7.7 ↘  
 8.9 ↗ 8.7 ← 9.2 ↗ 9.1 → 8.4 →  
 beste Teiler 428.7 (4.) 1306.2 (1.) 1437.8 (8.)  
 Trefferlage 6.64 mm rechts, 2.65 mm tief  
 Streuwert 11.62, horizontal: 12.45, vertikal: 10.74



Serie 2:  
 8.9 ↘ 9.2 ↘ 7.6 ↗ 5.7 ↙ 8.5 ↙  
 9.9 → 8.6 ↑ 8.1 ↗ 10.3 ↓ 8.1 →  
 beste Teiler 525.0 (19.) 877.4 (16.) 1409.5 (12.)  
 Trefferlage 5.21 mm rechts, 1.03 mm tief  
 Streuwert 15.90, horizontal: 13.72, vertikal: 17.81





Serie 3:  
 8.2 ↘ 8.9 ↑ 9.2 ↘ 10.3 ↗ 8.9 ↙  
 8.9 → 9.8 → 9.4 ↘ 7.7 ↑ 9.3 ↘  
 beste Teiler 540.7 (24.) 939.4 (27.) 1203.7 (28.)  
 Trefferlage 1.98 mm rechts, 4.79 mm hoch  
 Streuwert 11.40, horizontal: 10.50, vertikal: 12.23




Serie 4:  
 8.2 ↘ 10.5 \* 9.6 ↑ 8.9 ↑ 10.0 ↑  
 10.1 ← 9.3 ↘ 8.5 ↗ 10.3 ↘ 10.3 ↓  
 beste Teiler 394.9 (32.) 537.8 (40.) 557.6 (39.)  
 Trefferlage 2.05 mm rechts, 1.65 mm hoch  
 Streuwert 9.23, horizontal: 5.76, vertikal: 11.72

Unterschrift des Schützen


Ergebnis: **363** (383.2)  
 Serien: 91 88 90 94  
 Zähler: 11 22 6 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2905 (20), 2294 (30), 2019 (18)  
 beste Teiler 211.1 (9.) 288.4 (34.) 388.6 (21.)  
 Trefferlage 1.68 mm links, 2.86 mm tief  
 Streuwert 8.47, horizontal: 9.16, vertikal: 7.72




Serie 1:  
 9.7 ←                      9.2 ←                      8.7 ↙                      9.6 ↗                      10.3 →  
 9.9 ↘                      9.5 ↘                      9.2 ↘                      10.7 \*                      9.4 ←  
 beste Teiler 211.1 (9.) 521.8 (5.) 869.8 (6.)  
 Trefferlage 3.41 mm links, 2.13 mm tief  
 Streuwert 8.05, horizontal: 9.28, vertikal: 6.58



Serie 2:  
 9.4 ↓                      9.7 ↙                      9.8 →                      9.3 →                      9.6 ↙  
 10.3 ↑                      9.8 ↙                      8.4 ↗                      9.7 ↑                      7.3 ↓  
 beste Teiler 498.6 (16.) 881.2 (13.) 925.1 (17.)  
 Trefferlage 0.45 mm rechts, 3.75 mm tief  
 Streuwert 10.36, horizontal: 9.25, vertikal: 11.36





Serie 3:  
 10.5 \*                      10.4 \*                      9.6 ↙                      9.3 ↙                      9.7 ↑  
 10.4 ↘                      9.7 ↑                      8.9 ↙                      8.7 ↙                      8.1 →  
 beste Teiler 388.6 (21.) 406.2 (22.) 480.4 (26.)  
 Trefferlage 1.51 mm links, 2.89 mm tief  
 Streuwert 9.25, horizontal: 10.63, vertikal: 7.63




Serie 4:  
 10.0 ↘                      9.4 ↓                      10.2 ↙                      10.6 \*                      10.2 ←  
 9.3 →                      10.4 \*                      8.8 ←                      9.9 ↙                      9.6 ↘  
 beste Teiler 288.4 (34.) 464.6 (37.) 578.3 (33.)  
 Trefferlage 2.27 mm links, 2.67 mm tief  
 Streuwert 6.94, horizontal: 8.35, vertikal: 5.15

Unterschrift des Schützen


Ergebnis: **330** (347.4)  
 Serien: 83 86 87 74  
 Zähler: 11 9 7 8 3 1 1 0 0 0  
 Innenzehner: 5  
 weiteste: 5589 (18), 4149 (38), 3939 (6)  
 beste Teiler 133.6 (20.) 285.9 (30.) 302.4 (12.)  
 Trefferlage 2.05 mm rechts, 0.03 mm hoch  
 Streuwert 15.67, horizontal: 15.24, vertikal: 16.09




Serie 1:  
 9.9 → 10.0 → 7.8 ↙ 8.5 ← 9.0 ↗  
 6.0 ↗ 9.6 ↑ 8.6 ↓ 10.3 ↘ 7.4 →  
 beste Teiler 490.0 (9.) 744.0 (2.) 857.9 (1.)  
 Trefferlage 4.59 mm rechts, 1.35 mm hoch  
 Streuwert 14.93, horizontal: 16.03, vertikal: 13.75



Serie 2:  
 10.4 \* 10.6 \* 9.8 ↙ 9.7 ↑ 7.6 ←  
 10.3 ↓ 8.6 ↘ 4.0 ↑ 9.1 ↙ 10.8 \*  
 beste Teiler 133.6 (20.) 302.4 (12.) 436.5 (11.)  
 Trefferlage 0.87 mm links, 3.20 mm hoch  
 Streuwert 15.84, horizontal: 14.05, vertikal: 17.45





Serie 3:  
 7.3 ↓ 10.4 \* 10.1 ↓ 6.7 ↘ 9.5 ↑  
 8.9 → 10.1 ↘ 10.1 ↘ 7.6 ↙ 10.6 \*  
 beste Teiler 285.9 (30.) 448.4 (22.) 642.4 (27.)  
 Trefferlage 0.93 mm rechts, 5.47 mm tief  
 Streuwert 12.95, horizontal: 10.77, vertikal: 14.82




Serie 4:  
 7.1 → 7.7 ↑ 8.4 ← 9.2 ← 8.6 ↑  
 8.4 ↙ 7.0 → 5.8 ↓ 9.2 ↘ 6.7 →  
 beste Teiler 1390.0 (39.) 1419.9 (34.) 1844.4 (35.)  
 Trefferlage 3.56 mm rechts, 1.06 mm hoch  
 Streuwert 19.70, horizontal: 20.37, vertikal: 19.00

Unterschrift des Schützen


Ergebnis: **357** (375.4)  
 Serien: 85 91 91 90  
 Zähler: 11 19 6 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2771 (33), 2729 (36), 2584 (10)  
 beste Teiler 218.4 (4.) 244.1 (6.) 323.1 (31.)  
 Trefferlage 5.59 mm links, 1.93 mm tief  
 Streuwert 9.33, horizontal: 10.08, vertikal: 8.51




Serie 1:  
 7.7 ←                      9.0 ↙                      8.0 ↙                      10.7 \*                      8.9 ↙  
 10.6 \*                      8.6 →                      9.3 ↓                      9.5 ↘                      7.7 ←  
 beste Teiler 218.4 (4.) 244.1 (6.) 1139.0 (9.)  
 Trefferlage 8.21 mm links, 4.18 mm tief  
 Streuwert 11.08, horizontal: 13.60, vertikal: 7.76



Serie 2:  
 10.0 →                      9.4 ↘                      9.5 ↙                      9.8 ←                      10.2 ↓  
 9.7 ←                      9.9 ↓                      8.4 ↘                      10.2 ↑                      8.4 ←  
 beste Teiler 587.2 (19.) 638.1 (15.) 747.6 (11.)  
 Trefferlage 5.89 mm links, 1.12 mm tief  
 Streuwert 8.07, horizontal: 9.05, vertikal: 6.95



Serie 3:  
 9.3 ↓                      8.8 ↙                      9.9 ↘                      9.8 ←                      9.2 ↘  
 9.3 ←                      9.8 ←                      10.3 ↑                      9.5 →                      10.4 \*  
 beste Teiler 475.1 (30.) 555.2 (28.) 812.6 (23.)  
 Trefferlage 2.80 mm links, 2.96 mm tief  
 Streuwert 7.88, horizontal: 9.06, vertikal: 6.49





Serie 4:  
 10.5 \*                      10.5 \*                      7.5 ↘                      9.4 ↘                      10.2 ↓  
 7.5 ↙                      10.1 ↑                      9.3 ↘                      9.6 ↓                      9.0 ↙  
 beste Teiler 323.1 (31.) 336.1 (32.) 591.7 (35.)  
 Trefferlage 5.48 mm links, 0.54 mm hoch  
 Streuwert 10.57, horizontal: 8.64, vertikal: 12.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (378.6)  
 Serien: 91 89 89 94  
 Zähler: 15 15 8 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2892 (25), 2615 (33), 2315 (21)  
 beste Teiler 125.8 (4.) 232.4 (3.) 280.4 (31.)  
 Trefferlage 2.14 mm links, 0.57 mm hoch  
 Streuwert 9.70, horizontal: 9.86, vertikal: 9.54




Serie 1:  
 9.3 ←                      9.6 ↖                      10.7 \*                      10.8 \*                      9.2 ↘  
 9.5 ↙                      9.2 ↖                      8.9 ↘                      9.8 ↑                      9.0 ↙  
 beste Teiler 125.8 (4.) 232.4 (3.) 931.0 (9.)  
 Trefferlage 5.75 mm links, 0.39 mm hoch  
 Streuwert 7.76, horizontal: 6.89, vertikal: 8.54



Serie 2:  
 9.0 →                      10.3 ↙                      8.9 ←                      8.7 ↑                      9.3 ↑  
 9.7 ↘                      9.1 ↗                      8.3 ↓                      9.3 ↑                      10.0 ↘  
 beste Teiler 546.6 (12.) 724.4 (20.) 1015.4 (16.)  
 Trefferlage 0.24 mm links, 3.59 mm hoch  
 Streuwert 10.40, horizontal: 8.54, vertikal: 11.97



Serie 3:  
 8.1 ↖                      10.0 →                      8.8 ↙                      9.0 ↙                      7.3 ↘  
 10.1 ↑                      10.4 \*                      8.2 ↖                      10.4 \*                      9.3 ←  
 beste Teiler 434.1 (29.) 455.7 (27.) 643.6 (26.)  
 Trefferlage 4.20 mm links, 1.58 mm tief  
 Streuwert 11.79, horizontal: 11.80, vertikal: 11.77





Serie 4:  
 10.6 \*                      10.4 \*                      7.7 →                      10.6 \*                      10.4 \*  
 10.3 ↙                      10.2 →                      9.4 →                      8.7 ↙                      10.1 ↙  
 beste Teiler 280.4 (31.) 306.6 (34.) 429.5 (32.)  
 Trefferlage 1.60 mm rechts, 0.11 mm tief  
 Streuwert 8.56, horizontal: 11.09, vertikal: 4.84

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **373** (393.0)  
 Serien: 88 93 97 95  
 Zähler: 20 15 3 2 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2917 (11), 2522 (6), 2029 (10)  
 beste Teiler 123.0 (33.) 133.0 (36.) 256.4 (24.)  
 Trefferlage 2.24 mm links, 2.14 mm tief  
 Streuwert 7.40, horizontal: 8.47, vertikal: 6.15




Serie 1:  
 9.6 →                      10.0 ↘                      10.5 \*                      9.1 ↖                      9.5 ↓  
 7.8 ↙                      8.9 ↘                      9.9 →                      9.9 ←                      8.4 ←

beste Teiler 381.4 (3.) 779.6 (2.) 803.8 (8.)  
 Trefferlage 2.11 mm links, 2.54 mm tief  
 Streuwert 10.22, horizontal: 11.77, vertikal: 8.39




Serie 2:  
 7.3 ←                      9.8 ←                      9.8 ↖                      10.6 \*                      10.1 ↑  
 10.2 ↓                      9.7 ↓                      10.1 ↙                      10.3 ↓                      9.6 ↘

beste Teiler 317.3 (14.) 496.6 (19.) 636.1 (16.)  
 Trefferlage 4.81 mm links, 2.26 mm tief  
 Streuwert 7.87, horizontal: 9.72, vertikal: 5.43



Serie 3:  
 10.6 \*                      10.5 \*                      9.5 ↙                      10.6 \*                      9.2 ↓  
 10.3 ↑                      10.4 \*                      10.0 ↖                      10.2 →                      9.6 ↘

beste Teiler 256.4 (24.) 308.6 (21.) 338.9 (22.)  
 Trefferlage 0.04 mm rechts, 0.38 mm tief  
 Streuwert 5.73, horizontal: 5.45, vertikal: 5.99



Serie 4:  
 10.6 \*                      8.7 ↓                      10.8 \*                      9.7 ←                      10.2 ↓  
 10.8 \*                      9.8 →                      10.2 ↙                      9.9 ←                      10.3 ↓



beste Teiler 123.0 (33.) 133.0 (36.) 283.5 (31.)  
 Trefferlage 2.11 mm links, 3.39 mm tief  
 Streuwert 5.37, horizontal: 5.90, vertikal: 4.79

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **349** (366.9)  
 Serien: 85 91 86 87  
 Zähler: 11 12 13 3 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3277 (25), 3039 (29), 2727 (5)  
 beste Teiler 97.1 (23.) 217.2 (21.) 400.1 (19.)  
 Trefferlage 1.73 mm rechts, 4.54 mm hoch  
 Streuwert 11.05, horizontal: 11.21, vertikal: 10.89




Serie 1:  
 8.2 ↗ 8.2 ↘ 10.3 ↗ 8.1 ← 7.5 ↗  
 9.8 ↑ 10.0 → 10.1 ↖ 7.9 ↓ 8.0 ↘  
 beste Teiler 519.7 (3.) 648.6 (8.) 772.0 (7.)  
 Trefferlage 0.72 mm links, 1.75 mm hoch  
 Streuwert 14.08, horizontal: 14.09, vertikal: 14.06



Serie 2:  
 8.6 ↑ 8.8 ↗ 10.1 ↖ 10.1 → 9.3 →  
 9.3 ↓ 9.4 ↑ 9.1 ← 10.5 \* 9.3 ↑  
 beste Teiler 400.1 (19.) 661.1 (14.) 701.0 (13.)  
 Trefferlage 0.83 mm rechts, 3.74 mm hoch  
 Streuwert 9.21, horizontal: 8.01, vertikal: 10.26



Serie 3:  
 10.7 \* 9.9 ↗ 10.8 \* 9.3 ↘ 6.9 ↗  
 8.5 ↗ 8.7 ← 10.3 ↑ 7.2 ↘ 9.8 ↘  
 beste Teiler 97.1 (23.) 217.2 (21.) 502.2 (28.)  
 Trefferlage 0.81 mm links, 8.63 mm hoch  
 Streuwert 11.28, horizontal: 13.00, vertikal: 9.24





Serie 4:  
 8.9 ↗ 8.5 ↓ 10.0 → 9.5 ↘ 9.8 ↗  
 9.1 → 8.7 → 10.2 → 8.9 ↗ 8.6 ↗  
 beste Teiler 628.4 (38.) 731.5 (33.) 906.9 (35.)  
 Trefferlage 7.62 mm rechts, 4.04 mm hoch  
 Streuwert 8.84, horizontal: 7.68, vertikal: 9.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>373</b>	(388.3)
Serien:	92 93 94 94	
Zähler:	19 15 6 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2243 (14), 2235 (11), 1923 (28)	
beste Teiler	220.2 (23.) 269.0 (27.) 326.7 (29.)	
Trefferlage	0.22 mm links, 2.28 mm tief	
Streuwert	7.94, horizontal: 7.96, vertikal: 7.92	




Serie 1:	9.6 ↓	10.1 ↘	10.2 ↑	9.6 ↘	8.9 ↙
	9.3 ↓	9.1 ↖	10.2 ↘	9.4 ↓	9.0 ↙
beste Teiler	605.1 (3.) 631.5 (8.) 679.6 (2.)				
Trefferlage	0.37 mm links, 5.87 mm tief				
Streuwert	7.75, horizontal: 8.14, vertikal: 7.34				



Serie 2:	8.2 ←	10.5 *	10.2 ↑	8.1 ↓	9.8 ↙
	10.4 *	10.0 →	9.8 →	9.5 ↘	10.4 *
beste Teiler	342.7 (12.) 436.4 (16.) 442.5 (20.)				
Trefferlage	2.88 mm links, 0.07 mm tief				
Streuwert	8.72, horizontal: 8.77, vertikal: 8.66				



Serie 3:	9.4 ↘	9.0 ↗	10.7 *	9.3 ↙	10.0 →
	9.8 ↘	10.6 *	8.5 ↘	10.5 *	10.0 →
beste Teiler	220.2 (23.) 269.0 (27.) 326.7 (29.)				
Trefferlage	1.77 mm rechts, 0.53 mm hoch				
Streuwert	7.95, horizontal: 7.86, vertikal: 8.03				





Serie 4:	10.2 ↗	9.5 ↙	10.1 ↗	8.7 ↘	10.5 *
	8.9 ↓	10.3 ↓	9.2 ↙	10.5 *	10.3 ↖
beste Teiler	350.0 (39.) 356.4 (35.) 540.2 (40.)				
Trefferlage	0.58 mm rechts, 3.72 mm tief				
Streuwert	7.20, horizontal: 7.51, vertikal: 6.87				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.1)  
 Serien: 92 87 88 91  
 Zähler: 13 17 5 5 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2694 (28), 2684 (17), 2659 (24)  
 beste Teiler 163.6 (1.) 232.8 (26.) 238.9 (12.)  
 Trefferlage 2.24 mm rechts, 0.50 mm hoch  
 Streuwert 10.08, horizontal: 9.20, vertikal: 10.89




Serie 1:  
 10.7 \* 9.7 ↘ 8.9 ↖ 10.0 ↓ 9.3 →  
 10.3 ↙ 9.6 ↖ 9.3 ↓ 9.3 ↓ 9.2 ↓  
 beste Teiler 163.6 (1.) 492.4 (6.) 768.3 (4.)  
 Trefferlage 0.53 mm links, 3.58 mm tief  
 Streuwert 7.97, horizontal: 6.63, vertikal: 9.11



Serie 2:  
 9.6 ↖ 10.7 \* 10.5 \* 7.9 ↑ 10.0 ↙  
 7.8 → 7.6 ↓ 9.2 → 9.8 ← 9.6 ↖  
 beste Teiler 238.9 (12.) 376.9 (13.) 737.4 (15.)  
 Trefferlage 1.49 mm rechts, 0.88 mm hoch  
 Streuwert 11.83, horizontal: 10.73, vertikal: 12.83



Serie 3:  
 8.6 ↗ 10.1 → 9.7 → 7.6 ↗ 9.5 →  
 10.7 \* 9.9 ↑ 7.6 ↗ 9.0 ↘ 10.3 ↓  
 beste Teiler 232.8 (26.) 540.1 (30.) 676.0 (22.)  
 Trefferlage 8.07 mm rechts, 4.04 mm hoch  
 Streuwert 9.51, horizontal: 6.75, vertikal: 11.63





Serie 4:  
 9.2 → 10.0 ↗ 8.1 ↗ 10.0 ↓ 8.9 ↙  
 8.4 ↖ 9.4 ↙ 10.3 ↓ 10.3 ↗ 9.5 ↖  
 beste Teiler 485.6 (38.) 495.8 (39.) 774.4 (34.)  
 Trefferlage 0.04 mm links, 0.68 mm hoch  
 Streuwert 10.19, horizontal: 10.44, vertikal: 9.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (358.5)  
 Serien: 87 84 84 88  
 Zähler: 10 7 19 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3016 (5), 2874 (34), 2636 (6)  
 beste Teiler 290.9 (39.) 314.0 (18.) 330.3 (12.)  
 Trefferlage 1.10 mm links, 2.11 mm hoch  
 Streuwert 12.51, horizontal: 12.83, vertikal: 12.19




Serie 1:  
 10.4 \* 10.0 ↘ 8.5 ↓ 10.0 ← 7.2 ↗  
 7.7 ← 8.6 ↗ 8.7 ← 10.2 ↘ 9.2 ↑  
 beste Teiler 449.0 (1.) 608.7 (9.) 755.7 (2.)  
 Trefferlage 0.96 mm links, 0.34 mm tief  
 Streuwert 12.98, horizontal: 13.25, vertikal: 12.70



Serie 2:  
 8.5 ↘ 10.5 \* 8.9 ↘ 7.9 ↗ 8.4 →  
 9.2 ← 8.7 ← 10.6 \* 8.2 ↑ 8.5 ←  
 beste Teiler 314.0 (18.) 330.3 (12.) 1363.9 (16.)  
 Trefferlage 1.52 mm links, 0.16 mm hoch  
 Streuwert 12.97, horizontal: 14.19, vertikal: 11.63





Serie 3:  
 8.0 ↓ 8.7 ↑ 10.2 → 8.2 ↘ 8.1 ↘  
 8.0 ↘ 8.1 ↗ 8.8 ← 9.1 ↓ 9.8 ↗  
 beste Teiler 627.8 (23.) 917.4 (30.) 1445.7 (29.)  
 Trefferlage 3.99 mm links, 4.91 mm hoch  
 Streuwert 13.44, horizontal: 12.40, vertikal: 14.41




Serie 4:  
 9.5 ← 10.0 ← 8.2 ↗ 7.4 ↗ 10.2 ↑  
 8.1 ↘ 9.0 → 9.8 ↗ 10.6 \* 8.8 ↘  
 beste Teiler 290.9 (39.) 585.5 (35.) 780.5 (32.)  
 Trefferlage 2.08 mm rechts, 3.70 mm hoch  
 Streuwert 11.82, horizontal: 12.71, vertikal: 10.86

Unterschrift des Schützen


Ergebnis: **341** (360.3)  
 Serien: 84 86 84 87  
 Zähler: 5 20 8 6 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4645 (37), 3180 (23), 3028 (1)  
 beste Teiler 262.5 (39.) 389.1 (9.) 529.4 (19.)  
 Trefferlage 0.24 mm links, 0.12 mm tief  
 Streuwert 12.80, horizontal: 14.41, vertikal: 10.97




Serie 1:  
 7.2 ↗ 7.8 ← 9.0 ↙ 10.1 ← 8.1 →  
 9.4 ← 8.9 ↙ 7.8 ↓ 10.5 \* 9.6 ←  
 beste Teiler 389.1 (9.) 719.8 (4.) 1073.9 (10.)  
 Trefferlage 2.95 mm links, 0.27 mm tief  
 Streuwert 13.84, horizontal: 15.39, vertikal: 12.10



Serie 2:  
 9.9 ↓ 9.4 ↑ 9.8 ↗ 9.7 ↗ 7.9 →  
 9.0 → 7.2 ↓ 8.8 ↗ 10.3 ↙ 9.2 ↙  
 beste Teiler 529.4 (19.) 832.3 (11.) 948.3 (13.)  
 Trefferlage 6.20 mm rechts, 0.44 mm tief  
 Streuwert 11.25, horizontal: 9.35, vertikal: 12.87



Serie 3:  
 9.5 ↗ 8.8 → 7.0 ← 8.0 ↗ 8.9 →  
 9.6 → 8.4 ← 9.9 ← 9.2 ↓ 9.8 ↗  
 beste Teiler 861.5 (28.) 952.7 (30.) 1099.9 (26.)  
 Trefferlage 0.35 mm rechts, 1.41 mm hoch  
 Streuwert 13.21, horizontal: 15.19, vertikal: 10.88





Serie 4:  
 10.2 ↗ 9.4 ↘ 8.0 ↘ 9.4 ← 9.9 ↓  
 9.5 ↗ 5.1 ← 9.7 ↘ 10.6 \* 9.8 ←  
 beste Teiler 262.5 (39.) 600.0 (31.) 840.0 (35.)  
 Trefferlage 4.56 mm links, 1.18 mm tief  
 Streuwert 13.34, horizontal: 16.41, vertikal: 9.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.2)  
 Serien: 88 87 90 94  
 Zähler: 15 15 6 2 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3963 (4), 3402 (19), 2774 (6)  
 beste Teiler 72.1 (8.) 78.7 (22.) 183.9 (32.)  
 Trefferlage 4.03 mm links, 1.01 mm tief  
 Streuwert 10.21, horizontal: 10.60, vertikal: 9.80




Serie 1:  
 9.2 ↖ 10.0 ↙ 10.1 ↓ 6.0 ↘ 8.3 ↙  
 7.5 → 9.1 ↖ 10.9 \* 10.1 ↖ 9.6 ↘  
 beste Teiler 72.1 (8.) 673.7 (3.) 689.1 (9.)  
 Trefferlage 5.08 mm links, 2.38 mm tief  
 Streuwert 13.20, horizontal: 14.26, vertikal: 12.05



Serie 2:  
 8.9 ↘ 8.5 ↖ 10.4 \* 10.1 ↖ 10.1 ↘  
 7.9 ↘ 9.0 ↓ 9.8 ↙ 6.7 ← 10.0 →  
 beste Teiler 403.0 (13.) 690.0 (14.) 714.6 (15.)  
 Trefferlage 7.75 mm links, 4.67 mm tief  
 Streuwert 10.72, horizontal: 12.08, vertikal: 9.17



Serie 3:  
 10.6 \* 10.9 \* 8.8 ↗ 10.4 \* 8.9 ↘  
 8.8 ↙ 9.6 ↗ 9.3 ↙ 9.7 ↑ 9.5 ←  
 beste Teiler 78.7 (22.) 244.6 (21.) 409.8 (24.)  
 Trefferlage 0.53 mm links, 0.00 mm  
 Streuwert 8.77, horizontal: 7.97, vertikal: 9.51





Serie 4:  
 9.2 ↖ 10.7 \* 10.0 ↖ 10.4 \* 10.1 ↑  
 9.7 ↑ 9.5 ↗ 9.5 ↙ 9.3 ↑ 9.1 ↙  
 beste Teiler 183.9 (32.) 450.4 (34.) 680.8 (35.)  
 Trefferlage 2.76 mm links, 3.02 mm hoch  
 Streuwert 7.17, horizontal: 6.51, vertikal: 7.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>358</b>	(376.2)
Serien:	88 91 91 88	
Zähler:	10 20 8 2 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2831 (7), 2528 (37), 2337 (21)	
beste Teiler	312.6 (14.) 359.6 (16.) 378.8 (31.)	
Trefferlage	2.32 mm rechts, 0.43 mm hoch	
Streuwert	9.71, horizontal: 9.71, vertikal: 9.72	




Serie 1:	9.4 ↑	9.2 →	9.0 ↘	8.5 ↓	9.7 ↗
	10.5 *	7.4 ↗	9.1 ↓	9.7 →	9.9 ↖
beste Teiler	382.5 (6.)	806.3 (10.)	979.2 (5.)		
Trefferlage	2.75 mm rechts, 1.27 mm hoch				
Streuwert	10.95, horizontal: 9.26, vertikal: 12.42				



Serie 2:	8.5 ↗	8.7 ↓	10.4 *	10.6 *	10.0 ↘
	10.5 *	9.2 ↘	9.6 →	8.9 ↘	9.3 ↗
beste Teiler	312.6 (14.)	359.6 (16.)	447.0 (13.)		
Trefferlage	1.16 mm rechts, 2.35 mm hoch				
Streuwert	9.13, horizontal: 9.28, vertikal: 8.97				



Serie 3:	8.0 →	8.5 ↗	9.3 ↘	10.1 ↘	9.2 ↓
	9.5 ↗	9.0 ↓	10.4 *	9.9 →	10.4 *
beste Teiler	405.1 (28.)	444.1 (30.)	699.4 (24.)		
Trefferlage	4.86 mm rechts, 0.24 mm tief				
Streuwert	9.38, horizontal: 9.24, vertikal: 9.51				





Serie 4:	10.5 *	9.4 →	8.8 ↗	9.7 ↘	9.8 ↓
	8.7 ↘	7.8 ↖	9.6 ↘	9.3 ↘	10.2 ←
beste Teiler	378.8 (31.)	597.3 (40.)	923.0 (35.)		
Trefferlage	0.52 mm rechts, 1.64 mm tief				
Streuwert	10.31, horizontal: 11.77, vertikal: 8.60				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (354.4)  
 Serien: 83 84 86 83  
 Zähler: 7 14 12 3 3 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4020 (5), 3842 (19), 3667 (38)  
 beste Teiler 428.3 (3.) 465.0 (24.) 469.4 (15.)  
 Trefferlage 4.57 mm links, 1.23 mm tief  
 Streuwert 13.33, horizontal: 12.23, vertikal: 14.36




Serie 1:  
 8.0 ↗ 8.8 ↘ 10.4 \* 10.1 ↘ 5.9 ↖  
 9.9 ← 8.9 ↗ 9.5 ← 8.7 ↗ 8.2 ↖  
 beste Teiler 428.3 (3.) 665.0 (4.) 819.7 (6.)  
 Trefferlage 4.82 mm links, 8.21 mm hoch  
 Streuwert 12.72, horizontal: 11.62, vertikal: 13.73



Serie 2:  
 7.3 ↗ 8.5 ↘ 9.4 ↘ 9.3 ↗ 10.4 \*  
 10.4 ↘ 8.4 ↓ 8.6 → 6.1 ← 9.5 ↖  
 beste Teiler 469.4 (15.) 477.3 (16.) 1133.6 (20.)  
 Trefferlage 1.19 mm links, 3.45 mm hoch  
 Streuwert 14.63, horizontal: 17.25, vertikal: 11.43



Serie 3:  
 9.5 ↓ 9.7 ↙ 7.5 ↙ 10.4 \* 8.1 ←  
 9.6 ↙ 8.0 ↙ 9.7 ↙ 9.0 ↓ 8.2 ←  
 beste Teiler 465.0 (24.) 988.2 (22.) 992.7 (28.)  
 Trefferlage 8.93 mm links, 9.71 mm tief  
 Streuwert 8.41, horizontal: 9.64, vertikal: 6.97





Serie 4:  
 9.9 ↗ 9.2 ↘ 6.8 ↓ 9.6 ↙ 7.9 ↖  
 8.7 ← 10.3 ← 6.4 ↓ 10.2 ↙ 9.4 ↗  
 beste Teiler 510.2 (37.) 620.9 (39.) 861.9 (31.)  
 Trefferlage 3.32 mm links, 6.88 mm tief  
 Streuwert 13.65, horizontal: 9.29, vertikal: 16.92

Unterschrift des Schützen




Ergebnis:	<b>340</b>	(360.6)			
Serien:	90	81	86	83	
Zähler:	4	19	12	3	2 0 0 0 0 0
Innenzehner:	2				
weiteste:	3459 (28), 3234 (39), 3031 (27)				
beste Teiler	232.7 (24.) 346.6 (33.) 565.8 (6.)				
Trefferlage	5.40 mm links, 2.76 mm tief				
Streuwert	11.57, horizontal: 11.88, vertikal: 11.26				



Serie 1:

8.6 ↘	9.6 ↓	8.6 ↙	9.1 ↓	9.2 →
10.2 ↑	9.7 ↖	9.1 ←	9.8 ↓	10.1 ↓


beste Teiler 565.8 (6.) 674.3 (10.) 929.1 (9.)  
 Trefferlage 0.90 mm links, 5.45 mm tief  
 Streuwert 8.83, horizontal: 9.58, vertikal: 8.00



Serie 2:

8.4 →	9.7 →	7.6 ↖	8.3 ↙	9.4 ↓
8.8 ↓	8.2 ↙	8.8 ↖	8.9 ←	8.8 ↙


beste Teiler 981.8 (12.) 1260.6 (15.) 1611.6 (19.)  
 Trefferlage 6.31 mm links, 4.48 mm tief  
 Streuwert 12.74, horizontal: 14.07, vertikal: 11.24



Serie 3:

9.5 ↑	9.7 ←	9.9 ↓	10.7 *	9.2 ↑
9.8 ↘	7.2 ↖	6.6 ↙	9.5 ↑	9.7 ←

beste Teiler 232.7 (24.) 820.2 (23.) 922.4 (26.)  
 Trefferlage 6.50 mm links, 0.49 mm hoch  
 Streuwert 11.83, horizontal: 9.72, vertikal: 13.62



Serie 4:



7.3 ↖	9.8 ↓	10.5 *	9.7 ↘	8.1 ←
8.8 →	9.3 ↖	8.1 ←	6.9 ↙	9.4 ←

beste Teiler 346.6 (33.) 918.6 (32.) 999.4 (34.)  
 Trefferlage 7.88 mm links, 1.58 mm tief  
 Streuwert 13.12, horizontal: 13.98, vertikal: 12.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (335.5)  
 Serien: 77 79 78 81  
 Zähler: 3 11 11 10 3 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4129 (20), 4089 (38), 3750 (2)  
 beste Teiler 188.0 (32.) 388.5 (3.) 490.9 (17.)  
 Trefferlage 4.38 mm links, 2.89 mm hoch  
 Streuwert 15.85, horizontal: 15.84, vertikal: 15.86




Serie 1:  
 6.8 ↙                      6.3 ←                      10.5 \*                      9.8 ↘                      7.3 ↖  
 9.1 ↓                      7.4 ↗                      7.5 ←                      8.1 ←                      8.1 ↘  
 beste Teiler 388.5 (3.) 905.4 (4.) 1483.5 (6.)  
 Trefferlage 12.78 mm links, 3.40 mm tief  
 Streuwert 15.94, horizontal: 16.67, vertikal: 15.17



Serie 2:  
 8.5 ←                      9.1 ↖                      7.3 ↙                      9.8 ←                      9.2 →  
 6.8 ↑                      10.3 ←                      9.7 ↗                      7.5 ↗                      5.8 ↑  
 beste Teiler 490.9 (17.) 945.0 (14.) 1026.5 (18.)  
 Trefferlage 3.42 mm links, 10.97 mm hoch  
 Streuwert 15.16, horizontal: 13.07, vertikal: 17.00



Serie 3:  
 9.9 →                      8.9 ↘                      7.1 ↓                      7.8 ↘                      7.6 ←  
 8.0 ↗                      8.2 ↘                      9.1 ↘                      7.8 →                      8.6 →  
 beste Teiler 822.4 (21.) 1492.6 (28.) 1679.5 (22.)  
 Trefferlage 0.52 mm links, 3.06 mm hoch  
 Streuwert 16.29, horizontal: 16.23, vertikal: 16.36



Serie 4:  
 8.6 ↓                      10.7 \*                      8.9 ↘                      9.6 ↘                      9.0 ↑  
 8.6 ↖                      8.9 ↗                      5.8 ←                      7.8 ↗                      9.7 ↓  
 beste Teiler 188.0 (32.) 1037.8 (40.) 1067.5 (34.)  
 Trefferlage 0.78 mm links, 0.95 mm hoch  
 Streuwert 14.97, horizontal: 16.27, vertikal: 13.54

Unterschrift des Schützen

Meyton Elektronik