





Ergebnis: **350** (367.7)
 Serien: 84 91 90 85
 Zähler: 8 19 9 3 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3583 (1), 2577 (35), 2554 (5)
 beste Teiler 358.8 (3.) 483.3 (28.) 518.5 (13.)
 Trefferlage 1.65 mm links, 1.42 mm hoch
 Streuwert 11.00, horizontal: 12.40, vertikal: 9.39




Serie 1:
 6.5 ↗ 8.5 ↑ 10.5 * 8.8 ↗ 7.8 ↖
 10.1 ↓ 8.7 ← 9.0 ↘ 9.5 ↑ 9.6 ←
 beste Teiler 358.8 (3.) 645.6 (6.) 1094.4 (10.)
 Trefferlage 0.49 mm links, 5.53 mm hoch
 Streuwert 13.35, horizontal: 16.43, vertikal: 9.31



Serie 2:
 10.0 ↘ 8.7 ↖ 10.3 ↖ 9.2 ↗ 9.3 ↑
 9.2 ↙ 10.0 ↘ 9.6 ↓ 8.8 ↗ 9.0 ↑
 beste Teiler 518.5 (13.) 743.9 (11.) 770.5 (17.)
 Trefferlage 0.09 mm links, 3.55 mm hoch
 Streuwert 9.30, horizontal: 9.95, vertikal: 8.60





Serie 3:
 8.9 ↘ 9.0 ↗ 10.0 ↑ 9.5 ↘ 7.8 ↖
 9.1 ↖ 9.1 ↑ 10.3 → 10.2 ↘ 9.7 ↑
 beste Teiler 483.3 (28.) 611.2 (29.) 762.6 (23.)
 Trefferlage 0.46 mm rechts, 1.30 mm hoch
 Streuwert 10.33, horizontal: 10.13, vertikal: 10.52




Serie 4:
 9.0 ↗ 9.6 ↓ 9.6 ↙ 9.8 ← 7.7 ←
 9.8 ↙ 9.4 ↘ 8.5 ← 8.8 ↙ 8.8 ↓
 beste Teiler 890.8 (36.) 900.9 (34.) 1102.1 (32.)
 Trefferlage 6.48 mm links, 4.70 mm tief
 Streuwert 10.12, horizontal: 12.64, vertikal: 6.72

Unterschrift des Schützen


Ergebnis: **362** (378.6)
 Serien: 83 93 92 94
 Zähler: 15 18 3 3 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4013 (3), 3031 (2), 2893 (4)
 beste Teiler 203.0 (24.) 235.4 (20.) 263.4 (26.)
 Trefferlage 1.62 mm links, 3.59 mm hoch
 Streuwert 9.97, horizontal: 8.94, vertikal: 10.90




Serie 1:
 9.2 ↗ 7.2 ↖ 5.9 ↑ 7.3 ↘ 9.5 ↙
 10.2 ↗ 8.1 ↗ 9.1 ↑ 9.1 ↓ 10.1 ↖
 beste Teiler 588.1 (6.) 704.1 (10.) 1128.6 (5.)
 Trefferlage 0.17 mm rechts, 10.12 mm hoch
 Streuwert 14.31, horizontal: 14.08, vertikal: 14.53



Serie 2:
 10.3 ↑ 9.6 ↗ 10.3 ↙ 9.7 ↓ 10.5 *
 8.3 ← 9.9 ↓ 9.1 ↑ 9.7 ↓ 10.7 *
 beste Teiler 235.4 (20.) 351.2 (15.) 487.7 (11.)
 Trefferlage 1.47 mm links, 0.32 mm tief
 Streuwert 7.81, horizontal: 7.75, vertikal: 7.87



Serie 3:
 10.3 ↘ 10.3 ↖ 9.1 ↓ 10.7 * 9.6 ↖
 10.6 * 9.6 ← 7.6 ↖ 9.6 ↙ 9.1 ↑
 beste Teiler 203.0 (24.) 263.4 (26.) 482.6 (22.)
 Trefferlage 4.29 mm links, 2.00 mm hoch
 Streuwert 8.70, horizontal: 6.73, vertikal: 10.29





Serie 4:
 10.2 ↙ 10.5 * 9.4 ↗ 9.8 ↖ 8.9 ↑
 9.5 ↓ 9.5 ↖ 10.0 ↗ 10.1 ↙ 10.4 *
 beste Teiler 347.3 (32.) 447.0 (40.) 612.1 (31.)
 Trefferlage 0.91 mm links, 2.59 mm hoch
 Streuwert 7.00, horizontal: 5.54, vertikal: 8.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (358.5)
 Serien: 83 89 82 89
 Zähler: 7 19 7 4 3 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3314 (30), 3265 (21), 3251 (9)
 beste Teiler 197.8 (39.) 325.5 (6.) 501.2 (18.)
 Trefferlage 2.05 mm links, 6.24 mm tief
 Streuwert 11.93, horizontal: 12.17, vertikal: 11.69




Serie 1:
 7.1 ↓ 9.1 ↙ 9.0 ↘ 8.2 ↖ 7.9 ↗
 10.5 * 9.2 ↗ 10.0 ↓ 6.9 ↓ 8.3 →
 beste Teiler 325.5 (6.) 740.1 (8.) 1398.4 (7.)
 Trefferlage 5.42 mm links, 9.51 mm tief
 Streuwert 13.02, horizontal: 11.47, vertikal: 14.41



Serie 2:
 9.7 ↓ 10.0 ↑ 9.0 ↓ 7.0 ↓ 8.2 ↓
 10.1 ← 9.6 ↘ 10.3 ↘ 9.1 ↓ 8.8 ←
 beste Teiler 501.2 (18.) 651.7 (16.) 731.1 (12.)
 Trefferlage 1.30 mm rechts, 7.52 mm tief
 Streuwert 10.62, horizontal: 9.16, vertikal: 11.90



Serie 3:
 6.9 ← 9.0 ← 9.0 ← 9.6 ↓ 9.6 ↓
 9.0 → 7.9 ↓ 9.7 ↑ 9.3 → 6.8 ↘
 beste Teiler 1035.5 (28.) 1090.4 (25.) 1112.6 (24.)
 Trefferlage 1.33 mm links, 5.67 mm tief
 Streuwert 14.29, horizontal: 16.39, vertikal: 11.81





Serie 4:
 8.4 ← 9.7 ↓ 9.6 → 8.4 ↗ 8.3 ↖
 10.0 ← 9.3 ↓ 9.8 ↖ 10.7 * 9.5 ←
 beste Teiler 197.8 (39.) 791.1 (36.) 904.2 (38.)
 Trefferlage 2.76 mm links, 2.26 mm tief
 Streuwert 10.08, horizontal: 11.45, vertikal: 8.48

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370	(389.2)
Serien:	93 93 93 91	
Zähler:	17 18 4 0 1 0 0 0 0 0	
Innenzehner:	12	
weiteste:	3240 (39), 2400 (22), 2169 (28)	
beste Teiler	178.0 (19.) 252.1 (24.) 297.5 (37.)	
Trefferlage	1.32 mm rechts, 0.50 mm hoch	
Streuwert	8.32, horizontal: 8.42, vertikal: 8.21	



Serie 1:

9.3 ←	10.4 *	10.5 *	9.8 ←	9.2 ↗
9.9 →	9.7 →	10.0 ↘	8.8 ↑	10.6 *


beste Teiler 297.9 (10.) 394.1 (3.) 410.8 (2.)
 Trefferlage 0.34 mm rechts, 1.82 mm hoch
 Streuwert 7.42, horizontal: 7.71, vertikal: 7.12



Serie 2:

10.1 ↓	9.8 ↖	10.5 *	9.2 ↗	9.8 ↗
9.4 →	9.6 ↑	9.4 →	10.7 *	9.3 ↑


beste Teiler 178.0 (19.) 393.3 (13.) 717.2 (11.)
 Trefferlage 4.01 mm rechts, 4.15 mm hoch
 Streuwert 6.25, horizontal: 5.40, vertikal: 7.00



Serie 3:

8.6 ↓	8.0 ↙	10.5 *	10.6 *	9.7 →
10.5 *	10.1 ↗	8.2 ←	10.5 *	10.2 ←

beste Teiler 252.1 (24.) 327.5 (29.) 336.8 (23.)
 Trefferlage 1.56 mm links, 3.53 mm tief
 Streuwert 9.00, horizontal: 8.78, vertikal: 9.22





Serie 4:

10.2 ←	10.6 *	9.5 ↖	9.6 ↓	10.4 *
9.9 ↓	10.6 *	9.1 ↑	6.9 →	9.5 ↓


beste Teiler 297.5 (37.) 317.9 (32.) 409.6 (35.)
 Trefferlage 2.49 mm rechts, 0.44 mm tief
 Streuwert 9.83, horizontal: 11.04, vertikal: 8.44

Unterschrift des Schützen


Ergebnis: **335** (351.0)
 Serien: 81 83 80 91
 Zähler: 7 17 8 4 1 2 1 0 0 0
 Innenzehner: 1
 weiteste: 5103 (14), 4579 (22), 4060 (3)
 beste Teiler 330.4 (2.) 534.4 (7.) 674.2 (21.)
 Trefferlage 1.93 mm links, 2.77 mm hoch
 Streuwert 14.36, horizontal: 13.86, vertikal: 14.85




Serie 1:
 9.3 ↙ 10.5 * 5.9 ↑ 7.6 → 6.7 ←
 8.3 ↘ 10.3 ↓ 9.5 ← 9.7 ↘ 8.7 ←
 beste Teiler 330.4 (2.) 534.4 (7.) 1011.8 (9.)
 Trefferlage 1.40 mm links, 4.36 mm hoch
 Streuwert 15.89, horizontal: 17.89, vertikal: 13.61



Serie 2:
 8.8 ↖ 8.8 → 9.7 ↖ 4.6 ↗ 9.9 ↓
 10.0 ↑ 8.6 ← 9.0 ↓ 9.0 ↘ 9.0 →
 beste Teiler 790.3 (16.) 816.7 (15.) 999.7 (13.)
 Trefferlage 1.18 mm rechts, 3.36 mm hoch
 Streuwert 15.61, horizontal: 15.22, vertikal: 15.99



Serie 3:
 10.1 → 5.2 ↖ 9.1 ↓ 10.0 ↓ 7.6 ↗
 8.2 ↙ 7.7 ↓ 8.2 ↗ 9.7 → 7.9 ↓
 beste Teiler 674.2 (21.) 774.2 (24.) 991.1 (29.)
 Trefferlage 1.33 mm links, 0.12 mm hoch
 Streuwert 17.35, horizontal: 13.16, vertikal: 20.71





Serie 4:
 9.0 ↙ 8.6 ↖ 9.1 ↑ 9.7 ↖ 9.5 ←
 9.0 ↗ 9.0 ↖ 10.1 → 9.3 ↙ 10.1 ←
 beste Teiler 709.3 (38.) 717.0 (40.) 1003.7 (34.)
 Trefferlage 6.19 mm links, 3.25 mm hoch
 Streuwert 8.67, horizontal: 8.70, vertikal: 8.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (379.9)
 Serien: 92 90 91 91
 Zähler: 14 18 6 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2501 (27), 2490 (39), 2315 (31)
 beste Teiler 265.5 (13.) 283.0 (34.) 422.6 (37.)
 Trefferlage 1.07 mm rechts, 2.57 mm hoch
 Streuwert 9.17, horizontal: 7.51, vertikal: 10.57




Serie 1:
 10.1 → 8.6 ↘ 10.0 → 9.8 ↘ 10.0 ↙
 9.0 ↙ 9.1 → 9.8 ↑ 10.2 ↑ 8.8 ↘
 beste Teiler 583.0 (9.) 656.3 (1.) 735.3 (5.)
 Trefferlage 0.42 mm links, 0.31 mm tief
 Streuwert 9.15, horizontal: 8.56, vertikal: 9.71



Serie 2:
 9.0 ↘ 8.2 ↗ 10.6 * 9.3 ↗ 9.0 ↙
 10.3 ↘ 9.9 ← 8.8 ↑ 9.5 ↘ 9.1 ↑
 beste Teiler 265.5 (13.) 491.4 (16.) 870.8 (17.)
 Trefferlage 0.66 mm rechts, 3.26 mm hoch
 Streuwert 9.91, horizontal: 6.97, vertikal: 12.16



Serie 3:
 9.7 → 10.1 ↘ 10.3 ↗ 9.2 ↗ 10.0 →
 10.0 ↑ 7.8 ↘ 8.2 ↑ 9.8 ↘ 9.7 ↓
 beste Teiler 540.8 (23.) 682.3 (22.) 733.6 (26.)
 Trefferlage 0.85 mm rechts, 6.52 mm hoch
 Streuwert 8.62, horizontal: 7.99, vertikal: 9.21





Serie 4:
 8.1 ↑ 10.1 → 9.3 ↗ 10.6 * 9.6 →
 10.4 * 10.4 * 9.8 ↘ 7.8 ↘ 9.9 ↗
 beste Teiler 283.0 (34.) 422.6 (37.) 471.5 (36.)
 Trefferlage 3.21 mm rechts, 0.81 mm hoch
 Streuwert 9.42, horizontal: 7.13, vertikal: 11.25


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **383** (402.3)
 Serien: 97 94 96 96
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1676 (8), 1606 (14), 1395 (32)
 beste Teiler 77.6 (2.) 118.0 (40.) 143.8 (17.)
 Trefferlage 0.34 mm links, 1.45 mm tief
 Streuwert 5.84, horizontal: 5.46, vertikal: 6.19




Serie 1:
 10.4 * 10.9 * 9.9 ↓ 10.5 * 10.1 ↗
 10.2 ← 10.3 ← 8.9 ↓ 10.5 * 10.2 ↘
 beste Teiler 77.6 (2.) 341.4 (4.) 345.8 (9.)
 Trefferlage 0.94 mm links, 2.65 mm tief
 Streuwert 5.09, horizontal: 3.77, vertikal: 6.13



Serie 2:
 10.6 * 10.0 → 10.7 * 8.9 ↑ 10.2 ↘
 9.3 ↗ 10.8 * 9.4 ↓ 9.7 ↓ 9.9 →
 beste Teiler 143.8 (17.) 232.2 (13.) 288.1 (11.)
 Trefferlage 2.08 mm rechts, 0.52 mm tief
 Streuwert 6.78, horizontal: 5.39, vertikal: 7.93



Serie 3:
 10.1 ← 9.4 → 10.4 * 10.2 ← 10.1 ↘
 9.8 ↓ 9.4 ↘ 10.7 * 10.5 * 9.6 ↓
 beste Teiler 221.8 (28.) 330.7 (29.) 462.5 (23.)
 Trefferlage 1.78 mm links, 2.76 mm tief
 Streuwert 5.52, horizontal: 6.00, vertikal: 5.00





Serie 4:
 10.7 * 9.2 ↗ 9.2 ↓ 9.8 ↗ 10.1 ↘
 10.2 ↘ 9.8 ← 10.6 * 10.3 ← 10.8 *
 beste Teiler 118.0 (40.) 188.5 (31.) 252.2 (38.)
 Trefferlage 0.75 mm links, 0.14 mm hoch
 Streuwert 6.07, horizontal: 6.36, vertikal: 5.78

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(383.3)
Serien:	90 95 90 91	
Zähler:	14 19 6 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2617 (24), 2223 (1), 2206 (4)	
beste Teiler	128.5 (2.) 232.4 (26.) 248.6 (3.)	
Trefferlage	3.78 mm links, 2.78 mm tief	
Streuwert	8.34, horizontal: 8.52, vertikal: 8.15	



Serie 1:

8.2 ↙	10.8 *	10.6 *	8.2 ↓	10.2 ↘
9.3 ↓	9.5 ↘	8.4 ↙	9.7 ↑	9.0 ↖


beste Teiler 128.5 (2.) 248.6 (3.) 627.3 (5.)
 Trefferlage 4.70 mm links, 4.15 mm tief
 Streuwert 9.82, horizontal: 8.64, vertikal: 10.87



Serie 2:

10.0 ↓	9.7 ↘	10.4 *	10.3 ↓	9.2 ↙
9.7 ↙	9.7 ↑	9.8 ↘	10.0 ↘	10.6 *


beste Teiler 285.7 (20.) 402.3 (13.) 551.9 (14.)
 Trefferlage 2.05 mm links, 1.14 mm tief
 Streuwert 6.30, horizontal: 5.86, vertikal: 6.71



Serie 3:

9.4 ↘	8.7 ↙	10.3 →	7.7 ←	10.4 *
10.7 *	9.1 ←	10.5 *	8.8 ↘	9.0 ↙

beste Teiler 232.4 (26.) 355.5 (28.) 425.5 (25.)
 Trefferlage 5.07 mm links, 3.13 mm tief
 Streuwert 9.56, horizontal: 11.78, vertikal: 6.64



Serie 4:



9.2 ↙	9.8 ↓	9.8 ↖	10.0 ↑	9.2 ↙
9.2 ←	8.9 ↓	10.4 *	9.6 →	9.3 ↘

beste Teiler 445.0 (38.) 768.1 (34.) 930.7 (32.)
 Trefferlage 3.29 mm links, 2.71 mm tief
 Streuwert 8.25, horizontal: 7.78, vertikal: 8.70

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	363	(381.7)
Serien:	91 90 92 90	
Zähler:	15 16 7 1 1 0 0 0 0 0	
Innenzehner:	7	
weiteste:	3965 (19), 2894 (4), 2279 (22)	
beste Teiler	63.3 (16.) 113.9 (12.) 207.2 (28.)	
Trefferlage	1.48 mm rechts, 1.89 mm hoch	
Streuwert	9.69, horizontal: 9.18, vertikal: 10.17	



Serie 1:

9.4 →	10.3 ↖	10.6 *	7.3 ↓	10.3 ↖
9.5 ←	9.4 ↓	9.9 ↘	10.0 →	8.9 ↗


beste Teiler 280.6 (3.) 529.3 (2.) 533.8 (5.)
 Trefferlage 1.79 mm rechts, 1.75 mm tief
 Streuwert 9.72, horizontal: 8.57, vertikal: 10.75



Serie 2:

10.2 ↓	10.8 *	9.0 ↑	8.8 ←	9.9 ↑
10.9 *	10.0 ↘	8.6 ↖	6.0 ↗	10.3 ↗


beste Teiler 63.3 (16.) 113.9 (12.) 536.6 (20.)
 Trefferlage 0.98 mm rechts, 5.64 mm hoch
 Streuwert 11.40, horizontal: 12.26, vertikal: 10.48



Serie 3:

9.1 ↗	8.1 ↗	9.9 ↓	9.9 ↗	10.5 *
9.6 ↙	10.7 *	10.7 *	9.5 ↑	9.1 ↘

beste Teiler 207.2 (28.) 225.6 (27.) 330.2 (25.)
 Trefferlage 4.23 mm rechts, 2.17 mm hoch
 Streuwert 7.91, horizontal: 7.37, vertikal: 8.41



Serie 4:



9.3 ↑	10.0 ↗	10.4 *	10.1 ↖	9.8 ↖
8.4 ↗	8.2 ↙	9.7 ↓	9.8 ↗	8.8 ←

beste Teiler 434.8 (33.) 672.8 (34.) 788.7 (32.)
 Trefferlage 1.05 mm links, 1.50 mm hoch
 Streuwert 9.81, horizontal: 8.45, vertikal: 11.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (374.4)
 Serien: 87 93 87 85
 Zähler: 10 16 11 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3343 (38), 2750 (26), 2471 (19)
 beste Teiler 221.9 (13.) 226.7 (24.) 393.4 (18.)
 Trefferlage 1.12 mm links, 0.47 mm tief
 Streuwert 10.30, horizontal: 11.17, vertikal: 9.36




Serie 1:
 8.8 ↘ 9.2 → 8.4 ← 9.5 ↖ 8.9 ↗
 9.6 ↗ 8.8 ↗ 9.8 ↗ 9.9 ← 10.3 ↑
 beste Teiler 493.0 (10.) 868.2 (9.) 952.0 (8.)
 Trefferlage 3.14 mm links, 1.00 mm hoch
 Streuwert 10.08, horizontal: 10.75, vertikal: 9.37



Serie 2:
 10.5 * 10.3 ↗ 10.7 * 10.0 ↖ 10.1 ↗
 9.8 → 8.5 ↑ 10.5 * 7.9 ↗ 9.8 ↗
 beste Teiler 221.9 (13.) 393.4 (18.) 399.7 (11.)
 Trefferlage 1.59 mm links, 0.70 mm tief
 Streuwert 8.49, horizontal: 7.05, vertikal: 9.72



Serie 3:
 9.1 ↘ 10.0 ↗ 9.7 ↑ 10.7 * 8.7 ↗
 7.5 ↗ 8.7 ← 9.9 ← 8.6 ↗ 9.1 →
 beste Teiler 226.7 (24.) 785.1 (22.) 801.0 (28.)
 Trefferlage 2.15 mm links, 0.55 mm tief
 Streuwert 11.43, horizontal: 12.08, vertikal: 10.75





Serie 4:
 8.9 ↗ 9.5 ← 9.5 ↖ 9.5 ↓ 10.2 ↗
 8.8 ↘ 9.9 ↗ 6.8 → 9.3 ↗ 8.7 ↖
 beste Teiler 590.5 (35.) 867.2 (37.) 1131.9 (33.)
 Trefferlage 2.39 mm rechts, 1.63 mm tief
 Streuwert 11.99, horizontal: 14.48, vertikal: 8.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.5)
 Serien: 90 87 91 91
 Zähler: 14 14 9 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2665 (6), 2543 (25), 2419 (18)
 beste Teiler 163.8 (33.) 241.8 (22.) 281.6 (21.)
 Trefferlage 2.08 mm links, 0.04 mm tief
 Streuwert 9.98, horizontal: 9.56, vertikal: 10.38




Serie 1:
 9.3 → 8.0 ↓ 10.3 ↓ 10.2 ↗ 9.4 ↘
 7.6 ↓ 9.7 ↗ 8.4 ↖ 10.3 ↑ 10.2 ↗
 beste Teiler 511.5 (3.) 551.6 (9.) 610.4 (10.)
 Trefferlage 0.65 mm rechts, 2.88 mm tief
 Streuwert 10.96, horizontal: 8.01, vertikal: 13.27



Serie 2:
 8.6 ↓ 10.1 ↖ 9.4 ↑ 9.2 ← 9.9 ↖
 9.1 ↖ 9.1 ↖ 7.9 ↓ 8.1 ← 9.6 ↘
 beste Teiler 655.8 (12.) 873.3 (15.) 1081.6 (20.)
 Trefferlage 7.32 mm links, 3.45 mm tief
 Streuwert 10.05, horizontal: 8.61, vertikal: 11.32



Serie 3:
 10.6 * 10.6 * 10.0 ↓ 8.6 ← 7.8 ↖
 9.0 ↓ 9.6 ↗ 10.6 * 8.7 → 10.3 ↖
 beste Teiler 241.8 (22.) 281.6 (21.) 302.7 (28.)
 Trefferlage 2.11 mm links, 0.52 mm hoch
 Streuwert 9.83, horizontal: 11.30, vertikal: 8.10





Serie 4:
 10.3 ↑ 8.8 ↖ 10.7 * 10.0 ↗ 9.7 ↗
 9.2 ↑ 9.5 ← 10.5 * 8.7 → 8.9 ↑
 beste Teiler 163.8 (33.) 365.5 (38.) 504.9 (31.)
 Trefferlage 0.44 mm rechts, 5.63 mm hoch
 Streuwert 7.84, horizontal: 9.18, vertikal: 6.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.9)
 Serien: 89 93 94 91
 Zähler: 11 25 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1939 (33), 1932 (3), 1899 (6)
 beste Teiler 71.5 (22.) 250.0 (26.) 344.3 (17.)
 Trefferlage 2.11 mm links, 2.43 mm tief
 Streuwert 8.11, horizontal: 7.10, vertikal: 9.01




Serie 1:
 9.3 ↙ 9.6 ↙ 8.5 ↘ 9.6 ↘ 9.8 ↓
 8.6 ↙ 9.8 ↙ 10.0 ↓ 9.4 ↑ 9.4 ↘
 beste Teiler 794.0 (8.) 891.5 (7.) 951.0 (5.)
 Trefferlage 6.03 mm links, 1.51 mm tief
 Streuwert 8.52, horizontal: 7.03, vertikal: 9.79



Serie 2:
 10.0 ↓ 9.2 ↓ 8.7 → 9.1 ↗ 10.0 ↘
 9.7 ↘ 10.5 * 9.4 ↘ 9.5 ↓ 10.2 ↗
 beste Teiler 344.3 (17.) 593.9 (20.) 760.8 (15.)
 Trefferlage 0.41 mm links, 3.01 mm tief
 Streuwert 8.22, horizontal: 8.04, vertikal: 8.39



Serie 3:
 9.8 ↑ 10.9 * 9.8 ↗ 9.0 ↗ 10.0 →
 10.6 * 9.5 ↘ 9.7 ↘ 9.9 ↓ 10.5 *
 beste Teiler 71.5 (22.) 250.0 (26.) 395.7 (30.)
 Trefferlage 0.25 mm links, 0.16 mm hoch
 Streuwert 6.70, horizontal: 5.53, vertikal: 7.70





Serie 4:
 10.3 ↘ 9.0 ↘ 8.5 ↓ 9.0 → 9.4 ↓
 10.2 ↓ 9.2 ↓ 9.9 ↓ 9.0 ↓ 9.4 ←
 beste Teiler 544.5 (31.) 591.6 (36.) 806.5 (38.)
 Trefferlage 1.75 mm links, 5.35 mm tief
 Streuwert 8.86, horizontal: 7.03, vertikal: 10.38

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(392.0)
Serien:	92 94 93 95	
Zähler:	18 18 4 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2251 (6), 1785 (39), 1759 (3)	
beste Teiler	93.7 (35.) 96.4 (10.) 165.9 (31.)	
Trefferlage	2.59 mm links, 1.23 mm hoch	
Streuwert	7.18, horizontal: 6.37, vertikal: 7.91	



Serie 1:

10.2 ↗	8.8 ←	8.8 ↖	10.4 *	10.2 ↖
8.1 ↑	9.2 ↙	9.4 ←	10.2 ←	10.8 *


beste Teiler 96.4 (10.) 463.2 (4.) 574.3 (5.)
 Trefferlage 5.17 mm links, 3.84 mm hoch
 Streuwert 8.03, horizontal: 6.13, vertikal: 9.56



Serie 2:

9.4 ↘	10.5 *	9.7 ←	10.1 ↙	9.5 ↑
10.7 *	10.6 *	9.7 ↗	9.8 ↘	9.5 ↘


beste Teiler 177.0 (16.) 257.4 (17.) 331.9 (12.)
 Trefferlage 0.04 mm links, 0.62 mm tief
 Streuwert 6.50, horizontal: 5.12, vertikal: 7.63



Serie 3:

10.1 ↘	9.4 ↘	9.5 ←	9.8 ↘	10.0 ←
9.6 →	9.1 ←	10.4 *	9.8 ↓	9.7 ←

beste Teiler 423.1 (28.) 703.4 (21.) 737.5 (25.)
 Trefferlage 4.13 mm links, 0.26 mm tief
 Streuwert 6.78, horizontal: 7.89, vertikal: 5.45



Serie 4:



10.7 *	10.4 *	10.1 ↘	9.1 ↖	10.8 *
10.4 *	10.0 ↘	9.6 ↘	8.7 ↙	9.2 ↗

beste Teiler 93.7 (35.) 165.9 (31.) 420.6 (32.)
 Trefferlage 1.02 mm links, 1.95 mm hoch
 Streuwert 7.31, horizontal: 5.44, vertikal: 8.78

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	360	(379.8)
Serien:	91 93 90 86	
Zähler:	11 19 9 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2636 (24), 2288 (27), 2286 (13)	
beste Teiler	198.1 (14.) 202.2 (23.) 239.0 (25.)	
Trefferlage	2.56 mm links, 3.19 mm tief	
Streuwert	8.99, horizontal: 8.92, vertikal: 9.05	




Serie 1:

9.9 ↖	9.6 ↓	9.8 ←	10.4 ↓	9.5 ←
9.3 ↑	10.1 →	8.5 ↓	9.7 ↓	9.3 →
beste Teiler	479.9 (4.) 642.0 (7.) 805.9 (1.)			
Trefferlage	1.83 mm links, 2.65 mm tief			
Streuwert	8.20, horizontal: 7.21, vertikal: 9.09			




Serie 2:

9.7 ↓	10.4 *	8.1 ↓	10.7 *	8.6 ↑
10.1 ↓	9.4 ←	10.2 ↗	9.6 ↖	10.3 →
beste Teiler	198.1 (14.) 440.2 (12.) 554.8 (20.)			
Trefferlage	0.70 mm links, 0.82 mm tief			
Streuwert	8.75, horizontal: 6.49, vertikal: 10.53			



Serie 3:

10.1 ←	9.7 ↑	10.7 *	7.7 ←	10.7 *
9.7 ↓	8.1 ←	9.8 ←	9.1 ↓	9.7 ←
beste Teiler	202.2 (23.) 239.0 (25.) 649.8 (21.)			
Trefferlage	7.46 mm links, 3.06 mm tief			
Streuwert	8.36, horizontal: 9.51, vertikal: 7.02			





Serie 4:

8.8 ↘	9.7 ↗	9.9 ↓	10.1 ←	9.3 ↓
8.6 ↗	8.6 ↓	8.5 →	9.2 ↖	8.6 ↓
beste Teiler	653.4 (34.) 812.9 (33.) 981.0 (32.)			
Trefferlage	0.24 mm links, 6.22 mm tief			
Streuwert	10.45, horizontal: 11.10, vertikal: 9.75			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (378.6)
 Serien: 92 88 95 89
 Zähler: 15 16 8 0 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3661 (40), 2354 (5), 2318 (15)
 beste Teiler 278.1 (10.) 294.8 (27.) 352.1 (11.)
 Trefferlage 2.71 mm rechts, 4.65 mm tief
 Streuwert 9.06, horizontal: 9.76, vertikal: 8.31




Serie 1:
 8.3 ↘ 9.5 ← 10.2 → 9.1 ↘ 8.0 ↓
 10.1 ↗ 10.1 ↗ 8.8 ← 10.1 → 10.6 *
 beste Teiler 278.1 (10.) 632.3 (3.) 669.3 (6.)
 Trefferlage 3.34 mm rechts, 3.17 mm tief
 Streuwert 9.52, horizontal: 10.57, vertikal: 8.33



Serie 2:
 10.5 * 9.9 ↓ 10.4 * 9.5 ↖ 8.1 ↓
 8.6 ↙ 9.9 ← 9.6 ↘ 8.6 ↗ 8.5 ↓
 beste Teiler 352.1 (11.) 459.6 (13.) 831.4 (12.)
 Trefferlage 2.44 mm rechts, 5.77 mm tief
 Streuwert 9.57, horizontal: 9.92, vertikal: 9.20





Serie 3:
 9.1 ↘ 10.0 ↙ 9.3 ↓ 10.2 ↙ 10.5 *
 9.6 ↖ 10.6 * 10.1 ↙ 9.0 ↘ 9.1 ↓
 beste Teiler 294.8 (27.) 394.2 (25.) 565.6 (24.)
 Trefferlage 0.29 mm rechts, 4.61 mm tief
 Streuwert 7.06, horizontal: 6.84, vertikal: 7.28




Serie 4:
 9.0 ↙ 10.3 ↓ 10.2 ↗ 9.1 ↓ 8.9 ↓
 9.7 ↓ 10.2 ↙ 9.1 → 9.8 ↓ 6.4 →
 beste Teiler 508.8 (32.) 639.2 (37.) 640.1 (33.)
 Trefferlage 4.77 mm rechts, 5.08 mm tief
 Streuwert 10.77, horizontal: 12.00, vertikal: 9.39

Unterschrift des Schützen


Ergebnis: **331** (349.5)
 Serien: 82 76 84 89
 Zähler: 4 17 10 4 5 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3632 (24), 3623 (15), 3272 (6)
 beste Teiler 240.2 (39.) 599.8 (34.) 766.4 (10.)
 Trefferlage 0.89 mm links, 1.70 mm tief
 Streuwert 14.00, horizontal: 12.15, vertikal: 15.64




Serie 1:
 9.2 ↘ 8.8 ↙ 9.4 ↘ 8.8 ↓ 8.8 ↖
 6.9 → 7.5 ↑ 8.7 ↓ 9.2 ↘ 10.0 ↓
 beste Teiler 766.4 (10.) 1278.2 (3.) 1412.6 (9.)
 Trefferlage 1.64 mm rechts, 5.45 mm tief
 Streuwert 13.70, horizontal: 14.36, vertikal: 13.00



Serie 2:
 9.5 ← 8.2 ↙ 9.5 ↘ 8.7 ↗ 6.4 ↓
 8.9 ↑ 8.9 ↓ 8.5 ↓ 6.9 ↗ 6.9 ↖
 beste Teiler 1170.8 (13.) 1189.6 (11.) 1655.2 (16.)
 Trefferlage 1.18 mm links, 2.38 mm tief
 Streuwert 17.20, horizontal: 13.50, vertikal: 20.23



Serie 3:
 9.2 ↑ 9.8 ↙ 9.8 ↖ 6.4 ↖ 7.4 ↘
 9.0 ↑ 9.2 ↑ 8.8 → 9.1 ↗ 9.8 ↗
 beste Teiler 884.6 (30.) 886.0 (23.) 938.5 (22.)
 Trefferlage 1.49 mm rechts, 7.41 mm hoch
 Streuwert 12.83, horizontal: 12.92, vertikal: 12.74





Serie 4:
 7.1 ↓ 9.0 ↖ 9.2 ↘ 10.2 ↙ 9.0 ↖
 10.0 ↖ 7.6 ↓ 9.5 ↙ 10.7 * 9.0 ↓
 beste Teiler 240.2 (39.) 599.8 (34.) 782.7 (36.)
 Trefferlage 5.54 mm links, 6.40 mm tief
 Streuwert 10.79, horizontal: 6.81, vertikal: 13.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (364.2)
 Serien: 87 87 88 85
 Zähler: 8 15 13 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3064 (16), 3039 (9), 2961 (37)
 beste Teiler 226.1 (11.) 349.1 (28.) 481.0 (3.)
 Trefferlage 4.82 mm links, 5.61 mm tief
 Streuwert 10.62, horizontal: 11.56, vertikal: 9.59




Serie 1:
 10.3 → 8.4 ↙ 10.3 ↑ 8.1 ↓ 8.8 ↓
 9.2 ↓ 10.1 ↓ 9.8 ← 7.2 ← 8.4 →
 beste Teiler 481.0 (3.) 494.1 (1.) 686.5 (7.)
 Trefferlage 2.19 mm links, 8.33 mm tief
 Streuwert 11.08, horizontal: 13.50, vertikal: 7.96



Serie 2:
 10.7 * 9.7 ← 8.6 ↑ 9.2 ← 9.8 ←
 7.1 ← 8.7 ← 8.7 ↙ 10.3 ↗ 9.3 ↗
 beste Teiler 226.1 (11.) 543.4 (19.) 895.2 (15.)
 Trefferlage 7.97 mm links, 0.27 mm tief
 Streuwert 10.30, horizontal: 10.67, vertikal: 9.91



Serie 3:
 9.7 → 9.2 ← 9.7 ↙ 8.0 ↘ 9.8 ↓
 8.7 → 9.0 ← 10.5 * 9.1 ↓ 8.9 ←
 beste Teiler 349.1 (28.) 943.8 (25.) 983.0 (21.)
 Trefferlage 1.06 mm links, 5.60 mm tief
 Streuwert 9.96, horizontal: 12.04, vertikal: 7.33



Serie 4:
 10.1 ↖ 10.3 ← 8.3 ↙ 9.8 ↑ 8.2 ↙
 7.4 ↓ 7.2 ← 9.2 ← 9.8 → 8.6 ↙
 beste Teiler 509.1 (32.) 702.1 (31.) 910.5 (39.)
 Trefferlage 8.07 mm links, 8.26 mm tief
 Streuwert 10.68, horizontal: 9.61, vertikal: 11.66

Unterschrift des Schützen

Meyton Elektronik