





Ergebnis: **373** (387.9)
 Serien: 92 94 92 95
 Zähler: 14 25 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2131 (29), 1578 (32), 1569 (5)
 beste Teiler 227.7 (23.) 248.5 (36.) 249.3 (26.)
 Trefferlage 1.30 mm links, 1.68 mm tief
 Streuwert 7.68, horizontal: 8.33, vertikal: 6.96




Serie 1:
 9.4 → 9.1 ← 9.9 ↑ 10.2 → 9.0 ↙
 9.8 ↗ 10.2 ↖ 9.6 ↘ 9.0 ← 9.2 ↓
 beste Teiler 580.2 (7.) 593.4 (4.) 875.1 (3.)
 Trefferlage 1.97 mm links, 2.32 mm tief
 Streuwert 8.47, horizontal: 9.55, vertikal: 7.23



Serie 2:
 9.0 ↙ 10.4 * 9.9 ← 9.3 → 9.4 ↖
 9.7 ← 10.0 ← 10.1 ← 10.5 * 9.9 ↘
 beste Teiler 382.5 (19.) 466.9 (12.) 697.4 (18.)
 Trefferlage 3.75 mm links, 0.81 mm tief
 Streuwert 6.62, horizontal: 8.25, vertikal: 4.44



Serie 3:
 9.3 ↘ 9.4 ↓ 10.7 * 9.4 → 9.7 ↖
 10.6 * 10.0 ↑ 9.2 ↑ 8.3 ↖ 9.8 ↘
 beste Teiler 227.7 (23.) 249.3 (26.) 799.1 (27.)
 Trefferlage 0.57 mm rechts, 2.25 mm tief
 Streuwert 8.62, horizontal: 8.23, vertikal: 8.99





Serie 4:
 9.3 ↓ 9.0 ↘ 9.4 ← 10.2 ↖ 9.5 ↖
 10.6 * 10.2 ↑ 10.3 ↑ 9.1 → 10.3 ↑
 beste Teiler 248.5 (36.) 505.7 (40.) 559.2 (38.)
 Trefferlage 0.08 mm links, 1.35 mm tief
 Streuwert 7.64, horizontal: 7.81, vertikal: 7.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.7)
 Serien: 92 87 86 93
 Zähler: 13 18 5 3 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4108 (28), 2967 (26), 2818 (16)
 beste Teiler 253.9 (22.) 262.2 (6.) 273.6 (33.)
 Trefferlage 2.72 mm links, 3.51 mm tief
 Streuwert 10.08, horizontal: 8.98, vertikal: 11.07




Serie 1:
 10.6 * 9.5 ↓ 7.9 ↓ 10.0 ↗ 9.9 ↗
 10.6 * 9.7 ↑ 10.1 → 9.2 ↖ 9.0 ↘
 beste Teiler 262.2 (6.) 306.8 (1.) 700.8 (8.)
 Trefferlage 0.24 mm links, 0.68 mm hoch
 Streuwert 8.96, horizontal: 6.71, vertikal: 10.74



Serie 2:
 9.5 ← 9.7 → 8.0 ↖ 9.4 ← 9.9 ↑
 7.4 ↙ 8.9 ↘ 10.0 ← 9.6 ↗ 9.5 ↘
 beste Teiler 785.9 (18.) 860.6 (15.) 1029.5 (12.)
 Trefferlage 7.19 mm links, 2.57 mm tief
 Streuwert 10.02, horizontal: 10.46, vertikal: 9.56





Serie 3:
 10.6 * 10.6 * 8.0 ↓ 10.2 ↘ 9.8 ←
 7.2 ↓ 9.6 ↑ 5.8 ↙ 9.5 ↓ 9.2 ↓
 beste Teiler 253.9 (22.) 316.8 (21.) 585.7 (24.)
 Trefferlage 5.23 mm links, 9.49 mm tief
 Streuwert 11.87, horizontal: 9.71, vertikal: 13.70




Serie 4:
 10.4 * 10.3 ← 10.6 * 9.7 ↓ 10.3 ←
 10.0 ↑ 8.9 → 8.4 ↓ 9.9 ↗ 9.3 ↓
 beste Teiler 273.6 (33.) 439.4 (31.) 494.7 (32.)
 Trefferlage 1.76 mm rechts, 2.67 mm tief
 Streuwert 7.69, horizontal: 6.51, vertikal: 8.71

Unterschrift des Schützen


Ergebnis: **353** (369.0)
 Serien: 84 89 93 87
 Zähler: 10 17 9 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2894 (3), 2766 (14), 2585 (2)
 beste Teiler 225.8 (37.) 292.5 (24.) 452.5 (21.)
 Trefferlage 0.08 mm links, 2.05 mm tief
 Streuwert 10.98, horizontal: 11.64, vertikal: 10.27




Serie 1:
 9.4 ↖ 7.7 ↘ 7.3 ↙ 9.2 ↗ 9.4 ↓
 9.0 ↓ 8.4 ↘ 8.8 ↗ 10.0 ↗ 8.0 ↖
 beste Teiler 793.0 (9.) 1239.3 (5.) 1258.2 (1.)
 Trefferlage 3.46 mm links, 2.73 mm tief
 Streuwert 13.69, horizontal: 13.42, vertikal: 13.96



Serie 2:
 8.0 ↗ 10.1 ↖ 9.4 → 7.5 ↖ 9.5 →
 9.5 ↗ 9.6 ↓ 8.8 ↘ 10.3 ↖ 10.0 ↓
 beste Teiler 495.7 (19.) 700.5 (12.) 758.8 (20.)
 Trefferlage 1.91 mm rechts, 2.15 mm tief
 Streuwert 11.10, horizontal: 11.61, vertikal: 10.55



Serie 3:
 10.4 * 10.2 ↓ 9.1 ← 10.6 * 10.1 ↖
 8.2 ↓ 9.8 ↑ 9.6 ↓ 9.8 ↘ 9.8 ↖
 beste Teiler 292.5 (24.) 452.5 (21.) 599.9 (22.)
 Trefferlage 3.45 mm links, 2.58 mm tief
 Streuwert 7.38, horizontal: 5.95, vertikal: 8.58





Serie 4:
 9.1 ← 7.8 ↘ 9.4 → 8.6 → 8.7 →
 9.1 ← 10.7 * 9.7 ← 10.1 → 8.3 ↗
 beste Teiler 225.8 (37.) 664.4 (39.) 975.1 (38.)
 Trefferlage 4.65 mm rechts, 0.74 mm tief
 Streuwert 11.33, horizontal: 13.49, vertikal: 8.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (364.5)
 Serien: 94 87 89 82
 Zähler: 10 16 11 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3449 (37), 3137 (22), 2523 (19)
 beste Teiler 57.1 (10.) 180.6 (9.) 540.0 (26.)
 Trefferlage 5.64 mm links, 4.82 mm tief
 Streuwert 10.61, horizontal: 10.78, vertikal: 10.43




Serie 1:
 9.2 ← 9.1 ↑ 9.2 ← 10.0 ← 9.2 ←
 9.8 ↓ 9.9 ↗ 10.1 ↖ 10.7 * 10.9 *
 beste Teiler 57.1 (10.) 180.6 (9.) 693.4 (8.)
 Trefferlage 5.28 mm links, 0.95 mm hoch
 Streuwert 6.55, horizontal: 6.67, vertikal: 6.43



Serie 2:
 9.1 ← 8.0 ← 8.4 ↙ 10.2 ↘ 9.3 ←
 8.3 ↓ 9.2 ← 9.8 ↓ 7.8 ↓ 10.0 ↗
 beste Teiler 586.4 (14.) 748.0 (20.) 897.5 (18.)
 Trefferlage 7.74 mm links, 4.86 mm tief
 Streuwert 10.43, horizontal: 9.56, vertikal: 11.24





Serie 3:
 8.2 → 7.0 ← 9.7 ↓ 9.1 ↓ 10.0 ↓
 10.3 ↖ 10.0 ↙ 9.1 ↙ 8.8 ← 9.1 ↑
 beste Teiler 540.0 (26.) 749.0 (25.) 798.0 (27.)
 Trefferlage 3.50 mm links, 2.62 mm tief
 Streuwert 11.76, horizontal: 14.31, vertikal: 8.46




Serie 4:
 8.1 ← 8.1 ↓ 9.7 ↙ 8.0 ← 9.2 ←
 8.2 ↓ 6.6 ↓ 8.2 ↘ 10.2 ← 8.7 ↓
 beste Teiler 607.4 (39.) 967.8 (33.) 1437.5 (35.)
 Trefferlage 6.05 mm links, 12.76 mm tief
 Streuwert 11.66, horizontal: 12.35, vertikal: 10.93

Unterschrift des Schützen


Ergebnis: **319** (339.2)
 Serien: 79 75 83 82
 Zähler: 4 12 11 9 3 0 0 0 1 0
 Innenzehner: 2
 weiteste: 6565 (7), 3843 (20), 3720 (38)
 beste Teiler 283.1 (3.) 348.0 (39.) 537.4 (2.)
 Trefferlage 2.65 mm links, 4.21 mm tief
 Streuwert 15.97, horizontal: 15.24, vertikal: 16.67




Serie 1:
 7.6 ↙ 10.3 ↘ 10.6 * 9.3 ↓ 8.1 ↘
 9.4 ↘ 2.7 ↑ 6.6 ↓ 9.1 ↓ 9.7 ↖
 beste Teiler 283.1 (3.) 537.4 (2.) 1023.6 (10.)
 Trefferlage 3.32 mm rechts, 2.99 mm tief
 Streuwert 20.07, horizontal: 13.41, vertikal: 25.02



Serie 2:
 8.1 ↙ 8.8 ↙ 7.8 ↘ 8.7 ↖ 7.7 ↖
 9.6 ↖ 8.8 → 7.5 ↖ 7.5 ↓ 6.1 ↘
 beste Teiler 1054.5 (16.) 1720.0 (12.) 1738.8 (17.)
 Trefferlage 12.00 mm links, 3.79 mm tief
 Streuwert 15.39, horizontal: 15.50, vertikal: 15.27





Serie 3:
 9.7 ↙ 7.3 ↙ 9.0 ↓ 9.2 ↑ 8.9 ↑
 8.1 ↙ 9.6 ↑ 9.6 ↓ 7.6 ↖ 8.9 ↖
 beste Teiler 1001.3 (21.) 1052.3 (28.) 1093.9 (27.)
 Trefferlage 8.93 mm links, 2.47 mm tief
 Streuwert 11.90, horizontal: 12.35, vertikal: 11.44




Serie 4:
 9.9 ↖ 10.2 → 8.4 ↓ 9.5 → 8.5 ↓
 8.7 ↘ 7.6 → 6.3 ↓ 10.5 * 7.7 →
 beste Teiler 348.0 (39.) 609.7 (32.) 874.0 (31.)
 Trefferlage 6.98 mm rechts, 7.60 mm tief
 Streuwert 13.17, horizontal: 12.25, vertikal: 14.02

Unterschrift des Schützen


Ergebnis: **348** (367.3)
 Serien: 86 85 88 89
 Zähler: 11 13 10 5 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3243 (18), 3045 (19), 2880 (33)
 beste Teiler 196.7 (36.) 212.9 (30.) 249.6 (3.)
 Trefferlage 0.64 mm links, 1.55 mm hoch
 Streuwert 11.72, horizontal: 12.80, vertikal: 10.51




Serie 1:
 8.3 ← 9.8 → 10.6 * 8.3 → 9.9 ↘
 9.0 ↓ 8.3 ↙ 9.9 ↗ 7.7 ↗ 9.2 ↗
 beste Teiler 249.6 (3.) 847.9 (5.) 848.8 (8.)
 Trefferlage 3.51 mm rechts, 1.05 mm tief
 Streuwert 12.01, horizontal: 13.16, vertikal: 10.74



Serie 2:
 8.3 → 10.0 ← 10.1 ↑ 10.1 ↗ 9.8 ↑
 10.0 ↗ 8.4 ↗ 6.9 ← 7.1 ↑ 7.8 ↓
 beste Teiler 668.3 (13.) 684.6 (14.) 755.1 (12.)
 Trefferlage 1.07 mm rechts, 5.66 mm hoch
 Streuwert 13.82, horizontal: 14.12, vertikal: 13.51



Serie 3:
 7.7 ↑ 10.5 * 8.8 ↙ 9.1 ↘ 10.0 ↙
 8.4 ← 8.3 → 9.5 ← 9.5 ↑ 10.7 *
 beste Teiler 212.9 (30.) 366.3 (22.) 756.4 (25.)
 Trefferlage 0.57 mm links, 2.65 mm hoch
 Streuwert 11.44, horizontal: 11.72, vertikal: 11.16





Serie 4:
 9.7 ↗ 9.7 ↘ 7.4 ← 8.9 ← 10.5 *
 10.7 * 9.5 ↙ 8.8 ← 10.5 * 9.6 ←
 beste Teiler 196.7 (36.) 366.5 (35.) 383.9 (39.)
 Trefferlage 6.59 mm links, 1.03 mm tief
 Streuwert 8.95, horizontal: 11.78, vertikal: 4.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.8)
 Serien: 91 93 91 92
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2435 (6), 2205 (40), 2131 (5)
 beste Teiler 148.8 (25.) 164.0 (22.) 173.6 (8.)
 Trefferlage 0.23 mm rechts, 2.97 mm hoch
 Streuwert 8.29, horizontal: 9.23, vertikal: 7.23




Serie 1:
 9.7 ↘ 9.1 ↗ 10.4 * 9.8 ↖ 8.3 ↗
 7.9 ↘ 10.1 ↗ 10.7 * 10.5 * 9.7 ↓
 beste Teiler 173.6 (8.) 368.7 (9.) 473.8 (3.)
 Trefferlage 1.23 mm rechts, 3.31 mm hoch
 Streuwert 9.16, horizontal: 9.59, vertikal: 8.71



Serie 2:
 9.5 ← 9.8 ↑ 10.1 ↑ 9.3 ↑ 9.5 ←
 9.9 → 9.1 ↑ 9.9 ↘ 10.6 * 10.3 ↓
 beste Teiler 290.7 (19.) 502.9 (20.) 647.9 (13.)
 Trefferlage 1.15 mm links, 3.23 mm hoch
 Streuwert 6.84, horizontal: 6.85, vertikal: 6.84



Serie 3:
 8.7 ↖ 10.7 * 9.8 ↑ 8.7 ← 10.8 *
 10.4 * 10.5 * 8.6 ↖ 8.4 ↖ 10.2 ↑
 beste Teiler 148.8 (25.) 164.0 (22.) 353.5 (27.)
 Trefferlage 5.26 mm links, 4.57 mm hoch
 Streuwert 7.82, horizontal: 8.91, vertikal: 6.55





Serie 4:
 10.4 * 10.3 ↖ 9.2 ↑ 10.0 ↗ 10.4 *
 8.7 → 9.0 ↗ 9.8 ↘ 9.8 ↓ 8.2 →
 beste Teiler 408.9 (35.) 468.7 (31.) 549.9 (32.)
 Trefferlage 6.10 mm rechts, 0.77 mm hoch
 Streuwert 8.00, horizontal: 8.69, vertikal: 7.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.2)
 Serien: 94 91 87 93
 Zähler: 16 14 9 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2463 (26), 2140 (23), 2063 (2)
 beste Teiler 287.1 (31.) 294.8 (34.) 392.6 (5.)
 Trefferlage 0.85 mm rechts, 4.75 mm tief
 Streuwert 8.14, horizontal: 8.24, vertikal: 8.05




Serie 1:
 10.1 ↘ 8.4 → 9.3 ↙ 10.0 ↙ 10.5 *
 9.7 ↘ 9.2 ↓ 10.4 * 10.3 ↖ 9.6 ↙
 beste Teiler 392.6 (5.) 445.1 (8.) 491.4 (9.)
 Trefferlage 0.03 mm rechts, 5.53 mm tief
 Streuwert 6.92, horizontal: 8.90, vertikal: 4.08



Serie 2:
 9.3 ↘ 10.4 * 10.1 ↖ 10.3 ↖ 8.9 →
 9.8 ↑ 8.9 ← 9.4 ↙ 10.3 ↓ 8.9 ↓
 beste Teiler 463.3 (12.) 485.4 (19.) 529.0 (14.)
 Trefferlage 0.20 mm rechts, 2.05 mm tief
 Streuwert 8.47, horizontal: 8.96, vertikal: 7.94



Serie 3:
 10.3 ↗ 9.5 ↙ 8.3 ↙ 9.3 ↗ 8.9 →
 7.9 ↙ 9.8 ↗ 9.5 ↘ 8.4 → 10.3 ↗
 beste Teiler 485.8 (30.) 536.7 (21.) 897.5 (27.)
 Trefferlage 4.32 mm rechts, 4.38 mm tief
 Streuwert 10.34, horizontal: 10.07, vertikal: 10.61





Serie 4:
 10.6 * 9.5 ↙ 9.1 ↓ 10.6 * 10.4 *
 8.6 ↓ 10.1 ↓ 8.5 ↓ 10.0 ↑ 9.8 ↙
 beste Teiler 287.1 (31.) 294.8 (34.) 445.5 (35.)
 Trefferlage 1.14 mm links, 7.03 mm tief
 Streuwert 6.63, horizontal: 3.75, vertikal: 8.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	358	(376.2)
Serien:	82 94 90 92	
Zähler:	8 24 6 2 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2454 (3), 2436 (2), 2210 (30)	
beste Teiler	205.1 (17.) 268.7 (28.) 286.2 (13.)	
Trefferlage	0.40 mm links, 0.78 mm tief	
Streuwert	9.74, horizontal: 8.92, vertikal: 10.50	




Serie 1:	8.2 ↖	7.9 ↙	7.9 ↗	9.4 ↘	8.2 ↓
	9.4 ↙	8.3 ↓	8.7 →	9.9 ↗	9.2 ↗
beste Teiler	866.0 (9.) 1237.3 (6.) 1241.5 (4.)				
Trefferlage	2.89 mm links, 0.11 mm hoch				
Streuwert	13.73, horizontal: 11.75, vertikal: 15.46				



Serie 2:	9.6 ↙	10.3 ↓	10.6 *	9.9 ↙	9.2 ↗
	9.5 ↑	10.7 *	10.1 ↙	9.5 ↑	9.1 →
beste Teiler	205.1 (17.) 286.2 (13.) 528.3 (12.)				
Trefferlage	0.51 mm links, 1.35 mm hoch				
Streuwert	7.24, horizontal: 7.44, vertikal: 7.04				





Serie 3:	9.3 ↓	9.5 ↙	9.6 ↑	9.6 ↓	9.2 ↓
	9.7 ↑	9.3 ↙	10.6 *	9.7 ↖	8.2 ↓
beste Teiler	268.7 (28.) 988.8 (29.) 1032.2 (26.)				
Trefferlage	2.44 mm links, 4.43 mm tief				
Streuwert	8.72, horizontal: 6.06, vertikal: 10.74				




Serie 4:	8.5 →	9.4 ↘	9.1 ↙	9.5 ↘	9.8 ↑
	9.2 →	10.3 ↖	10.1 ↙	9.6 ↗	10.4 *
beste Teiler	414.5 (40.) 522.7 (37.) 650.6 (38.)				
Trefferlage	4.24 mm rechts, 0.18 mm tief				
Streuwert	8.12, horizontal: 8.89, vertikal: 7.26				

Unterschrift des Schützen


Ergebnis: **357** (375.4)
 Serien: 90 89 92 86
 Zähler: 10 17 13 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2355 (23), 2353 (30), 2192 (11)
 beste Teiler 248.0 (2.) 296.3 (22.) 332.6 (14.)
 Trefferlage 5.18 mm links, 0.28 mm tief
 Streuwert 9.19, horizontal: 10.01, vertikal: 8.29




Serie 1:
 10.0 ↙ 10.6 * 9.3 ↙ 9.7 ↘ 9.6 ↙
 9.0 ↖ 8.3 ↘ 8.7 ↖ 9.6 ← 9.3 ←
 beste Teiler 248.0 (2.) 799.4 (1.) 1015.9 (4.)
 Trefferlage 9.57 mm links, 3.55 mm tief
 Streuwert 6.42, horizontal: 5.07, vertikal: 7.53



Serie 2:
 8.2 ↖ 8.5 ← 9.9 ↘ 10.5 * 8.7 ↙
 8.8 ↗ 9.2 ← 10.2 ↘ 9.7 ↗ 10.5 *
 beste Teiler 332.6 (14.) 338.8 (20.) 572.4 (18.)
 Trefferlage 6.75 mm links, 2.70 mm hoch
 Streuwert 8.86, horizontal: 10.44, vertikal: 6.93



Serie 3:
 9.8 ↓ 10.6 * 8.0 ↘ 9.7 ↘ 9.7 ↖
 10.1 → 10.0 → 10.0 ↘ 9.7 ↗ 8.0 ←
 beste Teiler 296.3 (22.) 713.5 (26.) 748.4 (27.)
 Trefferlage 2.95 mm links, 2.36 mm tief
 Streuwert 9.15, horizontal: 9.73, vertikal: 8.54





Serie 4:
 9.7 ↗ 8.7 ↖ 8.8 ↙ 8.3 ↖ 8.9 ↓
 9.3 ← 8.4 → 9.9 → 10.0 ↗ 9.5 →
 beste Teiler 724.2 (39.) 826.5 (38.) 1009.4 (31.)
 Trefferlage 1.46 mm links, 2.09 mm hoch
 Streuwert 11.11, horizontal: 12.64, vertikal: 9.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (387.0)
 Serien: 90 91 95 96
 Zähler: 19 16 3 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2627 (16), 2591 (4), 2080 (10)
 beste Teiler 184.8 (15.) 245.6 (5.) 301.0 (30.)
 Trefferlage 0.29 mm rechts, 0.57 mm tief
 Streuwert 8.44, horizontal: 7.80, vertikal: 9.03




Serie 1:
 10.0 ↖ 10.0 ← 8.8 ↑ 7.7 ↙ 10.6 *
 10.0 ↘ 9.9 ↗ 9.8 → 9.1 ↓ 8.4 ↑
 beste Teiler 245.6 (5.) 743.3 (2.) 749.8 (1.)
 Trefferlage 2.73 mm links, 0.10 mm hoch
 Streuwert 10.20, horizontal: 7.38, vertikal: 12.39



Serie 2:
 9.1 ↙ 10.0 → 9.0 → 10.2 ↗ 10.7 *
 7.7 ↗ 10.3 ↓ 9.8 ↗ 8.7 ↙ 9.0 ↙
 beste Teiler 184.8 (15.) 488.2 (17.) 606.7 (14.)
 Trefferlage 1.58 mm rechts, 0.62 mm tief
 Streuwert 10.28, horizontal: 10.59, vertikal: 9.95



Serie 3:
 9.6 → 9.5 ↓ 9.3 ↑ 10.4 * 10.3 ↙
 10.4 * 9.0 → 10.3 ↖ 9.6 ↘ 10.6 *
 beste Teiler 301.0 (30.) 425.3 (24.) 431.7 (26.)
 Trefferlage 1.88 mm rechts, 0.82 mm tief
 Streuwert 6.86, horizontal: 7.10, vertikal: 6.62





Serie 4:
 9.8 ↗ 9.4 ↙ 10.4 * 10.1 ↗ 10.2 ↗
 10.5 * 10.4 * 10.0 ← 9.2 ↙ 9.2 ↘
 beste Teiler 342.6 (36.) 409.2 (37.) 429.7 (33.)
 Trefferlage 0.45 mm rechts, 0.93 mm tief
 Streuwert 6.62, horizontal: 5.62, vertikal: 7.49

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	356	(376.3)
Serien:	93	89 86 88
Zähler:	9	20 9 2 0 0 0 0 0 0
Innenzehner:	5	
weiteste:	2734 (29), 2508 (27), 2392 (34)	
beste Teiler	283.3 (30.) 371.6 (22.) 375.3 (39.)	
Trefferlage	2.94 mm links, 0.84 mm hoch	
Streuwert	9.53, horizontal: 10.59, vertikal: 8.34	




Serie 1:

9.4 ↙	9.7 ↗	10.3 ↗	10.4 *	8.8 ←
9.2 ↑	9.5 ↑	10.3 ↙	9.7 ←	10.1 ↗
beste Teiler	410.0 (4.) 521.8 (8.) 538.5 (3.)			
Trefferlage	2.36 mm links, 1.98 mm hoch			
Streuwert	7.39, horizontal: 7.42, vertikal: 7.37			




Serie 2:

10.4 *	9.0 ↗	9.2 ↗	9.5 ↗	9.4 ↓
9.9 ↖	8.7 →	9.5 ↑	9.9 ↓	8.6 ←
beste Teiler	449.0 (11.) 831.8 (16.) 841.9 (19.)			
Trefferlage	0.79 mm rechts, 2.27 mm hoch			
Streuwert	9.51, horizontal: 10.30, vertikal: 8.66			



Serie 3:

8.9 ↑	10.5 *	9.4 →	9.3 ↖	9.9 ↘
9.7 ↓	7.8 ←	8.8 →	7.5 ←	10.6 *
beste Teiler	283.3 (30.) 371.6 (22.) 867.0 (25.)			
Trefferlage	2.01 mm links, 0.61 mm tief			
Streuwert	11.57, horizontal: 14.09, vertikal: 8.31			





Serie 4:


8.5 ←	9.9 ↖	8.3 ↖	8.0 ←	10.0 ↓
8.9 ←	9.5 ↓	9.2 ↑	10.5 *	9.6 ←
beste Teiler	375.3 (39.) 732.6 (35.) 803.6 (32.)			
Trefferlage	8.19 mm links, 0.26 mm tief			
Streuwert	9.34, horizontal: 8.88, vertikal: 9.77			

Unterschrift des Schützen


Ergebnis:	356	(376.0)			
Serien:	91	87	85	93	
Zähler:	12	13	14	1	0 0 0 0 0 0
Innenzehner:	7				
weiteste:	2537 (1), 2385 (24), 2126 (37)				
beste Teiler	256.0 (35.) 282.2 (34.) 305.1 (8.)				
Trefferlage	2.63 mm rechts, 4.55 mm tief				
Streuwert	9.21, horizontal: 9.01, vertikal: 9.41				




Serie 1:	7.8 ←	8.6 ↘	10.3 ←	10.2 →	8.5 ↘
	9.3 →	10.5 *	10.6 *	9.8 ↖	10.5 *
beste Teiler	305.1 (8.) 338.9 (7.) 398.8 (10.)				
Trefferlage	1.58 mm rechts, 1.45 mm tief				
Streuwert	9.67, horizontal: 12.36, vertikal: 5.84				



Serie 2:	8.7 ↓	8.8 →	9.5 ↘	8.5 ↓	10.1 ↖
	10.5 *	8.6 ↓	9.3 ↓	8.8 ↓	9.7 ↗
beste Teiler	398.6 (16.) 691.4 (15.) 1034.4 (20.)				
Trefferlage	2.67 mm rechts, 7.73 mm tief				
Streuwert	8.92, horizontal: 6.42, vertikal: 10.86				



Serie 3:	9.5 ↓	9.3 ↘	10.3 ←	8.0 ↓	8.9 →
	8.9 ↗	9.7 ↘	8.6 ↑	8.7 ↘	8.8 ↓
beste Teiler	500.0 (23.) 977.7 (27.) 1146.4 (21.)				
Trefferlage	3.36 mm rechts, 7.70 mm tief				
Streuwert	10.00, horizontal: 9.00, vertikal: 10.91				



Serie 4:	9.7 →	9.5 ↗	10.4 *	10.6 *	10.6 *
	9.0 ↖	8.3 ↘	9.1 ↘	10.3 ↓	9.2 ↓
beste Teiler	256.0 (35.) 282.2 (34.) 422.9 (33.)				
Trefferlage	2.93 mm rechts, 1.32 mm tief				
Streuwert	8.46, horizontal: 8.66, vertikal: 8.26				

Unterschrift des Schützen

Ergebnis: **378** (395.9)

Serien: 94 95 94 95

Zähler: 21 16 3 0 0 0 0 0 0 0



Innenzehner: 11

weiteste: 2333 (8), 2118 (14), 1605 (11)

beste Teiler 63.1 (16.) 78.4 (32.) 211.0 (17.)

Trefferlage 1.90 mm rechts, 2.43 mm hoch

Streuwert 6.70, horizontal: 6.75, vertikal: 6.65




Serie 1:

10.5 *	9.4 ↗	10.1 ↗	10.2 ↘	9.8 ↓
9.3 ↘	10.0 ↗	8.0 ↗	10.5 *	9.8 ↓

beste Teiler 335.2 (1.) 353.4 (9.) 601.8 (4.)

Trefferlage 2.91 mm rechts, 2.68 mm hoch

Streuwert 7.60, horizontal: 7.65, vertikal: 7.54




Serie 2:

8.9 ↘	10.2 ↗	9.7 ↑	8.3 ↗	10.3 ↑
10.9 *	10.7 *	10.5 *	10.4 *	10.1 ↑

beste Teiler 63.1 (16.) 211.0 (17.) 372.6 (18.)

Trefferlage 1.80 mm rechts, 3.73 mm hoch

Streuwert 6.57, horizontal: 7.98, vertikal: 4.76




Serie 3:

9.4 ↑	10.3 ↘	10.4 *	9.5 ↗	9.6 ↗
10.5 *	10.4 *	9.4 ↗	9.2 ↑	9.5 ↓

beste Teiler 335.4 (26.) 424.4 (23.) 439.2 (27.)

Trefferlage 3.44 mm rechts, 3.60 mm hoch

Streuwert 6.47, horizontal: 4.66, vertikal: 7.87



Serie 4:

10.7 *	10.9 *	10.1 ↓	10.2 ↑	10.2 ↗
9.8 ↗	9.7 ↓	9.6 ↗	9.2 ↘	9.7 ↗



beste Teiler 78.4 (32.) 230.7 (31.) 585.8 (35.)

Trefferlage 0.54 mm links, 0.29 mm tief


Streuwert 6.40, horizontal: 6.57, vertikal: 6.23

Unterschrift des Schützen


Ergebnis: **333** (349.9)
 Serien: 81 84 82 86
 Zähler: 5 16 10 6 2 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4768 (1), 3962 (9), 3211 (11)
 beste Teiler 278.4 (39.) 287.8 (18.) 407.7 (24.)
 Trefferlage 3.90 mm links, 9.68 mm tief
 Streuwert 12.24, horizontal: 12.05, vertikal: 12.44




Serie 1:
 5.0 ↓ 9.2 ↓ 9.0 ↗ 10.0 ↗ 8.5 ↘
 8.7 ↘ 9.6 ← 8.0 ← 6.0 ← 9.0 ↗
 beste Teiler 721.6 (4.) 1089.7 (7.) 1398.8 (2.)
 Trefferlage 6.03 mm links, 7.89 mm tief
 Streuwert 16.58, horizontal: 16.04, vertikal: 17.11



Serie 2:
 6.9 ↘ 9.0 ↓ 9.8 ↘ 8.4 ↓ 9.0 ←
 9.0 ← 7.1 ↓ 10.6 * 9.1 ← 8.4 ↓
 beste Teiler 287.8 (18.) 920.1 (13.) 1474.5 (19.)
 Trefferlage 8.32 mm links, 12.45 mm tief
 Streuwert 9.46, horizontal: 8.42, vertikal: 10.41



Serie 3:
 7.9 ↘ 9.9 → 9.6 ↘ 10.4 * 8.9 →
 7.5 ↓ 8.9 ↓ 9.6 ↘ 8.6 ↓ 7.4 ↓
 beste Teiler 407.7 (24.) 812.0 (22.) 1042.2 (28.)
 Trefferlage 1.87 mm links, 9.88 mm tief
 Streuwert 11.49, horizontal: 10.16, vertikal: 12.68





Serie 4:
 9.8 ↓ 10.2 ↓ 9.2 ← 7.9 → 7.4 ↘
 9.9 → 8.4 ↓ 8.0 ↓ 10.6 * 9.5 ↘
 beste Teiler 278.4 (39.) 632.6 (32.) 846.7 (36.)
 Trefferlage 0.59 mm rechts, 8.49 mm tief
 Streuwert 10.93, horizontal: 12.00, vertikal: 9.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.4)
 Serien: 87 91 86 92
 Zähler: 7 23 9 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3067 (4), 2316 (22), 2285 (24)
 beste Teiler 196.0 (32.) 346.1 (34.) 466.8 (18.)
 Trefferlage 4.36 mm links, 1.50 mm tief
 Streuwert 9.66, horizontal: 9.56, vertikal: 9.77




Serie 1:
 9.9 ↙ 9.4 ↑ 9.3 ← 7.1 ↘ 9.8 ↑
 8.9 ↓ 9.8 ↓ 9.5 ← 9.9 ↗ 9.2 ↓
 beste Teiler 827.7 (9.) 855.7 (1.) 916.6 (5.)
 Trefferlage 4.83 mm links, 3.48 mm tief
 Streuwert 10.14, horizontal: 8.07, vertikal: 11.85



Serie 2:
 9.2 ↙ 8.8 ↙ 8.7 ↙ 9.1 ↑ 9.5 ←
 9.0 ↗ 9.3 ← 10.4 * 10.2 ↘ 10.1 ←
 beste Teiler 466.8 (18.) 614.6 (19.) 670.8 (20.)
 Trefferlage 5.61 mm links, 0.02 mm hoch
 Streuwert 8.81, horizontal: 8.82, vertikal: 8.80



Serie 3:
 9.4 → 8.1 ↓ 9.8 → 8.1 → 9.2 ↙
 9.1 ← 9.5 ↙ 9.0 → 8.2 ↙ 8.4 ↙
 beste Teiler 941.8 (23.) 1168.2 (27.) 1257.2 (21.)
 Trefferlage 1.90 mm links, 6.84 mm tief
 Streuwert 11.76, horizontal: 14.65, vertikal: 7.88





Serie 4:
 9.6 ↑ 10.7 * 9.4 ↙ 10.5 * 10.0 ↓
 9.9 ↘ 9.8 ↘ 8.9 ↘ 10.2 ← 8.5 ↘
 beste Teiler 196.0 (32.) 346.1 (34.) 574.0 (39.)
 Trefferlage 5.09 mm links, 4.30 mm hoch
 Streuwert 6.57, horizontal: 5.40, vertikal: 7.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (363.1)
 Serien: 88 84 89 84
 Zähler: 10 10 15 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2706 (12), 2649 (22), 2615 (20)
 beste Teiler 155.9 (27.) 327.9 (16.) 345.6 (15.)
 Trefferlage 2.65 mm links, 3.15 mm tief
 Streuwert 11.78, horizontal: 11.79, vertikal: 11.77




Serie 1:
 9.1 ↖ 9.9 ↓ 9.6 ↗ 7.7 ↘ 10.0 ↘
 8.0 ↖ 10.0 ← 9.8 ↗ 9.7 ↑ 8.1 ↖
 beste Teiler 751.8 (7.) 757.3 (5.) 845.9 (2.)
 Trefferlage 6.54 mm links, 1.57 mm hoch
 Streuwert 10.56, horizontal: 9.92, vertikal: 11.16



Serie 2:
 8.2 → 7.6 ↖ 10.4 * 8.8 ↖ 10.5 *
 10.5 * 8.2 ↘ 8.7 ↘ 8.2 ← 7.7 ↘
 beste Teiler 327.9 (16.) 345.6 (15.) 437.9 (13.)
 Trefferlage 0.08 mm links, 6.36 mm tief
 Streuwert 13.20, horizontal: 15.46, vertikal: 10.45





Serie 3:
 8.8 → 7.6 ↑ 8.5 ↑ 8.5 ↓ 10.3 ↑
 9.2 ↘ 10.8 * 10.1 → 10.3 ← 9.8 ←
 beste Teiler 155.9 (27.) 508.5 (29.) 514.9 (25.)
 Trefferlage 1.91 mm rechts, 1.91 mm hoch
 Streuwert 10.83, horizontal: 8.13, vertikal: 12.97




Serie 4:
 8.5 ↓ 8.2 → 8.9 ↘ 9.7 ↖ 10.3 ↖
 8.1 ↓ 8.1 ↖ 9.2 ← 9.8 ← 7.7 ←
 beste Teiler 541.6 (35.) 955.7 (39.) 1025.5 (34.)
 Trefferlage 5.91 mm links, 9.74 mm tief
 Streuwert 10.59, horizontal: 11.80, vertikal: 9.22

Unterschrift des Schützen


Ergebnis: **358** (374.4)
 Serien: 88 91 91 88
 Zähler: 9 21 9 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2598 (7), 2397 (32), 2098 (31)
 beste Teiler 100.5 (8.) 236.2 (10.) 405.9 (35.)
 Trefferlage 0.61 mm rechts, 0.77 mm hoch
 Streuwert 10.00, horizontal: 9.36, vertikal: 10.60




Serie 1:
 9.0 ↓ 9.4 ↙ 8.7 ↗ 9.5 ↖ 8.4 ↙
 9.3 ↘ 7.7 ↖ 10.8 * 9.9 → 10.7 *
 beste Teiler 100.5 (8.) 236.2 (10.) 879.3 (9.)
 Trefferlage 3.29 mm links, 0.04 mm tief
 Streuwert 10.75, horizontal: 9.46, vertikal: 11.90



Serie 2:
 9.0 ↓ 8.6 ↓ 9.5 ↑ 9.4 ← 9.1 ↑
 9.2 ← 9.3 ↑ 10.2 ↓ 10.4 * 9.1 →
 beste Teiler 457.9 (19.) 610.0 (18.) 1175.5 (13.)
 Trefferlage 0.33 mm links, 0.49 mm hoch
 Streuwert 9.90, horizontal: 8.47, vertikal: 11.15



Serie 3:
 9.4 ↘ 9.3 ↓ 10.4 * 8.7 ↑ 9.4 ↗
 8.3 ↓ 10.3 ↙ 9.7 → 10.1 ↖ 9.5 ↗
 beste Teiler 468.7 (23.) 496.7 (27.) 705.1 (29.)
 Trefferlage 3.09 mm rechts, 0.08 mm hoch
 Streuwert 9.08, horizontal: 6.23, vertikal: 11.23



Serie 4:
 8.3 → 8.0 ↙ 9.6 ← 9.6 ↑ 10.4 *
 9.3 → 9.3 → 8.8 ↑ 8.6 ↗ 10.2 ←
 beste Teiler 405.9 (35.) 637.0 (40.) 1045.9 (34.)
 Trefferlage 3.01 mm rechts, 2.56 mm hoch
 Streuwert 10.91, horizontal: 12.17, vertikal: 9.48

Unterschrift des Schützen

Meyton Elektronik