




Ergebnis:	<b>369</b>	(386.8)
Serien:	92 95 92 90	
Zähler:	16 18 5 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2874 (26), 2126 (2), 1875 (40)	
beste Teiler	238.1 (10.) 319.2 (22.) 371.3 (13.)	
Trefferlage	1.62 mm links, 0.11 mm hoch	
Streuwert	8.23, horizontal: 8.11, vertikal: 8.35	




Serie 1:

9.1 ↙	8.3 ↓	9.9 ↘	9.5 ↖	10.0 ←
9.1 ↙	10.4 *	9.9 ←	9.8 ↖	10.7 *
beste Teiler	238.1 (10.)	461.4 (7.)	772.3 (5.)	
Trefferlage	7.35 mm links, 2.56 mm tief			
Streuwert	6.31, horizontal: 4.03, vertikal: 7.96			




Serie 2:

10.1 ↙	10.2 ↓	10.5 *	9.4 ↑	8.8 ↗
10.0 ↓	10.0 ←	9.8 ↙	10.2 ↑	9.9 →
beste Teiler	371.3 (13.)	563.2 (12.)	637.2 (19.)	
Trefferlage	0.32 mm rechts, 0.64 mm hoch			
Streuwert	6.85, horizontal: 7.36, vertikal: 6.29			



Serie 3:

10.1 ↖	10.6 *	9.6 ↗	9.5 ↑	10.3 →
7.4 ↖	9.8 ↙	9.5 →	9.7 ↓	10.3 ↘
beste Teiler	319.2 (22.)	541.0 (25.)	546.7 (30.)	
Trefferlage	0.47 mm links, 1.72 mm hoch			
Streuwert	9.09, horizontal: 8.66, vertikal: 9.50			





Serie 4:

8.7 ↑	8.9 ↘	10.1 ←	10.0 ←	9.6 ↖
10.4 *	9.9 ↓	9.1 ↗	9.1 →	8.6 ↙
beste Teiler	438.1 (36.)	711.9 (33.)	745.6 (34.)	
Trefferlage	1.00 mm rechts, 0.67 mm hoch			
Streuwert	9.68, horizontal: 9.47, vertikal: 9.87			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (372.5)  
 Serien: 85 90 88 89  
 Zähler: 10 16 10 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2855 (15), 2616 (35), 2603 (10)  
 beste Teiler 260.7 (38.) 324.2 (16.) 334.5 (1.)  
 Trefferlage 1.15 mm links, 0.29 mm tief  
 Streuwert 10.54, horizontal: 11.08, vertikal: 9.96




Serie 1:  
 10.5 \* 9.4 ↖ 8.9 ↑ 9.7 ↘ 9.6 ↙  
 10.0 ↘ 8.7 ↘ 7.9 ↓ 8.6 ↘ 7.7 ↗  
 beste Teiler 334.5 (1.) 754.9 (6.) 995.4 (4.)  
 Trefferlage 6.35 mm links, 4.78 mm hoch  
 Streuwert 10.65, horizontal: 9.17, vertikal: 11.95



Serie 2:  
 10.4 \* 9.1 ↓ 10.5 \* 9.6 ↗ 7.4 ↗  
 10.5 \* 9.7 ↖ 8.4 → 9.9 → 9.5 ↓  
 beste Teiler 324.2 (16.) 394.9 (13.) 436.3 (11.)  
 Trefferlage 4.19 mm rechts, 0.79 mm tief  
 Streuwert 9.77, horizontal: 10.48, vertikal: 9.00



Serie 3:  
 8.5 ↖ 10.1 ↓ 8.8 ↘ 10.3 → 9.7 →  
 9.2 ↓ 10.3 ↘ 8.7 ↗ 8.8 ↓ 8.2 ↖  
 beste Teiler 484.8 (27.) 500.4 (24.) 675.2 (22.)  
 Trefferlage 1.76 mm links, 2.84 mm tief  
 Streuwert 10.67, horizontal: 11.20, vertikal: 10.10





Serie 4:  
 9.8 ↘ 9.6 ↖ 9.4 ↓ 9.5 ↖ 7.7 →  
 9.6 ↘ 8.1 ↖ 10.6 \* 9.6 → 10.0 ↘  
 beste Teiler 260.7 (38.) 749.0 (40.) 946.5 (31.)  
 Trefferlage 0.71 mm links, 2.31 mm tief  
 Streuwert 10.34, horizontal: 12.27, vertikal: 7.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.2)  
 Serien: 92 90 92 92  
 Zähler: 14 18 8 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2314 (12), 2311 (11), 2090 (19)  
 beste Teiler 55.2 (28.) 113.1 (4.) 124.5 (31.)  
 Trefferlage 0.64 mm rechts, 2.34 mm hoch  
 Streuwert 8.58, horizontal: 7.68, vertikal: 9.40




Serie 1:  
 9.2 ↑                      9.4 ←                      9.8 ↘                      10.8 \*                      9.8 ↓  
 9.7 ↗                      9.8 ↓                      9.7 ↗                      10.2 ↖                      9.5 ↘  
 beste Teiler 113.1 (4.) 565.4 (9.) 911.5 (3.)  
 Trefferlage 2.17 mm links, 2.86 mm hoch  
 Streuwert 6.93, horizontal: 5.79, vertikal: 7.90



Serie 2:  
 8.1 ↑                      8.1 ↗                      8.5 ↓                      10.0 ↗                      10.4 \*  
 10.0 ↖                      9.1 ↙                      10.2 ↘                      8.3 ↑                      9.0 ↓  
 beste Teiler 403.8 (15.) 572.8 (18.) 728.6 (14.)  
 Trefferlage 0.49 mm rechts, 2.39 mm hoch  
 Streuwert 11.63, horizontal: 8.64, vertikal: 13.99



Serie 3:  
 9.9 →                      9.9 ↘                      9.6 →                      10.1 ↑                      10.6 \*  
 8.4 ↑                      9.9 ←                      10.9 \*                      10.2 ↓                      8.5 ↓  
 beste Teiler 55.2 (28.) 295.2 (25.) 608.2 (29.)  
 Trefferlage 0.89 mm rechts, 0.80 mm hoch  
 Streuwert 8.23, horizontal: 6.37, vertikal: 9.74





Serie 4:  
 10.8 \*                      10.1 ↘                      9.7 ↘                      9.5 →                      9.9 ↑  
 10.3 ↗                      8.6 →                      10.6 \*                      8.5 →                      9.6 ↙  
 beste Teiler 124.5 (31.) 313.1 (38.) 512.6 (36.)  
 Trefferlage 3.37 mm rechts, 3.33 mm hoch  
 Streuwert 7.59, horizontal: 9.46, vertikal: 5.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (345.4)  
 Serien: 81 83 82 81  
 Zähler: 6 11 12 7 3 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4659 (32), 3855 (18), 3721 (4)  
 beste Teiler 372.6 (34.) 515.7 (33.) 606.6 (8.)  
 Trefferlage 4.34 mm links, 2.54 mm hoch  
 Streuwert 14.61, horizontal: 15.15, vertikal: 14.05




Serie 1:  
 9.3 ↑                      8.7 ↘                      9.2 ↑                      6.3 ↙                      7.5 ↓  
 8.0 →                      8.7 ↓                      10.2 ↖                      8.5 ↓                      8.6 ↘  
 beste Teiler 606.6 (8.) 1356.6 (1.) 1419.7 (3.)  
 Trefferlage 2.52 mm links, 2.34 mm tief  
 Streuwert 15.61, horizontal: 15.40, vertikal: 15.83



Serie 2:  
 8.9 ↑                      10.0 ↗                      7.4 ↗                      8.7 →                      9.1 ↖  
 7.0 ↖                      9.9 ↓                      6.1 ↖                      10.1 ↘                      9.9 ↑  
 beste Teiler 690.3 (19.) 724.0 (12.) 845.2 (20.)  
 Trefferlage 3.42 mm links, 6.74 mm hoch  
 Streuwert 14.45, horizontal: 18.05, vertikal: 9.58



Serie 3:  
 9.5 →                      8.5 ↘                      8.9 ←                      7.9 ↑                      9.5 ↗  
 9.5 ←                      9.2 ↗                      7.8 ↘                      7.8 ↑                      9.1 ↓  
 beste Teiler 1128.5 (21.) 1163.6 (26.) 1188.0 (25.)  
 Trefferlage 0.73 mm rechts, 5.26 mm hoch  
 Streuwert 13.07, horizontal: 10.84, vertikal: 14.98





Serie 4:  
 8.8 ↙                      5.1 ↙                      10.3 ↗                      10.5 \*                      10.1 ↙  
 8.6 ↑                      6.7 ←                      8.6 ↖                      9.8 ←                      7.1 ↘  
 beste Teiler 372.6 (34.) 515.7 (33.) 716.0 (35.)  
 Trefferlage 12.17 mm links, 0.52 mm hoch  
 Streuwert 14.88, horizontal: 14.59, vertikal: 15.15

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **338** (356.8)  
 Serien: 84 83 84 87  
 Zähler: 6 13 16 4 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4344 (19), 2885 (28), 2871 (26)  
 beste Teiler 363.5 (23.) 399.5 (7.) 514.6 (40.)  
 Trefferlage 9.94 mm rechts, 0.85 mm tief  
 Streuwert 10.87, horizontal: 11.63, vertikal: 10.05




Serie 1:  
 8.9 ↘                      8.4 ↓                      9.8 ↓                      8.1 →                      8.2 →  
 8.3 ↘                      10.5 \*                      8.5 →                      8.5 ←                      9.8 ↗

beste Teiler 399.5 (7.) 884.1 (10.) 950.6 (3.)  
 Trefferlage 8.89 mm rechts, 4.82 mm tief  
 Streuwert 10.80, horizontal: 13.03, vertikal: 7.97




Serie 2:  
 9.3 ↓                      9.4 ↘                      8.1 ↗                      8.4 ↖                      9.9 ↗  
 9.5 →                      9.8 →                      9.1 ↘                      5.5 ↗                      8.9 ↓

beste Teiler 872.9 (15.) 945.3 (17.) 1197.1 (16.)  
 Trefferlage 9.23 mm rechts, 1.96 mm hoch  
 Streuwert 13.04, horizontal: 12.57, vertikal: 13.49



Serie 3:  
 9.3 ↗                      8.6 →                      10.5 \*                      10.2 ↘                      8.5 →  
 7.4 ↗                      8.5 ↗                      7.3 →                      8.3 →                      9.9 ↗

beste Teiler 363.5 (23.) 568.1 (24.) 836.8 (30.)  
 Trefferlage 14.24 mm rechts, 3.47 mm hoch  
 Streuwert 8.64, horizontal: 8.87, vertikal: 8.41





Serie 4:  
 9.3 →                      7.6 →                      9.8 ←                      8.6 ↓                      10.0 ←  
 7.8 ↘                      10.2 →                      9.2 ↘                      8.6 →                      10.3 ↖

beste Teiler 514.6 (40.) 563.4 (37.) 763.8 (35.)  
 Trefferlage 7.43 mm rechts, 4.06 mm tief  
 Streuwert 10.32, horizontal: 12.25, vertikal: 7.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (375.9)  
 Serien: 91 92 87 89  
 Zähler: 13 19 4 2 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3700 (35), 3679 (27), 2925 (23)  
 beste Teiler 228.2 (14.) 328.8 (32.) 332.8 (11.)  
 Trefferlage 0.01 mm links, 1.54 mm hoch  
 Streuwert 10.56, horizontal: 12.17, vertikal: 8.66




Serie 1:  
 10.2 ←                      9.8 ←                      10.0 ←                      8.7 ↗                      9.8 ↙  
 9.7 ↗                      9.2 ←                      9.3 ↓                      9.6 ↑                      9.4 →  
 beste Teiler 605.0 (1.) 799.8 (3.) 902.4 (5.)  
 Trefferlage 1.60 mm links, 1.94 mm hoch  
 Streuwert 8.45, horizontal: 8.31, vertikal: 8.58



Serie 2:  
 10.5 \*                      9.1 ↓                      10.1 →                      10.7 \*                      9.9 →  
 8.8 ←                      10.3 ↗                      9.9 →                      9.1 ←                      8.2 →  
 beste Teiler 228.2 (14.) 332.8 (11.) 499.0 (17.)  
 Trefferlage 1.20 mm rechts, 0.96 mm tief  
 Streuwert 8.83, horizontal: 11.19, vertikal: 5.54



Serie 3:  
 8.9 →                      9.2 ↘                      7.3 ↑                      10.3 ↓                      9.7 →  
 9.7 →                      6.4 ←                      10.0 ↘                      9.5 ↗                      10.0 ←  
 beste Teiler 526.8 (24.) 787.2 (28.) 791.8 (30.)  
 Trefferlage 2.20 mm links, 5.02 mm hoch  
 Streuwert 12.58, horizontal: 14.67, vertikal: 10.08



Serie 4:  
 9.2 ↓                      10.5 \*                      9.2 ↗                      7.5 ↙                      6.3 →  
 9.4 ↗                      10.3 ↘                      9.8 ↘                      10.3 →                      10.1 ↘  
 beste Teiler 328.8 (32.) 482.4 (37.) 553.6 (39.)  
 Trefferlage 2.56 mm rechts, 0.17 mm hoch  
 Streuwert 12.48, horizontal: 14.67, vertikal: 9.83

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **370** (387.1)

Serien: 96 88 92 94

Zähler: 16 19 4 1 0 0 0 0 0 0



Innenzehner: 8

weiteste: 3173 (17), 1978 (26), 1892 (40)

beste Teiler 152.8 (34.) 227.4 (28.) 243.1 (12.)

Trefferlage 1.42 mm links, 2.45 mm hoch

Streuwert 8.23, horizontal: 7.29, vertikal: 9.08




Serie 1:

9.9 ↘	10.5 *	9.9 ↙	10.0 ↗	9.4 ↗
10.1 →	9.8 ↖	10.0 ↓	10.3 ←	10.0 ↖

beste Teiler 363.6 (2.) 505.0 (9.) 719.8 (6.)

Trefferlage 1.84 mm links, 0.75 mm hoch

Streuwert 5.81, horizontal: 4.42, vertikal: 6.93




Serie 2:

8.7 ↑	10.6 *	9.0 ←	9.0 ↖	9.7 ↖
9.3 ←	7.0 ↑	9.4 →	9.1 ↓	9.4 ↖

beste Teiler 243.1 (12.) 1024.5 (15.) 1220.6 (20.)

Trefferlage 3.43 mm links, 6.55 mm hoch

Streuwert 10.80, horizontal: 9.09, vertikal: 12.27




Serie 3:

9.6 ↘	9.8 ↑	10.4 *	9.3 ↙	9.9 ↖
8.5 ↗	8.8 ↓	10.7 *	10.5 *	10.5 *

beste Teiler 227.4 (28.) 347.2 (29.) 355.6 (30.)

Trefferlage 0.09 mm rechts, 0.74 mm hoch

Streuwert 8.07, horizontal: 6.55, vertikal: 9.35



Serie 4:

9.0 ←	10.0 ↓	10.3 →	10.8 *	9.4 ↗
10.5 *	9.8 ←	9.5 ←	10.1 ↑	8.6 ↑

beste Teiler 152.8 (34.) 386.4 (36.) 503.4 (33.)



Trefferlage 0.50 mm links, 1.74 mm hoch

Streuwert 7.82, horizontal: 8.76, vertikal: 6.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (337.9)  
 Serien: 78 76 79 82  
 Zähler: 1 12 15 7 3 2 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4492 (10), 4110 (39), 3621 (14)  
 beste Teiler 429.6 (34.) 819.8 (30.) 854.7 (26.)  
 Trefferlage 9.55 mm links, 0.08 mm hoch  
 Streuwert 14.13, horizontal: 13.27, vertikal: 14.94




Serie 1:  
 8.4 ↑                      9.3 ↓                      9.5 ↖                      8.9 ↙                      9.2 ↘  
 8.9 ↘                      8.1 ↑                      7.8 ↗                      7.4 ↖                      5.3 ↙  
 beste Teiler 1183.5 (3.) 1341.3 (2.) 1415.6 (5.)  
 Trefferlage 7.62 mm links, 3.29 mm hoch  
 Streuwert 16.37, horizontal: 14.53, vertikal: 18.02



Serie 2:  
 8.9 ↘                      7.6 ↓                      7.9 ←                      6.4 ←                      9.5 →  
 9.5 ↘                      8.1 ←                      8.5 ↑                      6.8 ↙                      8.4 ←  
 beste Teiler 1130.0 (15.) 1163.4 (16.) 1658.4 (11.)  
 Trefferlage 10.93 mm links, 4.59 mm tief  
 Streuwert 15.20, horizontal: 16.14, vertikal: 14.20



Serie 3:  
 8.2 ↓                      8.7 ↙                      8.9 ←                      7.7 ↙                      6.8 ←  
 9.9 ↓                      7.9 ↑                      9.8 ↑                      8.6 ↖                      9.9 ↑  
 beste Teiler 819.8 (30.) 854.7 (26.) 916.2 (28.)  
 Trefferlage 10.14 mm links, 2.20 mm tief  
 Streuwert 12.78, horizontal: 10.69, vertikal: 14.56





Serie 4:  
 7.5 ↘                      9.1 ↓                      8.6 ↘                      10.4 \*                      9.4 ↑  
 8.9 ←                      9.4 ↘                      9.4 ↙                      5.8 ↖                      8.6 ↘  
 beste Teiler 429.6 (34.) 1234.4 (38.) 1245.7 (37.)  
 Trefferlage 9.49 mm links, 3.84 mm hoch  
 Streuwert 13.07, horizontal: 13.03, vertikal: 13.10

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **365** (387.2)  
 Serien: 92 91 90 92  
 Zähler: 13 19 8 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2079 (16), 2011 (35), 1820 (4)  
 beste Teiler 144.0 (8.) 192.5 (27.) 309.9 (3.)  
 Trefferlage 0.59 mm rechts, 0.55 mm tief  
 Streuwert 8.16, horizontal: 8.59, vertikal: 7.71




Serie 1:  
 9.9 ↘ 10.5 \* 10.6 \* 8.7 → 9.5 ↙  
 9.6 ↓ 9.9 ↓ 10.8 \* 9.2 ↖ 9.1 ←  
 beste Teiler 144.0 (8.) 309.9 (3.) 372.6 (2.)  
 Trefferlage 1.66 mm links, 2.91 mm tief  
 Streuwert 7.68, horizontal: 9.06, vertikal: 5.97



Serie 2:  
 8.8 ← 10.5 \* 9.9 ↘ 10.2 ↗ 9.9 ↘  
 8.4 ↖ 10.1 ↗ 10.6 \* 9.9 ↑ 8.7 ↘  
 beste Teiler 319.0 (18.) 363.7 (12.) 625.4 (14.)  
 Trefferlage 0.11 mm links, 0.08 mm hoch  
 Streuwert 8.68, horizontal: 9.47, vertikal: 7.81



Serie 3:  
 9.7 ↘ 9.7 ↓ 8.9 ↑ 9.4 ← 9.7 ↗  
 9.8 → 10.7 \* 8.9 ↙ 9.9 ↑ 10.2 ↗  
 beste Teiler 192.5 (27.) 616.6 (30.) 844.2 (29.)  
 Trefferlage 1.26 mm rechts, 0.05 mm tief  
 Streuwert 8.02, horizontal: 7.49, vertikal: 8.53



Serie 4:  
 9.3 → 10.1 ↓ 9.5 ↖ 10.5 \* 8.4 ↙  
 9.2 ↗ 10.2 ← 8.9 → 9.2 ↗ 10.2 ↘  
 beste Teiler 391.1 (34.) 582.7 (40.) 605.0 (37.)  
 Trefferlage 2.89 mm rechts, 0.68 mm hoch  
 Streuwert 8.92, horizontal: 8.92, vertikal: 8.93

Unterschrift des Schützen

Meyton Elektronik