





Ergebnis: **304** (323.5)
 Serien: 75 67 80 82
 Zähler: 6 10 10 4 4 1 2 3 0 0
 Innenzehner: 2
 weiteste: 5890 (5), 5749 (29), 5640 (9)
 beste Teiler 294.9 (32.) 345.1 (18.) 540.7 (7.)
 Trefferlage 4.08 mm rechts, 11.95 mm hoch
 Streuwert 17.82, horizontal: 16.80, vertikal: 18.80




Serie 1:
 9.4 → 9.5 ↘ 9.5 → 8.9 ↗ 3.6 ↑
 7.7 ↑ 10.3 ↙ 8.8 ↑ 3.9 ↑ 9.8 ↑
 beste Teiler 540.7 (7.) 918.8 (10.) 1179.1 (2.)
 Trefferlage 3.81 mm rechts, 18.29 mm hoch
 Streuwert 16.58, horizontal: 8.12, vertikal: 22.00



Serie 2:
 6.5 ↗ 8.0 ↘ 6.4 ↗ 4.6 ↗ 8.8 →
 6.2 ↗ 5.6 ↖ 10.5 * 4.1 ↑ 10.1 ↘
 beste Teiler 345.1 (18.) 671.3 (20.) 1694.4 (15.)
 Trefferlage 12.55 mm rechts, 15.57 mm hoch
 Streuwert 21.62, horizontal: 22.31, vertikal: 20.90



Serie 3:
 9.4 ↑ 9.2 ↗ 7.2 ↑ 9.4 ↓ 9.4 ↑
 8.7 ↗ 8.1 ↙ 10.2 ↙ 3.8 ↖ 8.5 ←
 beste Teiler 580.6 (28.) 1206.2 (24.) 1225.2 (21.)
 Trefferlage 5.87 mm links, 1.35 mm hoch
 Streuwert 17.85, horizontal: 18.63, vertikal: 17.03





Serie 4:
 10.3 ↗ 10.6 * 7.4 ↑ 9.9 ↑ 7.4 →
 9.7 ↑ 8.5 ↑ 6.7 ↑ 8.4 → 8.5 ↑
 beste Teiler 294.9 (32.) 543.0 (31.) 860.5 (34.)
 Trefferlage 5.84 mm rechts, 12.57 mm hoch
 Streuwert 11.26, horizontal: 10.87, vertikal: 11.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (390.0)
 Serien: 89 95 91 95
 Zähler: 18 16 4 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3098 (26), 2587 (5), 1817 (4)
 beste Teiler 10.2 (16.) 268.8 (1.) 326.2 (33.)
 Trefferlage 3.89 mm links, 1.64 mm tief
 Streuwert 7.59, horizontal: 8.07, vertikal: 7.09




Serie 1:
 10.6 * 9.8 ← 10.0 ↑ 8.7 ↙ 7.7 ↘
 9.2 ← 8.7 ↙ 10.3 ↓ 9.9 ↑ 9.7 ←
 beste Teiler 268.8 (1.) 554.2 (8.) 771.3 (3.)
 Trefferlage 6.56 mm links, 3.76 mm tief
 Streuwert 8.49, horizontal: 7.94, vertikal: 9.00



Serie 2:
 9.2 ↙ 8.9 ↓ 10.1 → 10.4 * 10.5 *
 10.9 * 10.5 * 9.5 ↙ 10.3 ↑ 9.9 ↙
 beste Teiler 10.2 (16.) 329.8 (15.) 364.1 (17.)
 Trefferlage 2.22 mm links, 2.84 mm tief
 Streuwert 6.06, horizontal: 4.28, vertikal: 7.43



Serie 3:
 10.0 ↑ 9.9 ← 9.8 ↘ 9.3 ← 10.5 *
 7.1 ← 9.3 ↘ 10.4 * 9.8 ↙ 9.9 →
 beste Teiler 357.8 (25.) 442.5 (28.) 750.1 (21.)
 Trefferlage 5.06 mm links, 1.34 mm tief
 Streuwert 8.91, horizontal: 11.03, vertikal: 6.10





Serie 4:
 9.6 ↙ 10.5 * 10.5 * 9.5 ← 10.1 ↑
 10.2 ← 10.4 * 10.0 ← 9.5 ↑ 8.9 →
 beste Teiler 326.2 (33.) 392.4 (32.) 421.6 (37.)
 Trefferlage 1.73 mm links, 1.37 mm hoch
 Streuwert 6.67, horizontal: 7.84, vertikal: 5.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(389.9)			
Serien:	96	89	93	94	
Zähler:	19	15	5	1	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	2502 (16), 1915 (27), 1899 (3)				
beste Teiler	63.4 (10.) 218.7 (4.) 258.3 (1.)				
Trefferlage	0.60 mm rechts, 2.76 mm hoch				
Streuwert	7.65, horizontal: 6.82, vertikal: 8.40				




Serie 1:					
	10.6 *	10.5 *	8.6 ↑	10.7 *	9.0 ↗
	10.2 ↓	10.4 *	9.3 ↓	10.4 *	10.9 *
beste Teiler	63.4 (10.) 218.7 (4.) 258.3 (1.)				
Trefferlage	0.98 mm rechts, 1.38 mm hoch				
Streuwert	6.82, horizontal: 4.62, vertikal: 8.47				



Serie 2:					
	9.9 ↗	9.4 ↗	8.7 ↓	10.2 ↑	9.0 ↓
	7.8 ↗	8.9 ↗	10.3 ←	10.4 *	9.9 ↓
beste Teiler	436.0 (19.) 525.1 (18.) 588.4 (14.)				
Trefferlage	2.86 mm rechts, 1.67 mm hoch				
Streuwert	9.80, horizontal: 6.53, vertikal: 12.23				



Serie 3:					
	9.9 ↗	9.9 ←	10.1 ↓	9.3 ↗	10.3 ↘
	10.2 ↑	8.6 ↘	10.0 ↘	9.9 ↓	9.6 →
beste Teiler	516.9 (25.) 598.0 (26.) 658.7 (23.)				
Trefferlage	1.52 mm links, 2.92 mm hoch				
Streuwert	7.17, horizontal: 7.69, vertikal: 6.61				





Serie 4:					
	9.3 ↘	9.2 ↗	10.0 ↘	8.8 ↗	10.2 ←
	10.0 →	9.5 ←	10.4 *	9.6 ↗	10.0 ↑
beste Teiler	405.4 (38.) 566.5 (35.) 778.8 (36.)				
Trefferlage	0.10 mm rechts, 5.09 mm hoch				
Streuwert	7.02, horizontal: 8.19, vertikal: 5.60				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (366.6)
 Serien: 88 91 84 88
 Zähler: 7 22 7 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3680 (29), 2805 (37), 2606 (27)
 beste Teiler 115.5 (20.) 325.8 (21.) 488.5 (9.)
 Trefferlage 2.53 mm links, 1.85 mm hoch
 Streuwert 11.15, horizontal: 10.14, vertikal: 12.08




Serie 1:
 8.5 ↗ 10.2 ↗ 9.3 ↓ 9.6 ↓ 8.8 ←
 9.0 ↘ 9.5 ↙ 8.8 ↘ 10.3 ← 8.5 ↓
 beste Teiler 488.5 (9.) 616.2 (2.) 1041.0 (4.)
 Trefferlage 0.72 mm rechts, 4.91 mm tief
 Streuwert 10.04, horizontal: 10.23, vertikal: 9.85



Serie 2:
 10.1 ↗ 9.4 ↖ 9.2 ↑ 9.3 ↙ 9.8 ↗
 9.3 ↗ 8.1 ↗ 9.8 ← 9.8 ↘ 10.8 *
 beste Teiler 115.5 (20.) 653.7 (11.) 942.2 (15.)
 Trefferlage 0.48 mm rechts, 4.61 mm hoch
 Streuwert 8.56, horizontal: 8.45, vertikal: 8.68



Serie 3:
 10.5 * 9.0 ↙ 7.9 ↖ 8.9 ↑ 9.1 ↑
 9.0 ↙ 7.7 ↖ 9.2 ↘ 6.4 ↗ 10.1 ↙
 beste Teiler 325.8 (21.) 696.5 (30.) 1363.3 (28.)
 Trefferlage 1.99 mm links, 7.19 mm hoch
 Streuwert 13.55, horizontal: 10.61, vertikal: 15.96





Serie 4:
 10.3 ↖ 9.0 ↙ 8.1 ↖ 9.6 ← 9.3 ←
 9.0 ← 7.4 ↙ 9.0 ↖ 9.2 ↗ 9.8 ↖
 beste Teiler 530.0 (31.) 935.7 (40.) 1102.0 (34.)
 Trefferlage 9.37 mm links, 0.51 mm hoch
 Streuwert 9.86, horizontal: 9.07, vertikal: 10.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.0)
 Serien: 83 88 86 83
 Zähler: 8 13 11 7 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3584 (37), 3028 (1), 2923 (38)
 beste Teiler 106.0 (23.) 194.1 (39.) 290.3 (11.)
 Trefferlage 2.20 mm rechts, 0.85 mm hoch
 Streuwert 12.96, horizontal: 14.59, vertikal: 11.08




Serie 1:
 7.2 ↘ 10.4 * 9.7 ↘ 10.0 ↑ 8.8 ↓
 8.2 ↗ 8.1 → 7.4 ↗ 8.7 ↘ 8.0 ↓
 beste Teiler 456.5 (2.) 790.9 (4.) 966.3 (3.)
 Trefferlage 6.79 mm rechts, 3.62 mm tief
 Streuwert 13.87, horizontal: 11.99, vertikal: 15.53



Serie 2:
 10.6 * 10.5 * 8.5 ↘ 8.1 ← 9.5 ↗
 7.5 ← 10.0 ↑ 9.9 ↘ 9.5 ↓ 8.3 ←
 beste Teiler 290.3 (11.) 370.0 (12.) 737.4 (17.)
 Trefferlage 5.87 mm links, 1.33 mm tief
 Streuwert 10.88, horizontal: 13.24, vertikal: 7.83



Serie 3:
 7.9 ↖ 9.5 ← 10.8 * 10.3 ← 8.2 ↖
 8.1 ↘ 9.9 ↖ 9.9 ↓ 7.5 → 9.1 →
 beste Teiler 106.0 (23.) 529.0 (24.) 822.2 (27.)
 Trefferlage 0.08 mm rechts, 1.16 mm hoch
 Streuwert 12.58, horizontal: 15.96, vertikal: 7.86





Serie 4:
 9.3 ↘ 9.1 ↗ 9.5 ↗ 8.8 ↖ 9.1 →
 9.8 ↘ 6.5 → 7.3 ↗ 10.7 * 7.8 ↑
 beste Teiler 194.1 (39.) 887.9 (36.) 1195.0 (33.)
 Trefferlage 7.82 mm rechts, 7.19 mm hoch
 Streuwert 12.41, horizontal: 14.60, vertikal: 9.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.1)
 Serien: 93 90 94 93
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2369 (19), 2269 (15), 2243 (12)
 beste Teiler 124.5 (28.) 236.6 (36.) 250.0 (16.)
 Trefferlage 1.87 mm links, 1.41 mm hoch
 Streuwert 8.08, horizontal: 8.25, vertikal: 7.91




Serie 1:
 9.7 → 9.1 ← 10.3 ↘ 10.4 * 10.4 *
 9.9 ↗ 10.3 → 9.8 ↖ 9.3 ↗ 8.4 ↖
 beste Teiler 405.1 (5.) 471.4 (4.) 532.2 (3.)
 Trefferlage 0.33 mm links, 1.40 mm hoch
 Streuwert 8.03, horizontal: 8.74, vertikal: 7.26



Serie 2:
 10.5 * 8.1 ↗ 9.5 ↖ 9.4 ↗ 8.1 ↖
 10.6 * 9.2 ← 9.8 ↘ 8.0 ↗ 10.5 *
 beste Teiler 250.0 (16.) 341.7 (20.) 396.2 (11.)
 Trefferlage 2.04 mm links, 6.20 mm hoch
 Streuwert 9.82, horizontal: 9.88, vertikal: 9.77



Serie 3:
 9.6 → 9.1 ↖ 9.7 ↑ 10.1 ↘ 10.1 ↘
 9.5 ↓ 9.7 ↖ 10.8 * 10.1 ← 9.6 ↗
 beste Teiler 124.5 (28.) 647.4 (29.) 688.2 (25.)
 Trefferlage 0.24 mm links, 1.95 mm tief
 Streuwert 7.00, horizontal: 7.01, vertikal: 7.00





Serie 4:
 10.0 ↖ 10.6 * 8.4 ↖ 9.7 → 9.4 ←
 10.7 * 9.4 ↖ 9.9 ↓ 10.5 * 9.9 ↖
 beste Teiler 236.6 (36.) 272.0 (32.) 369.3 (39.)
 Trefferlage 4.86 mm links, 0.02 mm hoch
 Streuwert 6.72, horizontal: 7.52, vertikal: 5.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.5)
 Serien: 87 91 89 93
 Zähler: 12 20 5 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3465 (17), 2816 (10), 2442 (29)
 beste Teiler 265.8 (2.) 374.2 (25.) 417.6 (40.)
 Trefferlage 2.84 mm rechts, 1.44 mm hoch
 Streuwert 9.82, horizontal: 9.58, vertikal: 10.05




Serie 1:
 8.3 ↙ 10.6 * 9.7 ↗ 8.4 → 8.4 ↙
 9.5 → 10.0 ↑ 9.0 ↘ 9.7 ↗ 7.4 ↑
 beste Teiler 265.8 (2.) 789.9 (7.) 1000.5 (9.)
 Trefferlage 2.76 mm rechts, 3.18 mm hoch
 Streuwert 11.94, horizontal: 12.22, vertikal: 11.64



Serie 2:
 10.2 ↗ 9.2 ↑ 10.0 ↖ 10.1 ↗ 9.0 ↗
 10.1 ↖ 6.6 ↗ 9.8 ↙ 9.7 ↘ 9.6 ↘
 beste Teiler 566.7 (11.) 682.9 (14.) 695.2 (16.)
 Trefferlage 2.98 mm rechts, 5.13 mm hoch
 Streuwert 9.90, horizontal: 10.02, vertikal: 9.77



Serie 3:
 8.0 ↘ 9.3 ↗ 9.4 ↘ 9.8 ↖ 10.5 *
 9.4 → 10.2 ← 9.2 ↘ 7.9 ↓ 9.9 ↘
 beste Teiler 374.2 (25.) 575.0 (27.) 839.4 (30.)
 Trefferlage 5.58 mm rechts, 4.37 mm tief
 Streuwert 9.22, horizontal: 8.32, vertikal: 10.04





Serie 4:
 9.7 ↓ 9.7 ↑ 10.1 ↑ 9.7 ↘ 9.5 ↗
 9.1 ↖ 8.9 ↖ 10.1 ↗ 10.4 * 10.4 *
 beste Teiler 417.6 (40.) 448.0 (39.) 683.5 (38.)
 Trefferlage 0.06 mm rechts, 1.83 mm hoch
 Streuwert 7.46, horizontal: 7.86, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.1)
 Serien: 89 97 92 91
 Zähler: 17 16 6 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2536 (29), 1925 (35), 1881 (37)
 beste Teiler 164.8 (22.) 227.2 (14.) 281.0 (21.)
 Trefferlage 0.45 mm links, 1.69 mm hoch
 Streuwert 8.12, horizontal: 7.96, vertikal: 8.27




Serie 1:
 9.6 ← 9.8 ↖ 8.8 ↗ 8.9 ← 10.2 ↘
 9.1 ↙ 9.0 → 10.3 ↖ 9.8 ↘ 8.9 ↘
 beste Teiler 537.0 (8.) 565.0 (5.) 913.9 (9.)
 Trefferlage 4.72 mm links, 1.13 mm tief
 Streuwert 8.83, horizontal: 9.12, vertikal: 8.54



Serie 2:
 9.7 ↓ 10.3 ↘ 9.9 ↖ 10.7 * 10.0 ↑
 10.2 → 10.4 * 10.1 → 10.0 ↑ 9.5 ←
 beste Teiler 227.2 (14.) 420.9 (17.) 504.5 (12.)
 Trefferlage 1.34 mm links, 0.65 mm hoch
 Streuwert 5.45, horizontal: 5.22, vertikal: 5.67



Serie 3:
 10.6 * 10.7 * 9.1 ↗ 9.0 → 10.0 ←
 9.9 ↖ 9.2 ↑ 10.1 ↘ 7.8 ↗ 9.2 ←
 beste Teiler 164.8 (22.) 281.0 (21.) 645.4 (28.)
 Trefferlage 1.40 mm rechts, 4.57 mm hoch
 Streuwert 9.00, horizontal: 9.17, vertikal: 8.81





Serie 4:
 8.9 ↑ 10.3 ↗ 10.0 ↓ 9.6 → 8.5 ↘
 10.2 ↖ 8.6 ↑ 9.9 → 9.9 ↑ 10.4 *
 beste Teiler 430.4 (40.) 504.8 (32.) 616.7 (36.)
 Trefferlage 2.85 mm rechts, 2.70 mm hoch
 Streuwert 8.26, horizontal: 6.57, vertikal: 9.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (360.4)
 Serien: 80 90 84 90
 Zähler: 10 10 15 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3716 (1), 3157 (25), 2929 (3)
 beste Teiler 197.8 (12.) 272.0 (33.) 324.7 (11.)
 Trefferlage 0.82 mm links, 5.10 mm hoch
 Streuwert 11.94, horizontal: 10.91, vertikal: 12.89




Serie 1:
 6.3 ↙ 8.6 ↑ 7.3 ↓ 7.7 ↑ 8.6 ↓
 10.0 ↓ 9.5 ↙ 9.2 ↙ 8.6 ↖ 8.8 ↗
 beste Teiler 740.6 (6.) 1179.1 (7.) 1435.7 (8.)
 Trefferlage 4.21 mm links, 3.53 mm tief
 Streuwert 15.58, horizontal: 12.51, vertikal: 18.14



Serie 2:
 10.5 * 10.7 * 8.3 ↑ 9.6 ↘ 8.0 ↘
 10.1 ↙ 9.4 ↑ 8.5 ↑ 10.2 ↑ 8.5 ↗
 beste Teiler 197.8 (12.) 324.7 (11.) 593.1 (19.)
 Trefferlage 0.02 mm links, 7.99 mm hoch
 Streuwert 9.17, horizontal: 10.35, vertikal: 7.82



Serie 3:
 7.9 ↑ 10.0 ↗ 9.1 ↑ 9.2 ↗ 7.0 ↗
 8.6 ↑ 8.6 ↓ 8.3 ↑ 9.3 ↖ 9.9 ↘
 beste Teiler 744.9 (22.) 839.3 (30.) 1312.6 (29.)
 Trefferlage 4.15 mm rechts, 10.16 mm hoch
 Streuwert 11.24, horizontal: 10.76, vertikal: 11.70





Serie 4:
 8.7 ↘ 10.1 ↑ 10.6 * 10.0 ↗ 8.9 ↑
 9.4 ↗ 9.0 ↘ 8.4 ↘ 10.3 ↘ 8.7 ↙
 beste Teiler 272.0 (33.) 552.6 (39.) 691.2 (32.)
 Trefferlage 3.19 mm links, 5.78 mm hoch
 Streuwert 8.96, horizontal: 9.46, vertikal: 8.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (347.1)
 Serien: 83 87 80 82
 Zähler: 8 8 17 2 5 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3885 (8), 3864 (14), 3379 (28)
 beste Teiler 336.0 (2.) 468.1 (15.) 592.2 (26.)
 Trefferlage 0.63 mm rechts, 7.72 mm tief
 Streuwert 13.47, horizontal: 15.15, vertikal: 11.56




Serie 1:
 9.2 ← 10.5 * 7.7 ↙ 8.8 ↑ 7.0 ↙
 10.2 → 8.6 → 6.1 ↗ 8.0 ↓ 10.1 ↙
 beste Teiler 336.0 (2.) 623.0 (6.) 701.8 (10.)
 Trefferlage 0.82 mm rechts, 1.76 mm tief
 Streuwert 16.12, horizontal: 19.15, vertikal: 12.36



Serie 2:
 10.1 → 9.0 ← 8.0 ↖ 6.1 ↓ 10.4 *
 9.6 ↙ 9.8 ↓ 8.7 ↓ 9.1 ↖ 9.2 ↓
 beste Teiler 468.1 (15.) 649.0 (11.) 923.7 (17.)
 Trefferlage 3.34 mm links, 10.91 mm tief
 Streuwert 10.59, horizontal: 8.44, vertikal: 12.37



Serie 3:
 8.8 ↘ 9.1 ↓ 8.2 ↓ 8.4 → 8.7 ↓
 10.2 ← 9.4 ← 6.7 ↘ 8.4 ↖ 6.7 ↙
 beste Teiler 592.2 (26.) 1274.8 (27.) 1441.4 (22.)
 Trefferlage 2.44 mm rechts, 12.87 mm tief
 Streuwert 12.68, horizontal: 15.61, vertikal: 8.84





Serie 4:
 8.8 ↙ 8.4 ↘ 8.4 ← 8.7 ↗ 8.6 ↖
 8.0 → 10.1 ↓ 6.9 ↘ 8.3 ↖ 10.1 ↓
 beste Teiler 647.0 (37.) 662.7 (40.) 1684.2 (31.)
 Trefferlage 2.63 mm rechts, 5.35 mm tief
 Streuwert 14.06, horizontal: 16.94, vertikal: 10.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (344.3)
 Serien: 84 79 87 79
 Zähler: 8 12 10 4 4 1 1 0 0 0
 Innenzehner: 3
 weiteste: 4805 (16), 4793 (5), 3890 (39)
 beste Teiler 204.9 (38.) 381.2 (3.) 457.5 (4.)
 Trefferlage 8.53 mm links, 1.88 mm hoch
 Streuwert 14.49, horizontal: 13.76, vertikal: 15.18




Serie 1:
 8.3 ↖ 6.7 ← 10.5 * 10.4 * 5.0 ↘
 10.2 ↙ 10.2 → 8.5 ↓ 8.8 ← 9.0 ↘
 beste Teiler 381.2 (3.) 457.5 (4.) 598.3 (6.)
 Trefferlage 9.57 mm links, 4.73 mm tief
 Streuwert 14.41, horizontal: 14.80, vertikal: 14.01



Serie 2:
 8.8 ↘ 9.1 ↑ 9.1 ↙ 7.8 ↙ 7.0 ←
 4.9 ↑ 9.8 ↘ 7.3 ← 10.3 ↘ 9.2 ↘
 beste Teiler 533.7 (19.) 927.1 (17.) 1361.7 (20.)
 Trefferlage 10.80 mm links, 6.15 mm hoch
 Streuwert 15.45, horizontal: 13.96, vertikal: 16.81



Serie 3:
 9.4 ← 7.1 ← 9.0 ↙ 8.4 ↘ 8.1 →
 9.8 ↙ 10.2 ↘ 9.3 ↑ 9.1 ↘ 9.0 ↘
 beste Teiler 631.4 (27.) 931.6 (26.) 1265.5 (21.)
 Trefferlage 8.09 mm links, 3.71 mm hoch
 Streuwert 11.24, horizontal: 13.45, vertikal: 8.48





Serie 4:
 6.6 ↙ 8.6 ↘ 8.7 ↘ 9.6 → 8.5 →
 8.4 ↑ 6.5 ↘ 10.7 * 6.1 ↙ 10.3 ↘
 beste Teiler 204.9 (38.) 493.3 (40.) 1049.9 (34.)
 Trefferlage 5.65 mm links, 2.39 mm hoch
 Streuwert 17.10, horizontal: 14.47, vertikal: 19.37

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **360** (380.1)
 Serien: 87 90 92 91
 Zähler: 12 18 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2867 (7), 2575 (40), 2357 (24)
 beste Teiler 177.1 (36.) 183.8 (13.) 362.0 (37.)
 Trefferlage 2.32 mm rechts, 4.22 mm hoch
 Streuwert 8.71, horizontal: 8.99, vertikal: 8.41




Serie 1:
 8.7 ↘ 9.1 ↖ 8.9 ↓ 9.8 ↙ 9.5 ↗
 10.4 * 7.4 → 9.8 ↙ 9.2 ↗ 9.1 →

beste Teiler 472.6 (6.) 896.3 (4.) 944.5 (8.)
 Trefferlage 5.12 mm rechts, 0.18 mm tief
 Streuwert 10.80, horizontal: 10.00, vertikal: 11.54




Serie 2:
 9.6 ↗ 9.5 ← 10.7 * 9.9 ↓ 8.5 ↑
 8.7 ↑ 10.1 ← 9.9 ↗ 9.5 ↗ 9.3 →

beste Teiler 183.8 (13.) 655.3 (17.) 812.5 (18.)
 Trefferlage 1.65 mm rechts, 5.04 mm hoch
 Streuwert 7.97, horizontal: 6.84, vertikal: 8.96



Serie 3:
 10.3 → 10.1 ↖ 10.1 ↘ 8.0 → 9.9 ↘
 9.8 → 8.9 ↗ 10.3 ↗ 9.0 ↑ 9.4 ↑

beste Teiler 493.0 (21.) 509.1 (28.) 648.4 (22.)
 Trefferlage 4.52 mm rechts, 6.27 mm hoch
 Streuwert 7.10, horizontal: 8.79, vertikal: 4.86



Serie 4:
 10.0 ← 10.1 ↖ 8.8 ↘ 9.9 ↗ 9.9 ↑
 10.7 * 10.5 * 10.3 ↘ 8.8 ↘ 7.7 ↗

beste Teiler 177.1 (36.) 362.0 (37.) 508.3 (38.)
 Trefferlage 2.01 mm links, 5.76 mm hoch
 Streuwert 8.07, horizontal: 9.53, vertikal: 6.28

Unterschrift des Schützen

Meyton Elektronik