





Ergebnis: **309** (328.2)  
 Serien: 74 76 78 81  
 Zähler: 4 9 12 8 3 2 2 0 0 0  
 Innenzehner: 1  
 weiteste: 5397 (21), 4979 (9), 4488 (1)  
 beste Teiler 453.8 (29.) 624.8 (40.) 633.9 (23.)  
 Trefferlage 8.10 mm rechts, 0.35 mm hoch  
 Streuwert 16.85, horizontal: 20.81, vertikal: 11.62




Serie 1:  
 5.3 → 9.5 ↗ 9.3 ↘ 9.8 → 8.0 ↓  
 6.7 ↙ 9.0 ← 9.1 ↘ 4.7 → 6.1 →  
 beste Teiler 938.5 (4.) 1159.7 (2.) 1347.8 (3.)  
 Trefferlage 9.56 mm rechts, 1.03 mm tief  
 Streuwert 20.60, horizontal: 26.29, vertikal: 12.55



Serie 2:  
 7.9 ↗ 7.8 → 7.9 ↘ 8.0 ↘ 7.1 →  
 8.1 ↗ 8.2 ↑ 9.9 ↘ 8.4 ↘ 7.8 →  
 beste Teiler 870.5 (18.) 2049.1 (19.) 2191.7 (17.)  
 Trefferlage 12.79 mm rechts, 3.66 mm hoch  
 Streuwert 14.27, horizontal: 15.26, vertikal: 13.21



Serie 3:  
 4.2 → 7.6 ← 10.2 ↑ 8.9 ↘ 8.6 ↘  
 6.9 ↘ 10.1 ↓ 8.8 ↙ 10.4 \* 7.8 →  
 beste Teiler 453.8 (29.) 633.9 (23.) 680.2 (27.)  
 Trefferlage 1.78 mm rechts, 0.22 mm tief  
 Streuwert 18.70, horizontal: 23.42, vertikal: 12.27





Serie 4:  
 9.9 ↑ 9.2 ↙ 9.8 ↘ 8.3 → 5.9 →  
 7.6 ↗ 8.3 ↘ 8.9 → 8.0 ← 10.2 ↓  
 beste Teiler 624.8 (40.) 830.9 (31.) 888.1 (33.)  
 Trefferlage 8.26 mm rechts, 0.98 mm tief  
 Streuwert 14.46, horizontal: 18.24, vertikal: 9.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(381.8)
Serien:	94 92 92 89	
Zähler:	16 16 7 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2568 (37), 2341 (29), 2142 (39)	
beste Teiler	93.2 (40.) 191.7 (21.) 379.2 (8.)	
Trefferlage	2.60 mm links, 2.45 mm tief	
Streuwert	8.77, horizontal: 7.99, vertikal: 9.48	




Serie 1:	9.6 ↙	9.2 ↗	9.1 ↖	10.0 ↓	10.0 ↘
	9.7 ↘	9.1 ↘	10.5 *	10.0 ←	9.9 ↙
beste Teiler	379.2 (8.) 760.3 (9.) 771.3 (4.)				
Trefferlage	0.95 mm links, 2.50 mm tief				
Streuwert	7.69, horizontal: 6.74, vertikal: 8.54				



Serie 2:	9.4 ↖	9.4 ↘	9.7 ↓	10.0 ↓	9.0 ↗
	8.8 ↖	10.0 ↗	8.5 ←	10.2 →	10.0 ↗
beste Teiler	570.1 (19.) 767.2 (14.) 769.0 (17.)				
Trefferlage	4.31 mm links, 2.23 mm tief				
Streuwert	8.50, horizontal: 9.61, vertikal: 7.21				



Serie 3:	10.7 *	10.1 ↑	8.7 ↖	9.7 ↗	9.0 ↓
	10.2 ↖	10.3 →	10.1 ↖	8.0 ↙	8.5 ↖
beste Teiler	191.7 (21.) 536.0 (27.) 633.8 (26.)				
Trefferlage	3.84 mm links, 0.37 mm hoch				
Streuwert	9.57, horizontal: 8.65, vertikal: 10.40				





Serie 4:	9.4 ↙	8.4 ↙	10.4 *	10.0 ↖	9.7 ↑
	9.8 ↘	7.7 ↘	9.9 ↑	8.3 ↓	10.8 *
beste Teiler	93.2 (40.) 460.2 (33.) 775.7 (34.)				
Trefferlage	1.29 mm links, 5.45 mm tief				
Streuwert	9.80, horizontal: 7.37, vertikal: 11.73				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **371** (389.6)  
 Serien: 90 92 94 95  
 Zähler: 17 18 4 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2470 (6), 1896 (28), 1729 (8)  
 beste Teiler 208.8 (11.) 244.0 (27.) 268.2 (1.)  
 Trefferlage 0.34 mm links, 0.06 mm hoch  
 Streuwert 7.87, horizontal: 8.80, vertikal: 6.81




Serie 1:  
 10.6 \*                      10.0 ←                      10.6 \*                      9.5 ↘                      9.4 →  
 7.9 ←                      9.7 ←                      8.8 ↗                      9.6 →                      9.2 ←

beste Teiler 268.2 (1.) 304.6 (3.) 784.6 (2.)  
 Trefferlage 3.68 mm links, 1.36 mm tief  
 Streuwert 9.25, horizontal: 11.78, vertikal: 5.69




Serie 2:  
 10.7 \*                      10.3 ↘                      9.1 ↑                      9.7 →                      9.0 ↗  
 8.9 ←                      9.4 ↘                      10.2 ↖                      9.7 ↑                      9.7 ↓

beste Teiler 208.8 (11.) 515.2 (12.) 583.9 (18.)  
 Trefferlage 0.64 mm rechts, 1.25 mm hoch  
 Streuwert 8.23, horizontal: 7.80, vertikal: 8.63



Serie 3:  
 10.4 \*                      8.9 →                      10.5 \*                      9.2 ↖                      10.5 \*  
 9.6 ↗                      10.6 \*                      8.6 ↗                      10.1 ↓                      10.1 ↘

beste Teiler 244.0 (27.) 346.6 (23.) 377.3 (25.)  
 Trefferlage 2.41 mm rechts, 1.49 mm hoch  
 Streuwert 7.42, horizontal: 8.55, vertikal: 6.09





Serie 4:  
 9.6 →                      9.8 ↖                      10.6 \*                      10.2 ←                      10.4 \*  
 9.5 ↖                      10.1 ←                      9.2 ↓                      9.5 ↘                      10.2 ↓

beste Teiler 289.6 (33.) 448.3 (35.) 585.0 (40.)  
 Trefferlage 0.76 mm links, 1.11 mm tief  
 Streuwert 6.73, horizontal: 6.41, vertikal: 7.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.6)  
 Serien: 92 85 90 92  
 Zähler: 15 15 4 6 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3066 (20), 2736 (15), 2702 (31)  
 beste Teiler 123.1 (2.) 202.3 (9.) 214.3 (8.)  
 Trefferlage 6.05 mm links, 2.14 mm hoch  
 Streuwert 9.33, horizontal: 10.29, vertikal: 8.27




Serie 1:  
 7.9 ←                      10.8 \*                      9.4 ←                      8.4 ↑                      10.6 \*  
 9.7 ←                      10.3 ←                      10.7 \*                      10.7 \*                      9.7 →  
 beste Teiler 123.1 (2.) 202.3 (9.) 214.3 (8.)  
 Trefferlage 4.06 mm links, 1.47 mm hoch  
 Streuwert 8.20, horizontal: 9.35, vertikal: 6.88



Serie 2:  
 8.7 ↑                      10.6 \*                      9.0 ↘                      9.9 ↘                      7.5 ←  
 9.4 ↘                      8.0 ←                      9.4 ←                      9.4 ↘                      7.1 ↘  
 beste Teiler 302.6 (12.) 863.1 (14.) 1205.7 (19.)  
 Trefferlage 10.28 mm links, 3.53 mm hoch  
 Streuwert 10.94, horizontal: 11.38, vertikal: 10.49



Serie 3:  
 7.7 ↘                      9.2 →                      10.2 ↑                      9.5 ↓                      10.1 ↓  
 10.6 \*                      7.8 ←                      10.0 ←                      8.5 ←                      10.1 ←  
 beste Teiler 248.6 (26.) 594.3 (23.) 664.2 (25.)  
 Trefferlage 6.90 mm links, 0.18 mm hoch  
 Streuwert 9.86, horizontal: 11.75, vertikal: 7.50





Serie 4:  
 7.6 ↘                      10.5 \*                      9.7 ←                      10.5 \*                      9.2 ↑  
 10.3 ↑                      9.7 →                      9.9 ↑                      9.2 ↓                      10.1 ↘  
 beste Teiler 337.5 (34.) 346.9 (32.) 486.0 (36.)  
 Trefferlage 2.98 mm links, 3.39 mm hoch  
 Streuwert 8.44, horizontal: 8.25, vertikal: 8.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.7)  
 Serien: 92 90 87 93  
 Zähler: 13 17 9 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2601 (29), 2140 (22), 1956 (24)  
 beste Teiler 77.1 (5.) 299.6 (28.) 312.8 (25.)  
 Trefferlage 0.79 mm links, 1.90 mm hoch  
 Streuwert 9.34, horizontal: 8.38, vertikal: 10.21




Serie 1:  
 8.8 ↙                      9.3 ↘                      9.7 ↘                      9.0 ↓                      10.9 \*  
 8.5 ↘                      10.2 ↙                      10.1 →                      9.8 ↘                      10.1 ↓  
 beste Teiler 77.1 (5.) 620.1 (7.) 680.2 (8.)  
 Trefferlage 5.73 mm links, 1.26 mm hoch  
 Streuwert 7.62, horizontal: 6.57, vertikal: 8.53



Serie 2:  
 9.7 ↓                      9.2 ↓                      9.5 →                      10.1 ↘                      8.6 ↘  
 9.2 ↘                      9.1 ↓                      10.5 \*                      9.8 ↓                      8.6 ↘  
 beste Teiler 399.6 (18.) 647.4 (14.) 953.0 (19.)  
 Trefferlage 0.77 mm rechts, 4.10 mm tief  
 Streuwert 9.20, horizontal: 8.69, vertikal: 9.69





Serie 3:  
 10.0 ↗                      8.3 ↑                      8.8 ↑                      8.5 →                      10.6 \*  
 8.8 ↗                      9.1 ↘                      10.6 \*                      7.7 ↑                      9.3 →  
 beste Teiler 299.6 (28.) 312.8 (25.) 771.0 (21.)  
 Trefferlage 4.11 mm rechts, 9.69 mm hoch  
 Streuwert 9.07, horizontal: 9.38, vertikal: 8.76




Serie 4:  
 9.3 ↙                      8.9 ↗                      10.0 ↑                      10.3 ↓                      10.4 \*  
 9.0 ↓                      9.3 ←                      9.1 ↑                      10.2 ↗                      9.8 ↙  
 beste Teiler 430.7 (35.) 509.5 (34.) 584.9 (39.)  
 Trefferlage 2.34 mm links, 0.76 mm hoch  
 Streuwert 8.28, horizontal: 6.20, vertikal: 9.94

Unterschrift des Schützen


Ergebnis: **354** (372.2)  
 Serien: 89 90 86 89  
 Zähler: 10 18 8 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2651 (7), 2644 (31), 2623 (33)  
 beste Teiler 224.5 (10.) 301.0 (5.) 374.1 (35.)  
 Trefferlage 0.86 mm links, 0.93 mm tief  
 Streuwert 10.61, horizontal: 10.52, vertikal: 10.69




Serie 1:  
 9.3 ↓                      10.2 ←                      8.7 ↙                      8.6 ↘                      10.6 \*  
 10.1 ←                      7.6 ↘                      8.3 ↙                      9.8 ↓                      10.7 \*  
 beste Teiler 224.5 (10.) 301.0 (5.) 621.5 (2.)  
 Trefferlage 2.84 mm links, 7.01 mm tief  
 Streuwert 9.52, horizontal: 11.70, vertikal: 6.65



Serie 2:  
 8.1 ↗                      9.6 ←                      8.6 ↗                      10.4 \*                      9.9 ↘  
 8.7 ↘                      9.6 ↗                      10.2 ↗                      10.3 →                      9.3 ↗  
 beste Teiler 448.1 (14.) 497.7 (19.) 623.7 (18.)  
 Trefferlage 3.32 mm rechts, 6.25 mm hoch  
 Streuwert 8.37, horizontal: 9.02, vertikal: 7.65





Serie 3:  
 9.2 ↓                      8.0 ↙                      9.9 ↑                      7.7 ↘                      9.1 ↘  
 9.2 ↙                      9.3 ↑                      9.0 ↘                      8.9 ↙                      9.4 ↓  
 beste Teiler 845.8 (23.) 1232.0 (30.) 1323.3 (27.)  
 Trefferlage 5.36 mm links, 5.20 mm tief  
 Streuwert 10.99, horizontal: 9.91, vertikal: 11.98




Serie 4:  
 7.6 ↘                      10.5 \*                      7.7 ↗                      10.1 →                      10.5 \*  
 9.7 ↗                      9.8 ↑                      9.3 ↓                      9.4 ↙                      9.3 ↘  
 beste Teiler 374.1 (35.) 387.4 (32.) 652.8 (34.)  
 Trefferlage 1.41 mm rechts, 2.23 mm hoch  
 Streuwert 10.73, horizontal: 10.54, vertikal: 10.91

Unterschrift des Schützen


Ergebnis: **353** (370.9)  
 Serien: 87 87 90 89  
 Zähler: 8 18 13 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2658 (19), 2352 (31), 2236 (9)  
 beste Teiler 343.5 (18.) 393.0 (26.) 436.2 (37.)  
 Trefferlage 1.92 mm links, 1.79 mm hoch  
 Streuwert 10.28, horizontal: 9.81, vertikal: 10.74




Serie 1:  
 9.7 ↑                      8.2 ↘                      8.7 ↑                      9.3 ↘                      9.9 ↓  
 9.8 ↙                      9.0 ↗                      9.0 ↘                      8.2 ↙                      9.1 ←  
 beste Teiler 816.6 (5.) 896.1 (6.) 979.0 (1.)  
 Trefferlage 5.67 mm links, 3.92 mm hoch  
 Streuwert 10.47, horizontal: 10.26, vertikal: 10.67



Serie 2:  
 9.6 ↘                      9.9 ←                      10.2 ↑                      8.9 ↓                      9.6 ↗  
 9.7 ↘                      8.8 ←                      10.5 \*                      7.6 ↘                      8.9 ↑  
 beste Teiler 343.5 (18.) 584.2 (13.) 833.3 (12.)  
 Trefferlage 1.77 mm links, 4.41 mm hoch  
 Streuwert 9.89, horizontal: 10.73, vertikal: 8.98



Serie 3:  
 8.3 ↗                      8.3 ←                      9.4 ↙                      9.2 ←                      10.0 ↗  
 10.5 \*                      10.1 →                      9.3 ↘                      8.4 ↓                      9.6 ↓  
 beste Teiler 393.0 (26.) 641.7 (27.) 755.5 (25.)  
 Trefferlage 1.76 mm links, 0.76 mm tief  
 Streuwert 10.58, horizontal: 11.96, vertikal: 8.98





Serie 4:  
 8.0 ↓                      10.0 ↓                      9.0 ↓                      10.0 ↗                      9.7 ↗  
 8.7 ↑                      10.4 \*                      8.9 ↓                      8.8 ↑                      9.7 ↘  
 beste Teiler 436.2 (37.) 726.3 (32.) 793.4 (34.)  
 Trefferlage 1.49 mm rechts, 0.39 mm tief  
 Streuwert 10.58, horizontal: 4.94, vertikal: 14.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.5)  
 Serien: 95 91 91 94  
 Zähler: 18 16 5 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2556 (18), 2361 (37), 2019 (33)  
 beste Teiler 48.0 (25.) 167.0 (32.) 211.5 (15.)  
 Trefferlage 2.78 mm links, 0.25 mm hoch  
 Streuwert 7.83, horizontal: 7.81, vertikal: 7.85




Serie 1:  
 10.4 \* 10.3 → 10.0 ↘ 9.9 ↙ 9.8 ↗  
 9.5 ↗ 10.1 ↑ 9.1 ↘ 9.9 ↘ 10.1 ↙  
 beste Teiler 437.4 (1.) 526.0 (2.) 701.7 (10.)  
 Trefferlage 0.30 mm rechts, 0.44 mm tief  
 Streuwert 6.59, horizontal: 5.98, vertikal: 7.15



Serie 2:  
 9.8 ↘ 10.2 ↙ 10.5 \* 9.3 ↙ 10.7 \*  
 10.0 ↑ 9.7 ↙ 7.8 ← 9.6 ↑ 8.7 ↖  
 beste Teiler 211.5 (15.) 375.4 (13.) 587.7 (12.)  
 Trefferlage 7.04 mm links, 0.85 mm hoch  
 Streuwert 7.75, horizontal: 8.91, vertikal: 6.40



Serie 3:  
 9.7 ↙ 10.1 → 9.9 ↘ 9.0 ↙ 10.9 \*  
 10.0 ↑ 8.9 ↗ 9.1 ↙ 9.6 ↙ 8.9 ↘  
 beste Teiler 48.0 (25.) 706.4 (22.) 738.4 (26.)  
 Trefferlage 2.24 mm links, 0.37 mm tief  
 Streuwert 8.71, horizontal: 8.62, vertikal: 8.81





Serie 4:  
 10.1 ↑ 10.7 \* 8.4 ↙ 9.8 ↘ 10.6 \*  
 10.2 ↖ 8.0 ↑ 10.1 ← 10.4 \* 9.7 ↙  
 beste Teiler 167.0 (32.) 278.4 (35.) 459.4 (39.)  
 Trefferlage 2.14 mm links, 0.97 mm hoch  
 Streuwert 8.33, horizontal: 6.60, vertikal: 9.76

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **363** (381.1)  
 Serien: 90 92 90 91  
 Zähler: 13 18 8 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2519 (40), 2151 (8), 2121 (27)  
 beste Teiler 241.2 (37.) 245.6 (17.) 259.7 (12.)  
 Trefferlage 1.46 mm links, 2.25 mm tief  
 Streuwert 9.01, horizontal: 8.50, vertikal: 9.48




Serie 1:  
 9.3 ↓                      8.3 ↓                      9.4 ↖                      9.2 ↓                      9.7 ↓  
 10.4 \*                      10.1 ↓                      8.3 →                      8.5 ↖                      10.1 ↖  
 beste Teiler 401.2 (6.) 688.1 (10.) 716.2 (7.)  
 Trefferlage 2.47 mm links, 4.88 mm tief  
 Streuwert 9.86, horizontal: 10.13, vertikal: 9.58



Serie 2:  
 9.3 ↙                      10.6 \*                      9.8 ↙                      9.6 ↓                      10.0 →  
 8.7 ↑                      10.6 \*                      9.6 ↑                      10.5 \*                      8.6 ↑  
 beste Teiler 245.6 (17.) 259.7 (12.) 389.4 (19.)  
 Trefferlage 0.04 mm rechts, 2.86 mm hoch  
 Streuwert 8.06, horizontal: 5.83, vertikal: 9.80



Serie 3:  
 9.9 ↓                      9.2 ↖                      8.5 ↓                      9.0 ↙                      9.7 ↓  
 10.2 ↓                      8.3 ↗                      9.6 →                      10.4 \*                      9.4 ↓  
 beste Teiler 441.2 (29.) 601.6 (26.) 829.7 (21.)  
 Trefferlage 0.67 mm rechts, 4.09 mm tief  
 Streuwert 9.39, horizontal: 9.13, vertikal: 9.64





Serie 4:  
 8.7 ↖                      10.0 →                      10.4 \*                      10.3 ↑                      9.9 ←  
 9.0 ↙                      10.6 \*                      9.7 →                      9.9 ←                      7.8 ↓  
 beste Teiler 241.2 (37.) 460.1 (33.) 546.4 (34.)  
 Trefferlage 4.11 mm links, 2.91 mm tief  
 Streuwert 8.50, horizontal: 8.75, vertikal: 8.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.6)  
 Serien: 93 94 92 95  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1793 (6), 1676 (10), 1640 (32)  
 beste Teiler 60.8 (9.) 93.0 (25.) 105.8 (11.)  
 Trefferlage 0.67 mm rechts, 0.65 mm tief  
 Streuwert 7.22, horizontal: 7.18, vertikal: 7.27




Serie 1:  
 10.4 \*                      10.3 ←                      9.1 ↗                      9.7 ↖                      10.3 ↗  
    8.7 ↗                      10.5 \*                      9.0 ↗                      10.9 \*                      8.9 ↘  
 beste Teiler 60.8 (9.) 347.7 (7.) 468.6 (1.)  
 Trefferlage 0.99 mm rechts, 2.90 mm hoch  
 Streuwert 8.06, horizontal: 7.79, vertikal: 8.31



Serie 2:  
 10.8 \*                      9.1 ←                      9.2 ↓                      10.4 \*                      9.9 →  
    10.5 \*                      9.2 ↑                      9.7 →                      10.3 ↑                      9.9 ↘  
 beste Teiler 105.8 (11.) 387.1 (16.) 454.6 (14.)  
 Trefferlage 0.24 mm rechts, 1.16 mm tief  
 Streuwert 7.03, horizontal: 6.86, vertikal: 7.19



Serie 3:  
 9.4 ↘                      9.2 →                      9.9 ↑                      9.4 ↓                      10.8 \*  
    9.6 ↙                      9.9 ↙                      10.6 \*                      9.2 →                      9.8 →  
 beste Teiler 93.0 (25.) 280.4 (28.) 806.3 (23.)  
 Trefferlage 0.94 mm rechts, 1.72 mm tief  
 Streuwert 7.43, horizontal: 8.35, vertikal: 6.39





Serie 4:  
 9.1 →                      8.9 ↘                      10.0 ↖                      9.7 ↓                      10.1 ↑  
    10.0 ↗                      10.3 ↘                      10.8 \*                      10.4 \*                      9.7 ↓  
 beste Teiler 149.1 (38.) 473.4 (39.) 518.8 (37.)  
 Trefferlage 0.50 mm rechts, 2.64 mm tief  
 Streuwert 6.81, horizontal: 6.73, vertikal: 6.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.5)  
 Serien: 90 88 92 82  
 Zähler: 10 15 13 1 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3353 (34), 2966 (2), 2073 (40)  
 beste Teiler 180.4 (3.) 203.0 (22.) 314.5 (18.)  
 Trefferlage 2.29 mm links, 0.36 mm tief  
 Streuwert 10.76, horizontal: 11.10, vertikal: 10.42




Serie 1:  
 9.8 ↗ 7.2 ↘ 10.7 \* 8.5 ↙ 9.0 ↖  
 9.6 ↘ 10.3 ↗ 10.1 ↗ 10.5 \* 8.8 ↑  
 beste Teiler 180.4 (3.) 323.0 (9.) 507.3 (7.)  
 Trefferlage 0.23 mm links, 2.20 mm tief  
 Streuwert 10.61, horizontal: 10.08, vertikal: 11.12



Serie 2:  
 10.0 ↑ 8.4 ↗ 8.9 ↙ 8.4 ↓ 9.9 ↖  
 9.0 ↓ 10.1 → 10.6 \* 8.5 ↑ 8.6 ↖  
 beste Teiler 314.5 (18.) 644.7 (17.) 788.7 (11.)  
 Trefferlage 2.57 mm links, 0.31 mm hoch  
 Streuwert 10.99, horizontal: 8.40, vertikal: 13.07



Serie 3:  
 9.0 ↖ 10.7 \* 9.8 ↖ 9.9 → 9.7 →  
 9.7 ↖ 10.0 → 10.3 ↙ 8.7 → 9.4 ↖  
 beste Teiler 203.0 (22.) 559.0 (28.) 768.4 (27.)  
 Trefferlage 0.97 mm links, 0.12 mm tief  
 Streuwert 8.11, horizontal: 10.80, vertikal: 3.87





Serie 4:  
 9.2 ↖ 9.0 ↓ 8.4 ↙ 6.8 ← 9.2 ↗  
 8.9 ↗ 8.6 ↓ 9.1 ↑ 8.8 ← 8.4 ↖  
 beste Teiler 1371.1 (31.) 1440.9 (35.) 1456.5 (38.)  
 Trefferlage 5.41 mm links, 0.56 mm hoch  
 Streuwert 13.84, horizontal: 15.08, vertikal: 12.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.8)  
 Serien: 89 91 91 91  
 Zähler: 15 15 7 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3039 (3), 2576 (19), 2504 (37)  
 beste Teiler 120.2 (8.) 140.2 (9.) 213.4 (11.)  
 Trefferlage 1.34 mm links, 0.43 mm tief  
 Streuwert 9.74, horizontal: 10.10, vertikal: 9.35




Serie 1:  
 9.7 ←                      8.4 ↙                      7.2 →                      10.0 ↑                      8.8 ↓  
 8.1 ↑                      9.2 ↘                      10.8 \*                      10.8 \*                      10.4 \*  
 beste Teiler 120.2 (8.) 140.2 (9.) 436.5 (10.)  
 Trefferlage 2.88 mm rechts, 0.13 mm tief  
 Streuwert 11.70, horizontal: 12.58, vertikal: 10.74



Serie 2:  
 10.7 \*                      10.1 ↘                      8.9 ↙                      8.7 ↖                      10.5 \*  
 9.1 ↓                      10.1 ↓                      9.7 ↘                      7.7 →                      10.1 ↖  
 beste Teiler 213.4 (11.) 379.9 (15.) 668.4 (17.)  
 Trefferlage 0.83 mm links, 0.33 mm tief  
 Streuwert 9.71, horizontal: 10.31, vertikal: 9.09



Serie 3:  
 9.4 ↖                      9.7 ↘                      9.5 ↙                      9.2 ↖                      9.2 ↗  
 10.5 \*                      9.4 ←                      9.3 ↘                      10.5 \*                      8.9 ↗  
 beste Teiler 327.1 (29.) 331.9 (26.) 1038.5 (22.)  
 Trefferlage 2.67 mm links, 0.51 mm tief  
 Streuwert 8.59, horizontal: 8.95, vertikal: 8.22





Serie 4:  
 9.9 ←                      8.1 ↙                      10.3 ↖                      10.1 ↖                      10.1 ↖  
 9.6 →                      7.8 ↙                      10.6 \*                      9.7 ↖                      9.0 ↑  
 beste Teiler 305.2 (38.) 533.6 (33.) 671.4 (34.)  
 Trefferlage 4.76 mm links, 0.73 mm tief  
 Streuwert 9.38, horizontal: 7.92, vertikal: 10.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.3)  
 Serien: 95 91 90 84  
 Zähler: 12 19 7 1 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3349 (40), 3014 (28), 2167 (12)  
 beste Teiler 88.7 (9.) 207.7 (15.) 314.2 (10.)  
 Trefferlage 3.19 mm links, 1.77 mm hoch  
 Streuwert 9.38, horizontal: 7.79, vertikal: 10.74




Serie 1:  
 10.4 \*                      10.4 \*                      10.0 ↘                      9.5 ←                      9.4 ↑  
 8.5 ←                      10.1 ↗                      9.6 ↘                      10.8 \*                      10.6 \*  
 beste Teiler 88.7 (9.) 314.2 (10.) 449.5 (2.)  
 Trefferlage 3.94 mm links, 2.40 mm hoch  
 Streuwert 6.29, horizontal: 6.45, vertikal: 6.14



Serie 2:  
 10.2 ↗                      8.2 ↗                      9.8 ↗                      9.7 ↓                      10.7 \*  
 9.7 ↘                      8.6 ↘                      9.9 ↓                      9.6 ↑                      10.5 \*  
 beste Teiler 207.7 (15.) 351.9 (20.) 616.2 (11.)  
 Trefferlage 0.71 mm rechts, 5.50 mm hoch  
 Streuwert 7.61, horizontal: 4.29, vertikal: 9.86



Serie 3:  
 10.4 \*                      10.4 \*                      9.2 ↓                      9.3 ↘                      9.7 ←  
 8.5 ↘                      9.3 ↗                      7.2 ↓                      9.4 ↑                      10.1 ↘  
 beste Teiler 414.4 (21.) 444.4 (22.) 685.1 (30.)  
 Trefferlage 2.74 mm links, 2.67 mm tief  
 Streuwert 10.61, horizontal: 8.99, vertikal: 12.01





Serie 4:  
 8.9 ↗                      9.2 ↘                      9.1 ←                      8.7 ↓                      9.6 →  
 8.9 ↘                      9.7 ←                      9.2 ↑                      9.5 ↘                      6.8 ↘  
 beste Teiler 1038.8 (37.) 1113.3 (35.) 1170.2 (39.)  
 Trefferlage 6.82 mm links, 1.88 mm hoch  
 Streuwert 11.67, horizontal: 9.48, vertikal: 13.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (369.7)  
 Serien: 90 86 88 89  
 Zähler: 11 15 11 2 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3568 (18), 3100 (26), 2479 (36)  
 beste Teiler 234.6 (1.) 410.4 (19.) 436.6 (25.)  
 Trefferlage 2.34 mm links, 0.48 mm tief  
 Streuwert 11.05, horizontal: 9.19, vertikal: 12.64




Serie 1:  
 10.7 \*                      8.6 ↘                      8.4 ↙                      10.1 ←                      9.9 ↑  
 9.1 ↗                      9.5 →                      10.3 ↑                      9.0 ↑                      8.9 ↗  
 beste Teiler 234.6 (1.) 511.4 (8.) 700.7 (4.)  
 Trefferlage 0.37 mm links, 5.76 mm hoch  
 Streuwert 9.03, horizontal: 8.70, vertikal: 9.34



Serie 2:  
 8.6 ↑                      9.1 ↓                      9.2 ↓                      8.0 ↑                      9.6 ←  
 8.8 ←                      10.2 ↑                      6.5 ↙                      10.4 \*                      9.8 ↓  
 beste Teiler 410.4 (19.) 617.8 (17.) 907.8 (20.)  
 Trefferlage 7.41 mm links, 1.58 mm tief  
 Streuwert 11.96, horizontal: 9.24, vertikal: 14.17





Serie 3:  
 8.2 ↓                      8.9 ↑                      10.1 ↗                      10.2 ←                      10.4 \*  
 7.1 ↓                      9.3 ↙                      8.8 ↘                      9.6 →                      9.5 ←  
 beste Teiler 436.6 (25.) 620.1 (24.) 720.6 (23.)  
 Trefferlage 4.78 mm links, 2.94 mm tief  
 Streuwert 11.09, horizontal: 7.67, vertikal: 13.68




Serie 4:  
 10.3 →                      10.2 ↘                      9.1 ↑                      10.1 ←                      8.4 ↑  
 7.9 →                      9.5 ↓                      9.5 ↓                      9.9 ↓                      8.0 ↓  
 beste Teiler 541.2 (31.) 609.7 (32.) 704.1 (34.)  
 Trefferlage 3.19 mm rechts, 3.15 mm tief  
 Streuwert 10.73, horizontal: 8.52, vertikal: 12.55

Unterschrift des Schützen


Ergebnis: **352** (371.6)  
 Serien: 87 89 89 87  
 Zähler: 10 17 9 3 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3395 (24), 2770 (36), 2740 (31)  
 beste Teiler 98.7 (21.) 194.9 (40.) 198.9 (27.)  
 Trefferlage 1.75 mm links, 5.16 mm tief  
 Streuwert 10.54, horizontal: 10.59, vertikal: 10.49




Serie 1:  
 9.0 →                      8.2 ←                      10.3 ↑                      8.7 ↓                      8.1 ↘  
 9.9 ↘                      9.9 ←                      9.9 ↓                      9.6 ↘                      8.0 ↙  
 beste Teiler 536.0 (3.) 813.5 (7.) 815.8 (6.)  
 Trefferlage 2.55 mm links, 5.47 mm tief  
 Streuwert 10.79, horizontal: 11.69, vertikal: 9.81



Serie 2:  
 10.4 \*                      8.4 ↗                      8.7 ↙                      10.5 \*                      10.0 ←  
 9.8 ↘                      8.0 ↓                      9.2 →                      9.5 →                      8.1 ↙  
 beste Teiler 339.9 (14.) 468.7 (11.) 797.4 (15.)  
 Trefferlage 0.37 mm links, 1.38 mm tief  
 Streuwert 11.44, horizontal: 9.69, vertikal: 12.95



Serie 3:  
 10.8 \*                      9.8 →                      8.8 ←                      6.7 ↓                      10.6 \*  
 9.2 ↙                      10.7 \*                      9.7 ←                      9.9 ↓                      9.4 →  
 beste Teiler 98.7 (21.) 198.9 (27.) 294.3 (25.)  
 Trefferlage 2.80 mm links, 5.37 mm tief  
 Streuwert 9.78, horizontal: 8.95, vertikal: 10.55





Serie 4:  
 7.5 ↘                      7.7 ←                      9.7 ↓                      10.0 →                      10.7 \*  
 7.5 ↓                      9.1 ↙                      9.0 ↙                      9.9 ↓                      10.7 \*  
 beste Teiler 194.9 (40.) 222.6 (35.) 796.0 (34.)  
 Trefferlage 1.28 mm links, 8.43 mm tief  
 Streuwert 11.07, horizontal: 13.09, vertikal: 8.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.2)  
 Serien: 85 90 89 88  
 Zähler: 8 19 10 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3168 (2), 2657 (37), 2563 (7)  
 beste Teiler 288.7 (20.) 332.0 (6.) 464.3 (22.)  
 Trefferlage 0.20 mm rechts, 0.40 mm tief  
 Streuwert 10.82, horizontal: 10.35, vertikal: 11.27




Serie 1:  
 10.2 ↓                      7.0 ↖                      9.7 ↓                      9.5 ←                      8.5 ↑  
 10.5 \*                      7.7 ↗                      9.8 ↘                      8.6 ↓                      8.4 →  
 beste Teiler 332.0 (6.) 605.1 (1.) 893.3 (8.)  
 Trefferlage 1.56 mm rechts, 2.87 mm hoch  
 Streuwert 13.08, horizontal: 10.19, vertikal: 15.44



Serie 2:  
 9.9 ←                      8.8 ↗                      8.4 ←                      10.3 ↓                      9.5 ←  
 10.1 ↗                      8.3 ↓                      8.9 ↘                      10.0 ↘                      10.6 \*  
 beste Teiler 288.7 (20.) 492.0 (14.) 643.6 (16.)  
 Trefferlage 0.16 mm rechts, 1.44 mm tief  
 Streuwert 9.84, horizontal: 11.11, vertikal: 8.38



Serie 3:  
 9.8 ↘                      10.4 \*                      8.4 ↗                      9.0 ↘                      9.1 ↓  
 9.4 ↘                      8.0 →                      8.4 ↖                      10.3 ←                      9.4 →  
 beste Teiler 464.3 (22.) 553.3 (29.) 924.4 (21.)  
 Trefferlage 2.06 mm rechts, 0.62 mm hoch  
 Streuwert 11.21, horizontal: 12.09, vertikal: 10.25





Serie 4:  
 9.3 ↘                      9.7 ↘                      9.1 ↓                      9.3 ↗                      9.3 ↖  
 9.7 ↓                      7.6 ↘                      9.6 ↓                      9.8 ↓                      9.9 ↗  
 beste Teiler 831.0 (40.) 906.1 (39.) 982.4 (32.)  
 Trefferlage 2.98 mm links, 3.67 mm tief  
 Streuwert 9.59, horizontal: 8.57, vertikal: 10.50

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **359** (377.3)  
 Serien: 91 90 86 92  
 Zähler: 11 20 6 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2493 (8), 2483 (30), 2475 (23)  
 beste Teiler 229.1 (37.) 234.9 (22.) 304.9 (1.)  
 Trefferlage 5.91 mm links, 1.58 mm hoch  
 Streuwert 8.78, horizontal: 8.27, vertikal: 9.26




Serie 1:  
 10.6 \*                      9.5 ←                      8.6 ↖                      9.8 ←                      8.3 ←  
 10.2 ↙                      10.0 ↖                      7.8 ↙                      10.6 \*                      10.1 ↗  
 beste Teiler 304.9 (1.) 319.9 (9.) 606.0 (6.)  
 Trefferlage 8.14 mm links, 1.30 mm hoch  
 Streuwert 7.98, horizontal: 8.42, vertikal: 7.51



Serie 2:  
 9.3 ↗                      9.1 ←                      9.8 →                      9.8 ↖                      9.3 ↖  
 9.0 ←                      8.4 ↖                      10.1 ↓                      9.9 ↗                      9.2 ←  
 beste Teiler 652.2 (18.) 802.0 (19.) 924.6 (14.)  
 Trefferlage 6.14 mm links, 3.22 mm hoch  
 Streuwert 8.16, horizontal: 9.29, vertikal: 6.85



Serie 3:  
 10.2 ↓                      10.7 \*                      7.9 ↑                      9.9 ↖                      8.0 ↑  
 9.7 ↙                      8.7 ↙                      9.2 ←                      9.2 ←                      7.8 ↙  
 beste Teiler 234.9 (22.) 623.8 (21.) 820.6 (24.)  
 Trefferlage 6.64 mm links, 0.56 mm hoch  
 Streuwert 11.22, horizontal: 6.43, vertikal: 14.51





Serie 4:  
 9.2 ↖                      9.6 ←                      9.5 →                      9.9 ↓                      10.0 ↗  
 10.4 \*                      10.7 \*                      9.4 ←                      9.4 ↑                      8.5 ↖  
 beste Teiler 229.1 (37.) 409.5 (36.) 739.3 (35.)  
 Trefferlage 2.71 mm links, 1.23 mm hoch  
 Streuwert 8.18, horizontal: 8.96, vertikal: 7.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (376.4)  
 Serien: 88 92 93 89  
 Zähler: 13 17 9 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3111 (38), 2303 (33), 2079 (1)  
 beste Teiler 234.9 (8.) 308.1 (25.) 442.6 (37.)  
 Trefferlage 2.11 mm links, 3.65 mm tief  
 Streuwert 9.48, horizontal: 8.64, vertikal: 10.25




Serie 1:  
 8.4 ↑                      10.0 ↙                      8.8 ↓                      10.1 ↘                      8.4 ↓  
 9.3 ←                      9.4 ↓                      10.7 \*                      8.6 ←                      8.5 ←  
 beste Teiler 234.9 (8.) 708.6 (4.) 774.0 (2.)  
 Trefferlage 5.49 mm links, 4.55 mm tief  
 Streuwert 10.09, horizontal: 9.01, vertikal: 11.06



Serie 2:  
 10.3 ↑                      9.0 ↘                      10.2 ↖                      9.6 →                      10.4 \*  
 8.4 ↓                      9.2 ↗                      9.1 ↗                      9.6 ↖                      9.0 ←  
 beste Teiler 452.5 (15.) 511.2 (11.) 566.9 (13.)  
 Trefferlage 0.72 mm links, 0.03 mm tief  
 Streuwert 9.51, horizontal: 9.44, vertikal: 9.58



Serie 3:  
 9.1 ↓                      8.6 ↓                      9.8 ↓                      10.2 ↖                      10.6 \*  
 9.8 ←                      9.7 ↓                      9.0 ↘                      10.2 ←                      10.3 ↖  
 beste Teiler 308.1 (25.) 552.2 (30.) 593.9 (29.)  
 Trefferlage 1.75 mm links, 5.48 mm tief  
 Streuwert 6.94, horizontal: 6.89, vertikal: 6.99





Serie 4:  
 9.3 ↙                      8.9 ↙                      8.1 ↖                      10.0 ↗                      9.5 ↙  
 10.1 ↗                      10.4 \*                      7.1 ↓                      9.5 ↘                      9.2 ↗  
 beste Teiler 442.6 (37.) 679.4 (36.) 747.7 (34.)  
 Trefferlage 0.46 mm links, 4.55 mm tief  
 Streuwert 11.41, horizontal: 9.39, vertikal: 13.12

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>346</b>	(364.6)			
Serien:	87	82	89	88	
Zähler:	5	23	8	2	1 1 0 0 0 0
Innenzehner:	3				
weiteste:	4503 (20), 3317 (16), 3111 (3)				
beste Teiler	244.9 (6.) 320.1 (11.) 459.8 (24.)				
Trefferlage	1.02 mm rechts, 3.65 mm hoch				
Streuwert	11.77, horizontal: 12.68, vertikal: 10.78				




Serie 1:

10.2 ↖	9.1 ↗	7.1 ↑	8.7 ←	8.4 →
10.6 *	8.1 ←	9.4 ↘	9.6 ↗	9.2 ↖
beste Teiler	244.9 (6.) 561.7 (1.) 1060.1 (9.)			
Trefferlage	0.03 mm links, 6.55 mm hoch			
Streuwert	11.81, horizontal: 13.04, vertikal: 10.44			




Serie 2:

10.6 *	9.4 ↗	9.7 ↘	9.4 ←	9.7 ↘
6.8 ↗	9.9 ↘	7.9 ↘	9.6 ↘	5.3 ↗
beste Teiler	320.1 (11.) 871.0 (17.) 987.4 (13.)			
Trefferlage	2.32 mm rechts, 1.75 mm hoch			
Streuwert	15.57, horizontal: 15.62, vertikal: 15.52			



Serie 3:

9.5 ↗	8.5 →	9.3 ↖	10.4 *	9.0 ←
9.9 ↑	9.3 ↗	9.7 →	9.8 ↑	8.1 ↘
beste Teiler	459.8 (24.) 873.4 (26.) 952.0 (29.)			
Trefferlage	1.51 mm rechts, 3.07 mm hoch			
Streuwert	10.02, horizontal: 11.05, vertikal: 8.88			





Serie 4:


8.3 ↖	10.0 ↗	8.9 ↑	9.0 ↘	9.6 ↘
9.5 →	8.2 ←	9.8 ←	9.8 →	9.3 ↑
beste Teiler	795.2 (32.) 935.4 (38.) 948.8 (39.)			
Trefferlage	0.28 mm rechts, 3.25 mm hoch			
Streuwert	10.42, horizontal: 12.50, vertikal: 7.82			

Unterschrift des Schützen


Ergebnis: **355** (375.8)  
 Serien: 88 94 87 86  
 Zähler: 11 16 10 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2645 (10), 2637 (26), 2438 (9)  
 beste Teiler 120.3 (35.) 263.9 (5.) 305.6 (8.)  
 Trefferlage 3.23 mm rechts, 0.73 mm hoch  
 Streuwert 9.79, horizontal: 10.41, vertikal: 9.14




Serie 1:  
 8.6 ↗ 8.1 → 10.0 ← 9.9 ↘ 10.6 \*  
 10.3 ↘ 9.1 ← 10.6 \* 7.9 ↘ 7.6 →  
 beste Teiler 263.9 (5.) 305.6 (8.) 486.7 (6.)  
 Trefferlage 6.38 mm rechts, 0.46 mm tief  
 Streuwert 10.86, horizontal: 12.62, vertikal: 8.76



Serie 2:  
 10.3 → 10.3 → 9.2 ↗ 10.4 \* 9.6 ↙  
 10.0 ← 9.8 ↓ 9.9 ↘ 9.3 ↑ 9.9 ↘  
 beste Teiler 458.0 (14.) 494.6 (11.) 517.5 (12.)  
 Trefferlage 1.69 mm rechts, 1.07 mm hoch  
 Streuwert 6.65, horizontal: 5.79, vertikal: 7.41





Serie 3:  
 9.1 ↗ 9.5 ↗ 10.2 ↘ 9.6 ↗ 9.4 ↓  
 7.7 ↙ 8.9 → 9.7 → 9.2 ↘ 8.8 ↘  
 beste Teiler 589.6 (23.) 1012.0 (28.) 1112.4 (24.)  
 Trefferlage 4.45 mm rechts, 0.18 mm tief  
 Streuwert 10.64, horizontal: 10.16, vertikal: 11.09




Serie 4:  
 8.1 → 8.8 ↗ 8.7 ↘ 9.9 ↘ 10.8 \*  
 9.9 ↗ 8.7 ← 8.8 ↓ 8.5 ↑ 10.1 ↘  
 beste Teiler 120.3 (35.) 709.6 (40.) 845.9 (36.)  
 Trefferlage 0.40 mm rechts, 2.49 mm hoch  
 Streuwert 11.19, horizontal: 12.19, vertikal: 10.09

Unterschrift des Schützen


Ergebnis: **375** (392.2)  
 Serien: 90 96 92 97  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2099 (32), 1804 (5), 1636 (6)  
 beste Teiler 213.3 (8.) 294.9 (34.) 343.9 (40.)  
 Trefferlage 0.78 mm links, 0.95 mm tief  
 Streuwert 7.21, horizontal: 6.64, vertikal: 7.73




Serie 1:  
 10.4 \*                      10.3 ↗                      9.9 ↓                      9.5 ←                      8.7 ←  
 8.9 →                      9.3 ↙                      10.7 \*                      8.9 ↗                      9.5 ↗  
 beste Teiler 213.3 (8.) 456.0 (1.) 547.8 (2.)  
 Trefferlage 0.18 mm links, 0.63 mm hoch  
 Streuwert 8.89, horizontal: 10.80, vertikal: 6.42



Serie 2:  
 10.2 ↖                      9.4 ↓                      10.1 ↗                      9.0 ↑                      10.3 ←  
 9.7 ↙                      10.2 ↙                      9.2 ↓                      10.2 ↙                      10.0 ↘  
 beste Teiler 515.4 (15.) 562.9 (17.) 575.9 (11.)  
 Trefferlage 1.47 mm links, 2.18 mm tief  
 Streuwert 6.93, horizontal: 3.44, vertikal: 9.17



Serie 3:  
 9.7 ↓                      9.6 ←                      9.6 →                      10.1 ↓                      9.8 ↖  
 9.5 ←                      9.9 ↓                      10.2 ↘                      9.4 ↓                      9.9 ↖  
 beste Teiler 578.4 (28.) 667.1 (24.) 815.0 (27.)  
 Trefferlage 2.48 mm links, 2.85 mm tief  
 Streuwert 6.56, horizontal: 6.53, vertikal: 6.59





Serie 4:  
 10.3 ←                      8.3 ↑                      10.3 ↘                      10.6 \*                      10.2 ↖  
 10.5 \*                      9.3 ↓                      10.1 ↓                      10.0 ↑                      10.5 \*  
 beste Teiler 294.9 (34.) 343.9 (40.) 363.2 (36.)  
 Trefferlage 0.99 mm rechts, 0.57 mm hoch  
 Streuwert 6.77, horizontal: 3.55, vertikal: 8.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.5)  
 Serien: 85 90 90 91  
 Zähler: 10 19 9 1 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3477 (10), 2464 (25), 2389 (37)  
 beste Teiler 100.8 (28.) 251.4 (24.) 330.9 (11.)  
 Trefferlage 3.28 mm rechts, 2.70 mm hoch  
 Streuwert 9.95, horizontal: 8.65, vertikal: 11.11




Serie 1:  
 9.4 →                      9.6 ←                      8.5 ↘                      9.3 ↗                      10.1 ↖  
 9.8 ↓                      8.7 ↑                      9.3 ↗                      8.3 ↗                      6.6 ↑  
 beste Teiler 685.4 (5.) 944.4 (6.) 1092.0 (2.)  
 Trefferlage 2.07 mm rechts, 8.62 mm hoch  
 Streuwert 11.36, horizontal: 8.46, vertikal: 13.66



Serie 2:  
 10.5 \*                      8.2 ↓                      8.4 →                      10.0 ↑                      9.4 →  
 8.6 ↓                      10.0 ↓                      9.3 ↑                      9.6 ↘                      9.9 ↗  
 beste Teiler 330.9 (11.) 763.0 (17.) 780.0 (14.)  
 Trefferlage 4.34 mm rechts, 2.48 mm tief  
 Streuwert 9.58, horizontal: 7.30, vertikal: 11.42



Serie 3:  
 9.9 ↙                      9.4 ↖                      8.5 →                      10.6 \*                      7.9 ↗  
 10.2 ↖                      9.1 ←                      10.8 \*                      9.4 →                      9.9 ↖  
 beste Teiler 100.8 (28.) 251.4 (24.) 563.9 (26.)  
 Trefferlage 1.47 mm rechts, 2.83 mm hoch  
 Streuwert 9.32, horizontal: 10.56, vertikal: 7.89





Serie 4:  
 10.2 ↑                      9.5 ↘                      8.7 ↘                      9.2 ↗                      10.0 ←  
 9.1 ↑                      8.0 ↘                      9.9 ↗                      10.1 ↘                      9.6 ↑  
 beste Teiler 629.6 (31.) 709.7 (39.) 780.1 (35.)  
 Trefferlage 5.25 mm rechts, 1.83 mm hoch  
 Streuwert 9.00, horizontal: 8.76, vertikal: 9.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (354.2)  
 Serien: 89 80 83 83  
 Zähler: 7 13 10 8 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3839 (10), 3331 (29), 3053 (39)  
 beste Teiler 202.1 (4.) 241.3 (3.) 498.5 (9.)  
 Trefferlage 1.44 mm links, 1.99 mm tief  
 Streuwert 13.49, horizontal: 11.26, vertikal: 15.39




Serie 1:  
 8.6 ↗ 10.2 ↙ 10.6 \* 10.7 \* 8.3 ↙  
 10.0 ↖ 8.2 ↓ 9.8 ↘ 10.3 ↖ 6.2 ↙  
 beste Teiler 202.1 (4.) 241.3 (3.) 498.5 (9.)  
 Trefferlage 4.09 mm links, 4.92 mm tief  
 Streuwert 11.97, horizontal: 9.84, vertikal: 13.77



Serie 2:  
 7.9 → 9.6 ↓ 9.4 ↓ 8.9 ↗ 7.5 ↑  
 9.0 ↙ 7.7 ↘ 8.6 ↗ 8.8 ↓ 8.6 ↑  
 beste Teiler 1075.4 (12.) 1209.3 (13.) 1576.8 (16.)  
 Trefferlage 2.72 mm rechts, 5.00 mm hoch  
 Streuwert 14.04, horizontal: 12.63, vertikal: 15.31



Serie 3:  
 9.6 ↖ 9.9 ↖ 9.0 ↖ 9.7 ↗ 9.0 ↘  
 9.9 ↘ 8.9 ↘ 8.1 ↓ 6.8 ↓ 7.5 ↑  
 beste Teiler 823.6 (22.) 844.4 (26.) 1026.7 (24.)  
 Trefferlage 0.08 mm rechts, 2.44 mm tief  
 Streuwert 13.89, horizontal: 9.11, vertikal: 17.41



Serie 4:  
 9.4 → 8.7 ↖ 7.4 ↙ 9.3 ↖ 9.3 ↑  
 7.7 ↓ 10.0 ↖ 7.7 ↖ 7.1 ↓ 10.3 ↙  
 beste Teiler 501.6 (40.) 776.4 (37.) 1271.6 (31.)  
 Trefferlage 4.48 mm links, 5.62 mm tief  
 Streuwert 13.99, horizontal: 13.05, vertikal: 14.86

Unterschrift des Schützen

Meyton Elektronik