





Ergebnis: **627.4** (599)  
 Serien: 104.1 103.9 105.4 105.1 104.2 104.7  
 Zähler: 59 1 0 0 0 0 0 0 0  
 Innenzehner: 49  
 weiteste: 846 (5), 719 (6), 689 (41)  
 beste Teiler 82.6 (3.) 109.0 (44.) 145.1 (22.)  
 Trefferlage 0.24 mm links, 0.20 mm tief  
 Streuwert 3.03, horizontal: 3.16, vertikal: 2.90




Serie 1:  
 10.6 \* 10.2 ↑ 10.8 \* 10.4 \* 9.9 ↖  
 10.1 → 10.3 \* 10.5 \* 10.7 \* 10.6 \*  
 beste Teiler 82.6 (3.) 237.5 (9.) 298.9 (1.)  
 Trefferlage 1.04 mm links, 0.36 mm hoch  
 Streuwert 3.56, horizontal: 4.03, vertikal: 3.02




Serie 2:  
 10.6 \* 10.6 \* 10.6 \* 10.6 \* 10.2 ↓  
 10.3 \* 10.4 \* 10.2 ↓ 10.3 \* 10.1 ←  
 beste Teiler 277.7 (13.) 283.0 (11.) 286.2 (14.)  
 Trefferlage 0.78 mm links, 2.47 mm tief  
 Streuwert 2.88, horizontal: 3.31, vertikal: 2.37




Serie 3:  
 10.6 \* 10.8 \* 10.1 ↑ 10.5 \* 10.6 \*  
 10.7 \* 10.4 \* 10.3 \* 10.7 \* 10.7 \*  
 beste Teiler 145.1 (22.) 185.8 (29.) 224.0 (26.)  
 Trefferlage 0.28 mm rechts, 0.88 mm hoch  
 Streuwert 2.60, horizontal: 2.77, vertikal: 2.42



Serie 4:  
 10.7 \* 10.4 \* 10.3 \* 10.4 \* 10.6 \*  
 10.5 \* 10.7 \* 10.3 \* 10.6 \* 10.6 \*  
 beste Teiler 235.5 (31.) 237.4 (37.) 249.8 (40.)  
 Trefferlage 0.36 mm links, 0.47 mm hoch  
 Streuwert 2.74, horizontal: 3.22, vertikal: 2.14



Serie 5:  
 10.1 ↖ 10.6 \* 10.2 ↘ 10.8 \* 10.3 ↓  
 10.7 \* 10.3 \* 10.3 \* 10.5 \* 10.4 \*  
 beste Teiler 109.0 (44.) 171.2 (46.) 268.4 (42.)  
 Trefferlage 0.81 mm links, 2.43 mm tief  
 Streuwert 2.81, horizontal: 3.06, vertikal: 2.53



Serie 6:  
 10.4 \* 10.5 \* 10.6 \* 10.4 \* 10.3 \*  
 10.6 \* 10.5 \* 10.7 \* 10.4 \* 10.3 ↗  
 beste Teiler 177.0 (58.) 267.5 (53.) 281.1 (56.)  
 Trefferlage 1.22 mm rechts, 1.97 mm hoch  
 Streuwert 2.41, horizontal: 2.58, vertikal: 2.24

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 36

**Mair, Tobias** #5

**StartNr: 36**

16. August 2020 9:38



T – SG Hochpustertal / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **624.7** (597)  
 Serien: 104.5 104.7 105.1 103.3 103.9 103.2  
 Zähler: 57 3 0 0 0 0 0 0 0  
 Innenzehner: 45  
 weiteste: 1296 (40), 899 (51), 893 (55)  
 beste Teiler 115.2 (9.) 132.0 (48.) 153.3 (11.)  
 Trefferlage 0.03 mm links, 1.47 mm hoch  
 Streuwert 3.30, horizontal: 3.15, vertikal: 3.45




Serie 1:  
 10.6 \*                      10.6 \*                      10.6 \*                      10.4 \*                      10.2 ←  
 10.0 ↑                      10.5 \*                      10.5 \*                      10.8 \*                      10.3 \*  
 beste Teiler 115.2 (9.) 289.6 (3.) 297.2 (2.)  
 Trefferlage 1.72 mm links, 1.92 mm hoch  
 Streuwert 2.68, horizontal: 2.42, vertikal: 2.92




Serie 2:  
 10.8 \*                      10.3 \*                      10.4 \*                      10.4 \*                      10.6 \*  
 10.0 →                      10.4 \*                      10.6 \*                      10.6 \*                      10.6 \*  
 beste Teiler 153.3 (11.) 245.6 (20.) 268.3 (15.)  
 Trefferlage 0.61 mm rechts, 0.07 mm hoch  
 Streuwert 3.08, horizontal: 2.89, vertikal: 3.26




Serie 3:  
 10.6 \*                      10.5 \*                      10.6 \*                      10.4 \*                      10.6 \*  
 10.6 \*                      10.4 \*                      10.6 \*                      10.6 \*                      10.2 ↑  
 beste Teiler 244.9 (25.) 254.2 (28.) 256.0 (29.)  
 Trefferlage 0.05 mm links, 1.55 mm hoch  
 Streuwert 2.46, horizontal: 2.56, vertikal: 2.35



Serie 4:  
 10.5 \*                      10.4 \*                      10.2 ←                      10.5 \*                      10.4 \*  
 10.7 \*                      10.6 \*                      10.0 ↑                      10.7 \*                      9.3 ↘  
 beste Teiler 169.4 (39.) 198.8 (36.) 317.8 (37.)  
 Trefferlage 0.56 mm links, 2.77 mm hoch  
 Streuwert 3.85, horizontal: 4.24, vertikal: 3.41



Serie 5:  
 10.2 ↑                      10.1 →                      10.5 \*                      10.4 \*                      10.3 \*  
 10.0 ↑                      10.1 ↙                      10.8 \*                      10.7 \*                      10.8 \*  
 beste Teiler 132.0 (48.) 158.1 (50.) 232.0 (49.)  
 Trefferlage 0.87 mm rechts, 0.39 mm hoch  
 Streuwert 3.72, horizontal: 2.85, vertikal: 4.43



Serie 6:  
 9.8 ↗                      10.6 \*                      10.4 \*                      10.6 \*                      9.8 ↘  
 10.1 ↑                      10.7 \*                      10.2 ↗                      10.4 \*                      10.6 \*  
 beste Teiler 188.1 (57.) 262.0 (54.) 263.4 (52.)  
 Trefferlage 0.64 mm rechts, 2.14 mm hoch  
 Streuwert 3.78, horizontal: 3.56, vertikal: 3.98

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 37

**Wadlegger, Stefan** #13

**StartNr: 37**

16. August 2020 9:29



T – SG Absam / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **609.6** (582)  
 Serien: 100.0 103.4 101.1 100.0 102.6 102.5  
 Zähler: 43 16 1 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 1971 (43), 1285 (39), 1161 (4)  
 beste Teiler 74.7 (19.) 111.1 (44.) 133.2 (49.)  
 Trefferlage 0.70 mm rechts, 2.43 mm tief  
 Streuwert 4.80, horizontal: 5.45, vertikal: 4.04




Serie 1:  
 10.0 ↘ 10.1 ↘ 9.8 ↘ 9.5 ← 10.2 →  
 9.8 ← 10.7 \* 9.9 ↘ 10.3 \* 9.7 ↘  
 beste Teiler 181.8 (7.) 523.2 (9.) 576.6 (5.)  
 Trefferlage 1.78 mm rechts, 2.20 mm tief  
 Streuwert 5.67, horizontal: 6.96, vertikal: 3.97




Serie 2:  
 10.3 \* 9.9 ↘ 10.4 \* 10.6 \* 10.5 \*  
 10.2 ↓ 10.7 \* 9.6 ↓ 10.9 \* 10.3 ↘  
 beste Teiler 74.7 (19.) 233.7 (17.) 274.8 (14.)  
 Trefferlage 1.70 mm rechts, 3.13 mm tief  
 Streuwert 3.24, horizontal: 2.16, vertikal: 4.04




Serie 3:  
 9.6 ↘ 10.1 ↗ 10.1 ↘ 10.5 \* 10.3 \*  
 9.9 ↘ 10.4 \* 9.7 ← 10.0 ↓ 10.5 \*  
 beste Teiler 358.5 (24.) 400.2 (30.) 455.7 (27.)  
 Trefferlage 0.30 mm rechts, 3.23 mm tief  
 Streuwert 4.77, horizontal: 4.85, vertikal: 4.68



Serie 4:  
 9.7 ↗ 10.2 ↗ 9.8 ↘ 10.0 ↘ 10.1 ↓  
 10.6 \* 10.5 \* 9.6 ← 9.3 ↘ 10.2 ↓  
 beste Teiler 315.9 (36.) 330.8 (37.) 580.8 (32.)  
 Trefferlage 2.75 mm rechts, 1.82 mm tief  
 Streuwert 5.56, horizontal: 6.45, vertikal: 4.49



Serie 5:  
 10.0 ↓ 10.7 \* 8.5 ← 10.8 \* 10.3 \*  
 10.5 \* 10.6 \* 10.3 ↘ 10.8 \* 10.1 ↗  
 beste Teiler 111.1 (44.) 133.2 (49.) 203.0 (42.)  
 Trefferlage 0.81 mm links, 2.00 mm tief  
 Streuwert 5.42, horizontal: 6.91, vertikal: 3.31



Serie 6:  
 9.9 ↗ 10.3 ← 10.6 \* 10.1 ↓ 10.7 \*  
 10.3 ↓ 9.9 ↓ 10.3 \* 10.1 ↓ 10.3 \*  
 beste Teiler 176.2 (55.) 251.4 (53.) 504.3 (58.)  
 Trefferlage 1.53 mm links, 2.19 mm tief  
 Streuwert 4.07, horizontal: 3.61, vertikal: 4.49

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 38

**Waibel, Kiano** #9

**StartNr: 38**

16. August 2020 9:42



V – SG Hohenems / Vorarlberg 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>608.2</b>	(580)
Serien:	98.4	103.1 102.1 99.8 101.4 103.4
Zähler:	41	18 1 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	1865 (2), 1287 (38), 1215 (60)	
beste Teiler	73.6 (46.)	133.0 (54.) 252.6 (53.)
Trefferlage	1.40 mm links, 0.96 mm tief	
Streuwert	5.07, horizontal: 5.11, vertikal: 5.03	




Serie 1:

10.5 *	8.6 ←	9.5 ↓	9.7 ↙	10.3 *
10.1 ↘	9.5 ←	10.1 ↗	10.2 ↗	9.9 ←
beste Teiler	374.4 (1.) 506.0 (5.) 568.4 (9.)			
Trefferlage	5.95 mm links, 2.38 mm tief			
Streuwert	5.56, horizontal: 6.17, vertikal: 4.87			




Serie 2:

10.3 *	10.6 *	10.4 *	10.2 ↗	10.6 *
10.1 ↗	10.5 *	10.5 *	10.0 →	9.9 ↓
beste Teiler	266.8 (12.) 295.8 (15.) 345.0 (17.)			
Trefferlage	0.79 mm rechts, 0.55 mm hoch			
Streuwert	4.01, horizontal: 3.69, vertikal: 4.30			




Serie 3:

10.3 *	10.2 ↑	10.3 *	9.8 ↓	9.8 ↘
10.6 *	10.5 *	10.0 ↘	10.4 *	10.2 ←
beste Teiler	279.5 (26.) 324.3 (27.) 409.5 (29.)			
Trefferlage	2.76 mm links, 0.05 mm tief			
Streuwert	4.05, horizontal: 3.60, vertikal: 4.46			




Serie 4:

9.9 ↗	10.2 ↘	10.6 *	9.8 ↙	10.2 ↑
10.1 ↑	9.9 ←	9.3 ↓	10.1 ↙	9.7 ↗
beste Teiler	271.2 (33.) 592.4 (32.) 630.3 (35.)			
Trefferlage	2.09 mm links, 1.37 mm hoch			
Streuwert	5.84, horizontal: 4.96, vertikal: 6.61			



Serie 5:

10.6 *	9.8 ↓	9.7 ↓	10.1 ↓	10.2 ↘
10.9 *	10.2 ←	9.8 ↘	10.6 *	9.5 ↘
beste Teiler	73.6 (46.) 300.5 (49.) 306.2 (41.)			
Trefferlage	0.92 mm rechts, 2.93 mm tief			
Streuwert	4.98, horizontal: 5.18, vertikal: 4.77			



Serie 6:

10.2 ↙	10.3 ↓	10.6 *	10.8 *	10.5 *
10.6 *	10.6 *	9.8 ↘	10.6 *	9.4 ↓
beste Teiler	133.0 (54.) 252.6 (53.) 282.1 (59.)			
Trefferlage	0.64 mm rechts, 2.35 mm tief			
Streuwert	4.02, horizontal: 3.63, vertikal: 4.37			

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 39

**Stogmeyer, Alexander** #770208420

**StartNr: 39**

16. August 2020 9:35

OÖ – SG Marchtrenk / Oberösterreich 1



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>591.5</b>	(566)
Serien:	97.4 99.4 100.8 98.9 95.4 99.6	
Zähler:	29 28 3 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	2098 (45), 1975 (15), 1650 (4)	
beste Teiler	156.0 (56.) 167.7 (52.) 199.2 (21.)	
Trefferlage	0.48 mm links, 0.39 mm hoch	
Streuwert	7.03, horizontal: 6.23, vertikal: 7.75	




Serie 1:

9.0 ↙	10.1 ↑	9.0 ↓	8.9 ↙	10.3 ↘
10.2 ←	10.0 ↗	10.3 *	10.2 ↗	9.4 ↗
beste Teiler	490.6 (8.) 533.4 (5.) 599.8 (9.)			
Trefferlage	2.04 mm links, 1.18 mm tief			
Streuwert	7.80, horizontal: 6.05, vertikal: 9.21			




Serie 2:

10.6 *	10.2 ↘	9.6 ↗	10.3 ↓	8.5 ↑
10.6 *	10.5 *	9.6 ←	9.1 ↘	10.4 *
beste Teiler	264.1 (11.) 273.8 (16.) 362.0 (17.)			
Trefferlage	0.05 mm rechts, 2.45 mm hoch			
Streuwert	7.09, horizontal: 6.42, vertikal: 7.71			




Serie 3:

10.7 *	9.9 ↓	10.4 *	10.4 *	9.9 ↓
9.8 ↓	10.4 *	9.9 ↑	10.1 ↓	9.3 ↓
beste Teiler	199.2 (21.) 403.3 (24.) 462.1 (23.)			
Trefferlage	0.28 mm links, 3.22 mm tief			
Streuwert	5.14, horizontal: 3.14, vertikal: 6.55			




Serie 4:

9.9 ↙	10.4 *	10.5 *	9.5 ↙	10.4 *
9.5 ↑	9.5 ↘	9.7 ↑	10.0 ↑	9.5 →
beste Teiler	365.7 (33.) 418.0 (32.) 461.1 (35.)			
Trefferlage	0.31 mm rechts, 0.71 mm hoch			
Streuwert	6.71, horizontal: 6.48, vertikal: 6.94			



Serie 5:

10.0 →	9.1 ↗	9.7 ↓	9.2 ←	8.3 ↗
10.5 *	9.4 ↘	10.3 *	9.8 ↓	9.1 ↓
beste Teiler	327.4 (46.) 495.8 (48.) 769.1 (41.)			
Trefferlage	0.66 mm links, 1.68 mm hoch			
Streuwert	9.06, horizontal: 7.59, vertikal: 10.32			



Serie 6:

10.1 ↘	10.7 *	10.3 *	9.8 ↘	9.4 ←
10.8 *	10.3 ↗	9.3 ↘	9.9 ↑	9.0 ↗
beste Teiler	156.0 (56.) 167.7 (52.) 523.4 (53.)			
Trefferlage	0.30 mm links, 1.92 mm hoch			
Streuwert	6.67, horizontal: 7.95, vertikal: 5.06			

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 40

**Kienberger, Dominik** #770208409

**StartNr: 40**

16. August 2020 9:24



ST– Kapfenberger SV / Steiermark 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>576.9</b>	(548)
Serien:	94.9 96.1 92.1 93.4 101.4 99.0	
Zähler:	21 28 9 2 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2666 (14), 2487 (27), 2295 (2)	
beste Teiler	185.9 (49.) 234.7 (9.) 278.7 (18.)	
Trefferlage	0.08 mm rechts, 1.05 mm tief	
Streuwert	8.64, horizontal: 9.82, vertikal: 7.28	




Serie 1:	9.3 ↘	8.1 ↓	9.8 ↓	9.6 ←	9.0 →
	9.9 →	10.6 *	9.0 →	10.7 *	8.9 →
beste Teiler	234.7 (9.) 319.4 (7.) 871.8 (6.)				
Trefferlage	3.81 mm rechts, 1.29 mm tief				
Streuwert	9.36, horizontal: 9.88, vertikal: 8.81				




Serie 2:	10.2 →	8.4 ↘	9.5 ↘	7.6 ↘	9.8 ↓
	10.0 ↘	9.9 ↘	10.6 *	10.3 ↑	9.8 ←
beste Teiler	278.7 (18.) 547.7 (19.) 600.7 (11.)				
Trefferlage	5.18 mm rechts, 4.84 mm tief				
Streuwert	7.98, horizontal: 9.28, vertikal: 6.42				




Serie 3:	8.9 →	10.5 *	9.4 ↘	10.4 *	9.3 ←
	9.4 ↘	7.8 ↗	9.0 ←	8.5 ↘	8.9 ↓
beste Teiler	395.6 (22.) 420.2 (24.) 1205.8 (26.)				
Trefferlage	7.07 mm links, 1.44 mm tief				
Streuwert	9.82, horizontal: 10.81, vertikal: 8.71				



Serie 4:	8.7 ↗	9.7 ↓	8.6 →	9.2 ↑	9.3 ↑
	8.9 →	9.7 ↓	9.9 →	10.4 *	9.0 →
beste Teiler	433.4 (39.) 818.3 (38.) 961.0 (37.)				
Trefferlage	4.18 mm rechts, 1.62 mm tief				
Streuwert	9.58, horizontal: 10.30, vertikal: 8.79				



Serie 5:	9.8 →	9.9 ←	10.5 *	10.4 *	10.3 *
	9.9 ←	10.2 ↘	9.2 ←	10.7 *	10.5 *
beste Teiler	185.9 (49.) 387.9 (50.) 394.9 (43.)				
Trefferlage	2.35 mm links, 0.43 mm hoch				
Streuwert	5.11, horizontal: 6.58, vertikal: 3.01				



Serie 6:	10.0 ↘	9.4 ↑	10.1 ↑	10.2 →	10.5 *
	10.5 *	10.4 *	9.3 ↘	9.4 ↘	9.2 ←
beste Teiler	375.7 (55.) 396.6 (56.) 469.8 (57.)				
Trefferlage	3.21 mm links, 2.45 mm hoch				
Streuwert	6.20, horizontal: 6.55, vertikal: 5.83				

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 7

**Kokoll, Peter** #770208408

**StartNr: 41**

16. August 2020 10:24

OÖ – SG Enns / Oberösterreich 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik