





Ergebnis: **274** (288.9)
 Serien: 89 93 92
 Zähler: 9 16 5 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2112 (3), 1809 (17), 1786 (9)
 beste Teiler 212.2 (8.) 303.1 (19.) 384.3 (20.)
 Trefferlage 0.69 mm rechts, 0.55 mm tief
 Streuwert 8.28, horizontal: 9.85, vertikal: 6.32



Serie 1:
 9.4 → 9.1 ← 8.3 ↘ 8.8 ↖ 9.3 →
 9.5 → 9.9 ↑ 10.7 * 8.7 ← 10.2 ↓
 beste Teiler 212.2 (8.) 626.8 (10.) 806.7 (7.)
 Trefferlage 0.99 mm rechts, 1.72 mm tief
 Streuwert 10.03, horizontal: 12.98, vertikal: 5.73



Serie 2:
 9.5 ← 9.4 ↘ 9.6 → 10.0 ↘ 9.6 →
 10.1 ↗ 8.7 ↑ 9.8 → 10.6 * 10.5 *
 beste Teiler 303.1 (19.) 384.3 (20.) 701.0 (16.)
 Trefferlage 4.57 mm rechts, 0.61 mm hoch
 Streuwert 6.85, horizontal: 6.77, vertikal: 6.92





Serie 3:
 10.0 ↗ 9.5 ↑ 9.2 ← 9.9 ↙ 9.7 ↓
 10.2 ↓ 9.8 ↘ 8.9 ← 9.7 ↘ 10.3 ←
 beste Teiler 557.1 (30.) 585.9 (26.) 721.2 (21.)
 Trefferlage 3.47 mm links, 0.56 mm tief
 Streuwert 7.32, horizontal: 7.88, vertikal: 6.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **265** (279.9)
 Serien: 88 87 90
 Zähler: 7 14 6 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3161 (20), 2590 (15), 2548 (23)
 beste Teiler 156.6 (1.) 378.3 (19.) 440.3 (30.)
 Trefferlage 4.17 mm links, 2.12 mm tief
 Streuwert 9.98, horizontal: 10.17, vertikal: 9.79



Serie 1:
 10.8 * 9.7 ↗ 8.5 ↖ 9.4 ← 8.7 ↓
 10.3 * 9.4 ↑ 8.9 ↑ 9.9 ↓ 8.6 ←
 beste Teiler 156.6 (1.) 499.7 (6.) 867.9 (9.)
 Trefferlage 3.66 mm links, 0.07 mm tief
 Streuwert 9.64, horizontal: 9.17, vertikal: 10.09



Serie 2:
 9.0 ← 8.7 ↗ 9.6 ← 10.1 ↘ 7.7 ↓
 10.2 ↙ 8.5 ↓ 9.5 → 10.5 * 7.0 ←
 beste Teiler 378.3 (19.) 589.8 (16.) 706.4 (14.)
 Trefferlage 2.93 mm links, 5.27 mm tief
 Streuwert 11.98, horizontal: 12.01, vertikal: 11.95





Serie 3:
 9.2 ↖ 10.3 * 7.8 ← 9.5 ↓ 9.5 ↘
 9.4 ↓ 9.3 ↖ 9.6 ↖ 9.9 ← 10.4 *
 beste Teiler 440.3 (30.) 495.3 (22.) 827.3 (29.)
 Trefferlage 5.92 mm links, 1.02 mm tief
 Streuwert 8.56, horizontal: 9.98, vertikal: 6.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281** (293.0)
 Serien: 93 92 96
 Zähler: 17 8 4 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3170 (19), 2017 (29), 1864 (18)
 beste Teiler 95.5 (17.) 284.9 (10.) 365.4 (14.)
 Trefferlage 3.11 mm rechts, 0.94 mm tief
 Streuwert 7.89, horizontal: 8.68, vertikal: 7.00



Serie 1:
 10.0 ↑ 8.8 ↖ 9.7 ↗ 10.2 ↑ 10.0 →
 9.4 → 8.8 ↘ 9.8 ↓ 10.5 * 10.6 *
 beste Teiler 284.9 (10.) 371.7 (9.) 608.5 (4.)
 Trefferlage 1.22 mm rechts, 1.67 mm hoch
 Streuwert 7.71, horizontal: 8.78, vertikal: 6.45



Serie 2:
 10.3 * 10.3 * 9.2 ↘ 10.5 * 9.5 ↗
 10.2 ← 10.8 * 8.6 ↘ 7.0 ↘ 9.9 ←
 beste Teiler 95.5 (17.) 365.4 (14.) 509.6 (11.)
 Trefferlage 4.59 mm rechts, 2.52 mm tief
 Streuwert 9.37, horizontal: 10.72, vertikal: 7.80





Serie 3:
 10.1 → 10.0 ↖ 10.4 * 9.0 → 10.3 *
 10.3 ↘ 10.0 → 10.5 * 8.4 ↓ 9.9 →
 beste Teiler 399.4 (28.) 476.6 (23.) 527.3 (25.)
 Trefferlage 3.52 mm rechts, 1.97 mm tief
 Streuwert 6.64, horizontal: 6.65, vertikal: 6.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **263** (276.0)
 Serien: 85 90 88
 Zähler: 11 10 1 7 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3369 (29), 3053 (14), 3039 (19)
 beste Teiler 24.1 (2.) 454.5 (5.) 468.0 (22.)
 Trefferlage 2.00 mm links, 1.62 mm hoch
 Streuwert 12.18, horizontal: 8.35, vertikal: 15.07



Serie 1:
 7.2 ↖ 10.9 * 7.9 ↗ 9.7 ↖ 10.4 *
 9.7 ↓ 7.4 ↘ 7.5 ↖ 10.1 ↖ 9.9 ↖
 beste Teiler 24.1 (2.) 454.5 (5.) 676.3 (9.)
 Trefferlage 3.11 mm links, 5.75 mm hoch
 Streuwert 12.89, horizontal: 9.60, vertikal: 15.50





Serie 2:
 9.9 ↘ 10.3 ↘ 10.1 ↘ 7.1 ↗ 10.2 →
 8.0 ↖ 10.0 → 10.3 * 7.2 ↖ 9.3 ↓
 beste Teiler 500.8 (18.) 557.8 (12.) 611.3 (15.)
 Trefferlage 1.69 mm links, 5.12 mm hoch
 Streuwert 11.95, horizontal: 8.36, vertikal: 14.69




Serie 3:
 9.7 ↘ 10.4 * 9.5 ↓ 9.7 ↓ 10.0 ↗
 10.1 ↗ 7.7 ↖ 9.5 ↓ 6.7 ↓ 9.6 ↗
 beste Teiler 468.0 (22.) 653.8 (26.) 794.1 (25.)
 Trefferlage 1.21 mm links, 6.01 mm tief
 Streuwert 10.92, horizontal: 7.78, vertikal: 13.34

Unterschrift des Schützen


Ergebnis: **242** (255.5)
 Serien: 82 79 81
 Zähler: 1 8 13 8 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3081 (15), 2937 (26), 2885 (10)
 beste Teiler 785.0 (8.) 971.8 (24.) 1116.4 (13.)
 Trefferlage 7.83 mm links, 6.28 mm tief
 Streuwert 12.78, horizontal: 13.11, vertikal: 12.44



Serie 1:
 8.7 ↓ 8.3 ↘ 8.7 ↓ 9.3 ↓ 8.8 ↙
 9.5 ↖ 8.6 ↘ 10.0 ↓ 7.5 ← 7.3 ←
 beste Teiler 785.0 (8.) 1148.3 (6.) 1293.3 (4.)
 Trefferlage 5.97 mm links, 8.52 mm tief
 Streuwert 12.08, horizontal: 13.33, vertikal: 10.69



Serie 2:
 8.4 ↓ 7.7 ← 9.6 ← 9.0 ↓ 7.1 ↖
 8.0 ↖ 7.9 ↘ 8.5 ↓ 8.9 ↖ 8.1 ↖
 beste Teiler 1116.4 (13.) 1577.3 (14.) 1638.3 (19.)
 Trefferlage 8.35 mm links, 1.48 mm tief
 Streuwert 14.91, horizontal: 14.58, vertikal: 15.22





Serie 3:
 7.8 ← 8.3 ↙ 7.4 ↘ 9.7 ↙ 9.1 ←
 7.3 ↓ 8.5 ← 9.5 ← 9.3 ↙ 8.7 ←
 beste Teiler 971.8 (24.) 1178.5 (28.) 1340.3 (29.)
 Trefferlage 9.16 mm links, 8.85 mm tief
 Streuwert 11.66, horizontal: 12.55, vertikal: 10.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **260** (272.9)
 Serien: 88 87 85
 Zähler: 4 15 8 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3072 (8), 2709 (22), 2424 (27)
 beste Teiler 387.5 (13.) 538.9 (5.) 540.9 (26.)
 Trefferlage 3.36 mm links, 0.02 mm tief
 Streuwert 11.44, horizontal: 11.46, vertikal: 11.42



Serie 1:
 9.7 ↓ 9.4 ↓ 9.8 ↘ 9.8 ↙ 10.3 ↗
 9.2 ↗ 8.4 ← 7.1 ← 9.6 ↗ 9.3 ←
 beste Teiler 538.9 (5.) 914.2 (3.) 945.4 (4.)
 Trefferlage 3.79 mm links, 1.26 mm tief
 Streuwert 10.92, horizontal: 13.45, vertikal: 7.59



Serie 2:
 9.7 ↘ 9.7 → 10.5 * 8.9 ↓ 8.5 ←
 8.0 ↑ 9.0 ↖ 9.1 ← 8.3 ↖ 9.2 ←
 beste Teiler 387.5 (13.) 973.4 (11.) 982.2 (12.)
 Trefferlage 7.79 mm links, 3.37 mm hoch
 Streuwert 10.06, horizontal: 9.30, vertikal: 10.77





Serie 3:
 9.6 ↗ 7.6 ↓ 10.0 ↘ 9.1 ↓ 9.4 →
 10.3 ↓ 7.9 ↖ 8.8 ↑ 8.5 ↘ 8.2 ↖
 beste Teiler 540.9 (26.) 795.7 (23.) 1081.3 (21.)
 Trefferlage 1.48 mm rechts, 2.18 mm tief
 Streuwert 12.93, horizontal: 10.39, vertikal: 15.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **242** (253.9)
 Serien: 83 82 77
 Zähler: 1 8 13 8 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3015 (21), 2853 (4), 2810 (30)
 beste Teiler 473.7 (9.) 837.0 (18.) 896.9 (1.)
 Trefferlage 9.54 mm links, 10.36 mm tief
 Streuwert 11.15, horizontal: 12.47, vertikal: 9.65



Serie 1:
 9.8 ↓ 9.3 ↙ 9.2 ↓ 7.4 ← 8.1 ↓
 7.8 ← 7.8 ← 8.0 ↘ 10.4 * 9.7 ←
 beste Teiler 473.7 (9.) 896.9 (1.) 984.1 (10.)
 Trefferlage 7.75 mm links, 9.17 mm tief
 Streuwert 11.27, horizontal: 13.91, vertikal: 7.80





Serie 2:
 9.0 ← 8.4 ↓ 8.6 ↓ 8.4 ← 8.0 ←
 7.9 ↓ 8.2 ← 9.9 ↓ 9.3 ↓ 8.5 ←
 beste Teiler 837.0 (18.) 1335.7 (19.) 1549.8 (11.)
 Trefferlage 10.13 mm links, 10.96 mm tief
 Streuwert 9.07, horizontal: 10.54, vertikal: 7.30




Serie 3:
 7.2 ↘ 8.4 ← 7.6 ← 8.2 ← 9.2 ←
 7.8 ↖ 8.1 ↓ 8.0 ↓ 8.3 ← 7.4 ↓
 beste Teiler 1381.8 (25.) 2061.8 (22.) 2106.0 (29.)
 Trefferlage 10.73 mm links, 10.95 mm tief
 Streuwert 13.68, horizontal: 13.81, vertikal: 13.55

Unterschrift des Schützen


Ergebnis: **280** (291.2)
 Serien: 95 91 94
 Zähler: 13 14 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2067 (24), 1965 (11), 1867 (17)
 beste Teiler 197.9 (4.) 245.4 (14.) 428.7 (13.)
 Trefferlage 2.55 mm links, 0.93 mm hoch
 Streuwert 7.76, horizontal: 7.62, vertikal: 7.91



Serie 1:
 9.9 ↗ 9.1 ← 10.0 ← 10.7 * 10.4 *
 9.0 ↑ 10.0 ↘ 9.4 ↙ 9.0 ↑ 10.3 ←
 beste Teiler 197.9 (4.) 448.0 (5.) 537.7 (10.)
 Trefferlage 2.79 mm links, 3.09 mm hoch
 Streuwert 7.15, horizontal: 6.58, vertikal: 7.67



Serie 2:
 8.5 ↖ 9.9 ← 10.4 * 10.6 * 9.7 ↓
 9.8 ↘ 8.6 ↖ 9.0 ← 9.3 → 10.3 ↓
 beste Teiler 245.4 (14.) 428.7 (13.) 538.1 (20.)
 Trefferlage 2.16 mm links, 0.04 mm hoch
 Streuwert 8.84, horizontal: 8.50, vertikal: 9.17





Serie 3:
 9.6 ↙ 9.7 ↓ 10.3 * 8.4 ↖ 10.0 ←
 9.0 → 10.0 ← 9.7 ↘ 10.3 ↓ 10.3 *
 beste Teiler 488.8 (30.) 500.0 (23.) 535.7 (29.)
 Trefferlage 2.69 mm links, 0.33 mm tief
 Streuwert 7.81, horizontal: 8.43, vertikal: 7.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **240** (255.0)
 Serien: 81 85 74
 Zähler: 3 9 10 5 2 0 0 0 1 0
 Innenzehner: 1
 weiteste: 6573 (21), 3879 (30), 3673 (13)
 beste Teiler 463.8 (6.) 609.2 (17.) 673.3 (14.)
 Trefferlage 3.50 mm rechts, 6.78 mm tief
 Streuwert 15.66, horizontal: 14.84, vertikal: 16.44



Serie 1:
 9.5 ↙ 8.8 → 9.3 ← 8.6 ↓ 7.5 ↓
 10.4 * 8.5 ↓ 7.5 ↓ 7.6 ↓ 8.9 ↑
 beste Teiler 463.8 (6.) 1147.5 (1.) 1294.2 (3.)
 Trefferlage 4.50 mm rechts, 9.88 mm tief
 Streuwert 12.29, horizontal: 10.41, vertikal: 13.92





Serie 2:
 9.8 ↓ 9.1 ↑ 6.4 ↘ 10.1 ↑ 9.8 ←
 9.9 ↓ 10.2 → 8.5 ← 8.1 ↘ 7.0 ↓
 beste Teiler 609.2 (17.) 673.3 (14.) 876.1 (16.)
 Trefferlage 0.74 mm links, 4.23 mm tief
 Streuwert 14.20, horizontal: 12.66, vertikal: 15.59




Serie 3:
 2.7 ↘ 8.6 ↘ 8.5 ↓ 8.8 → 9.6 ↘
 7.8 ↘ 9.2 → 9.6 ← 8.6 ← 6.1 ↓
 beste Teiler 1058.7 (28.) 1087.4 (25.) 1391.6 (27.)
 Trefferlage 6.76 mm rechts, 6.22 mm tief
 Streuwert 20.29, horizontal: 20.19, vertikal: 20.39

Unterschrift des Schützen


Ergebnis: **269** (282.4)
 Serien: 93 89 87
 Zähler: 10 12 6 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3990 (22), 2671 (28), 2247 (13)
 beste Teiler 161.2 (5.) 181.9 (12.) 291.8 (26.)
 Trefferlage 1.32 mm links, 0.24 mm tief
 Streuwert 10.59, horizontal: 11.20, vertikal: 9.94



Serie 1:
 10.6 * 8.8 ↓ 10.2 ↘ 8.6 ↑ 10.7 *
 9.3 ↓ 10.2 ↙ 10.1 ↓ 9.5 ↑ 9.0 ↘
 beste Teiler 161.2 (5.) 294.8 (1.) 631.0 (7.)
 Trefferlage 1.17 mm rechts, 2.52 mm tief
 Streuwert 8.34, horizontal: 4.89, vertikal: 10.73





Serie 2:
 9.1 ↓ 10.7 * 8.1 ↖ 10.4 * 9.9 ↗
 8.3 → 9.6 → 8.6 ↑ 9.2 → 9.7 →
 beste Teiler 181.9 (12.) 425.6 (14.) 864.0 (15.)
 Trefferlage 2.14 mm rechts, 2.52 mm hoch
 Streuwert 10.33, horizontal: 11.54, vertikal: 8.97




Serie 3:
 9.4 ↙ 6.0 ↖ 10.5 * 8.9 ↗ 9.4 ↖
 10.6 * 9.4 ↙ 7.6 ↘ 9.7 ← 10.3 *
 beste Teiler 291.8 (26.) 390.4 (23.) 496.0 (30.)
 Trefferlage 7.28 mm links, 0.74 mm tief
 Streuwert 12.16, horizontal: 13.70, vertikal: 10.40

Unterschrift des Schützen


Ergebnis: **257** (269.2)
 Serien: 86 83 88
 Zähler: 9 7 7 6 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3725 (26), 2890 (19), 2753 (30)
 beste Teiler 215.4 (23.) 458.4 (12.) 474.0 (28.)
 Trefferlage 3.23 mm links, 4.49 mm tief
 Streuwert 12.50, horizontal: 14.71, vertikal: 9.80



Serie 1:
 8.9 ↓ 8.0 ↙ 7.9 → 10.2 ← 9.7 ↘
 7.6 → 10.0 ↖ 9.1 ↗ 9.2 ↓ 9.0 ↓
 beste Teiler 605.2 (4.) 756.0 (7.) 1012.5 (5.)
 Trefferlage 1.61 mm rechts, 7.12 mm tief
 Streuwert 11.66, horizontal: 14.10, vertikal: 8.55





Serie 2:
 8.2 ← 10.4 * 7.7 ↙ 10.3 * 9.0 ↗
 7.8 ↗ 8.3 → 9.5 ↓ 7.3 ← 8.3 ↓
 beste Teiler 458.4 (12.) 514.7 (14.) 1128.7 (18.)
 Trefferlage 4.16 mm links, 1.76 mm tief
 Streuwert 14.48, horizontal: 16.99, vertikal: 11.44




Serie 3:
 10.2 ↑ 10.1 ↗ 10.7 * 8.6 ↓ 8.8 ↓
 6.3 ← 9.9 ↙ 10.4 * 10.3 * 7.5 ↙
 beste Teiler 215.4 (23.) 474.0 (28.) 496.6 (29.)
 Trefferlage 7.13 mm links, 4.58 mm tief
 Streuwert 11.30, horizontal: 12.88, vertikal: 9.45

Unterschrift des Schützen


Ergebnis: **263** (276.9)
 Serien: 86 91 86
 Zähler: 5 16 7 1 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3421 (30), 2938 (6), 2208 (19)
 beste Teiler 243.4 (4.) 276.1 (25.) 408.5 (18.)
 Trefferlage 3.98 mm rechts, 0.68 mm hoch
 Streuwert 10.64, horizontal: 8.25, vertikal: 12.58



Serie 1:
 8.8 ↖ 8.8 → 9.4 ← 10.6 * 9.0 ↑
 7.3 ↑ 9.7 ↗ 9.5 ↗ 9.6 ↗ 8.8 →
 beste Teiler 243.4 (4.) 980.9 (7.) 1064.0 (9.)
 Trefferlage 3.59 mm rechts, 8.15 mm hoch
 Streuwert 9.74, horizontal: 9.30, vertikal: 10.16



Serie 2:
 10.0 ↗ 9.7 → 9.1 ↘ 9.7 → 9.6 ↑
 10.0 ↓ 9.5 ↘ 10.4 * 8.2 ↓ 8.5 →
 beste Teiler 408.5 (18.) 730.7 (11.) 760.5 (16.)
 Trefferlage 6.29 mm rechts, 3.62 mm tief
 Streuwert 8.08, horizontal: 6.60, vertikal: 9.32



Serie 3:
 8.4 ↘ 8.9 ↖ 9.6 ↓ 9.4 ↘ 10.6 *
 9.3 ↓ 9.3 ↖ 9.1 ↖ 9.4 ↗ 6.7 ↓
 beste Teiler 276.1 (25.) 1084.9 (23.) 1243.1 (29.)
 Trefferlage 2.08 mm rechts, 2.47 mm tief
 Streuwert 12.36, horizontal: 8.90, vertikal: 15.04

Unterschrift des Schützen