





Ergebnis: **605.4** (573)
 Serien: 102.6 98.7 101.4 100.4 101.5 100.8
 Zähler: 35 23 2 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 1893 (18), 1684 (11), 1391 (36)
 beste Teiler 54.0 (31.) 143.4 (46.) 209.4 (20.)
 Trefferlage 0.87 mm links, 0.75 mm hoch
 Streuwert 5.61, horizontal: 6.28, vertikal: 4.83




Serie 1:
 10.4 * 9.9 ↖ 10.1 ↘ 9.9 ↓ 10.5 *
 9.9 ↗ 10.3 ↗ 10.6 * 10.6 * 10.4 *
 beste Teiler 299.6 (9.) 315.1 (8.) 333.4 (5.)
 Trefferlage 0.18 mm links, 0.43 mm tief
 Streuwert 4.50, horizontal: 4.05, vertikal: 4.91




Serie 2:
 8.8 ↖ 10.3 * 9.3 → 10.5 * 10.1 →
 10.5 * 10.0 → 8.6 ← 9.9 ↓ 10.7 *
 beste Teiler 209.4 (20.) 341.3 (16.) 351.7 (14.)
 Trefferlage 0.93 mm rechts, 0.23 mm hoch
 Streuwert 7.60, horizontal: 10.04, vertikal: 3.83




Serie 3:
 9.2 ↖ 10.5 * 10.6 * 9.8 ↖ 10.7 *
 10.4 * 9.8 ↗ 10.1 ↘ 9.8 ← 10.5 *
 beste Teiler 213.7 (25.) 283.3 (23.) 323.2 (30.)
 Trefferlage 2.15 mm links, 0.78 mm hoch
 Streuwert 5.20, horizontal: 6.64, vertikal: 3.17



Serie 4:
 10.9 * 10.7 * 9.7 ↖ 9.9 → 10.2 →
 9.2 ↗ 9.5 ↖ 9.7 ← 10.1 ↖ 10.5 *
 beste Teiler 54.0 (31.) 222.5 (32.) 322.2 (40.)
 Trefferlage 2.93 mm links, 2.94 mm hoch
 Streuwert 5.37, horizontal: 6.29, vertikal: 4.27



Serie 5:
 9.5 ↖ 10.5 * 10.6 * 10.6 * 9.8 ↓
 10.8 * 9.4 ↓ 9.7 ↖ 10.1 ↘ 10.5 *
 beste Teiler 143.4 (46.) 277.0 (43.) 290.5 (44.)
 Trefferlage 0.62 mm links, 1.39 mm tief
 Streuwert 5.54, horizontal: 5.55, vertikal: 5.54



Serie 6:
 10.5 * 10.5 * 10.6 * 10.0 ↗ 9.9 →
 10.2 ↖ 9.6 ↓ 9.7 ↗ 9.9 ↗ 9.9 ↗
 beste Teiler 303.2 (53.) 345.1 (52.) 370.5 (51.)
 Trefferlage 0.32 mm links, 2.39 mm hoch
 Streuwert 5.30, horizontal: 4.02, vertikal: 6.32

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 24

Kammerlander,, Martin #70119035

StartNr: 24



30. Juli 2017 9:40

70119 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **605.0** (578)
 Serien: 99.7 101.5 100.9 100.3 101.5 101.1
 Zähler: 39 20 1 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1960 (29), 1524 (26), 1436 (34)
 beste Teiler 49.2 (25.) 111.2 (12.) 120.3 (3.)
 Trefferlage 0.68 mm links, 0.35 mm tief
 Streuwert 5.57, horizontal: 6.76, vertikal: 4.05




Serie 1:
 9.2 ← 9.9 ← 10.8 * 9.9 ↓ 9.7 ↘
 10.2 → 10.5 * 9.5 ↘ 10.1 ↗ 9.9 →
 beste Teiler 120.3 (3.) 354.3 (7.) 624.3 (6.)
 Trefferlage 0.01 mm rechts, 2.94 mm tief
 Streuwert 6.07, horizontal: 7.42, vertikal: 4.30




Serie 2:
 10.3 * 10.8 * 10.5 * 9.7 ↓ 10.0 ↑
 9.8 → 9.9 → 10.5 * 10.2 ↗ 9.8 ↘
 beste Teiler 111.2 (12.) 354.8 (18.) 374.4 (13.)
 Trefferlage 2.17 mm rechts, 0.09 mm hoch
 Streuwert 4.89, horizontal: 4.58, vertikal: 5.19




Serie 3:
 10.1 ↘ 10.1 ↓ 10.6 * 10.2 ← 10.9 *
 9.0 ← 10.6 * 10.6 * 8.5 → 10.3 *
 beste Teiler 49.2 (25.) 268.8 (23.) 311.1 (28.)
 Trefferlage 0.99 mm rechts, 0.95 mm tief
 Streuwert 6.58, horizontal: 8.61, vertikal: 3.54



Serie 4:
 10.3 * 10.5 * 10.3 ← 9.2 ← 9.9 →
 10.0 ← 10.3 * 10.2 ↓ 9.9 ↘ 9.7 ←
 beste Teiler 326.3 (32.) 488.0 (37.) 495.6 (31.)
 Trefferlage 2.67 mm links, 0.50 mm tief
 Streuwert 5.61, horizontal: 7.16, vertikal: 3.43



Serie 5:
 10.5 * 9.2 ← 10.6 * 10.6 * 10.2 ↑
 10.5 * 10.3 * 9.6 → 10.1 ↗ 9.9 ←
 beste Teiler 295.3 (44.) 301.3 (43.) 375.4 (41.)
 Trefferlage 1.50 mm links, 1.16 mm hoch
 Streuwert 5.26, horizontal: 6.90, vertikal: 2.79



Serie 6:
 9.5 ↗ 10.2 ↗ 10.5 * 10.2 ↘ 9.8 ↘
 10.1 ← 10.0 ↗ 10.5 * 10.2 → 10.1 ←
 beste Teiler 344.5 (58.) 355.7 (53.) 605.9 (52.)
 Trefferlage 3.09 mm links, 1.00 mm hoch
 Streuwert 4.68, horizontal: 5.16, vertikal: 4.16

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 25

Gehring, Markus #70717002

StartNr: 25



30. Juli 2017 9:41

70717 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	614.4	(589)
Serien:	100.7	103.8 103.5 100.8 104.0 101.6
Zähler:	49	11 0 0 0 0 0 0 0 0
Innenzehner:	29	
weiteste:	1354 (1), 1348 (55), 1310 (34)	
beste Teiler	95.2 (41.)	102.3 (26.) 105.9 (30.)
Trefferlage	1.37 mm links,	1.44 mm hoch
Streuwert	4.30,	horizontal: 4.97, vertikal: 3.52



Serie 1:	9.3 ↖	9.9 ↑	10.2 →	10.4 *	9.7 ↘
	10.0 ←	10.6 *	10.5 *	10.2 ↓	9.9 ↙
beste Teiler	296.3 (7.)	342.4 (8.)	468.2 (4.)		
Trefferlage	2.03 mm links, 0.38 mm hoch				
Streuwert	5.44, horizontal: 5.72, vertikal: 5.14				




Serie 2:	10.1 →	10.1 →	10.7 *	10.7 *	10.2 ↖
	10.7 *	10.0 ↘	10.7 *	10.2 ↗	10.4 *
beste Teiler	165.2 (16.)	200.8 (13.)	226.3 (18.)		
Trefferlage	1.66 mm rechts, 0.77 mm hoch				
Streuwert	3.54, horizontal: 4.47, vertikal: 2.25				




Serie 3:	10.4 *	10.2 ↙	10.7 *	10.6 *	10.0 ↖
	10.8 *	10.4 *	9.9 →	9.7 ↗	10.8 *
beste Teiler	102.3 (26.)	105.9 (30.)	174.0 (23.)		
Trefferlage	0.50 mm links, 1.51 mm hoch				
Streuwert	3.99, horizontal: 4.42, vertikal: 3.50				



Serie 4:	10.1 ←	10.3 *	10.2 ↘	9.3 ←	10.1 ↖
	10.6 *	10.2 ←	9.9 ↗	10.2 ←	9.9 →
beste Teiler	301.5 (36.)	521.6 (32.)	610.7 (37.)		
Trefferlage	2.67 mm links, 2.13 mm hoch				
Streuwert	4.89, horizontal: 6.50, vertikal: 2.34				



Serie 5:	10.8 *	10.5 *	10.2 ↘	10.4 *	10.4 *
	10.4 *	10.4 *	10.6 *	10.2 ↙	10.1 ↗
beste Teiler	95.2 (41.)	314.0 (48.)	357.2 (42.)		
Trefferlage	0.58 mm links, 2.30 mm hoch				
Streuwert	3.04, horizontal: 3.47, vertikal: 2.54				



Serie 6:	10.4 *	10.3 *	10.4 *	10.1 ↘	9.3 ↖
	10.2 ↘	10.4 *	10.3 *	10.6 *	9.6 ←
beste Teiler	306.8 (59.)	446.8 (57.)	449.4 (51.)		
Trefferlage	4.14 mm links, 1.59 mm hoch				
Streuwert	4.17, horizontal: 3.53, vertikal: 4.72				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 26

Steinlechner,, Joachim #70201078

StartNr: 26



30. Juli 2017 9:39

70201 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **589.5** (560)
 Serien: 97.8 98.9 95.4 100.5 101.2 95.7
 Zähler: 26 28 6 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2166 (59), 1778 (60), 1770 (55)
 beste Teiler 69.4 (49.) 89.2 (39.) 238.0 (31.)
 Trefferlage 0.15 mm rechts, 1.35 mm tief
 Streuwert 7.18, horizontal: 6.83, vertikal: 7.52




Serie 1:
 10.0 ↘ 9.1 ↘ 9.1 → 10.5 * 9.9 ↙
 10.0 ↗ 9.6 ← 9.6 ↘ 10.4 * 9.6 ↖
 beste Teiler 378.0 (4.) 435.8 (9.) 767.5 (1.)
 Trefferlage 2.51 mm rechts, 2.03 mm tief
 Streuwert 7.11, horizontal: 7.96, vertikal: 6.14




Serie 2:
 10.4 * 9.3 → 10.2 ↓ 9.1 ↓ 10.5 *
 9.8 ↘ 10.0 ↘ 9.9 → 9.7 ← 10.0 ↖
 beste Teiler 348.8 (15.) 412.4 (11.) 587.4 (13.)
 Trefferlage 0.89 mm rechts, 1.03 mm tief
 Streuwert 6.62, horizontal: 6.69, vertikal: 6.56




Serie 3:
 9.8 ↓ 9.9 ↘ 10.0 ↓ 9.3 → 8.8 ↓
 9.7 ← 9.2 ↓ 9.4 ↓ 10.0 ← 9.3 ↖
 beste Teiler 764.4 (29.) 799.0 (23.) 802.3 (22.)
 Trefferlage 0.28 mm links, 5.53 mm tief
 Streuwert 7.64, horizontal: 5.97, vertikal: 9.01



Serie 4:
 10.7 * 10.3 * 9.5 ↑ 10.0 ↓ 9.4 ↓
 9.6 ↗ 10.6 * 9.9 ↑ 10.8 * 9.7 →
 beste Teiler 89.2 (39.) 238.0 (31.) 246.5 (37.)
 Trefferlage 1.32 mm rechts, 1.29 mm hoch
 Streuwert 6.01, horizontal: 4.08, vertikal: 7.45



Serie 5:
 10.6 * 10.4 * 10.6 * 8.8 ↙ 9.7 ↘
 10.0 ↗ 10.5 * 10.3 * 10.9 * 9.4 ↓
 beste Teiler 69.4 (49.) 253.5 (43.) 290.3 (41.)
 Trefferlage 0.82 mm rechts, 2.67 mm tief
 Streuwert 5.78, horizontal: 4.40, vertikal: 6.88



Serie 6:
 10.6 * 10.5 * 8.8 ↑ 9.8 ↑ 8.7 ←
 9.9 → 9.9 ↗ 10.6 * 8.2 ← 8.7 ↖
 beste Teiler 295.1 (51.) 320.0 (58.) 388.0 (52.)
 Trefferlage 4.33 mm links, 1.86 mm hoch
 Streuwert 8.92, horizontal: 9.75, vertikal: 8.00

ISSF Prone Men – Wertung – Männer

StandNr: 27

Klaunzer,, Roland #70610030

StartNr: 27



30. Juli 2017 9:50

70610 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **585.9** (554)
 Serien: 87.5 99.7 97.5 100.6 98.4 102.2
 Zähler: 24 29 4 3 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2829 (3), 2695 (1), 2553 (5)
 beste Teiler 82.8 (34.) 170.8 (57.) 192.3 (53.)
 Trefferlage 2.26 mm links, 0.30 mm hoch
 Streuwert 7.72, horizontal: 9.07, vertikal: 6.08




Serie 1:
 7.6 ← 8.5 ↖ 7.4 ← 8.3 ↖ 7.8 ←
 10.2 ↖ 9.6 ↗ 9.8 ↑ 9.4 ↘ 8.9 →
 beste Teiler 571.1 (6.) 935.6 (8.) 1090.1 (7.)
 Trefferlage 7.80 mm links, 1.34 mm hoch
 Streuwert 12.96, horizontal: 16.85, vertikal: 7.20




Serie 2:
 9.2 ↗ 10.2 ↓ 10.5 * 9.9 ↗ 9.8 ↘
 10.2 → 9.9 ↘ 9.9 ↓ 10.4 * 9.7 ↘
 beste Teiler 364.7 (13.) 417.9 (19.) 590.3 (12.)
 Trefferlage 4.61 mm rechts, 1.10 mm tief
 Streuwert 5.08, horizontal: 4.05, vertikal: 5.93




Serie 3:
 8.9 ↓ 10.5 * 9.4 ← 10.3 * 9.6 ↖
 9.6 ↖ 9.6 ← 9.8 ↑ 9.9 ↖ 9.9 ↓
 beste Teiler 351.0 (22.) 491.8 (24.) 803.3 (29.)
 Trefferlage 4.22 mm links, 0.73 mm hoch
 Streuwert 6.81, horizontal: 5.08, vertikal: 8.18



Serie 4:
 9.1 ↑ 10.1 ↗ 9.8 ↖ 10.8 * 10.3 *
 10.2 ↗ 10.0 ← 10.3 * 10.1 ↑ 9.9 →
 beste Teiler 82.8 (34.) 491.6 (38.) 502.4 (35.)
 Trefferlage 0.31 mm links, 3.85 mm hoch
 Streuwert 4.97, horizontal: 4.60, vertikal: 5.32



Serie 5:
 9.0 ← 9.7 ↘ 9.2 ← 10.2 ← 10.5 *
 10.6 * 10.3 ← 9.4 ← 9.9 ↘ 9.6 ←
 beste Teiler 274.7 (46.) 357.3 (45.) 541.0 (47.)
 Trefferlage 4.87 mm links, 2.59 mm tief
 Streuwert 6.09, horizontal: 7.59, vertikal: 4.07



Serie 6:
 9.9 ↖ 9.7 ↘ 10.7 * 9.9 ↖ 10.6 *
 10.5 * 10.7 * 9.9 ← 10.3 ↗ 10.0 ↙
 beste Teiler 170.8 (57.) 192.3 (53.) 311.4 (55.)
 Trefferlage 1.01 mm links, 0.41 mm tief
 Streuwert 4.77, horizontal: 5.44, vertikal: 4.00

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 28

Furtner,, Gregor #70807110

StartNr: 28



30. Juli 2017 9:45

70807 / 0

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	621.8	(593)
Serien:	103.4	103.2 104.7 104.6 102.9 103.0
Zähler:	53	7 0 0 0 0 0 0 0 0
Innenzehner:	38	
weiteste:	1082	(33), 998 (57), 940 (42)
beste Teiler	104.6	(24.) 120.3 (55.) 136.0 (44.)
Trefferlage	0.47 mm	links, 0.49 mm hoch
Streuwert	3.75,	horizontal: 4.21, vertikal: 3.23




Serie 1:

10.1 ←	10.4 *	9.9 ↘	10.5 *	10.6 *
10.7 *	10.4 *	10.2 ↗	10.5 *	10.1 ↑
beste Teiler	207.6 (6.)	302.3 (5.)	340.9 (9.)	
Trefferlage	0.71 mm rechts, 1.58 mm hoch			
Streuwert	3.77, horizontal: 3.82, vertikal: 3.73			




Serie 2:

10.1 ↓	10.6 *	10.6 *	10.4 *	10.2 ↙
10.0 →	10.4 *	10.2 ↖	10.1 →	10.6 *
beste Teiler	244.8 (12.)	250.4 (13.)	284.0 (20.)	
Trefferlage	0.46 mm rechts, 1.30 mm tief			
Streuwert	3.91, horizontal: 4.45, vertikal: 3.28			




Serie 3:

10.4 *	10.6 *	10.4 *	10.8 *	10.3 →
10.5 *	10.3 *	10.6 *	10.6 *	10.2 ↗
beste Teiler	104.6 (24.)	279.6 (22.)	308.3 (28.)	
Trefferlage	0.88 mm links, 0.99 mm hoch			
Streuwert	2.91, horizontal: 3.27, vertikal: 2.49			




Serie 4:

10.6 *	10.7 *	9.6 →	10.2 ↘	10.7 *
10.4 *	10.6 *	10.7 *	10.6 *	10.5 *
beste Teiler	165.1 (38.)	208.6 (32.)	217.0 (35.)	
Trefferlage	1.50 mm rechts, 0.39 mm tief			
Streuwert	3.33, horizontal: 4.40, vertikal: 1.69			



Serie 5:

10.5 *	9.8 ←	10.1 ↖	10.8 *	10.5 *
9.9 ←	10.4 *	10.7 *	10.2 ↖	10.0 ←
beste Teiler	136.0 (44.)	204.0 (48.)	373.1 (41.)	
Trefferlage	3.48 mm links, 1.24 mm hoch			
Streuwert	3.49, horizontal: 3.69, vertikal: 3.27			



Serie 6:

10.6 *	10.4 *	10.6 *	10.1 ↖	10.8 *
9.9 →	9.7 ↓	10.6 *	10.4 *	9.9 ←
beste Teiler	120.3 (55.)	250.9 (58.)	255.5 (51.)	
Trefferlage	1.18 mm links, 0.87 mm hoch			
Streuwert	4.33, horizontal: 4.52, vertikal: 4.14			

ISSF Prone Men – Wertung – Männer

StandNr: 29

Gruber, Armin #267

StartNr: 29



30. Juli 2017 9:50

0 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.2	(581)
Serien:	101.3 102.2 100.5 101.6 102.1 101.5	
Zähler:	41 19 0 0 0 0 0 0 0	
Innenzehner:	27	
weiteste:	1457 (31), 1318 (49), 1261 (29)	
beste Teiler	73.7 (4.) 150.5 (60.) 159.4 (46.)	
Trefferlage	1.39 mm links, 0.11 mm hoch	
Streuwert	5.12, horizontal: 4.99, vertikal: 5.25	




Serie 1:	9.8 ↙	10.0 ↘	9.5 →	10.9 *	9.5 ↘
	10.5 *	10.6 *	10.4 *	9.9 ↓	10.2 ↓
beste Teiler	73.7 (4.)	273.3 (7.)	396.0 (6.)		
Trefferlage	0.84 mm links, 2.31 mm tief				
Streuwert	5.33, horizontal: 5.39, vertikal: 5.27				




Serie 2:	9.7 ←	10.4 *	10.6 *	10.5 *	10.6 *
	10.3 ↘	9.9 ←	10.4 *	9.8 ↙	10.0 ↘
beste Teiler	279.9 (15.)	317.1 (13.)	373.8 (14.)		
Trefferlage	3.50 mm links, 0.35 mm tief				
Streuwert	4.06, horizontal: 4.81, vertikal: 3.13				




Serie 3:	10.1 ↘	10.2 →	10.3 *	9.9 ↙	9.8 ↘
	10.0 ↑	10.1 ↘	10.3 *	9.4 ↘	10.4 *
beste Teiler	470.7 (30.)	514.2 (23.)	520.9 (28.)		
Trefferlage	1.39 mm links, 1.63 mm hoch				
Streuwert	5.48, horizontal: 5.13, vertikal: 5.80				



Serie 4:	9.1 ↑	10.5 *	10.7 *	10.5 *	9.6 ↘
	10.3 *	9.7 ↘	10.2 ↘	10.6 *	10.4 *
beste Teiler	194.0 (33.)	269.4 (39.)	343.1 (32.)		
Trefferlage	1.74 mm links, 2.63 mm hoch				
Streuwert	4.95, horizontal: 4.89, vertikal: 5.00				



Serie 5:	10.6 *	10.2 ↑	10.0 →	10.6 *	10.6 *
	10.8 *	9.7 ↙	10.1 ↓	9.3 ↙	10.2 ↙
beste Teiler	159.4 (46.)	276.2 (44.)	281.6 (41.)		
Trefferlage	1.90 mm links, 1.51 mm tief				
Streuwert	4.88, horizontal: 5.24, vertikal: 4.49				



Serie 6:	9.5 ↘	10.2 ←	10.5 *	9.6 ↑	9.5 ↘
	10.6 *	10.7 *	10.7 *	9.4 ↑	10.8 *
beste Teiler	150.5 (60.)	186.3 (58.)	233.4 (57.)		
Trefferlage	1.04 mm rechts, 0.60 mm hoch				
Streuwert	5.73, horizontal: 4.58, vertikal: 6.69				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 30

Holznecht,, Wolfgang #70212431

StartNr: 30



30. Juli 2017 9:45

70212 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	589.6	(559)
Serien:	97.0 101.2 97.9 100.5 98.4 94.6	
Zähler:	24 31 5 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2057 (58), 2014 (36), 1909 (23)	
beste Teiler	77.2 (34.) 146.6 (18.) 156.6 (32.)	
Trefferlage	2.39 mm links, 0.06 mm hoch	
Streuwert	7.11, horizontal: 7.23, vertikal: 6.98	




Serie 1:	9.0 ↑	9.6 ↖	9.2 ↘	9.4 →	10.3 *
	10.2 ↗	10.5 *	9.2 ↓	9.9 ↙	9.7 ←
beste Teiler	331.8 (7.) 526.0 (5.) 603.2 (6.)				
Trefferlage	0.10 mm links, 0.56 mm hoch				
Streuwert	7.98, horizontal: 7.57, vertikal: 8.38				




Serie 2:	10.1 ↙	10.1 ↖	10.3 ↘	10.7 *	10.5 *
	9.6 ↖	9.0 ↑	10.8 *	9.9 →	10.2 →
beste Teiler	146.6 (18.) 183.8 (14.) 397.1 (15.)				
Trefferlage	0.06 mm rechts, 1.72 mm hoch				
Streuwert	5.72, horizontal: 5.99, vertikal: 5.43				




Serie 3:	10.5 *	9.9 ↖	8.6 ↑	9.6 ↗	10.4 *
	10.3 ↓	10.0 ↓	9.8 ↑	8.6 ←	10.2 ↖
beste Teiler	368.2 (21.) 413.2 (25.) 547.4 (26.)				
Trefferlage	0.87 mm links, 4.21 mm hoch				
Streuwert	7.30, horizontal: 7.23, vertikal: 7.38				



Serie 4:	10.6 *	10.8 *	10.5 *	10.9 *	9.9 ↖
	8.4 ↙	9.7 ←	10.4 *	9.7 ↙	9.6 ←
beste Teiler	77.2 (34.) 156.6 (32.) 276.5 (31.)				
Trefferlage	4.23 mm links, 2.31 mm tief				
Streuwert	5.82, horizontal: 4.69, vertikal: 6.76				



Serie 5:	9.9 →	10.5 *	8.9 ↖	9.4 ↓	9.7 ↖
	9.5 ↙	9.8 ↙	10.4 *	9.9 ↑	10.4 *
beste Teiler	321.0 (42.) 428.2 (50.) 474.1 (48.)				
Trefferlage	3.11 mm links, 0.68 mm tief				
Streuwert	6.83, horizontal: 7.57, vertikal: 6.01				



Serie 6:	9.2 ↘	9.5 ↙	9.1 ↙	10.3 *	9.9 ←
	9.9 ↑	9.4 ↙	8.4 ←	9.9 →	9.0 ←
beste Teiler	515.4 (54.) 804.6 (56.) 836.8 (55.)				
Trefferlage	6.13 mm links, 3.09 mm tief				
Streuwert	7.93, horizontal: 9.12, vertikal: 6.52				

ISSF Prone Men – Wertung – Männer

StandNr: 31

Köll, Edwin #70103079

StartNr: 31



30. Juli 2017 9:43

70103 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	593.6	(569)
Serien:	95.4	100.9 101.8 100.3 98.4 96.8
Zähler:	32 25 3 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1869 (1), 1802 (58), 1692 (6)	
beste Teiler	64.6 (14.) 75.6 (25.) 206.1 (27.)	
Trefferlage	0.12 mm rechts, 0.49 mm hoch	
Streuwert	6.83, horizontal: 6.65, vertikal: 7.00	




Serie 1:	8.6 ↘	10.1 ↙	9.6 ↖	10.2 →	9.9 ↗
	8.8 ↙	9.9 →	9.0 ↓	9.0 →	10.3 *
beste Teiler	504.8 (10.)	631.9 (4.)	711.4 (2.)		
Trefferlage	1.43 mm links, 2.17 mm tief				
Streuwert	8.97, horizontal: 9.25, vertikal: 8.67				




Serie 2:	10.1 ↓	9.2 ↙	9.8 ↙	10.9 *	9.9 ↗
	10.2 →	9.8 ↑	10.4 *	10.5 *	10.1 ↓
beste Teiler	64.6 (14.)	354.4 (19.)	432.4 (18.)		
Trefferlage	1.15 mm links, 0.39 mm tief				
Streuwert	5.68, horizontal: 5.48, vertikal: 5.87				




Serie 3:	9.8 →	10.4 *	10.0 ↓	10.1 →	10.9 *
	10.5 *	10.7 *	9.4 ↑	9.6 ←	10.4 *
beste Teiler	75.6 (25.)	206.1 (27.)	333.3 (26.)		
Trefferlage	0.59 mm rechts, 1.47 mm hoch				
Streuwert	5.26, horizontal: 5.44, vertikal: 5.07				



Serie 4:	10.1 ↖	9.9 ←	10.3 →	10.4 *	9.5 ↗
	10.5 *	9.3 ↑	10.2 ↘	9.5 →	10.6 *
beste Teiler	270.5 (40.)	395.3 (36.)	401.3 (34.)		
Trefferlage	2.05 mm rechts, 3.24 mm hoch				
Streuwert	5.45, horizontal: 6.17, vertikal: 4.60				



Serie 5:	9.0 ↗	10.0 ↓	9.5 ↗	10.2 ←	10.6 *
	10.2 ↗	10.1 ↗	9.6 ↓	9.1 ↗	10.1 ↑
beste Teiler	269.2 (45.)	594.8 (46.)	602.8 (44.)		
Trefferlage	2.18 mm rechts, 3.22 mm hoch				
Streuwert	6.63, horizontal: 5.40, vertikal: 7.66				



Serie 6:	9.8 ↑	9.2 ↓	10.5 *	9.6 ↙	10.1 ←
	9.1 →	10.1 →	8.7 ↙	9.4 ↘	10.3 *
beste Teiler	386.8 (53.)	521.3 (60.)	711.2 (55.)		
Trefferlage	1.51 mm links, 2.43 mm tief				
Streuwert	8.08, horizontal: 7.80, vertikal: 8.34				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 32

Perterer,, Rudolf #70302044

StartNr: 32



30. Juli 2017 9:38

70302 / 0

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	601.4	(576)
Serien:	100.2 98.8	100.8 101.9 101.0 98.7
Zähler:	36 24 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1500 (55), 1441 (52), 1437 (50)	
beste Teiler	126.2 (45.)	150.3 (30.) 167.7 (36.)
Trefferlage	0.48 mm links, 0.34 mm tief	
Streuwert	5.88, horizontal: 5.51, vertikal: 6.23	




Serie 1:

9.2 ←	10.1 →	10.3 *	10.1 ↑	10.4 *
10.6 *	10.2 ↘	9.4 ↓	10.2 ←	9.7 ↓
beste Teiler	320.5 (6.) 464.0 (5.) 489.9 (3.)			
Trefferlage	1.70 mm links, 0.66 mm tief			
Streuwert	5.93, horizontal: 5.68, vertikal: 6.17			




Serie 2:

10.2 ↓	9.6 ↘	9.9 ←	10.2 →	9.5 ↓
10.3 ↙	10.2 →	9.2 ↑	9.4 ↘	10.3 *
beste Teiler	529.1 (20.) 543.1 (16.) 605.0 (11.)			
Trefferlage	1.45 mm rechts, 0.61 mm tief			
Streuwert	6.71, horizontal: 6.09, vertikal: 7.27			




Serie 3:

10.1 →	9.7 ↘	9.9 ←	9.7 ↑	9.8 ↙
9.6 ↑	10.4 *	10.4 *	10.4 *	10.8 *
beste Teiler	150.3 (30.) 426.3 (27.) 428.8 (28.)			
Trefferlage	1.35 mm links, 2.52 mm hoch			
Streuwert	5.21, horizontal: 4.70, vertikal: 5.67			




Serie 4:

9.6 ↘	10.4 *	9.6 ↑	9.7 ↘	10.3 ↘
10.7 *	10.3 *	10.5 *	10.1 →	10.7 *
beste Teiler	167.7 (36.) 236.7 (40.) 375.3 (38.)			
Trefferlage	0.07 mm links, 1.55 mm hoch			
Streuwert	4.97, horizontal: 5.75, vertikal: 4.04			



Serie 5:

10.3 *	10.3 *	10.3 *	10.7 *	10.8 *
9.2 ↘	10.4 *	9.5 ←	10.3 ↓	9.2 ↓
beste Teiler	126.2 (45.) 188.3 (44.) 469.6 (47.)			
Trefferlage	2.59 mm links, 2.28 mm tief			
Streuwert	5.56, horizontal: 5.90, vertikal: 5.21			



Serie 6:

9.9 ↘	9.1 ↓	10.1 ↘	10.4 *	9.1 ↓
10.4 *	9.7 ↑	10.0 ↓	9.5 ↘	10.5 *
beste Teiler	393.0 (60.) 409.4 (56.) 411.5 (54.)			
Trefferlage	1.34 mm rechts, 2.59 mm tief			
Streuwert	6.68, horizontal: 4.91, vertikal: 8.07			

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 33

Schneider,, Matthias #70405099

StartNr: 33

30. Juli 2017 9:48

70405 / 0

Unterschrift des Schützen

Meyton Elektronik