





Ergebnis: **607.6** (580)  
 Serien: 97.9 100.8 102.7 102.9 102.0 101.3  
 Zähler: 40 20 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 1406 (1), 1391 (7), 1310 (27)  
 beste Teiler 86.2 (58.) 161.0 (56.) 207.6 (32.)  
 Trefferlage 0.00 mm , 1.67 mm hoch  
 Streuwert 5.14, horizontal: 5.52, vertikal: 4.74




Serie 1:  
 9.2 ↖ 9.5 ← 9.4 ↗ 9.8 ↑ 10.4 \*  
 10.5 \* 9.2 ↑ 10.4 \* 9.6 → 9.9 ↘  
 beste Teiler 327.0 (6.) 455.4 (8.) 478.4 (5.)  
 Trefferlage 0.19 mm rechts, 3.65 mm hoch  
 Streuwert 6.94, horizontal: 7.94, vertikal: 5.79




Serie 2:  
 9.5 ↖ 10.1 ↗ 10.4 \* 10.5 \* 10.1 ←  
 10.3 \* 9.9 ← 10.0 ← 9.6 ↑ 10.4 \*  
 beste Teiler 332.0 (14.) 448.4 (20.) 464.0 (13.)  
 Trefferlage 3.53 mm links, 1.71 mm hoch  
 Streuwert 4.54, horizontal: 4.22, vertikal: 4.83




Serie 3:  
 10.5 \* 10.4 \* 10.6 \* 9.9 ↖ 10.4 \*  
 10.7 \* 9.3 ← 9.9 ↖ 10.4 \* 10.6 \*  
 beste Teiler 229.1 (26.) 258.9 (23.) 299.7 (30.)  
 Trefferlage 2.44 mm links, 1.92 mm hoch  
 Streuwert 4.14, horizontal: 5.22, vertikal: 2.64



Serie 4:  
 10.1 ↖ 10.7 \* 10.1 ↗ 10.2 ↘ 10.0 ↘  
 10.7 \* 9.9 → 10.6 \* 10.3 ↙ 10.3 \*  
 beste Teiler 207.6 (32.) 214.5 (36.) 293.2 (38.)  
 Trefferlage 0.97 mm rechts, 1.73 mm tief  
 Streuwert 4.02, horizontal: 4.78, vertikal: 3.08



Serie 5:  
 10.6 \* 9.7 ↗ 10.6 \* 10.6 \* 10.4 \*  
 10.4 \* 9.7 → 10.1 ↗ 10.2 ↓ 9.7 →  
 beste Teiler 242.3 (43.) 249.4 (44.) 290.0 (41.)  
 Trefferlage 3.01 mm rechts, 1.64 mm hoch  
 Streuwert 4.20, horizontal: 4.07, vertikal: 4.32



Serie 6:  
 9.7 ↑ 10.4 \* 10.5 \* 9.4 ↑ 10.2 ←  
 10.7 \* 10.1 ↗ 10.8 \* 10.1 ↓ 9.4 ↗  
 beste Teiler 86.2 (58.) 161.0 (56.) 325.0 (53.)  
 Trefferlage 1.80 mm rechts, 2.87 mm hoch  
 Streuwert 5.15, horizontal: 4.08, vertikal: 6.04

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 24

**Gehring, Markus** #1000000327

**StartNr: 17**

15. Juli 2018 9:45



SG\_Tannheim

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>589.2</b>	(560)
Serien:	98.8 95.2 98.0 100.2 98.7 98.3	
Zähler:	23 34 3 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2124 (18), 1637 (58), 1617 (5)	
beste Teiler	179.6 (4.) 324.4 (56.) 338.7 (41.)	
Trefferlage	0.83 mm links, 0.22 mm hoch	
Streuwert	6.98, horizontal: 6.31, vertikal: 7.58	



Serie 1:

10.1 ↗	9.6 ↘	10.5 *	10.7 *	8.9 ↙
9.3 ↘	9.6 →	9.8 ↖	10.4 *	9.9 ↗


beste Teiler 179.6 (4.) 389.6 (3.) 441.0 (9.)  
 Trefferlage 0.87 mm links, 0.97 mm tief  
 Streuwert 7.00, horizontal: 8.06, vertikal: 5.74



Serie 2:

9.7 ←	9.4 ↑	10.2 ↘	9.0 ↓	10.4 *
9.7 ↑	9.8 ←	8.3 ↓	9.2 ↘	9.5 ↓


beste Teiler 458.0 (15.) 573.9 (13.) 910.9 (17.)  
 Trefferlage 2.59 mm links, 4.27 mm tief  
 Streuwert 8.39, horizontal: 5.10, vertikal: 10.71



Serie 3:

10.0 ↘	9.9 ↓	10.1 ↖	9.7 ↘	9.8 →
10.3 ↗	9.2 ↑	9.5 ↗	9.7 →	9.8 ↘


beste Teiler 531.6 (26.) 663.8 (23.) 747.7 (21.)  
 Trefferlage 4.10 mm rechts, 0.77 mm tief  
 Streuwert 6.35, horizontal: 4.71, vertikal: 7.65



Serie 4:

10.1 ↑	10.4 *	10.1 ↑	9.9 ↖	10.4 *
9.6 →	9.8 ↘	10.1 →	10.3 *	9.5 →


beste Teiler 425.3 (32.) 438.8 (35.) 501.0 (39.)  
 Trefferlage 0.93 mm rechts, 1.10 mm hoch  
 Streuwert 5.69, horizontal: 6.64, vertikal: 4.54



Serie 5:

10.5 *	9.9 ←	9.3 ↖	9.6 ↑	10.5 *
10.5 *	9.5 ↗	10.3 *	9.6 ↑	9.0 ↑

beste Teiler 338.7 (41.) 342.8 (46.) 373.5 (45.)  
 Trefferlage 3.24 mm links, 1.93 mm hoch  
 Streuwert 6.62, horizontal: 5.42, vertikal: 7.64



Serie 6:

10.3 *	10.2 ↗	9.8 ↖	9.7 ↘	10.1 ↘
10.5 *	9.7 ↖	8.9 ↑	9.9 ↑	9.2 ↘

beste Teiler 324.4 (56.) 524.0 (51.) 564.7 (52.)  
 Trefferlage 3.32 mm links, 4.34 mm hoch  
 Streuwert 5.96, horizontal: 5.23, vertikal: 6.60

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 25

**Klaunzer,, Roland** #1000000128

**StartNr: 18**

15. Juli 2018 9:50



SG\_Matrei

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>590.9</b>	(563)
Serien:	100.5 96.4 98.7 96.1 100.0 99.2	
Zähler:	27 29 4 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2005 (53), 1900 (12), 1736 (38)	
beste Teiler	171.2 (14.) 254.4 (26.) 263.9 (46.)	
Trefferlage	1.44 mm rechts, 1.23 mm tief	
Streuwert	6.87, horizontal: 5.60, vertikal: 7.94	




Serie 1:	9.6 ↑	10.4 *	10.6 *	9.7 ↗	9.4 ↗
	10.0 ↘	10.4 *	9.9 ↘	10.2 ←	10.3 ↘
beste Teiler	306.2 (3.) 401.3 (2.) 471.1 (7.)				
Trefferlage	1.51 mm rechts, 1.64 mm hoch				
Streuwert	5.53, horizontal: 4.04, vertikal: 6.70				




Serie 2:	10.3 *	8.6 ↘	9.4 ↓	10.7 *	9.8 ↘
	9.5 ↗	9.6 ↗	10.0 ↘	9.6 ↗	8.9 ↘
beste Teiler	171.2 (14.) 516.6 (11.) 721.5 (18.)				
Trefferlage	4.43 mm rechts, 3.71 mm tief				
Streuwert	7.45, horizontal: 5.85, vertikal: 8.77				




Serie 3:	9.8 ↗	9.8 ↑	9.0 ↓	10.3 ↑	10.1 ↗
	10.6 *	9.3 ↘	10.0 →	9.2 ←	10.6 *
beste Teiler	254.4 (26.) 267.4 (30.) 533.6 (24.)				
Trefferlage	1.94 mm rechts, 0.63 mm tief				
Streuwert	6.99, horizontal: 7.24, vertikal: 6.73				



Serie 4:	9.6 ↓	9.6 ←	10.0 ↘	9.4 ↗	9.5 ↑
	10.6 *	9.8 ↓	8.8 ↓	9.0 ↑	9.8 ↑
beste Teiler	308.6 (36.) 751.9 (33.) 917.2 (40.)				
Trefferlage	0.40 mm links, 0.87 mm tief				
Streuwert	8.50, horizontal: 5.28, vertikal: 10.80				



Serie 5:	9.9 ↓	9.1 ↘	9.9 ↘	9.9 ←	10.3 ↘
	10.6 *	10.0 ↗	10.0 ↓	9.8 ↘	10.5 *
beste Teiler	263.9 (46.) 339.7 (50.) 544.9 (45.)				
Trefferlage	0.06 mm rechts, 0.30 mm tief				
Streuwert	6.19, horizontal: 5.54, vertikal: 6.78				



Serie 6:	9.9 ↓	10.4 *	8.4 ↓	9.7 ↗	10.4 *
	10.6 *	9.3 ↘	10.0 ↗	10.0 ↘	10.5 *
beste Teiler	276.0 (56.) 329.5 (60.) 468.6 (55.)				
Trefferlage	1.12 mm rechts, 3.53 mm tief				
Streuwert	6.64, horizontal: 5.30, vertikal: 7.76				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 26

**Winkler,, Peter** #70807111

**StartNr: 19**

15. Juli 2018 9:46



SG\_Jenbach–Buch

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **590.1** (563)  
 Serien: 97.9 98.1 98.1 95.0 99.3 101.7  
 Zähler: 28 27 5 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 2270 (32), 1846 (35), 1803 (11)  
 beste Teiler 174.5 (43.) 190.7 (19.) 210.7 (26.)  
 Trefferlage 0.93 mm links, 2.69 mm hoch  
 Streuwert 6.89, horizontal: 7.71, vertikal: 5.95




Serie 1:  
 9.4 ↘ 10.2 ← 9.0 ↘ 9.6 ↗ 10.4 \*  
 9.3 → 8.8 ↗ 10.1 ↑ 10.5 \* 10.6 \*  
 beste Teiler 290.9 (10.) 367.1 (9.) 449.0 (5.)  
 Trefferlage 0.78 mm rechts, 5.68 mm hoch  
 Streuwert 6.62, horizontal: 8.46, vertikal: 4.00




Serie 2:  
 8.7 ↖ 9.1 ↘ 9.7 ↘ 10.1 ↘ 10.2 ↖  
 10.0 ← 10.5 \* 9.6 ↖ 10.7 \* 9.5 ↑  
 beste Teiler 190.7 (19.) 389.3 (17.) 605.9 (15.)  
 Trefferlage 3.83 mm links, 6.25 mm hoch  
 Streuwert 5.33, horizontal: 4.30, vertikal: 6.19




Serie 3:  
 10.6 \* 9.8 ↘ 9.6 ↘ 8.8 ↗ 10.3 \*  
 10.7 \* 9.3 ↗ 9.4 ↗ 10.1 ← 9.5 ←  
 beste Teiler 210.7 (26.) 279.1 (21.) 513.9 (25.)  
 Trefferlage 0.75 mm links, 4.65 mm hoch  
 Streuwert 6.75, horizontal: 7.90, vertikal: 5.37



Serie 4:  
 9.6 ← 8.1 ↘ 9.3 ↗ 9.5 ← 8.6 ↖  
 10.1 ↑ 9.8 → 10.1 ↑ 9.5 ↘ 10.4 \*  
 beste Teiler 456.8 (40.) 661.3 (36.) 670.0 (38.)  
 Trefferlage 4.45 mm links, 0.26 mm hoch  
 Streuwert 8.87, horizontal: 10.15, vertikal: 7.36



Serie 5:  
 10.0 ↓ 10.5 \* 10.7 \* 9.6 ↘ 9.3 →  
 10.0 ← 9.4 ← 9.8 ↘ 10.4 \* 9.6 →  
 beste Teiler 174.5 (43.) 387.0 (42.) 442.2 (49.)  
 Trefferlage 2.14 mm rechts, 2.12 mm tief  
 Streuwert 6.20, horizontal: 7.61, vertikal: 4.35



Serie 6:  
 10.6 \* 10.5 \* 9.8 ↗ 9.8 → 10.5 \*  
 10.3 \* 10.3 ← 9.5 → 10.5 \* 9.9 ←  
 beste Teiler 252.6 (51.) 365.0 (59.) 366.6 (55.)  
 Trefferlage 0.48 mm rechts, 1.46 mm hoch  
 Streuwert 5.04, horizontal: 6.10, vertikal: 3.69

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 35

**Pfeifer,, Peter** #1000000129

**StartNr: 20**

15. Juli 2018 9:31

SG\_Imst



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **609.3** (580)  
 Serien: 100.4 101.2 101.3 102.2 103.1 101.1  
 Zähler: 41 18 1 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 1660 (4), 1330 (18), 1283 (5)  
 beste Teiler 118.1 (50.) 130.2 (15.) 139.5 (34.)  
 Trefferlage 0.47 mm links, 0.79 mm tief  
 Streuwert 5.09, horizontal: 6.08, vertikal: 3.84




Serie 1:  
 10.6 \*                      10.5 \*                      10.2 ↘                      8.9 ←                      9.3 ↗  
 10.6 \*                      9.6 ←                      9.6 →                      10.5 \*                      10.6 \*  
 beste Teiler 271.1 (1.) 271.9 (10.) 295.0 (6.)  
 Trefferlage 3.00 mm links, 1.33 mm tief  
 Streuwert 5.97, horizontal: 7.43, vertikal: 4.00




Serie 2:  
 10.6 \*                      9.9 →                      9.8 ↘                      10.1 ↓                      10.8 \*  
 10.2 ↓                      10.0 ←                      9.3 ←                      9.9 ←                      10.6 \*  
 beste Teiler 130.2 (15.) 278.6 (20.) 287.5 (11.)  
 Trefferlage 2.93 mm links, 1.36 mm tief  
 Streuwert 5.02, horizontal: 6.30, vertikal: 3.29




Serie 3:  
 9.6 ↘                      10.7 \*                      9.7 ←                      9.7 ←                      10.5 \*  
 10.3 ↓                      10.3 \*                      9.8 ↘                      10.1 ↑                      10.6 \*  
 beste Teiler 206.7 (22.) 306.6 (30.) 375.4 (25.)  
 Trefferlage 2.85 mm links, 0.65 mm hoch  
 Streuwert 4.98, horizontal: 5.25, vertikal: 4.69



Serie 4:  
 10.3 ↓                      10.4 \*                      9.4 ↘                      10.8 \*                      10.0 →  
 10.5 \*                      10.1 ↘                      10.5 \*                      9.9 →                      10.3 \*  
 beste Teiler 139.5 (34.) 326.4 (36.) 390.4 (38.)  
 Trefferlage 1.80 mm rechts, 0.85 mm tief  
 Streuwert 4.67, horizontal: 5.65, vertikal: 3.44



Serie 5:  
 10.4 \*                      9.6 ↘                      10.7 \*                      10.4 \*                      10.2 →  
 10.3 \*                      10.1 →                      10.7 \*                      9.9 →                      10.8 \*  
 beste Teiler 118.1 (50.) 194.9 (43.) 240.8 (48.)  
 Trefferlage 3.64 mm rechts, 1.69 mm tief  
 Streuwert 3.25, horizontal: 3.33, vertikal: 3.17



Serie 6:  
 9.9 →                      9.8 ←                      10.6 \*                      10.4 \*                      10.0 ↓  
 9.9 →                      10.1 ↗                      10.0 ←                      10.3 ↘                      10.1 ↗  
 beste Teiler 275.9 (53.) 445.1 (54.) 534.3 (59.)  
 Trefferlage 0.47 mm rechts, 0.18 mm tief  
 Streuwert 5.15, horizontal: 5.61, vertikal: 4.64

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 28

**Holznecht,, Wolfgang** #70209010

**StartNr: 21**

15. Juli 2018 9:44



SG\_Hötting-Ibk

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.7** (579)  
 Serien: 102.9 102.2 101.1 100.4 102.7 98.4  
 Zähler: 40 19 1 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 2122 (58), 1572 (60), 1536 (36)  
 beste Teiler 63.5 (56.) 96.7 (27.) 113.2 (50.)  
 Trefferlage 0.10 mm links, 0.93 mm tief  
 Streuwert 5.52, horizontal: 4.70, vertikal: 6.23




Serie 1:  
 9.9 → 10.7 \* 10.6 \* 10.7 \* 9.4 ↘  
 10.4 \* 10.2 ↙ 9.9 → 10.5 \* 10.6 \*  
 beste Teiler 227.5 (2.) 234.3 (4.) 244.7 (3.)  
 Trefferlage 1.84 mm rechts, 1.02 mm tief  
 Streuwert 4.27, horizontal: 4.51, vertikal: 4.02




Serie 2:  
 10.6 \* 10.2 ↙ 10.7 \* 10.1 → 10.0 ↗  
 10.2 ↘ 9.4 ↘ 10.0 → 10.8 \* 10.2 ←  
 beste Teiler 146.8 (19.) 232.7 (13.) 289.9 (11.)  
 Trefferlage 0.95 mm links, 1.52 mm hoch  
 Streuwert 4.70, horizontal: 5.83, vertikal: 3.18




Serie 3:  
 9.5 ↓ 9.7 ↗ 10.8 \* 10.6 \* 9.4 ↓  
 10.0 ↙ 10.8 \* 9.9 ↙ 9.7 ↓ 10.7 \*  
 beste Teiler 96.7 (27.) 154.2 (23.) 196.4 (30.)  
 Trefferlage 0.74 mm links, 3.75 mm tief  
 Streuwert 5.30, horizontal: 4.45, vertikal: 6.04



Serie 4:  
 10.6 \* 10.3 ↘ 10.7 \* 10.1 ↗ 10.3 ↓  
 9.0 ↓ 9.6 ↑ 9.8 ← 9.7 ↑ 10.3 \*  
 beste Teiler 211.1 (33.) 306.1 (31.) 513.4 (40.)  
 Trefferlage 0.54 mm links, 0.84 mm hoch  
 Streuwert 6.14, horizontal: 4.01, vertikal: 7.70



Serie 5:  
 10.7 \* 10.5 \* 10.7 \* 9.6 ↑ 10.3 \*  
 10.0 ↑ 10.2 ↓ 10.2 ↓ 9.7 → 10.8 \*  
 beste Teiler 113.2 (50.) 190.5 (43.) 233.8 (41.)  
 Trefferlage 0.52 mm links, 0.70 mm hoch  
 Streuwert 4.66, horizontal: 3.93, vertikal: 5.29



Serie 6:  
 9.9 ↘ 9.9 ↑ 10.0 ↙ 10.4 \* 10.1 ↘  
 10.9 \* 10.1 ↓ 8.3 ↓ 9.8 → 9.0 ↓  
 beste Teiler 63.5 (56.) 465.6 (54.) 698.4 (57.)  
 Trefferlage 0.29 mm rechts, 3.88 mm tief  
 Streuwert 7.29, horizontal: 5.78, vertikal: 8.53

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 29

**Schneider,, Matthias** #70410029

**StartNr: 22**

15. Juli 2018 9:47



SG\_Brixlegg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	<b>602.9</b>	(574)
Serien:	101.7 99.8 99.0 100.5 100.2 101.7	
Zähler:	35 24 1 0 0 0 0 0 0	
Innenzehner:	27	
weiteste:	1958 (41), 1337 (27), 1325 (17)	
beste Teiler	11.4 (8.) 109.2 (47.) 141.7 (2.)	
Trefferlage	1.23 mm rechts, 3.80 mm hoch	
Streuwert	5.04, horizontal: 5.30, vertikal: 4.76	




Serie 1:	9.5 ↗	10.8 *	10.4 *	10.4 *	9.9 ↘
	9.6 ↓	9.6 ↑	10.9 *	10.2 ↙	10.4 *
beste Teiler	11.4 (8.)	141.7 (2.)	431.1 (10.)		
Trefferlage	0.18 mm links, 2.02 mm hoch				
Streuwert	5.19, horizontal: 4.44, vertikal: 5.85				




Serie 2:	9.8 ↗	10.1 ↑	10.0 ↑	10.6 *	10.1 →
	9.8 ↖	9.3 ↘	10.0 →	9.8 ←	10.3 *
beste Teiler	284.2 (14.)	511.2 (20.)	642.9 (12.)		
Trefferlage	1.32 mm links, 4.18 mm hoch				
Streuwert	5.16, horizontal: 6.55, vertikal: 3.21				




Serie 3:	10.4 *	10.3 *	9.7 ↗	9.3 ↑	10.3 *
	10.1 ↖	9.3 ↑	9.8 ←	10.2 ↘	9.6 ↗
beste Teiler	454.8 (21.)	504.0 (22.)	529.7 (25.)		
Trefferlage	0.52 mm links, 5.20 mm hoch				
Streuwert	5.51, horizontal: 5.87, vertikal: 5.13				



Serie 4:	10.4 *	10.4 *	10.7 *	9.3 →	9.4 ↑
	10.5 *	9.9 ↗	9.9 →	9.6 →	10.4 *
beste Teiler	240.6 (33.)	355.5 (36.)	434.0 (31.)		
Trefferlage	3.39 mm rechts, 3.61 mm hoch				
Streuwert	4.78, horizontal: 5.63, vertikal: 3.75				



Serie 5:	8.5 ↗	10.5 *	9.6 ↗	10.4 *	9.7 ↑
	10.3 ↗	10.8 *	10.3 *	9.7 →	10.4 *
beste Teiler	109.2 (47.)	400.1 (42.)	409.1 (50.)		
Trefferlage	3.34 mm rechts, 5.09 mm hoch				
Streuwert	4.94, horizontal: 4.30, vertikal: 5.50				



Serie 6:	10.3 *	9.8 ↘	10.3 *	10.6 *	10.3 *
	10.4 *	10.5 *	9.3 ↑	9.9 ↗	10.3 *
beste Teiler	310.6 (54.)	384.4 (57.)	431.4 (56.)		
Trefferlage	2.69 mm rechts, 2.71 mm hoch				
Streuwert	4.25, horizontal: 3.43, vertikal: 4.93				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 30

**Walder, Markus #338**

**StartNr: 23**

15. Juli 2018 9:43



SG\_Hochpustertal

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>616.8</b>	(591)							
Serien:	101.2	101.9	102.9	102.6	104.2	104.0			
Zähler:	51	9	0	0	0	0	0	0	0
Innenzehner:	32								
weiteste:	1200 (33), 1146 (1), 1123 (5)								
beste Teiler	103.1 (39.)	113.2 (28.)	123.6 (53.)						
Trefferlage	0.43 mm rechts, 0.30 mm tief								
Streuwert	4.21, horizontal: 3.84, vertikal: 4.55								




Serie 1:	9.5 ↗	10.3 ↓	10.3 ↖	10.4 *	9.5 ↘
	10.4 *	10.1 ↑	9.8 ↓	10.6 *	10.3 *
beste Teiler	258.6 (9.) 445.5 (4.) 446.4 (6.)				
Trefferlage	0.17 mm rechts, 0.04 mm tief				
Streuwert	5.42, horizontal: 4.21, vertikal: 6.41				




Serie 2:	9.9 ↓	10.1 ↖	10.6 *	9.7 ↑	10.6 *
	9.9 ↓	10.6 *	10.2 ↙	10.2 ←	10.1 ←
beste Teiler	251.3 (17.) 257.6 (13.) 282.0 (15.)				
Trefferlage	1.57 mm links, 0.24 mm tief				
Streuwert	4.73, horizontal: 3.99, vertikal: 5.36				




Serie 3:	10.6 *	9.9 →	10.4 *	10.0 →	9.8 →
	10.2 →	10.6 *	10.8 *	10.1 ↓	10.5 *
beste Teiler	113.2 (28.) 249.9 (21.) 252.3 (27.)				
Trefferlage	3.50 mm rechts, 1.31 mm tief				
Streuwert	3.39, horizontal: 4.05, vertikal: 2.56				



Serie 4:	10.4 *	10.3 *	9.5 ↑	10.5 *	10.1 ↓
	10.0 ↖	10.6 *	10.3 *	10.8 *	10.1 ↗
beste Teiler	103.1 (39.) 264.7 (37.) 378.6 (34.)				
Trefferlage	1.36 mm links, 0.33 mm tief				
Streuwert	4.51, horizontal: 1.94, vertikal: 6.08				



Serie 5:	10.6 *	10.4 *	10.0 ↑	10.6 *	10.4 *
	10.7 *	10.4 *	10.6 *	10.2 ↙	10.3 *
beste Teiler	161.7 (46.) 248.3 (44.) 291.6 (48.)				
Trefferlage	0.20 mm rechts, 0.18 mm hoch				
Streuwert	3.31, horizontal: 3.22, vertikal: 3.40				



Serie 6:	10.6 *	10.2 →	10.8 *	10.2 ↓	10.0 ↘
	10.2 ↗	10.4 *	10.5 *	10.6 *	10.5 *
beste Teiler	123.6 (53.) 257.1 (59.) 281.6 (51.)				
Trefferlage	1.69 mm rechts, 0.09 mm tief				
Streuwert	3.28, horizontal: 3.46, vertikal: 3.08				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 31

**Höllwarth,, Michael** #1000000124

**StartNr: 24**

15. Juli 2018 9:49

SG\_Aschau



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>611.9</b>	(585)						
Serien:	100.7	103.5	100.5	102.2	103.3	101.7		
Zähler:	45	15	0	0	0	0	0	0
Innenzehner:	27							
weiteste:	1454 (27), 1228 (10), 1088 (22)							
beste Teiler	106.0 (5.)	173.1 (12.)	228.2 (32.)					
Trefferlage	2.82 mm rechts, 0.19 mm tief							
Streuwert	4.22, horizontal: 4.12, vertikal: 4.31							




Serie 1:

9.8 ↗	9.9 ↘	10.1 ↘	9.7 →	10.8 *
10.3 *	9.9 ↑	10.5 *	10.3 *	9.4 ↓
beste Teiler	106.0 (5.)	396.8 (8.)	483.6 (6.)	
Trefferlage	3.27 mm rechts, 0.15 mm tief			
Streuwert	5.19, horizontal: 3.58, vertikal: 6.42			




Serie 2:

10.4 *	10.7 *	10.2 ↘	10.4 *	10.5 *
10.5 *	10.3 ↘	10.4 *	9.9 ↑	10.2 ↖
beste Teiler	173.1 (12.)	334.3 (15.)	357.5 (16.)	
Trefferlage	1.51 mm rechts, 0.14 mm tief			
Streuwert	3.65, horizontal: 3.22, vertikal: 4.04			




Serie 3:

9.9 ↘	9.6 ↘	10.4 *	10.2 ↗	9.9 →
9.9 ↘	9.1 →	10.5 *	10.6 *	10.4 *
beste Teiler	302.0 (29.)	394.0 (28.)	473.0 (30.)	
Trefferlage	5.45 mm rechts, 0.08 mm tief			
Streuwert	4.39, horizontal: 5.01, vertikal: 3.66			




Serie 4:

10.2 ↖	10.7 *	10.4 *	9.9 →	10.0 ↘
10.3 *	10.3 ↓	10.3 ↗	10.1 →	10.0 →
beste Teiler	228.2 (32.)	468.4 (33.)	504.2 (36.)	
Trefferlage	2.84 mm rechts, 0.00 mm			
Streuwert	4.07, horizontal: 3.99, vertikal: 4.14			



Serie 5:

10.0 ↖	10.3 ←	10.4 *	10.4 *	10.5 *
10.4 *	10.4 *	10.6 *	10.2 →	10.1 ↓
beste Teiler	255.0 (48.)	347.0 (45.)	419.9 (47.)	
Trefferlage	0.79 mm rechts, 0.14 mm tief			
Streuwert	3.81, horizontal: 4.01, vertikal: 3.61			



Serie 6:

10.1 →	10.4 *	9.8 ↘	10.2 ↑	10.6 *
9.8 ↘	10.2 ↘	9.8 ↗	10.3 *	10.5 *
beste Teiler	266.2 (55.)	390.7 (60.)	443.7 (52.)	
Trefferlage	3.05 mm rechts, 0.61 mm tief			
Streuwert	4.30, horizontal: 4.09, vertikal: 4.50			

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 34

**Fuchs, Manfred** #387

**StartNr: 27**

15. Juli 2018 9:39

SG\_Wörgl

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik