

Ergebnis: **605.5** (577)

Serien: 98.4 104.9 100.7 99.9 103.2 98.4

Zähler: 37 23 0 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 461 (57), 457 (1), 440 (51)

beste Teiler 30.5 (20.) 40.1 (12.) 42.0 (50.)

Trefferlage 0.14 mm links, 0.44 mm hoch

Streuwert 1.71, horizontal: 1.86, vertikal: 1.53




Serie 1:

9.1 ↘	9.8 ↘	10.2 *	10.4 *	9.3 ←
9.7 ←	9.8 ↖	10.7 *	9.8 ↘	9.6 ↘

beste Teiler 72.0 (8.) 144.6 (4.) 185.0 (3.)

Trefferlage 0.17 mm links, 0.27 mm hoch

Streuwert 2.21, horizontal: 2.58, vertikal: 1.78




Serie 2:

10.5 *	10.8 *	10.4 *	10.1 ↑	10.7 *
10.1 ↘	10.7 *	10.1 ↘	10.7 *	10.8 *

beste Teiler 30.5 (20.) 40.1 (12.) 52.3 (17.)

Trefferlage 0.20 mm links, 0.69 mm hoch

Streuwert 0.88, horizontal: 0.70, vertikal: 1.03




Serie 3:

9.5 →	10.5 *	9.5 →	10.5 *	10.5 *
9.7 ↗	10.0 ↑	10.6 *	10.0 →	9.9 ↘

beste Teiler 95.8 (28.) 107.5 (25.) 110.3 (24.)

Trefferlage 1.43 mm rechts, 0.83 mm hoch

Streuwert 1.35, horizontal: 1.45, vertikal: 1.23




Serie 4:

9.9 ↑	9.6 ↘	10.6 *	9.9 ↑	10.3 *
10.1 ↙	9.6 ↙	10.1 ↖	9.6 ↘	10.2 *

beste Teiler 83.2 (33.) 167.2 (35.) 192.2 (40.)

Trefferlage 1.04 mm links, 1.00 mm hoch

Streuwert 1.53, horizontal: 1.04, vertikal: 1.89




Serie 5:

10.4 *	10.3 *	10.7 *	10.4 *	10.7 *
9.5 ↘	9.8 ↓	10.6 *	10.0 ↙	10.8 *

beste Teiler 42.0 (50.) 70.7 (43.) 75.6 (45.)

Trefferlage 0.10 mm rechts, 0.22 mm tief

Streuwert 1.40, horizontal: 1.41, vertikal: 1.38



Serie 6:

9.2 ←	10.0 ↘	10.1 ↑	9.7 ←	9.9 ↘
10.4 *	9.1 ←	9.5 ↓	10.3 *	10.2 *

beste Teiler 148.0 (56.) 165.6 (59.) 194.1 (60.)

Trefferlage 1.00 mm links, 0.06 mm hoch

Streuwert 2.09, horizontal: 2.42, vertikal: 1.70

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 102

**Zach, Michael** #70804295

**StartNr: 49**

21. Juli 2017 11:51



Vorarlberg / Vorarlberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>611.5</b>	(583)
Serien:	102.5	102.2 101.4 101.9 101.5 102.0
Zähler:	43	17 0 0 0 0 0 0 0 0
Innenzehner:	38	
weiteste:	409	(54), 405 (19), 387 (53)
beste Teiler	26.1	(49.) 34.7 (56.) 38.2 (21.)
Trefferlage	0.55 mm	rechts, 0.46 mm hoch
Streuwert	1.45,	horizontal: 1.64, vertikal: 1.24




Serie 1:	10.3 *	10.5 *	9.6 ↗	9.5 →	10.7 *
	9.8 ↗	10.6 *	10.6 *	10.6 *	10.3 *
beste Teiler	75.0	(5.) 81.3 (8.)	86.2 (7.)		
Trefferlage	0.90 mm	rechts, 0.68 mm hoch			
Streuwert	1.28,	horizontal: 1.63, vertikal: 0.77			




Serie 2:	10.7 *	9.7 ↘	10.4 *	10.4 *	10.0 →
	10.6 *	10.5 *	10.2 *	9.3 ↗	10.4 *
beste Teiler	70.7	(11.) 80.0 (16.)	108.4 (17.)		
Trefferlage	0.19 mm	rechts, 0.67 mm hoch			
Streuwert	1.46,	horizontal: 1.60, vertikal: 1.30			




Serie 3:	10.8 *	9.5 →	10.5 *	10.4 *	9.9 ↘
	10.1 ←	9.6 ↗	10.5 *	9.8 ↑	10.3 *
beste Teiler	38.2	(21.) 109.0 (23.)	122.2 (28.)		
Trefferlage	0.01 mm	links, 0.82 mm hoch			
Streuwert	1.58,	horizontal: 1.83, vertikal: 1.28			



Serie 4:	10.2 *	9.5 ↘	10.3 *	10.2 *	9.8 →
	10.4 *	10.1 ↗	10.3 *	10.5 *	10.6 *
beste Teiler	85.1	(40.) 112.0 (39.)	127.0 (36.)		
Trefferlage	0.71 mm	rechts, 0.08 mm hoch			
Streuwert	1.45,	horizontal: 1.46, vertikal: 1.43			



Serie 5:	9.9 ↑	10.1 ↗	10.1 ↘	10.3 *	10.4 *
	10.3 *	10.2 *	9.7 ↘	10.8 *	9.7 →
beste Teiler	26.1	(49.) 141.7 (45.)	170.8 (46.)		
Trefferlage	1.09 mm	rechts, 0.18 mm hoch			
Streuwert	1.42,	horizontal: 1.11, vertikal: 1.68			



Serie 6:	9.7 ←	10.5 *	9.4 →	9.3 →	10.7 *
	10.8 *	10.7 *	10.3 *	10.2 *	10.4 *
beste Teiler	34.7	(56.) 59.0 (55.)	68.0 (57.)		
Trefferlage	0.42 mm	rechts, 0.35 mm hoch			
Streuwert	1.65,	horizontal: 2.16, vertikal: 0.86			

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 103

**Weiss, Martin** #70817233

**StartNr: 50**

21. Juli 2017 11:50

Südtirol / Südtirol



---

Unterschrift des Schützen


---

Meyton Elektronik


Ergebnis:	<b>592.0</b>	(566)
Serien:	96.9 98.2 95.8 100.8 101.7 98.6	
Zähler:	34 19 6 1 0 0 0 0 0	
Innenzehner:	26	
weiteste:	988 (1), 747 (27), 637 (34)	
beste Teiler	66.0 (38.) 72.0 (37.) 72.8 (55.)	
Trefferlage	0.29 mm links, 0.36 mm hoch	
Streuwert	2.31, horizontal: 2.82, vertikal: 1.64	




Serie 1:	7.0 ←	9.9 ←	9.8 ←	9.2 ←	10.5 *
	10.1 ↗	10.1 →	10.4 *	10.2 *	9.7 ↓
beste Teiler	111.6 (5.) 133.7 (8.) 185.0 (9.)				
Trefferlage	1.20 mm links, 0.11 mm tief				
Streuwert	2.82, horizontal: 3.71, vertikal: 1.47				




Serie 2:	10.1 ↘	10.6 *	10.5 *	10.2 *	9.8 ←
	9.8 ←	8.8 →	10.4 *	8.6 →	9.4 ↘
beste Teiler	92.3 (12.) 118.8 (13.) 139.3 (18.)				
Trefferlage	0.09 mm rechts, 0.16 mm hoch				
Streuwert	2.42, horizontal: 3.13, vertikal: 1.40				




Serie 3:	10.1 ↖	9.5 ↓	10.5 *	9.0 →	9.4 ↗
	10.5 *	8.0 ←	10.1 →	10.3 *	8.4 ←
beste Teiler	110.3 (23.) 118.6 (26.) 152.4 (29.)				
Trefferlage	0.15 mm links, 0.09 mm hoch				
Streuwert	3.01, horizontal: 3.85, vertikal: 1.82				



Serie 4:	9.8 ↘	9.5 →	10.6 *	8.4 ↑	10.2 *
	10.4 *	10.7 *	10.7 *	10.1 ↗	10.4 *
beste Teiler	66.0 (38.) 72.0 (37.) 86.8 (33.)				
Trefferlage	0.53 mm rechts, 1.40 mm hoch				
Streuwert	1.71, horizontal: 1.53, vertikal: 1.87				



Serie 5:	10.6 *	10.2 *	10.6 *	10.5 *	9.6 ↘
	10.5 *	10.1 ↖	10.3 *	9.1 ←	10.2 *
beste Teiler	90.0 (43.) 93.1 (41.) 106.2 (44.)				
Trefferlage	0.60 mm links, 0.10 mm tief				
Streuwert	1.64, horizontal: 1.63, vertikal: 1.66				



Serie 6:	10.2 *	8.9 ←	10.1 ↗	9.6 ↘	10.7 *
	9.8 ↗	10.2 *	9.7 ↘	9.7 ←	9.7 ←
beste Teiler	72.8 (55.) 181.3 (57.) 189.0 (51.)				
Trefferlage	0.41 mm links, 0.75 mm hoch				
Streuwert	2.10, horizontal: 2.62, vertikal: 1.40				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 104

**Schweizer, Andreas** #70817234

**StartNr: 51**

21. Juli 2017 11:34



St. Gallen / St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>602.7</b>	(576)
Serien:	98.7	100.2 101.7 101.3 98.3 102.5
Zähler:	36	24 0 0 0 0 0 0 0 0
Innenzehner:	29	
weiteste:	478 (3), 471 (23), 417 (1)	
beste Teiler	18.6 (21.)	37.0 (9.) 50.0 (10.)
Trefferlage	0.39 mm rechts,	0.04 mm hoch
Streuwert	1.81, horizontal:	1.91, vertikal: 1.71




Serie 1:	9.3 ↑	9.5 ↘	9.0 ↘	9.4 ↗	9.8 ↖
	10.2 *	9.4 ↘	10.5 *	10.8 *	10.8 *
beste Teiler	37.0 (9.)	50.0 (10.)	105.0 (8.)		
Trefferlage	0.84 mm rechts, 0.08 mm hoch				
Streuwert	2.26, horizontal: 2.05, vertikal: 2.45				




Serie 2:	10.2 *	9.5 ↗	9.5 →	9.6 ↗	10.3 *
	10.7 *	9.3 →	10.2 *	10.6 *	10.3 *
beste Teiler	70.5 (16.)	96.7 (19.)	159.6 (15.)		
Trefferlage	1.70 mm rechts, 0.37 mm hoch				
Streuwert	1.44, horizontal: 1.33, vertikal: 1.54				




Serie 3:	10.9 *	10.0 ←	9.1 ↘	10.5 *	10.4 *
	10.3 *	9.8 ↖	10.5 *	9.9 ↖	10.3 *
beste Teiler	18.6 (21.)	111.2 (24.)	118.8 (28.)		
Trefferlage	0.17 mm links, 0.05 mm tief				
Streuwert	1.73, horizontal: 2.00, vertikal: 1.41				



Serie 4:	10.5 *	9.5 ↑	10.1 ↖	10.3 *	10.0 ←
	10.0 ↙	10.5 *	9.7 ←	10.2 *	10.5 *
beste Teiler	105.7 (40.)	113.8 (31.)	115.4 (37.)		
Trefferlage	0.70 mm links, 0.17 mm hoch				
Streuwert	1.58, horizontal: 1.51, vertikal: 1.65				



Serie 5:	9.3 ↙	9.9 ←	9.6 ↙	10.0 ↘	9.5 →
	9.9 ↘	9.6 ↘	10.4 *	10.2 *	9.9 ↘
beste Teiler	137.3 (48.)	200.6 (49.)	241.1 (44.)		
Trefferlage	0.47 mm rechts, 1.17 mm tief				
Streuwert	1.96, horizontal: 2.46, vertikal: 1.27				



Serie 6:	10.5 *	10.0 →	10.6 *	10.1 ↗	9.7 ↖
	10.4 *	10.7 *	10.5 *	9.5 ↑	10.5 *
beste Teiler	73.2 (57.)	93.4 (53.)	107.0 (60.)		
Trefferlage	0.21 mm rechts, 0.83 mm hoch				
Streuwert	1.37, horizontal: 1.35, vertikal: 1.39				

**ISSF AR Men** – Wertung – **Männer**

StandNr: 105

**Winkler, Elias** #70817235

**StartNr: 52**

21. Juli 2017 11:28

Südtirol / Südtirol

---



Unterschrift des Schützen

---


Meyton Elektronik




Ergebnis: **607.6** (579)  
 Serien: 98.1 99.7 103.3 103.2 102.1 101.2  
 Zähler: 40 19 1 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 523 (17), 420 (35), 404 (4)  
 beste Teiler 44.1 (34.) 58.0 (26.) 59.2 (36.)  
 Trefferlage 0.52 mm links, 0.04 mm tief  
 Streuwert 1.59, horizontal: 1.90, vertikal: 1.21




Serie 1:  
 9.5 ← 10.2 \* 10.4 \* 9.3 ↖ 9.7 ←  
 9.6 ↘ 9.8 → 9.7 ↘ 9.7 ↗ 10.2 \*  
 beste Teiler 138.6 (3.) 182.5 (10.) 197.4 (2.)  
 Trefferlage 1.17 mm links, 0.00 mm  
 Streuwert 2.04, horizontal: 2.54, vertikal: 1.36




Serie 2:  
 10.1 ↘ 10.4 \* 9.6 ↗ 10.4 \* 10.3 \*  
 9.9 ← 8.9 ← 10.3 \* 10.0 ↗ 9.8 ←  
 beste Teiler 133.0 (12.) 144.5 (14.) 152.0 (15.)  
 Trefferlage 1.41 mm links, 0.54 mm tief  
 Streuwert 1.65, horizontal: 1.85, vertikal: 1.43




Serie 3:  
 10.5 \* 10.6 \* 9.9 ↘ 10.3 \* 10.5 \*  
 10.7 \* 10.4 \* 9.8 → 10.2 \* 10.4 \*  
 beste Teiler 58.0 (26.) 89.6 (22.) 101.9 (21.)  
 Trefferlage 0.10 mm rechts, 0.50 mm hoch  
 Streuwert 1.19, horizontal: 1.39, vertikal: 0.95



Serie 4:  
 10.5 \* 10.0 ← 10.6 \* 10.8 \* 9.3 →  
 10.7 \* 10.5 \* 10.5 \* 10.4 \* 9.9 ↘  
 beste Teiler 44.1 (34.) 59.2 (36.) 88.3 (33.)  
 Trefferlage 0.31 mm links, 0.11 mm hoch  
 Streuwert 1.43, horizontal: 1.78, vertikal: 0.96



Serie 5:  
 10.2 \* 10.2 \* 10.1 ↗ 10.4 \* 10.1 ↘  
 10.6 \* 10.3 \* 9.9 ↗ 10.1 ↖ 10.2 \*  
 beste Teiler 100.9 (46.) 148.9 (44.) 173.9 (47.)  
 Trefferlage 0.10 mm links, 0.03 mm tief  
 Streuwert 1.46, horizontal: 1.48, vertikal: 1.43



Serie 6:  
 9.9 ← 10.5 \* 10.5 \* 10.6 \* 10.1 →  
 9.5 ↗ 10.1 → 10.4 \* 9.9 ↘ 9.7 ←  
 beste Teiler 89.5 (54.) 106.0 (52.) 118.9 (53.)  
 Trefferlage 0.24 mm links, 0.33 mm tief  
 Streuwert 1.65, horizontal: 2.08, vertikal: 1.07

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 106

**Rudingsdorfer,, Ferdinand** #70817236

**StartNr: 53**

21. Juli 2017 11:43



Bayern / Bayern

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>618.1</b>	(590)
Serien:	103.2	101.3 102.3 102.6 103.5 105.2
Zähler:	52 6	2 0 0 0 0 0 0 0
Innenzehner:	42	
weiteste:	543 (32), 501 (13), 435 (40)	
beste Teiler	11.1 (19.)	15.0 (1.) 32.6 (30.)
Trefferlage	0.11 mm rechts, 0.03 mm hoch	
Streuwert	1.43, horizontal: 1.56, vertikal: 1.30	




Serie 1:	10.9 *	10.6 *	10.1 ↑	10.3 *	10.2 *
	10.5 *	10.5 *	9.8 ↙	9.5 ↘	10.8 *
beste Teiler	15.0 (1.) 37.0 (10.) 90.0 (2.)				
Trefferlage	0.88 mm links, 0.65 mm hoch				
Streuwert	1.17, horizontal: 0.97, vertikal: 1.34				




Serie 2:	10.4 *	10.5 *	8.9 ↘	10.7 *	9.3 ↘
	9.7 ↘	10.1 ↓	10.2 *	10.9 *	10.6 *
beste Teiler	11.1 (19.) 70.4 (14.) 97.1 (20.)				
Trefferlage	1.30 mm rechts, 0.77 mm tief				
Streuwert	1.52, horizontal: 1.57, vertikal: 1.47				




Serie 3:	10.1 →	10.6 *	10.0 ↓	10.1 ↗	10.1 →
	9.4 ↘	10.4 *	10.6 *	10.2 *	10.8 *
beste Teiler	32.6 (30.) 76.4 (22.) 78.8 (28.)				
Trefferlage	0.59 mm rechts, 0.01 mm hoch				
Streuwert	1.45, horizontal: 1.67, vertikal: 1.17				



Serie 4:	10.6 *	8.8 ←	10.7 *	10.7 *	10.8 *
	10.7 *	10.8 *	10.2 *	10.1 ↑	9.2 ↘
beste Teiler	38.2 (37.) 44.6 (35.) 53.4 (34.)				
Trefferlage	1.01 mm links, 0.30 mm hoch				
Streuwert	1.62, horizontal: 1.96, vertikal: 1.19				



Serie 5:	10.2 *	10.4 *	10.1 ↓	10.1 ↑	10.2 *
	10.6 *	10.8 *	10.3 *	10.6 *	10.2 *
beste Teiler	38.5 (47.) 80.9 (46.) 89.4 (49.)				
Trefferlage	0.41 mm rechts, 0.21 mm tief				
Streuwert	1.19, horizontal: 0.92, vertikal: 1.41				



Serie 6:	10.1 ↑	10.5 *	10.4 *	10.8 *	10.5 *
	10.3 *	10.7 *	10.7 *	10.4 *	10.8 *
beste Teiler	33.0 (60.) 49.0 (54.) 54.9 (58.)				
Trefferlage	0.30 mm rechts, 0.19 mm hoch				
Streuwert	0.87, horizontal: 0.72, vertikal: 1.00				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 107

**Patka, Hannes** #318

**StartNr: 54**

21. Juli 2017 11:57

Tirol / Tirol



---

Unterschrift des Schützen


---

Meyton Elektronik


Ergebnis:	<b>580.4</b>	(553)
Serien:	97.9 98.8 95.3 98.6 94.5 95.3	
Zähler:	23 27 10 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	722 (48), 599 (5), 584 (53)	
beste Teiler	39.8 (38.) 118.5 (9.) 123.0 (1.)	
Trefferlage	0.15 mm rechts, 0.07 mm tief	
Streuwert	2.52, horizontal: 3.12, vertikal: 1.73	




Serie 1:	10.5 *	9.4 →	9.1 →	9.3 ↗	8.6 →
	9.8 ↗	10.3 *	10.0 ↗	10.5 *	10.4 *
beste Teiler	118.5 (9.) 123.0 (1.) 150.8 (10.)				
Trefferlage	2.13 mm rechts, 0.65 mm hoch				
Streuwert	1.84, horizontal: 2.26, vertikal: 1.29				




Serie 2:	10.4 *	8.9 ↖	10.3 *	10.4 *	9.9 →
	10.0 ↓	10.3 *	9.1 ←	9.6 →	9.9 ←
beste Teiler	145.0 (14.) 145.2 (11.) 161.7 (13.)				
Trefferlage	0.63 mm links, 0.07 mm hoch				
Streuwert	2.15, horizontal: 2.75, vertikal: 1.30				




Serie 3:	9.5 ↖	10.4 *	9.7 ↑	8.7 ↘	8.9 →
	9.3 ←	10.4 *	9.9 →	9.6 ←	8.9 →
beste Teiler	142.8 (22.) 149.1 (27.) 255.5 (28.)				
Trefferlage	0.57 mm rechts, 0.16 mm tief				
Streuwert	2.84, horizontal: 3.31, vertikal: 2.28				



Serie 4:	10.4 *	9.9 ↖	9.6 ↖	10.0 →	10.2 *
	9.2 ↖	10.0 →	10.8 *	9.2 →	9.3 ↘
beste Teiler	39.8 (38.) 136.3 (31.) 200.7 (35.)				
Trefferlage	0.48 mm rechts, 0.09 mm hoch				
Streuwert	2.20, horizontal: 2.81, vertikal: 1.35				



Serie 5:	9.9 →	9.6 →	9.4 ↘	9.4 ↘	9.2 →
	9.4 ←	9.7 ↓	8.1 ←	9.5 ↓	10.3 *
beste Teiler	156.3 (50.) 260.2 (41.) 311.6 (47.)				
Trefferlage	0.56 mm rechts, 1.47 mm tief				
Streuwert	2.74, horizontal: 3.51, vertikal: 1.62				



Serie 6:	10.1 ↗	9.0 ←	8.6 ←	10.1 →	8.9 ←
	10.2 *	8.8 ↖	8.9 ↖	10.3 *	10.4 *
beste Teiler	132.0 (60.) 152.4 (59.) 182.2 (56.)				
Trefferlage	2.19 mm links, 0.34 mm hoch				
Streuwert	2.40, horizontal: 2.84, vertikal: 1.87				

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 108

**Roffler, Claudio** #70817237

**StartNr: 55**

21. Juli 2017 11:42



Graubünden / Graubünden

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>609.5</b>	(583)
Serien:	98.6	103.6 101.0 103.6 103.2 99.5
Zähler:	44	15 1 0 0 0 0 0 0 0
Innenzehner:	33	
weiteste:	570	(51), 477 (26), 433 (6)
beste Teiler	10.0	(38.) 37.8 (18.) 47.1 (36.)
Trefferlage	0.35 mm	links, 0.18 mm tief
Streuwert	1.61,	horizontal: 1.86, vertikal: 1.31




Serie 1:	10.3 *	10.2 *	10.0 ↗	10.2 *	9.7 ↖
	9.2 ↘	9.3 ↖	10.1 ↖	9.7 ↗	9.9 ↓
beste Teiler	162.4	(1.) 183.5 (4.)	189.9 (2.)		
Trefferlage	0.37 mm	links, 0.99 mm tief			
Streuwert	1.99,	horizontal: 2.44, vertikal: 1.40			




Serie 2:	10.3 *	10.5 *	10.1 ↖	10.6 *	10.0 ↗
	9.5 →	10.4 *	10.8 *	10.6 *	10.8 *
beste Teiler	37.8	(18.) 48.8 (20.)	88.0 (19.)		
Trefferlage	0.15 mm	links, 0.27 mm tief			
Streuwert	1.31,	horizontal: 1.64, vertikal: 0.88			




Serie 3:	10.7 *	10.5 *	10.0 ↓	10.0 ↘	10.0 ↖
	9.0 ↖	10.7 *	10.2 *	10.0 ↑	9.9 ↖
beste Teiler	57.6	(27.) 59.2 (21.)	104.8 (22.)		
Trefferlage	0.53 mm	links, 0.27 mm tief			
Streuwert	1.73,	horizontal: 1.86, vertikal: 1.60			



Serie 4:	9.8 ↖	10.5 *	10.1 ↖	10.3 *	9.8 ↖
	10.8 *	10.6 *	10.9 *	10.5 *	10.3 *
beste Teiler	10.0	(38.) 47.1 (36.)	85.0 (37.)		
Trefferlage	0.64 mm	links, 0.46 mm hoch			
Streuwert	1.16,	horizontal: 1.33, vertikal: 0.95			



Serie 5:	10.8 *	10.2 *	10.5 *	10.2 *	10.2 *
	10.5 *	9.9 →	10.3 *	10.3 *	10.3 *
beste Teiler	48.1	(41.) 104.2 (46.)	125.9 (43.)		
Trefferlage	0.37 mm	rechts, 0.02 mm tief			
Streuwert	1.25,	horizontal: 1.42, vertikal: 1.05			



Serie 6:	8.7 ↖	9.6 →	10.3 *	10.7 *	10.6 *
	9.9 ↗	10.1 ↖	10.1 ↑	9.6 ↖	9.9 ↗
beste Teiler	55.3	(54.) 91.8 (55.)	159.7 (53.)		
Trefferlage	0.81 mm	links, 0.00 mm			
Streuwert	2.05,	horizontal: 2.41, vertikal: 1.62			

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 111

**Weber, Markus** #70804299

**StartNr: 58**

21. Juli 2017 11:45

Südtirol / Südtirol



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>591.2</b>	(564)
Serien:	96.8 98.3 100.4 98.0 98.1 99.6	
Zähler:	28 28 4 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	561 (18), 561 (50), 530 (45)	
beste Teiler	37.6 (29.) 63.1 (14.) 64.5 (43.)	
Trefferlage	0.49 mm links, 0.10 mm hoch	
Streuwert	2.14, horizontal: 2.26, vertikal: 2.01	




Serie 1:	10.0 →	9.7 ↓	9.7 ↖	10.0 ←	9.3 ↘
	9.4 ↖	10.5 *	9.9 ↙	8.8 ↗	9.5 ←
beste Teiler	120.4 (7.)	229.7 (1.)	245.6 (4.)		
Trefferlage	1.30 mm links, 0.04 mm tief				
Streuwert	2.32, horizontal: 2.39, vertikal: 2.25				




Serie 2:	10.2 *	9.8 ↗	9.6 ↖	10.7 *	9.8 ↖
	10.0 ↑	10.0 ↗	8.7 ↓	10.3 *	9.2 ←
beste Teiler	63.1 (14.)	168.3 (19.)	198.3 (11.)		
Trefferlage	0.60 mm links, 0.44 mm hoch				
Streuwert	2.27, horizontal: 1.97, vertikal: 2.54				




Serie 3:	10.0 ↑	9.1 ↗	10.5 *	9.4 ↖	10.0 ↓
	10.1 ↗	10.5 *	9.9 ←	10.8 *	10.1 ↙
beste Teiler	37.6 (29.)	111.0 (23.)	123.4 (27.)		
Trefferlage	0.02 mm links, 0.37 mm tief				
Streuwert	1.91, horizontal: 2.07, vertikal: 1.74				



Serie 4:	9.6 ↖	10.6 *	9.5 ←	9.8 ↘	9.0 ↖
	10.2 *	10.0 ←	9.5 ←	10.5 *	9.3 ↗
beste Teiler	96.0 (32.)	106.4 (39.)	186.3 (36.)		
Trefferlage	0.99 mm links, 0.32 mm hoch				
Streuwert	2.20, horizontal: 2.51, vertikal: 1.84				



Serie 5:	10.0 ↓	9.6 ↗	10.7 *	10.2 *	8.8 →
	10.6 *	10.0 ↖	9.9 ↗	9.6 ↖	8.7 ↖
beste Teiler	64.5 (43.)	95.6 (46.)	183.5 (44.)		
Trefferlage	0.22 mm rechts, 0.79 mm hoch				
Streuwert	2.33, horizontal: 2.65, vertikal: 1.95				



Serie 6:	9.6 ↗	10.2 *	9.3 ↘	9.9 ↖	9.7 ↙
	10.7 *	9.8 ←	9.9 ←	10.0 ↓	10.5 *
beste Teiler	73.0 (56.)	116.7 (60.)	194.4 (52.)		
Trefferlage	0.24 mm links, 0.53 mm tief				
Streuwert	1.96, horizontal: 2.07, vertikal: 1.83				

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 112

**Schilliger, Marcel** #70817238

**StartNr: 59**

21. Juli 2017 11:39



St. Gallen / St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **613.0** (587)  
 Serien: 101.5 103.2 101.5 102.3 102.1 102.4  
 Zähler: 47 13 0 0 0 0 0 0 0  
 Innenzehner: 35  
 weiteste: 481 (28), 354 (50), 332 (9)  
 beste Teiler 14.5 (20.) 30.6 (41.) 46.8 (3.)  
 Trefferlage 0.11 mm rechts, 0.04 mm hoch  
 Streuwert 1.47, horizontal: 1.40, vertikal: 1.53




Serie 1:  
 9.8 ↙ 10.6 \* 10.8 \* 10.2 \* 9.7 ↑  
 10.3 \* 10.5 \* 10.0 ↑ 9.6 ↗ 10.0 ↖  
 beste Teiler 46.8 (3.) 98.1 (2.) 119.8 (7.)  
 Trefferlage 0.01 mm links, 0.40 mm hoch  
 Streuwert 1.65, horizontal: 1.60, vertikal: 1.69




Serie 2:  
 10.3 \* 10.0 ↑ 10.2 \* 10.4 \* 10.4 \*  
 10.6 \* 10.1 ↑ 10.6 \* 9.7 ↑ 10.9 \*  
 beste Teiler 14.5 (20.) 82.0 (18.) 93.0 (16.)  
 Trefferlage 0.42 mm rechts, 0.77 mm hoch  
 Streuwert 1.13, horizontal: 0.77, vertikal: 1.40




Serie 3:  
 10.4 \* 9.6 ↖ 9.8 ↙ 9.9 ↘ 10.6 \*  
 10.8 \* 10.5 \* 9.0 ↘ 10.7 \* 10.2 \*  
 beste Teiler 49.2 (26.) 69.6 (29.) 99.8 (25.)  
 Trefferlage 0.29 mm links, 0.93 mm tief  
 Streuwert 1.63, horizontal: 1.72, vertikal: 1.54



Serie 4:  
 10.1 ↑ 10.4 \* 10.4 \* 10.1 ↗ 10.1 ↓  
 10.0 ↓ 9.8 ↘ 10.5 \* 10.1 ↖ 10.8 \*  
 beste Teiler 50.5 (40.) 105.7 (38.) 133.2 (33.)  
 Trefferlage 0.13 mm links, 0.12 mm hoch  
 Streuwert 1.42, horizontal: 1.24, vertikal: 1.58



Serie 5:  
 10.8 \* 10.2 \* 9.7 ↘ 9.8 ↘ 10.7 \*  
 10.3 \* 10.3 \* 10.4 \* 10.4 \* 9.5 →  
 beste Teiler 30.6 (41.) 59.0 (45.) 127.2 (49.)  
 Trefferlage 0.38 mm rechts, 0.30 mm tief  
 Streuwert 1.51, horizontal: 1.69, vertikal: 1.31



Serie 6:  
 10.1 ↘ 10.0 ↗ 10.6 \* 10.2 \* 10.1 ←  
 10.3 \* 10.2 \* 10.5 \* 9.9 → 10.5 \*  
 beste Teiler 99.2 (53.) 108.2 (60.) 110.3 (58.)  
 Trefferlage 0.31 mm rechts, 0.20 mm hoch  
 Streuwert 1.38, horizontal: 1.33, vertikal: 1.43

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 114

**Zach, Christoph** #70804350

**StartNr: 61**

21. Juli 2017 11:52



Vorarlberg / Vorarlberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>590.6</b>	(562)
Serien:	95.2 99.8 98.1 98.8 99.2 99.5	
Zähler:	30 22 8 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	644 (57), 630 (47), 626 (29)	
beste Teiler	37.2 (23.) 48.0 (54.) 49.4 (41.)	
Trefferlage	0.67 mm rechts, 0.09 mm tief	
Streuwert	2.23, horizontal: 2.40, vertikal: 2.05	




Serie 1:	10.0 ↙	9.6 ←	8.8 →	9.6 →	10.2 *
	9.8 ←	10.3 *	8.6 →	8.6 ↗	9.7 ↘
beste Teiler	155.9 (7.) 198.5 (5.) 235.2 (1.)				
Trefferlage	1.53 mm rechts, 0.47 mm hoch				
Streuwert	2.61, horizontal: 3.27, vertikal: 1.71				




Serie 2:	10.0 ↘	9.8 ↖	10.6 *	10.0 ↘	10.3 *
	9.2 ↘	10.3 *	9.2 ↗	10.1 ←	10.3 *
beste Teiler	90.5 (13.) 152.1 (20.) 153.3 (15.)				
Trefferlage	0.23 mm rechts, 0.47 mm tief				
Streuwert	1.95, horizontal: 2.35, vertikal: 1.45				




Serie 3:	9.5 ←	9.5 ↘	10.8 *	9.8 ←	10.6 *
	9.1 ↘	9.8 ↓	10.7 *	8.4 ↓	9.9 ↓
beste Teiler	37.2 (23.) 55.4 (28.) 92.4 (25.)				
Trefferlage	0.74 mm links, 1.28 mm tief				
Streuwert	2.25, horizontal: 2.01, vertikal: 2.47				



Serie 4:	10.2 *	10.4 *	8.8 →	9.4 ↗	10.2 *
	10.5 *	10.2 *	8.7 →	9.7 ↗	10.7 *
beste Teiler	68.2 (40.) 123.8 (36.) 127.0 (32.)				
Trefferlage	1.70 mm rechts, 0.46 mm tief				
Streuwert	1.94, horizontal: 2.39, vertikal: 1.35				



Serie 5:	10.8 *	10.1 ↘	9.9 ↓	9.8 ←	9.7 ↘
	9.8 ↘	8.4 ↗	10.7 *	10.5 *	9.5 ↑
beste Teiler	49.4 (41.) 61.6 (48.) 106.4 (49.)				
Trefferlage	0.62 mm rechts, 0.14 mm tief				
Streuwert	2.23, horizontal: 2.25, vertikal: 2.21				



Serie 6:	10.1 ↗	10.1 ↑	10.7 *	10.8 *	10.0 ↓
	9.6 ↑	8.4 ↗	10.0 ←	9.5 ↑	10.3 *
beste Teiler	48.0 (54.) 74.1 (53.) 172.4 (60.)				
Trefferlage	0.69 mm rechts, 1.31 mm hoch				
Streuwert	1.94, horizontal: 1.52, vertikal: 2.28				

**ISSF AR Men – Wertung – Männer**

StandNr: 115

**Tomaschett, Andri** #70817239

**StartNr: 62**

21. Juli 2017 11:28



Graubünden / Graubünden

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.5** (588)  
 Serien: 102.4 104.0 102.6 102.1 103.0 101.4  
 Zähler: 49 10 1 0 0 0 0 0 0  
 Innenzehner: 41  
 weiteste: 510 (40), 387 (22), 372 (5)  
 beste Teiler 41.7 (33.) 53.9 (28.) 57.7 (24.)  
 Trefferlage 0.00 mm , 0.30 mm hoch  
 Streuwert 1.40, horizontal: 1.57, vertikal: 1.20




Serie 1:  
 9.8 ↗ 10.6 \* 10.4 \* 10.4 \* 9.5 ↙  
 10.4 \* 10.5 \* 10.3 \* 10.4 \* 10.1 ↓  
 beste Teiler 79.1 (2.) 121.0 (7.) 132.4 (4.)  
 Trefferlage 0.14 mm rechts, 0.52 mm tief  
 Streuwert 1.43, horizontal: 1.60, vertikal: 1.24




Serie 2:  
 10.4 \* 10.2 \* 10.6 \* 10.3 \* 10.2 \*  
 10.3 \* 10.5 \* 10.3 \* 10.7 \* 10.5 \*  
 beste Teiler 74.0 (19.) 78.8 (13.) 110.2 (20.)  
 Trefferlage 0.08 mm links, 0.05 mm hoch  
 Streuwert 1.08, horizontal: 1.09, vertikal: 1.08




Serie 3:  
 10.6 \* 9.4 ↖ 10.0 ↖ 10.7 \* 10.3 \*  
 10.0 ↖ 9.9 ↗ 10.7 \* 10.5 \* 10.5 \*  
 beste Teiler 53.9 (28.) 57.7 (24.) 98.6 (21.)  
 Trefferlage 1.07 mm links, 0.88 mm hoch  
 Streuwert 1.07, horizontal: 1.12, vertikal: 1.03



Serie 4:  
 9.8 → 10.5 \* 10.8 \* 10.2 \* 10.4 \*  
 10.1 → 10.6 \* 10.7 \* 10.1 → 8.9 →  
 beste Teiler 41.7 (33.) 68.0 (38.) 98.3 (37.)  
 Trefferlage 1.23 mm rechts, 0.09 mm hoch  
 Streuwert 1.44, horizontal: 1.92, vertikal: 0.67



Serie 5:  
 10.4 \* 9.6 ↑ 10.1 ↙ 10.2 \* 10.5 \*  
 10.5 \* 10.5 \* 10.5 \* 10.1 → 10.6 \*  
 beste Teiler 85.9 (50.) 109.8 (48.) 118.7 (46.)  
 Trefferlage 0.32 mm rechts, 0.59 mm hoch  
 Streuwert 1.23, horizontal: 1.09, vertikal: 1.36



Serie 6:  
 9.9 → 10.7 \* 10.3 \* 9.5 ↑ 10.3 \*  
 10.6 \* 10.0 ↑ 10.5 \* 9.9 ← 9.7 ←  
 beste Teiler 74.9 (52.) 77.1 (56.) 103.3 (58.)  
 Trefferlage 0.47 mm links, 0.71 mm hoch  
 Streuwert 1.54, horizontal: 1.69, vertikal: 1.38

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 116

**Karg,, Daniel** #70817240

**StartNr: 63**

21. Juli 2017 11:57

Bayern / Bayern

---



Unterschrift des Schützen

---


Meyton Elektronik




Ergebnis:	<b>574.8</b>	(548)
Serien:	92.0 98.7 95.3 97.1 94.8 96.9	
Zähler:	24 21 14 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	926 (4), 737 (42), 727 (8)	
beste Teiler	48.7 (7.) 65.7 (34.) 69.8 (54.)	
Trefferlage	0.50 mm links, 0.02 mm tief	
Streuwert	2.80, horizontal: 3.28, vertikal: 2.21	




Serie 1:	9.6 ↑	9.3 ↑	10.0 ↘	7.2 →	9.4 ↖
	10.6 *	10.8 *	8.0 →	8.3 ↖	8.8 ↗
beste Teiler	48.7 (7.)	84.6 (6.)	228.0 (3.)		
Trefferlage	1.06 mm rechts, 1.13 mm hoch				
Streuwert	3.62, horizontal: 4.64, vertikal: 2.16				




Serie 2:	10.5 *	10.2 *	9.4 ↗	9.5 ←	10.0 ↙
	10.0 ↘	9.5 ↖	10.3 *	10.3 *	9.0 ↖
beste Teiler	113.0 (11.)	164.0 (19.)	173.6 (18.)		
Trefferlage	1.01 mm links, 0.63 mm hoch				
Streuwert	1.99, horizontal: 2.33, vertikal: 1.58				




Serie 3:	9.2 ←	8.7 ↗	9.3 ←	9.7 ↖	8.7 →
	10.2 *	10.1 ↑	10.4 *	8.8 ↘	10.2 *
beste Teiler	150.7 (28.)	177.0 (30.)	199.0 (26.)		
Trefferlage	0.02 mm rechts, 0.32 mm hoch				
Streuwert	2.87, horizontal: 3.37, vertikal: 2.26				



Serie 4:	8.6 ↓	10.2 *	8.9 ↓	10.7 *	10.3 *
	9.9 ↘	9.8 →	10.6 *	9.8 ←	8.3 ↖
beste Teiler	65.7 (34.)	87.1 (38.)	152.8 (35.)		
Trefferlage	0.79 mm links, 0.92 mm tief				
Streuwert	2.57, horizontal: 2.40, vertikal: 2.74				



Serie 5:	10.5 *	8.0 →	8.9 ←	9.8 ↑	10.5 *
	8.1 ←	9.8 ↗	10.3 *	9.9 ↘	9.0 ←
beste Teiler	112.6 (45.)	124.3 (41.)	153.3 (48.)		
Trefferlage	0.84 mm links, 0.00 mm				
Streuwert	3.13, horizontal: 4.04, vertikal: 1.81				



Serie 6:	9.6 ↖	8.9 ↘	9.9 ↗	10.7 *	10.2 *
	10.4 *	9.0 ↖	8.6 ↖	10.1 ↙	9.5 ↖
beste Teiler	69.8 (54.)	142.8 (56.)	193.1 (55.)		
Trefferlage	1.44 mm links, 1.29 mm tief				
Streuwert	2.24, horizontal: 2.39, vertikal: 2.08				

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 117

**Widmer, Hanspeter** #70817241

**StartNr: 64**

21. Juli 2017 11:49



St. Gallen / St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>610.2</b>	(585)
Serien:	100.8	101.8 102.6 100.0 102.6 102.4
Zähler:	45	15 0 0 0 0 0 0 0 0
Innenzehner:	31	
weiteste:	437	(32), 394 (1), 355 (59)
beste Teiler	37.5	(21.) 45.4 (6.) 53.7 (8.)
Trefferlage	0.21 mm	rechts, 0.37 mm hoch
Streuwert	1.50,	horizontal: 1.51, vertikal: 1.50




Serie 1:	9.4 ↘	10.3 *	10.1 →	10.1 ↖	10.0 ↗
	10.8 *	9.8 ↑	10.7 *	10.0 ↗	9.6 ←
beste Teiler	45.4	(6.) 53.7 (8.)	171.4 (2.)		
Trefferlage	0.18 mm	links, 0.92 mm hoch			
Streuwert	1.66,	horizontal: 1.88, vertikal: 1.41			




Serie 2:	10.0 ↗	9.9 ↖	10.4 *	9.9 ↗	9.8 ←
	10.3 *	10.1 ↑	10.3 *	10.6 *	10.5 *
beste Teiler	79.7	(19.) 116.0 (20.)	144.5 (13.)		
Trefferlage	0.29 mm	links, 0.87 mm hoch			
Streuwert	1.37,	horizontal: 1.67, vertikal: 0.99			




Serie 3:	10.8 *	9.9 ↗	10.6 *	10.0 ↘	10.1 ↘
	10.2 *	10.5 *	10.2 *	10.3 *	10.0 ↘
beste Teiler	37.5	(21.) 78.2 (23.)	116.8 (27.)		
Trefferlage	0.51 mm	rechts, 0.49 mm tief			
Streuwert	1.28,	horizontal: 1.20, vertikal: 1.35			



Serie 4:	10.0 ↓	9.2 →	10.1 ←	9.6 ↗	9.8 ↗
	10.6 *	9.7 ↑	10.0 ↘	10.6 *	10.4 *
beste Teiler	85.5	(36.) 87.7 (39.)	145.3 (40.)		
Trefferlage	0.60 mm	rechts, 0.55 mm hoch			
Streuwert	1.84,	horizontal: 1.79, vertikal: 1.90			



Serie 5:	10.3 *	10.4 *	10.4 *	10.5 *	10.1 ←
	9.9 ↑	10.3 *	10.5 *	10.2 *	10.0 ↘
beste Teiler	120.0	(44.) 125.3 (48.)	129.2 (42.)		
Trefferlage	0.03 mm	rechts, 0.07 mm hoch			
Streuwert	1.32,	horizontal: 1.22, vertikal: 1.42			



Serie 6:	10.3 *	10.6 *	10.5 *	10.7 *	10.7 *
	10.5 *	9.8 →	10.2 *	9.5 ↓	9.6 ↗
beste Teiler	54.5	(54.) 75.5 (55.)	91.2 (52.)		
Trefferlage	0.65 mm	rechts, 0.32 mm hoch			
Streuwert	1.43,	horizontal: 1.19, vertikal: 1.63			

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 118

**Walder, Markus** #99

**StartNr: 65**

21. Juli 2017 11:29



Tirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>589.4</b>	(558)
Serien:	97.1	99.7 95.2 98.2 102.4 96.8
Zähler:	23 32 5 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	612 (5), 591 (24), 586 (27)	
beste Teiler	39.4 (41.) 45.4 (48.) 45.9 (18.)	
Trefferlage	0.50 mm links, 0.06 mm tief	
Streuwert	2.24, horizontal: 2.35, vertikal: 2.11	




Serie 1:	9.8 ↗	9.1 ↘	9.8 →	9.8 ←	8.5 ↑
	9.8 ↙	10.5 *	10.5 *	9.8 ↓	9.5 ↑
beste Teiler	123.6 (7.) 125.7 (8.) 282.0 (4.)				
Trefferlage	0.15 mm links, 0.31 mm hoch				
Streuwert	2.52, horizontal: 1.74, vertikal: 3.11				




Serie 2:	10.5 *	9.7 ↖	10.3 *	9.8 ←	9.7 ↖
	9.2 ↗	10.0 ↘	10.8 *	9.7 ↘	10.0 ↓
beste Teiler	45.9 (18.) 123.8 (11.) 162.8 (13.)				
Trefferlage	0.98 mm links, 0.16 mm hoch				
Streuwert	1.89, horizontal: 2.08, vertikal: 1.68				




Serie 3:	9.5 ↖	9.7 →	8.8 ↘	8.6 ↘	10.6 *
	10.1 ↗	8.6 ↘	9.6 ↓	9.8 ↙	9.9 ↖
beste Teiler	81.1 (25.) 219.6 (26.) 274.5 (30.)				
Trefferlage	1.27 mm rechts, 0.67 mm tief				
Streuwert	2.71, horizontal: 3.13, vertikal: 2.21				



Serie 4:	10.0 ↓	10.3 *	9.8 ↖	9.1 ←	10.2 *
	10.5 *	9.3 ←	9.4 ↘	10.4 *	9.2 ↖
beste Teiler	114.1 (36.) 141.6 (39.) 173.8 (32.)				
Trefferlage	1.19 mm links, 0.29 mm tief				
Streuwert	2.16, horizontal: 2.52, vertikal: 1.73				



Serie 5:	10.8 *	10.6 *	9.9 ↗	10.2 *	10.1 ↓
	10.6 *	9.9 ↖	10.8 *	9.8 ↓	9.7 ↖
beste Teiler	39.4 (41.) 45.4 (48.) 80.7 (42.)				
Trefferlage	0.43 mm links, 0.28 mm hoch				
Streuwert	1.49, horizontal: 1.14, vertikal: 1.77				



Serie 6:	9.7 ↓	10.2 *	9.8 ←	9.4 ↙	10.1 ↓
	9.4 ←	9.2 ↖	10.6 *	9.7 ↘	8.7 ↖
beste Teiler	79.2 (58.) 198.5 (52.) 220.0 (55.)				
Trefferlage	1.56 mm links, 0.16 mm tief				
Streuwert	2.32, horizontal: 2.41, vertikal: 2.24				

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 119

**Schwendeler, Ruedi** #70817242

**StartNr: 66**

21. Juli 2017 11:26



Graubünden / Graubünden

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.7** (581)  
 Serien: 102.8 100.0 100.8 99.4 102.7 102.0  
 Zähler: 43 15 2 0 0 0 0 0 0  
 Innenzehner: 35  
 weiteste: 551 (38), 542 (28), 490 (37)  
 beste Teiler 48.7 (15.) 57.9 (58.) 60.2 (22.)  
 Trefferlage 0.64 mm links, 0.03 mm hoch  
 Streuwert 1.64, horizontal: 1.80, vertikal: 1.47




Serie 1:  
 10.2 \* 10.4 \* 10.1 ↑ 10.6 \* 10.7 \*  
 10.2 \* 10.4 \* 9.5 ↘ 10.3 \* 10.4 \*  
 beste Teiler 61.4 (5.) 77.9 (4.) 129.3 (7.)  
 Trefferlage 0.16 mm links, 0.20 mm hoch  
 Streuwert 1.36, horizontal: 1.23, vertikal: 1.48




Serie 2:  
 9.9 ← 10.5 \* 9.2 ↙ 10.6 \* 10.8 \*  
 9.9 → 9.5 ↓ 10.1 ← 9.7 ← 9.8 ↓  
 beste Teiler 48.7 (15.) 95.0 (14.) 103.0 (12.)  
 Trefferlage 0.79 mm links, 0.90 mm tief  
 Streuwert 1.75, horizontal: 1.94, vertikal: 1.55




Serie 3:  
 10.5 \* 10.7 \* 9.7 ↘ 9.7 ← 10.0 ↓  
 10.6 \* 10.2 \* 8.8 ← 10.1 ↓ 10.5 \*  
 beste Teiler 60.2 (22.) 93.7 (26.) 106.8 (21.)  
 Trefferlage 0.78 mm links, 0.18 mm tief  
 Streuwert 1.84, horizontal: 2.19, vertikal: 1.39



Serie 4:  
 10.1 ↓ 10.4 \* 9.8 ↘ 10.5 \* 10.1 ↓  
 10.4 \* 9.0 ↘ 8.7 ← 10.4 \* 10.0 ↙  
 beste Teiler 119.2 (34.) 129.3 (32.) 130.0 (39.)  
 Trefferlage 1.18 mm links, 0.19 mm tief  
 Streuwert 1.95, horizontal: 2.26, vertikal: 1.59



Serie 5:  
 10.2 \* 10.7 \* 10.3 \* 10.3 \* 9.1 ↘  
 10.5 \* 10.4 \* 10.4 \* 10.2 \* 10.6 \*  
 beste Teiler 66.0 (42.) 91.7 (50.) 121.2 (46.)  
 Trefferlage 0.58 mm links, 0.42 mm hoch  
 Streuwert 1.39, horizontal: 1.48, vertikal: 1.29



Serie 6:  
 10.3 \* 9.9 ↗ 9.8 → 10.0 ↗ 10.6 \*  
 10.5 \* 10.3 \* 10.7 \* 9.2 ↘ 10.7 \*  
 beste Teiler 57.9 (58.) 73.3 (60.) 100.6 (55.)  
 Trefferlage 0.38 mm links, 0.86 mm hoch  
 Streuwert 1.50, horizontal: 1.75, vertikal: 1.20

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 120

**Ulbrich, Johannes** #70817243

**StartNr: 67**

21. Juli 2017 11:38

Bayern



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **618.3** (592)  
 Serien: 103.1 104.1 102.4 104.1 102.1 102.5  
 Zähler: 52 8 0 0 0 0 0 0 0 0  
 Innenzehner: 46  
 weiteste: 403 (55), 367 (43), 341 (5)  
 beste Teiler 46.7 (12.) 47.0 (38.) 48.8 (11.)  
 Trefferlage 0.09 mm links, 0.01 mm tief  
 Streuwert 1.30, horizontal: 1.29, vertikal: 1.32




Serie 1:  
 10.6 \* 10.2 \* 10.2 \* 10.6 \* 9.6 ↙  
 10.3 \* 10.6 \* 10.5 \* 10.3 \* 10.2 \*  
 beste Teiler 85.9 (7.) 93.0 (4.) 100.5 (1.)  
 Trefferlage 0.14 mm rechts, 0.13 mm tief  
 Streuwert 1.33, horizontal: 1.49, vertikal: 1.15




Serie 2:  
 10.8 \* 10.8 \* 10.2 \* 10.4 \* 10.3 \*  
 10.3 \* 10.6 \* 10.4 \* 10.5 \* 9.8 ↖  
 beste Teiler 46.7 (12.) 48.8 (11.) 89.1 (17.)  
 Trefferlage 0.20 mm links, 0.24 mm hoch  
 Streuwert 1.12, horizontal: 1.03, vertikal: 1.20




Serie 3:  
 10.3 \* 9.7 ↘ 10.2 \* 10.2 \* 10.0 ↓  
 10.6 \* 10.3 \* 10.4 \* 10.2 \* 10.5 \*  
 beste Teiler 100.8 (26.) 112.2 (30.) 130.1 (28.)  
 Trefferlage 1.03 mm rechts, 0.34 mm tief  
 Streuwert 1.14, horizontal: 0.68, vertikal: 1.46



Serie 4:  
 10.5 \* 10.3 \* 10.6 \* 10.5 \* 10.4 \*  
 9.9 ↖ 10.0 ↘ 10.8 \* 10.4 \* 10.7 \*  
 beste Teiler 47.0 (38.) 75.2 (40.) 99.3 (33.)  
 Trefferlage 0.33 mm links, 0.01 mm hoch  
 Streuwert 1.10, horizontal: 1.11, vertikal: 1.08



Serie 5:  
 10.1 ↘ 10.5 \* 9.5 ↗ 10.0 ↘ 10.1 ↘  
 9.9 ↗ 10.4 \* 10.7 \* 10.7 \* 10.2 \*  
 beste Teiler 67.4 (48.) 74.4 (49.) 101.2 (42.)  
 Trefferlage 0.53 mm links, 0.72 mm hoch  
 Streuwert 1.40, horizontal: 1.26, vertikal: 1.52



Serie 6:  
 10.4 \* 10.1 ↓ 10.6 \* 10.2 \* 9.3 ←  
 10.2 \* 10.7 \* 10.7 \* 10.7 \* 9.6 ↓  
 beste Teiler 52.4 (59.) 58.6 (57.) 65.4 (58.)  
 Trefferlage 0.64 mm links, 0.59 mm tief  
 Streuwert 1.42, horizontal: 1.49, vertikal: 1.34

**ISSF AR Men – Wertung – Männer**

StandNr: 110

**Höllwarth, Michael** #30

**StartNr: 68**

21. Juli 2017 11:43

Tirol / Tirol



---

Unterschrift des Schützen


---

Meyton Elektronik


Ergebnis:	<b>597.1</b>	(570)
Serien:	100.1 99.4 100.5 99.9 97.5 99.7	
Zähler:	32 26 2 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	736 (45), 552 (54), 449 (34)	
beste Teiler	49.4 (12.) 59.9 (28.) 92.3 (22.)	
Trefferlage	0.04 mm rechts, 0.44 mm hoch	
Streuwert	1.96, horizontal: 2.05, vertikal: 1.88	




Serie 1:	10.4 *	10.3 *	10.6 *	9.6 ↘	9.9 →
	10.5 *	9.6 ↑	9.5 ↗	9.8 ↗	9.9 ↓
beste Teiler	96.6 (3.)	125.0 (6.)	138.0 (1.)		
Trefferlage	0.78 mm rechts, 1.01 mm hoch				
Streuwert	1.65, horizontal: 1.29, vertikal: 1.94				




Serie 2:	9.7 ←	10.8 *	10.3 *	9.7 ↘	10.2 *
	10.3 *	9.4 ↘	9.4 ↓	9.6 ←	10.0 ↘
beste Teiler	49.4 (12.)	153.8 (16.)	174.1 (13.)		
Trefferlage	1.17 mm links, 0.01 mm hoch				
Streuwert	1.86, horizontal: 1.74, vertikal: 1.96				




Serie 3:	9.6 →	10.6 *	10.4 *	10.0 ↘	10.4 *
	10.3 *	9.4 ↗	10.7 *	9.4 →	9.7 →
beste Teiler	59.9 (28.)	92.3 (22.)	137.3 (25.)		
Trefferlage	1.20 mm rechts, 0.19 mm tief				
Streuwert	1.65, horizontal: 2.09, vertikal: 1.05				



Serie 4:	10.4 *	10.5 *	9.8 →	9.2 ↘	9.8 →
	9.4 ↗	10.2 *	9.9 ↑	10.1 ↘	10.6 *
beste Teiler	94.5 (40.)	124.6 (32.)	144.1 (31.)		
Trefferlage	0.81 mm rechts, 0.00 mm				
Streuwert	1.89, horizontal: 1.98, vertikal: 1.78				



Serie 5:	9.6 ←	10.0 ↓	10.4 *	10.0 ←	8.0 ↑
	10.2 *	10.0 ↘	9.6 ↗	10.1 ←	9.6 ←
beste Teiler	146.5 (43.)	197.9 (46.)	212.0 (49.)		
Trefferlage	0.84 mm links, 0.73 mm hoch				
Streuwert	2.41, horizontal: 1.87, vertikal: 2.84				



Serie 6:	9.7 ↑	10.2 *	9.8 ↖	8.7 ←	10.4 *
	10.5 *	10.1 ↘	9.7 ↗	10.1 ↑	10.5 *
beste Teiler	104.5 (56.)	113.0 (60.)	140.1 (55.)		
Trefferlage	0.53 mm links, 1.13 mm hoch				
Streuwert	1.81, horizontal: 2.29, vertikal: 1.12				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 122

**Novak, Patrick** #70817244

**StartNr: 69**

21. Juli 2017 11:50



Vorarlberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>618.1</b>	(591)							
Serien:	103.2	102.9	99.7	103.3	104.8	104.2			
Zähler:	52	7	1	0	0	0	0	0	0
Innenzehner:	44								
weiteste:	596 (24), 459 (7), 312 (21)								
beste Teiler	8.9 (8.)	44.9 (44.)	46.0 (19.)						
Trefferlage	0.47 mm rechts,	0.22 mm tief							
Streuwert	1.30, horizontal: 1.46,	vertikal: 1.11							




Serie 1:	10.6 *	10.4 *	10.5 *	10.0 ↘	10.0 →
	10.5 *	9.1 →	10.9 *	10.7 *	10.5 *
beste Teiler	8.9 (8.)	70.0 (9.)	90.2 (1.)		
Trefferlage	1.00 mm rechts,	0.19 mm hoch			
Streuwert	1.27, horizontal: 1.67,	vertikal: 0.65			




Serie 2:	10.1 ←	10.4 *	10.5 *	10.2 *	9.9 ↘
	10.4 *	10.1 ↘	10.3 *	10.8 *	10.2 *
beste Teiler	46.0 (19.)	125.2 (13.)	143.7 (12.)		
Trefferlage	0.18 mm links,	0.14 mm hoch			
Streuwert	1.31, horizontal: 1.40,	vertikal: 1.21			




Serie 3:	9.7 ↘	9.9 ↓	10.4 *	8.6 ↘	9.8 →
	10.5 *	9.9 ↗	10.6 *	10.0 →	10.3 *
beste Teiler	100.4 (28.)	118.0 (26.)	128.8 (23.)		
Trefferlage	1.51 mm rechts,	0.76 mm tief			
Streuwert	1.68, horizontal: 1.76,	vertikal: 1.59			



Serie 4:	10.0 ←	9.7 ↘	10.8 *	10.6 *	10.5 *
	10.2 *	10.0 →	10.5 *	10.3 *	10.7 *
beste Teiler	48.2 (33.)	54.4 (40.)	77.3 (34.)		
Trefferlage	0.07 mm rechts,	0.29 mm tief			
Streuwert	1.28, horizontal: 1.36,	vertikal: 1.20			



Serie 5:	10.6 *	10.6 *	10.6 *	10.8 *	10.3 *
	10.6 *	10.4 *	10.2 *	10.3 *	10.4 *
beste Teiler	44.9 (44.)	76.5 (46.)	80.3 (43.)		
Trefferlage	0.23 mm rechts,	0.00 mm			
Streuwert	0.89, horizontal: 0.90,	vertikal: 0.88			



Serie 6:	10.4 *	10.3 *	10.6 *	10.7 *	10.5 *
	10.5 *	10.5 *	10.4 *	10.1 ↘	10.2 *
beste Teiler	60.6 (54.)	99.7 (53.)	108.5 (55.)		
Trefferlage	0.19 mm rechts,	0.63 mm tief			
Streuwert	0.91, horizontal: 1.05,	vertikal: 0.75			

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 123

**Zott, Georg** #70804306

**StartNr: 70**

21. Juli 2017 11:26

Tirol / Tirol



---

Unterschrift des Schützen


---

Meyton Elektronik


Ergebnis:	<b>599.3</b>	(574)							
Serien:	98.4	99.5	99.0	99.2	102.0	101.2			
Zähler:	37	20	3	0	0	0	0	0	0
Innenzehner:	28								
weiteste:	602 (59), 567 (42), 503 (21)								
beste Teiler	12.0 (50.) 18.4 (55.) 51.4 (47.)								
Trefferlage	0.51 mm rechts, 0.56 mm hoch								
Streuwert	1.91, horizontal: 2.45, vertikal: 1.12								




Serie 1:					
	9.2 ↙	10.5 *	9.5 ←	9.1 ←	10.1 ↑
	9.7 →	10.5 *	10.2 *	9.8 ↘	9.8 ↗
beste Teiler	121.2 (2.) 123.1 (7.) 183.4 (8.)				
Trefferlage	1.06 mm links, 0.79 mm hoch				
Streuwert	2.00, horizontal: 2.52, vertikal: 1.29				




Serie 2:					
	10.5 *	10.0 ↘	10.0 ↙	9.1 ←	10.1 ←
	9.8 →	10.5 *	10.4 *	9.3 ←	9.8 →
beste Teiler	119.8 (17.) 123.0 (11.) 140.0 (18.)				
Trefferlage	0.51 mm links, 0.09 mm hoch				
Streuwert	2.00, horizontal: 2.50, vertikal: 1.33				




Serie 3:					
	8.9 →	10.4 *	9.0 →	10.0 ↗	10.5 *
	10.1 ↑	9.8 ↗	10.3 *	10.7 *	9.3 →
beste Teiler	65.1 (29.) 111.9 (25.) 129.0 (22.)				
Trefferlage	1.86 mm rechts, 0.68 mm hoch				
Streuwert	1.66, horizontal: 2.13, vertikal: 0.99				



Serie 4:					
	9.6 ↘	10.3 *	10.2 *	9.8 ↑	10.7 *
	10.2 *	10.0 ↗	9.2 ↘	10.1 →	9.1 →
beste Teiler	56.9 (35.) 160.6 (32.) 178.0 (33.)				
Trefferlage	1.45 mm rechts, 0.55 mm hoch				
Streuwert	1.80, horizontal: 2.11, vertikal: 1.42				



Serie 5:					
	10.1 ↘	8.7 →	9.8 →	10.3 *	10.5 *
	10.3 *	10.7 *	10.3 *	10.4 *	10.9 *
beste Teiler	12.0 (50.) 51.4 (47.) 101.1 (45.)				
Trefferlage	0.68 mm rechts, 0.45 mm hoch				
Streuwert	1.67, horizontal: 2.20, vertikal: 0.85				



Serie 6:					
	9.3 ↗	10.5 *	10.4 *	10.4 *	10.9 *
	9.8 →	10.3 *	10.4 *	8.5 →	10.7 *
beste Teiler	18.4 (55.) 74.5 (60.) 119.6 (52.)				
Trefferlage	0.64 mm rechts, 0.80 mm hoch				
Streuwert	1.83, horizontal: 2.45, vertikal: 0.84				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**

StandNr: 124

**Verdi, Michele** #70817245

**StartNr: 71**

21. Juli 2017 11:24

Tessin



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **610.8** (585)  
 Serien: 98.9 101.8 101.6 104.1 101.5 102.9  
 Zähler: 45 15 0 0 0 0 0 0 0  
 Innenzehner: 35  
 weiteste: 478 (43), 410 (27), 372 (8)  
 beste Teiler 26.9 (35.) 37.6 (36.) 55.9 (12.)  
 Trefferlage 0.03 mm rechts, 0.27 mm tief  
 Streuwert 1.53, horizontal: 1.63, vertikal: 1.43




Serie 1:  
 9.7 ↘ 9.7 ↗ 9.6 → 9.5 ← 10.1 ↗  
 10.3 \* 9.9 ↘ 9.5 ↗ 10.5 \* 10.1 →  
 beste Teiler 123.7 (9.) 155.0 (6.) 217.3 (5.)  
 Trefferlage 0.96 mm rechts, 0.41 mm hoch  
 Streuwert 1.91, horizontal: 2.25, vertikal: 1.50




Serie 2:  
 10.2 \* 10.7 \* 9.5 ← 10.6 \* 10.0 ↗  
 10.1 ↘ 10.2 \* 9.9 → 10.4 \* 10.2 \*  
 beste Teiler 55.9 (12.) 87.3 (14.) 135.0 (19.)  
 Trefferlage 0.33 mm links, 0.80 mm hoch  
 Streuwert 1.42, horizontal: 1.63, vertikal: 1.17




Serie 3:  
 10.4 \* 10.4 \* 10.4 \* 10.6 \* 10.7 \*  
 10.6 \* 9.3 ↘ 9.7 ↓ 10.0 ← 9.5 ↓  
 beste Teiler 58.8 (25.) 81.4 (26.) 93.6 (24.)  
 Trefferlage 0.02 mm rechts, 1.04 mm tief  
 Streuwert 1.53, horizontal: 1.53, vertikal: 1.52



Serie 4:  
 10.0 ← 10.4 \* 10.5 \* 10.6 \* 10.8 \*  
 10.8 \* 10.3 \* 10.2 \* 10.0 ↓ 10.5 \*  
 beste Teiler 26.9 (35.) 37.6 (36.) 88.8 (34.)  
 Trefferlage 0.00 mm, 0.29 mm tief  
 Streuwert 1.13, horizontal: 1.01, vertikal: 1.23



Serie 5:  
 10.3 \* 10.2 \* 9.0 ← 10.6 \* 10.6 \*  
 10.1 ↗ 10.6 \* 9.7 ↘ 9.9 ↗ 10.5 \*  
 beste Teiler 77.1 (47.) 77.3 (45.) 98.0 (44.)  
 Trefferlage 0.87 mm links, 1.00 mm tief  
 Streuwert 1.42, horizontal: 1.77, vertikal: 0.93



Serie 6:  
 10.4 \* 10.2 \* 9.8 ↘ 10.7 \* 10.6 \*  
 10.1 → 10.4 \* 10.5 \* 10.0 ↗ 10.2 \*  
 beste Teiler 61.2 (54.) 80.0 (55.) 118.7 (58.)  
 Trefferlage 0.42 mm rechts, 0.51 mm tief  
 Streuwert 1.23, horizontal: 1.01, vertikal: 1.41

**ISSF AR Men** – Wertung – **Männer**

StandNr: 125

**Muxel, Thomas** #70817246

**StartNr: 72**

21. Juli 2017 11:41



Vorarlberg / Vorarlberg

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>593.9</b>	(569)
Serien:	96.4	100.2 99.4 99.1 99.8 99.0
Zähler:	33 23 4 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	677 (2), 651 (51), 628 (26)	
beste Teiler	51.8 (50.) 68.0 (30.) 73.4 (20.)	
Trefferlage	0.69 mm rechts, 0.59 mm hoch	
Streuwert	2.07, horizontal: 2.37, vertikal: 1.70	




Serie 1:

10.4 *	8.2 →	9.5 ↑	8.6 →	10.2 *
9.0 →	10.4 *	9.3 ↘	10.3 *	10.5 *
beste Teiler	117.5 (10.) 126.4 (7.) 139.6 (1.)			
Trefferlage	1.70 mm rechts, 0.35 mm hoch			
Streuwert	2.53, horizontal: 3.13, vertikal: 1.75			




Serie 2:

10.1 ↗	10.1 ↘	9.7 ↘	10.0 ↖	10.0 ↖
10.5 *	9.8 ↘	9.7 ←	9.6 ←	10.7 *
beste Teiler	73.4 (20.) 115.6 (16.) 215.6 (11.)			
Trefferlage	0.95 mm links, 0.77 mm hoch			
Streuwert	1.60, horizontal: 1.72, vertikal: 1.48			




Serie 3:

10.4 *	10.2 *	9.4 ↘	10.2 *	10.5 *
8.4 →	9.4 →	9.7 ↗	10.5 *	10.7 *
beste Teiler	68.0 (30.) 111.7 (25.) 116.4 (29.)			
Trefferlage	0.68 mm rechts, 0.06 mm hoch			
Streuwert	2.22, horizontal: 2.69, vertikal: 1.61			




Serie 4:

9.6 ↗	10.4 *	9.7 ↗	9.0 ↗	10.5 *
9.4 ↗	10.5 *	10.0 ↗	9.6 ↗	10.4 *
beste Teiler	109.2 (37.) 124.2 (35.) 132.9 (40.)			
Trefferlage	1.41 mm rechts, 1.24 mm hoch			
Streuwert	1.66, horizontal: 1.17, vertikal: 2.03			



Serie 5:

9.6 ↖	9.7 ↖	9.0 ↗	9.4 ↗	10.5 *
10.5 *	10.5 *	9.7 ↑	10.2 *	10.7 *
beste Teiler	51.8 (50.) 104.9 (45.) 112.2 (46.)			
Trefferlage	0.36 mm rechts, 1.24 mm hoch			
Streuwert	1.84, horizontal: 2.22, vertikal: 1.36			



Serie 6:

8.3 →	10.3 *	9.7 ↘	9.9 ↘	10.5 *
10.0 ↙	10.0 ↖	9.5 ↗	10.2 *	10.6 *
beste Teiler	85.1 (60.) 121.7 (55.) 167.5 (52.)			
Trefferlage	0.96 mm rechts, 0.11 mm tief			
Streuwert	2.12, horizontal: 2.39, vertikal: 1.81			

Meyton Elektronik

**ISSF AR Men – Wertung – Männer**

StandNr: 126

**Ratschiller, Robert** #70817247

**StartNr: 73**

21. Juli 2017 11:38

Südtirol

---

Unterschrift des Schützen

---

Meyton Elektronik

Ergebnis: **610.7** (582)

Serien: 102.6 100.2 103.4 102.4 99.8 102.3

Zähler: 42 18 0 0 0 0 0 0 0 0



Innenzehner: 29

weiteste: 370 (47), 349 (20), 348 (31)

beste Teiler 26.6 (24.) 29.4 (37.) 46.3 (54.)

Trefferlage 0.03 mm rechts, 0.01 mm hoch

Streuwert 1.52, horizontal: 1.69, vertikal: 1.33




Serie 1:

9.8 →	10.3 *	10.7 *	9.6 ↓	10.6 *
10.8 *	9.7 ←	10.2 *	10.6 *	10.3 *

beste Teiler 50.6 (6.) 70.1 (3.) 97.9 (5.)

Trefferlage 0.25 mm links, 0.45 mm tief

Streuwert 1.42, horizontal: 1.60, vertikal: 1.20




Serie 2:

10.0 →	9.9 ↖	10.1 →	10.0 ↗	10.4 *
9.9 ↓	9.9 ↖	10.6 *	9.8 ↗	9.6 ↗

beste Teiler 95.4 (18.) 146.7 (15.) 217.0 (13.)

Trefferlage 0.76 mm rechts, 0.81 mm hoch

Streuwert 1.64, horizontal: 1.84, vertikal: 1.40




Serie 3:

9.9 ←	10.4 *	10.1 ↑	10.8 *	9.7 ↑
10.3 *	10.6 *	10.5 *	10.4 *	10.7 *

beste Teiler 26.6 (24.) 66.3 (30.) 76.8 (27.)

Trefferlage 0.02 mm links, 0.91 mm hoch

Streuwert 1.11, horizontal: 1.07, vertikal: 1.14




Serie 4:

9.6 ↖	10.4 *	10.2 *	10.1 ↗	10.3 *
10.7 *	10.8 *	9.9 ↘	10.4 *	10.0 →

beste Teiler 29.4 (37.) 69.8 (36.) 143.5 (32.)

Trefferlage 0.39 mm rechts, 0.03 mm hoch

Streuwert 1.48, horizontal: 1.65, vertikal: 1.30




Serie 5:

9.8 →	9.9 ←	10.1 ↓	10.4 *	9.7 ↙
10.1 →	9.5 ↙	10.1 →	10.2 *	10.0 →

beste Teiler 127.5 (44.) 199.1 (49.) 206.2 (46.)

Trefferlage 0.02 mm rechts, 0.83 mm tief

Streuwert 1.79, horizontal: 2.13, vertikal: 1.36



Serie 6:

10.5 *	10.4 *	10.3 *	10.8 *	10.1 ↙
9.8 ←	10.3 *	10.1 →	10.1 ←	9.9 ↙

beste Teiler 46.3 (54.) 101.3 (51.) 127.0 (52.)

Trefferlage 0.71 mm links, 0.38 mm tief

Streuwert 1.31, horizontal: 1.71, vertikal: 0.70

**ISSF AR Men – Wertung – Männer**

StandNr: 127

**Schrüfer,, Sandro** #70817248

**StartNr: 74**

21. Juli 2017 11:50



Bayern / Bayern

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>582.2</b>	(561)
Serien:	97.1 93.5 99.8 96.8 99.1 95.9	
Zähler:	29 25 5 0 1 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1221 (15), 669 (50), 639 (16)	
beste Teiler	41.7 (43.) 48.0 (41.) 81.0 (32.)	
Trefferlage	1.00 mm rechts, 0.42 mm hoch	
Streuwert	2.51, horizontal: 3.04, vertikal: 1.82	




Serie 1:	9.5 ↗	9.6 ↑	10.5 *	10.2 *	9.8 ↗
	9.2 ↘	9.8 ↑	9.4 ←	10.2 *	8.9 →
beste Teiler	114.6 (3.)	178.3 (4.)	196.5 (9.)		
Trefferlage	0.52 mm rechts, 1.30 mm hoch				
Streuwert	2.26, horizontal: 2.67, vertikal: 1.76				




Serie 2:	10.1 ↘	9.0 ↘	10.0 ↑	10.3 *	6.1 →
	8.4 →	8.8 →	10.6 *	9.9 ↑	10.3 *
beste Teiler	84.7 (18.)	152.7 (14.)	168.0 (20.)		
Trefferlage	2.03 mm rechts, 1.24 mm hoch				
Streuwert	3.41, horizontal: 4.52, vertikal: 1.66				




Serie 3:	9.3 ↗	10.4 *	10.5 *	10.2 *	10.5 *
	9.4 ←	10.1 ↘	9.5 →	10.1 ↓	9.8 →
beste Teiler	115.4 (23.)	118.3 (25.)	139.2 (22.)		
Trefferlage	0.28 mm rechts, 0.32 mm hoch				
Streuwert	1.95, horizontal: 2.19, vertikal: 1.68				



Serie 4:	10.2 *	10.6 *	9.3 ↗	9.1 ↗	10.2 *
	10.2 *	10.1 ↑	9.0 →	9.0 →	9.1 ←
beste Teiler	81.0 (32.)	179.6 (36.)	180.2 (35.)		
Trefferlage	1.00 mm rechts, 0.23 mm hoch				
Streuwert	2.52, horizontal: 3.23, vertikal: 1.50				



Serie 5:	10.8 *	9.2 ↘	10.8 *	10.4 *	10.1 ←
	10.3 *	9.5 ↘	10.2 *	9.5 →	8.3 →
beste Teiler	41.7 (43.)	48.0 (41.)	137.0 (44.)		
Trefferlage	1.27 mm rechts, 0.54 mm tief				
Streuwert	2.16, horizontal: 2.53, vertikal: 1.72				



Serie 6:	10.2 *	9.0 ←	9.1 ↗	8.9 ↗	10.1 ↘
	9.3 ↘	9.4 ↗	10.2 *	10.2 *	9.5 ↓
beste Teiler	190.9 (51.)	197.6 (59.)	199.8 (58.)		
Trefferlage	0.89 mm rechts, 0.02 mm tief				
Streuwert	2.66, horizontal: 3.03, vertikal: 2.22				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**  
StandNr: 128  
**Schweizer, Michael** #70817249

**StartNr: 75**  
21. Juli 2017 11:46  
St. Gallen



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>587.3</b>	(558)
Serien:	93.0 96.0 99.1 99.2 102.7 97.3	
Zähler:	28 23 8 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	879 (13), 660 (59), 656 (4)	
beste Teiler	46.0 (25.) 61.7 (41.) 63.0 (49.)	
Trefferlage	0.62 mm links, 0.05 mm hoch	
Streuwert	2.36, horizontal: 2.91, vertikal: 1.63	




Serie 1:	8.9 ↖	10.4 *	9.1 ←	8.3 ←	10.3 *
	8.9 ↖	9.6 →	8.9 ↘	10.2 *	8.4 →
beste Teiler	149.9 (2.) 158.4 (5.) 184.8 (9.)				
Trefferlage	0.48 mm links, 0.50 mm tief				
Streuwert	3.33, horizontal: 4.19, vertikal: 2.15				




Serie 2:	8.8 ↖	9.7 ←	7.4 ↖	10.5 *	9.9 ↓
	10.2 *	9.6 ↖	9.9 ↑	10.0 ↓	10.0 ↑
beste Teiler	118.9 (14.) 195.9 (16.) 243.5 (20.)				
Trefferlage	1.96 mm links, 0.70 mm hoch				
Streuwert	2.54, horizontal: 2.97, vertikal: 2.03				




Serie 3:	9.9 ↖	9.2 ↖	9.8 ↘	9.6 ↖	10.8 *
	9.9 ↘	10.5 *	10.1 →	9.1 ←	10.2 *
beste Teiler	46.0 (25.) 112.7 (27.) 197.2 (30.)				
Trefferlage	0.84 mm links, 0.04 mm hoch				
Streuwert	2.10, horizontal: 2.55, vertikal: 1.52				



Serie 4:	9.9 ↓	9.3 ↗	9.5 ↙	9.8 ↖	9.9 →
	10.2 *	10.0 ↘	10.4 *	10.4 *	9.8 ←
beste Teiler	127.1 (39.) 148.7 (38.) 192.2 (36.)				
Trefferlage	0.19 mm rechts, 0.23 mm tief				
Streuwert	2.02, horizontal: 2.34, vertikal: 1.64				



Serie 5:	10.7 *	10.0 →	10.0 ←	10.1 ↖	9.9 ←
	10.6 *	10.7 *	9.8 ↖	10.7 *	10.2 *
beste Teiler	61.7 (41.) 63.0 (49.) 67.6 (47.)				
Trefferlage	0.32 mm links, 0.47 mm hoch				
Streuwert	1.34, horizontal: 1.60, vertikal: 1.01				



Serie 6:	10.1 ←	9.4 ↘	10.2 *	8.8 ←	10.4 *
	9.9 ↖	10.1 ←	9.6 ←	8.3 →	10.5 *
beste Teiler	109.1 (60.) 133.6 (55.) 191.2 (53.)				
Trefferlage	0.32 mm links, 0.16 mm tief				
Streuwert	2.57, horizontal: 3.43, vertikal: 1.23				

Meyton Elektronik

**ISSF AR Men** – Wertung – **Männer**  
StandNr: 146  
**Guerra, Omar** #70817261

**StartNr: 93**  
21. Juli 2017 11:35  
Tessin

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik