




Ergebnis:	<b>584.4</b>	(558)							
Serien:	98.7	99.4	98.3	93.8	100.1	94.1			
Zähler:	22	34	4	0	0	0	0	0	0
Innenzehner:	17								
weiteste:	686	(51),	552	(36),	520	(58)			
beste Teiler	65.7	(13.)	102.3	(44.)	111.0	(57.)			
Trefferlage	0.72 mm	rechts,	0.83 mm	hoch					
Streuwert	2.22,	horizontal:	2.27,	vertikal:	2.16				




Serie 1:

9.4 →	9.6 ↖	9.8 ←	9.7 →	10.2 *
9.9 ↘	10.4 *	9.9 ↑	10.4 *	9.4 ↑
beste Teiler	142.3 (7.)	148.6 (9.)	187.9 (5.)	
Trefferlage	0.02 mm links, 0.88 mm hoch			
Streuwert	2.02, horizontal: 2.24, vertikal: 1.77			




Serie 2:

10.4 *	9.3 ↖	10.7 *	9.5 ↘	10.0 ↘
9.7 ↑	10.4 *	9.8 ↘	10.3 *	9.3 ↑
beste Teiler	65.7 (13.)	127.1 (11.)	144.7 (17.)	
Trefferlage	0.44 mm rechts, 0.42 mm hoch			
Streuwert	2.06, horizontal: 1.24, vertikal: 2.64			




Serie 3:

10.2 *	9.1 ↓	9.8 ↖	10.1 ↑	9.7 ↘
9.7 ↘	10.0 ↑	9.3 ←	10.1 ↓	10.3 *
beste Teiler	170.4 (30.)	181.7 (21.)	207.1 (24.)	
Trefferlage	0.24 mm links, 0.23 mm tief			
Streuwert	2.21, horizontal: 1.98, vertikal: 2.41			




Serie 4:

9.5 ↗	9.2 ↗	10.2 *	9.5 ↓	9.6 ↖
8.7 ↘	8.9 ↗	9.5 ↑	9.1 ↖	9.6 ↑
beste Teiler	180.2 (33.)	341.2 (35.)	342.5 (40.)	
Trefferlage	0.72 mm rechts, 1.23 mm hoch			
Streuwert	2.82, horizontal: 3.01, vertikal: 2.61			



Serie 5:

10.3 *	10.3 *	10.1 ↑	10.5 *	9.3 ↗
10.5 *	9.9 →	9.1 →	9.9 ↑	10.2 *
beste Teiler	102.3 (44.)	125.4 (46.)	151.4 (42.)	
Trefferlage	1.04 mm rechts, 0.90 mm hoch			
Streuwert	1.65, horizontal: 1.97, vertikal: 1.24			



Serie 6:

8.2 →	9.4 ↑	10.2 *	9.5 ↑	9.2 →
9.3 ↘	10.5 *	8.9 ↗	9.6 ↑	9.3 ↗
beste Teiler	111.0 (57.)	195.3 (53.)	330.0 (59.)	
Trefferlage	2.42 mm rechts, 1.78 mm hoch			
Streuwert	2.13, horizontal: 2.33, vertikal: 1.92			

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 116

**Holznecht,, Wolfgang** #70209010

**StartNr: 12**

17. März 2019 10:41



SG\_Hötting-Ibk / SG Hötting-Ibk 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **606.5** (582)  
 Serien: 100.2 99.5 102.4 102.9 100.6 100.9  
 Zähler: 44 14 2 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 619 (8), 522 (45), 463 (23)  
 beste Teiler 32.0 (22.) 39.1 (10.) 54.0 (50.)  
 Trefferlage 0.56 mm rechts, 0.12 mm hoch  
 Streuwert 1.72, horizontal: 1.90, vertikal: 1.52




Serie 1:  
 9.2 ↘ 10.7 \* 10.6 \* 10.4 \* 9.4 →  
 10.7 \* 10.0 ↘ 8.5 → 9.9 ↘ 10.8 \*  
 beste Teiler 39.1 (10.) 59.0 (6.) 70.6 (2.)  
 Trefferlage 1.74 mm rechts, 0.58 mm tief  
 Streuwert 1.74, horizontal: 2.18, vertikal: 1.16




Serie 2:  
 10.2 \* 10.1 ↑ 9.3 ↙ 10.0 ↓ 10.4 \*  
 9.6 → 10.6 \* 9.6 → 10.0 ↗ 9.7 ←  
 beste Teiler 87.7 (17.) 135.7 (15.) 178.6 (11.)  
 Trefferlage 0.29 mm rechts, 0.07 mm tief  
 Streuwert 1.98, horizontal: 2.16, vertikal: 1.79




Serie 3:  
 10.4 \* 10.8 \* 9.1 ↙ 10.7 \* 10.2 \*  
 10.2 \* 10.6 \* 10.2 \* 10.2 \* 10.0 ←  
 beste Teiler 32.0 (22.) 68.4 (24.) 99.0 (27.)  
 Trefferlage 0.10 mm links, 0.23 mm tief  
 Streuwert 1.56, horizontal: 1.46, vertikal: 1.66



Serie 4:  
 10.7 \* 10.5 \* 10.4 \* 9.1 ↗ 10.5 \*  
 10.7 \* 10.1 ↑ 10.2 \* 10.3 \* 10.4 \*  
 beste Teiler 54.4 (36.) 71.5 (31.) 101.9 (32.)  
 Trefferlage 0.54 mm rechts, 1.05 mm hoch  
 Streuwert 1.16, horizontal: 1.39, vertikal: 0.86



Serie 5:  
 10.6 \* 10.1 ↗ 10.5 \* 9.6 ↑ 8.9 →  
 10.5 \* 10.2 \* 9.3 → 10.2 \* 10.7 \*  
 beste Teiler 54.0 (50.) 99.2 (41.) 101.0 (46.)  
 Trefferlage 0.81 mm rechts, 0.86 mm hoch  
 Streuwert 1.79, horizontal: 2.11, vertikal: 1.41



Serie 6:  
 10.1 ↘ 9.5 ↘ 10.1 ↙ 9.8 → 10.6 \*  
 9.8 ↘ 10.2 \* 10.1 ↙ 10.4 \* 10.3 \*  
 beste Teiler 94.1 (55.) 138.5 (59.) 170.2 (60.)  
 Trefferlage 0.06 mm rechts, 0.24 mm tief  
 Streuwert 1.72, horizontal: 1.81, vertikal: 1.63

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 119

**Stefani,, Johannes** #70113065

**StartNr: 15**

17. März 2019 11:07



SG\_Roppen / SG Roppen 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>594.5</b>	(565)
Serien:	97.3	99.4 100.1 99.3 99.4 99.0
Zähler:	29	27 4 0 0 0 0 0 0 0
Innenzehner:	26	
weiteste:	665	(21), 640 (5), 550 (19)
beste Teiler	65.1	(29.) 85.9 (26.) 90.3 (53.)
Trefferlage	0.60 mm	links, 0.20 mm hoch
Streuwert	2.05,	horizontal: 2.38, vertikal: 1.65




Serie 1:

9.9 ↖	9.3 ↘	10.2 *	10.2 *	8.4 ↗
10.2 *	10.3 *	9.3 ↖	9.0 ↖	10.5 *
beste Teiler	102.1 (10.)	151.1 (7.)	181.8 (4.)	
Trefferlage	0.46 mm links, 0.93 mm hoch			
Streuwert	2.46, horizontal: 2.94, vertikal: 1.84			




Serie 2:

9.9 →	10.2 *	10.2 *	9.8 ←	10.5 *
9.9 ←	9.9 →	9.8 ↖	8.8 ↖	10.4 *
beste Teiler	112.3 (15.)	140.3 (20.)	177.6 (12.)	
Trefferlage	1.24 mm links, 0.44 mm hoch			
Streuwert	1.84, horizontal: 2.29, vertikal: 1.22			




Serie 3:

8.3 ↖	9.9 ↓	9.4 ←	10.5 *	10.3 *
10.6 *	10.2 *	10.3 *	10.7 *	9.9 →
beste Teiler	65.1 (29.)	85.9 (26.)	107.0 (24.)	
Trefferlage	0.69 mm links, 0.16 mm tief			
Streuwert	2.11, horizontal: 2.34, vertikal: 1.86			




Serie 4:

9.7 ↖	9.3 ↘	10.3 *	10.2 *	9.9 ↗
9.8 →	10.2 *	9.9 ↖	9.7 ↗	10.3 *
beste Teiler	164.8 (40.)	175.8 (33.)	189.6 (37.)	
Trefferlage	0.15 mm rechts, 0.74 mm hoch			
Streuwert	1.93, horizontal: 2.27, vertikal: 1.52			



Serie 5:

9.9 →	9.8 ↖	9.9 ←	9.2 ←	10.3 *
9.5 ↑	10.4 *	10.1 ←	10.4 *	9.9 ↗
beste Teiler	134.8 (49.)	149.8 (47.)	174.3 (45.)	
Trefferlage	0.68 mm links, 0.13 mm hoch			
Streuwert	1.96, horizontal: 2.18, vertikal: 1.72			



Serie 6:

9.3 ↘	8.8 ←	10.6 *	10.6 *	10.2 *
9.3 ↗	9.9 ←	10.2 *	10.0 →	10.1 ↓
beste Teiler	90.3 (53.)	96.3 (54.)	178.6 (55.)	
Trefferlage	0.68 mm links, 0.88 mm tief			
Streuwert	2.06, horizontal: 2.60, vertikal: 1.29			

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 120

**Juen,, Wolfgang** #70502001

**StartNr: 16**

17. März 2019 10:39



SG\_Flirsch

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>588.3</b>	(563)
Serien:	98.9 99.5 98.6 95.3 98.8 97.2	
Zähler:	29 26 4 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	758 (55), 656 (10), 645 (42)	
beste Teiler	62.9 (56.) 76.0 (19.) 81.3 (58.)	
Trefferlage	0.23 mm links, 0.32 mm hoch	
Streuwert	2.29, horizontal: 2.70, vertikal: 1.80	




Serie 1:	10.1 ↙	9.5 ↙	10.3 *	9.7 ↘	10.4 *
	10.2 *	9.8 →	10.2 *	10.4 *	8.3 ↖
beste Teiler	132.2 (5.)	136.8 (9.)	151.0 (3.)		
Trefferlage	0.35 mm links, 0.57 mm tief				
Streuwert	2.21, horizontal: 2.37, vertikal: 2.04				




Serie 2:	10.0 ↘	9.7 ↑	10.1 ↘	10.2 *	9.8 ↓
	9.8 ↘	10.1 ↘	9.0 →	10.6 *	10.2 *
beste Teiler	76.0 (19.)	176.1 (14.)	183.3 (20.)		
Trefferlage	0.11 mm rechts, 0.40 mm hoch				
Streuwert	1.99, horizontal: 2.02, vertikal: 1.96				




Serie 3:	10.4 *	10.0 ↘	9.8 ↙	9.3 →	10.2 *
	10.4 *	9.9 ↓	9.8 ↗	9.0 →	9.8 ←
beste Teiler	127.8 (21.)	131.0 (26.)	178.8 (25.)		
Trefferlage	0.53 mm rechts, 0.22 mm tief				
Streuwert	2.14, horizontal: 2.53, vertikal: 1.65				



Serie 4:	9.8 ↖	9.4 ←	10.3 *	9.8 ↘	9.2 ↘
	10.1 ↓	8.5 ←	9.5 ↗	9.4 ↑	9.3 ←
beste Teiler	170.4 (33.)	206.5 (36.)	278.2 (31.)		
Trefferlage	1.02 mm links, 0.50 mm hoch				
Streuwert	2.67, horizontal: 3.17, vertikal: 2.05				



Serie 5:	9.4 →	8.4 →	10.1 ↗	9.3 →	10.4 *
	10.0 ←	10.5 *	9.8 ↘	10.3 *	10.6 *
beste Teiler	88.0 (50.)	112.2 (47.)	142.5 (45.)		
Trefferlage	1.62 mm rechts, 0.69 mm hoch				
Streuwert	1.96, horizontal: 2.55, vertikal: 1.07				



Serie 6:	9.4 ↖	10.1 ←	10.4 *	8.8 ↘	7.9 ↖
	10.7 *	9.4 ←	10.6 *	10.0 ↑	9.9 ↑
beste Teiler	62.9 (56.)	81.3 (58.)	133.9 (53.)		
Trefferlage	2.29 mm links, 1.15 mm hoch				
Streuwert	1.99, horizontal: 2.24, vertikal: 1.71				

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 121

**Pfeifer,, Peter** #70103115

**StartNr: 17**

17. März 2019 10:39

SG\_Imst



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **589.2** (564)  
 Serien: 100.4 92.6 101.1 97.6 98.9 98.6  
 Zähler: 31 26 2 0 0 0 1 0 0 0  
 Innenzehner: 22  
 weiteste: 1588 (17), 629 (53), 506 (11)  
 beste Teiler 19.6 (39.) 68.6 (25.) 71.1 (57.)  
 Trefferlage 0.63 mm rechts, 0.73 mm tief  
 Streuwert 2.43, horizontal: 2.46, vertikal: 2.39




Serie 1:  
 10.3 \*                      10.1 ↑                      9.7 ↗                      10.6 \*                      10.3 \*  
 9.3 ↘                      10.5 \*                      10.5 \*                      9.3 ↙                      9.8 →  
 beste Teiler 77.4 (4.) 122.0 (8.) 124.4 (7.)  
 Trefferlage 0.21 mm rechts, 0.12 mm tief  
 Streuwert 1.92, horizontal: 2.11, vertikal: 1.72




Serie 2:  
 8.9 ↘                      9.7 ↗                      9.4 ↖                      10.4 \*                      9.4 ↙  
 9.8 ↙                      4.6 ↙                      9.7 ↘                      10.2 \*                      10.5 \*  
 beste Teiler 103.0 (20.) 137.1 (14.) 190.5 (19.)  
 Trefferlage 1.01 mm links, 1.91 mm tief  
 Streuwert 4.05, horizontal: 3.64, vertikal: 4.41




Serie 3:  
 10.2 \*                      9.6 ↘                      10.1 →                      10.5 \*                      10.7 \*  
 10.4 \*                      9.7 ↗                      9.8 ↑                      10.1 ↖                      10.0 ↗  
 beste Teiler 68.6 (25.) 101.4 (24.) 146.4 (26.)  
 Trefferlage 0.70 mm rechts, 1.03 mm hoch  
 Streuwert 1.46, horizontal: 1.45, vertikal: 1.47



Serie 4:  
 9.0 →                      10.2 \*                      9.6 ↙                      9.2 ↘                      10.1 ↓  
 10.0 ↘                      9.2 →                      9.5 ↙                      10.9 \*                      9.9 ↘  
 beste Teiler 19.6 (39.) 184.1 (32.) 210.3 (35.)  
 Trefferlage 1.38 mm rechts, 1.75 mm tief  
 Streuwert 1.83, horizontal: 2.46, vertikal: 0.82



Serie 5:  
 10.2 \*                      9.1 ↘                      10.3 \*                      10.0 ↘                      9.8 ↗  
 10.3 \*                      9.6 →                      9.3 ↙                      10.2 \*                      10.1 ↗  
 beste Teiler 156.5 (46.) 172.9 (43.) 177.1 (49.)  
 Trefferlage 1.00 mm rechts, 0.71 mm tief  
 Streuwert 1.91, horizontal: 2.03, vertikal: 1.77



Serie 6:  
 10.3 \*                      10.5 \*                      8.4 →                      9.9 ↘                      10.2 \*  
 9.4 →                      10.7 \*                      10.0 ↘                      9.6 ↗                      9.6 ↙  
 beste Teiler 71.1 (57.) 105.7 (52.) 173.4 (51.)  
 Trefferlage 1.53 mm rechts, 0.93 mm tief  
 Streuwert 1.91, horizontal: 2.18, vertikal: 1.60

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 122

**Kostenzer,, Georg #70415007**

**StartNr: 18**

17. März 2019 11:11



SG\_Münster

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>599.7</b>	(574)							
Serien:	98.7	99.3	100.9	98.8	100.0	102.0			
Zähler:	40	14	6	0	0	0	0	0	0
Innenzehner:	25								
weiteste:	698	(23),	656	(4),	608	(33)			
beste Teiler	1.0	(57.)	40.8	(43.)	51.0	(28.)			
Trefferlage	0.79	mm links,	0.35	mm hoch					
Streuwert	1.91,	horizontal:	1.96,	vertikal:	1.87				




Serie 1:

10.3 *	10.0 ↑	10.0 ↘	8.3 ↙	10.1 ←
9.8 ↖	9.8 ↙	10.1 ↘	10.1 ↑	10.2 *
beste Teiler	155.8 (1.)	188.6 (10.)	201.6 (8.)	
Trefferlage	0.92 mm links, 0.18 mm hoch			
Streuwert	2.11, horizontal: 2.26, vertikal: 1.96			




Serie 2:

10.1 ↙	10.4 *	10.7 *	10.0 ↙	8.7 ↙
10.3 *	10.4 *	9.6 ↓	9.8 ↘	9.3 ↘
beste Teiler	67.2 (13.)	132.8 (17.)	137.1 (12.)	
Trefferlage	1.58 mm links, 0.41 mm tief			
Streuwert	1.80, horizontal: 1.27, vertikal: 2.20			




Serie 3:

10.2 *	10.5 *	8.2 ↗	10.2 *	10.2 *
10.2 *	10.3 *	10.7 *	9.9 ↘	10.5 *
beste Teiler	51.0 (28.)	108.0 (30.)	115.7 (22.)	
Trefferlage	0.06 mm links, 0.74 mm hoch			
Streuwert	1.98, horizontal: 1.86, vertikal: 2.09			




Serie 4:

10.6 *	8.5 ↖	8.5 ↖	10.7 *	10.5 *
10.1 ↘	9.6 ↘	9.9 ↙	10.6 *	9.8 ↗
beste Teiler	52.1 (34.)	80.3 (31.)	94.0 (39.)	
Trefferlage	0.91 mm links, 0.42 mm hoch			
Streuwert	2.33, horizontal: 2.95, vertikal: 1.46			



Serie 5:

9.5 ↙	8.8 ↑	10.8 *	10.1 ↑	9.9 ↙
10.5 *	10.1 ↘	10.1 ↓	10.1 ↑	10.1 ↑
beste Teiler	40.8 (43.)	113.3 (46.)	207.2 (49.)	
Trefferlage	0.54 mm links, 0.94 mm hoch			
Streuwert	1.83, horizontal: 1.46, vertikal: 2.14			



Serie 6:

9.4 ↖	9.8 ←	10.1 ↘	10.4 *	10.5 *
10.4 *	10.9 *	9.9 ↘	10.1 ↑	10.5 *
beste Teiler	1.0 (57.)	105.6 (60.)	120.0 (55.)	
Trefferlage	0.73 mm links, 0.27 mm hoch			
Streuwert	1.52, horizontal: 1.68, vertikal: 1.34			

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 124

**Bauhofer, Michael** #70

**StartNr: 20**

17. März 2019 10:53



SG\_Koessen / SG Kössen 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>586.2</b>	(559)
Serien:	99.6 96.2 96.8 98.8 96.1 98.7	
Zähler:	26 27 7 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	616 (16), 587 (14), 576 (30)	
beste Teiler	32.0 (13.) 47.5 (60.) 66.7 (58.)	
Trefferlage	0.06 mm rechts, 0.19 mm tief	
Streuwert	2.34, horizontal: 2.58, vertikal: 2.07	




Serie 1:	9.3 ↘	10.4 *	9.7 ↗	10.3 *	9.6 ↗
	10.2 *	9.3 ↑	9.9 ↘	10.3 *	10.6 *
beste Teiler	100.7 (10.)	133.0 (2.)	162.1 (9.)		
Trefferlage	1.14 mm rechts, 0.56 mm hoch				
Streuwert	1.81, horizontal: 1.44, vertikal: 2.12				




Serie 2:	9.8 ↙	9.4 ↖	10.8 *	8.6 ↘	9.2 ↓
	8.5 ↘	10.4 *	9.7 ↙	10.2 *	9.6 ↓
beste Teiler	32.0 (13.)	145.6 (17.)	188.4 (19.)		
Trefferlage	0.45 mm rechts, 1.63 mm tief				
Streuwert	2.49, horizontal: 2.76, vertikal: 2.19				




Serie 3:	9.5 ↖	10.4 *	10.2 *	9.6 ↖	9.4 ↓
	9.7 ↗	9.1 ↖	10.2 *	10.1 ↙	8.6 ↙
beste Teiler	135.2 (22.)	191.6 (23.)	193.6 (28.)		
Trefferlage	1.06 mm links, 0.65 mm tief				
Streuwert	2.37, horizontal: 2.54, vertikal: 2.19				



Serie 4:	9.7 ↖	10.2 *	10.0 ↖	10.4 *	9.7 ↖
	10.2 *	9.7 →	9.1 ↖	10.0 ↗	9.8 ←
beste Teiler	127.5 (34.)	179.9 (36.)	185.1 (32.)		
Trefferlage	1.05 mm links, 0.42 mm hoch				
Streuwert	1.91, horizontal: 2.24, vertikal: 1.50				



Serie 5:	9.0 ↖	9.6 ↙	9.1 ↖	10.2 *	9.3 ↘
	10.1 ↘	9.3 ↖	10.3 *	8.9 ↘	10.3 *
beste Teiler	169.7 (50.)	171.6 (48.)	190.1 (44.)		
Trefferlage	1.02 mm links, 0.38 mm tief				
Streuwert	2.57, horizontal: 2.99, vertikal: 2.06				



Serie 6:	10.4 *	8.9 ↗	9.8 →	10.1 ↓	10.6 *
	9.9 ↗	8.8 ↗	10.7 *	8.7 →	10.8 *
beste Teiler	47.5 (60.)	66.7 (58.)	84.0 (55.)		
Trefferlage	1.93 mm rechts, 0.51 mm hoch				
Streuwert	1.93, horizontal: 2.04, vertikal: 1.82				

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 125

**Schöler,, Andreas** #70808104

**StartNr: 21**

17. März 2019 10:40



SG\_Kaltenbach-Ried

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.4** (578)  
 Serien: 99.7 100.1 101.2 101.7 101.7 99.0  
 Zähler: 38 22 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 431 (11), 431 (20), 392 (41)  
 beste Teiler 41.1 (16.) 46.0 (45.) 49.2 (47.)  
 Trefferlage 0.12 mm rechts, 0.12 mm tief  
 Streuwert 1.75, horizontal: 1.70, vertikal: 1.80




Serie 1:  
 10.1 ↙ 10.2 \* 10.4 \* 10.2 \* 10.3 \*  
 9.5 ↗ 9.5 ↗ 9.5 ↘ 10.1 ↙ 9.9 ↙  
 beste Teiler 147.8 (3.) 170.4 (5.) 181.8 (4.)  
 Trefferlage 0.52 mm rechts, 0.32 mm tief  
 Streuwert 1.87, horizontal: 1.86, vertikal: 1.89




Serie 2:  
 9.2 ↙ 10.3 \* 10.1 ↙ 10.6 \* 9.6 ↘  
 10.8 \* 10.6 \* 9.9 → 9.8 ↑ 9.2 ↙  
 beste Teiler 41.1 (16.) 79.6 (14.) 88.8 (17.)  
 Trefferlage 0.36 mm links, 0.19 mm tief  
 Streuwert 1.98, horizontal: 2.26, vertikal: 1.66




Serie 3:  
 10.3 \* 10.0 ↙ 9.9 ↗ 10.0 ↘ 9.8 ↘  
 10.5 \* 10.5 \* 9.8 ↙ 9.7 → 10.7 \*  
 beste Teiler 70.0 (30.) 112.5 (27.) 120.2 (26.)  
 Trefferlage 0.19 mm rechts, 0.19 mm tief  
 Streuwert 1.65, horizontal: 1.75, vertikal: 1.55



Serie 4:  
 10.2 \* 10.2 \* 10.0 → 9.5 ↑ 10.6 \*  
 10.6 \* 10.2 \* 10.5 \* 9.8 ↗ 10.1 ↙  
 beste Teiler 85.0 (36.) 92.0 (35.) 104.5 (38.)  
 Trefferlage 0.24 mm links, 0.64 mm hoch  
 Streuwert 1.49, horizontal: 1.24, vertikal: 1.71



Serie 5:  
 9.4 ↗ 10.7 \* 10.1 ↓ 10.0 ↗ 10.8 \*  
 10.4 \* 10.8 \* 10.1 ↓ 9.8 ↘ 9.6 ↗  
 beste Teiler 46.0 (45.) 49.2 (47.) 62.3 (42.)  
 Trefferlage 0.81 mm rechts, 0.07 mm hoch  
 Streuwert 1.58, horizontal: 1.61, vertikal: 1.56



Serie 6:  
 9.5 ↓ 10.0 ↙ 10.2 \* 10.4 \* 10.3 \*  
 9.5 ↙ 9.7 ↓ 10.0 ↗ 9.4 ↑ 10.0 ↓  
 beste Teiler 147.6 (54.) 165.7 (55.) 198.5 (53.)  
 Trefferlage 0.15 mm links, 0.75 mm tief  
 Streuwert 1.98, horizontal: 1.39, vertikal: 2.44

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 126

**Bauhofer, Markus #77**

**StartNr: 22**

17. März 2019 10:50

SG\_Koessen / SG Kössen 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **603.9** (577)  
 Serien: 100.6 100.6 100.1 101.9 98.5 102.2  
 Zähler: 39 19 2 0 0 0 0 0 0  
 Innenzehner: 36  
 weiteste: 724 (23), 566 (50), 450 (41)  
 beste Teiler 20.6 (45.) 21.1 (59.) 41.7 (25.)  
 Trefferlage 0.50 mm links, 0.32 mm tief  
 Streuwert 1.82, horizontal: 2.07, vertikal: 1.52




Serie 1:  
 9.9 ↘ 9.3 ↖ 10.1 ↑ 10.2 \* 9.4 ↙  
 10.2 \* 10.2 \* 10.2 \* 10.6 \* 10.5 \*  
 beste Teiler 76.9 (9.) 121.0 (10.) 179.5 (8.)  
 Trefferlage 0.60 mm links, 0.12 mm hoch  
 Streuwert 1.76, horizontal: 2.04, vertikal: 1.43




Serie 2:  
 9.3 ← 9.9 ← 10.4 \* 10.5 \* 9.6 →  
 10.6 \* 10.7 \* 9.4 ↗ 10.0 ↖ 10.2 \*  
 beste Teiler 69.8 (17.) 99.2 (16.) 106.0 (14.)  
 Trefferlage 0.89 mm links, 0.91 mm tief  
 Streuwert 1.67, horizontal: 2.07, vertikal: 1.13




Serie 3:  
 9.7 ← 9.3 ↘ 8.1 ← 10.7 \* 10.8 \*  
 10.5 \* 10.7 \* 10.1 ↘ 9.7 ↖ 10.5 \*  
 beste Teiler 41.7 (25.) 52.8 (24.) 71.5 (27.)  
 Trefferlage 0.50 mm links, 0.58 mm tief  
 Streuwert 2.24, horizontal: 2.79, vertikal: 1.48



Serie 4:  
 9.9 ↑ 10.6 \* 10.2 \* 9.6 ↓ 10.4 \*  
 10.2 \* 10.2 \* 10.4 \* 9.6 ↓ 10.8 \*  
 beste Teiler 44.2 (40.) 91.0 (32.) 129.4 (35.)  
 Trefferlage 0.26 mm links, 0.35 mm tief  
 Streuwert 1.54, horizontal: 1.12, vertikal: 1.86



Serie 5:  
 9.2 ← 10.2 \* 10.3 \* 10.2 \* 10.9 \*  
 9.5 ↘ 9.4 ↓ 9.8 ← 10.3 \* 8.7 ↘  
 beste Teiler 20.6 (45.) 155.3 (49.) 156.3 (43.)  
 Trefferlage 0.41 mm links, 0.63 mm tief  
 Streuwert 2.29, horizontal: 2.66, vertikal: 1.84



Serie 6:  
 10.3 \* 9.3 ← 10.3 \* 10.7 \* 10.2 \*  
 10.4 \* 9.7 ↗ 10.2 \* 10.9 \* 10.2 \*  
 beste Teiler 21.1 (59.) 69.3 (54.) 148.9 (56.)  
 Trefferlage 0.37 mm links, 0.44 mm hoch  
 Streuwert 1.53, horizontal: 1.82, vertikal: 1.17

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 127

**Insam,, Fabian** #70804040

**StartNr: 23**

17. März 2019 11:04



SG\_Fügenberg / SG Fügenberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>592.4</b>	(562)
Serien:	101.1 97.8 98.6 99.7 96.4 98.8	
Zähler:	25 32 3 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	595 (21), 519 (20), 518 (54)	
beste Teiler	46.8 (7.) 67.5 (58.) 70.2 (1.)	
Trefferlage	0.38 mm links, 0.57 mm hoch	
Streuwert	2.11, horizontal: 2.15, vertikal: 2.07	




Serie 1:	10.7 *	9.5 ↗	9.6 ↙	10.4 *	9.9 ↙
	10.3 *	10.8 *	9.7 ↙	10.2 *	10.0 ↑
beste Teiler	46.8 (7.)	70.2 (1.)	127.3 (4.)		
Trefferlage	0.10 mm links, 0.28 mm tief				
Streuwert	1.76, horizontal: 1.83, vertikal: 1.69				




Serie 2:	9.7 ↘	10.3 *	9.3 ↘	10.0 ↙	9.9 ↗
	10.2 *	9.5 ↙	10.4 *	9.6 ↗	8.9 ↘
beste Teiler	149.4 (18.)	174.4 (12.)	195.1 (16.)		
Trefferlage	1.27 mm links, 0.73 mm hoch				
Streuwert	2.12, horizontal: 2.26, vertikal: 1.97				




Serie 3:	8.6 ↘	10.3 *	10.5 *	10.2 *	10.5 *
	9.1 ↘	9.8 ↗	9.1 ↘	10.6 *	9.9 ↘
beste Teiler	84.0 (29.)	107.8 (23.)	116.2 (25.)		
Trefferlage	0.54 mm links, 1.27 mm hoch				
Streuwert	2.18, horizontal: 2.27, vertikal: 2.08				



Serie 4:	9.7 ↗	9.7 ↖	10.7 *	10.5 *	9.8 ↙
	9.5 ↘	9.9 ↘	9.5 ↘	10.6 *	9.8 ↗
beste Teiler	73.6 (33.)	99.7 (39.)	115.1 (34.)		
Trefferlage	0.11 mm links, 0.46 mm hoch				
Streuwert	1.98, horizontal: 2.17, vertikal: 1.76				



Serie 5:	10.1 ↙	9.9 ↙	9.2 ↙	9.2 ↘	9.8 ↘
	9.9 ↑	9.1 ↗	9.4 ↘	9.8 ↘	10.0 ↑
beste Teiler	222.7 (41.)	248.8 (50.)	267.4 (46.)		
Trefferlage	0.88 mm links, 0.60 mm hoch				
Streuwert	2.42, horizontal: 2.32, vertikal: 2.52				



Serie 6:	10.3 *	10.7 *	10.3 *	8.9 ↗	9.8 ↘
	9.0 ↗	9.2 ↘	10.7 *	10.5 *	9.4 ↑
beste Teiler	67.5 (58.)	74.3 (52.)	114.2 (59.)		
Trefferlage	0.64 mm rechts, 0.67 mm hoch				
Streuwert	2.27, horizontal: 2.01, vertikal: 2.51				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 128

**Oberhofer,, Robert\_jun.** #70406024

**StartNr: 24**

17. März 2019 10:50



SG\_Bruckhäusl / SG Bruckhäusl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **629.5** (598)  
 Serien: 105.7 105.8 105.9 103.6 104.2 104.3  
 Zähler: 58 2 0 0 0 0 0 0 0  
 Innenzehner: 56  
 weiteste: 361 (41), 281 (37), 249 (43)  
 beste Teiler 6.0 (28.) 33.1 (45.) 36.3 (2.)  
 Trefferlage 0.04 mm links, 0.10 mm hoch  
 Streuwert 0.95, horizontal: 1.00, vertikal: 0.89




Serie 1:  
 10.6 \* 10.8 \* 10.3 \* 10.8 \* 10.4 \*  
 10.3 \* 10.8 \* 10.8 \* 10.7 \* 10.2 \*  
 beste Teiler 36.3 (2.) 42.5 (7.) 43.8 (8.)  
 Trefferlage 0.01 mm links, 0.22 mm tief  
 Streuwert 0.81, horizontal: 0.75, vertikal: 0.87




Serie 2:  
 10.7 \* 10.6 \* 10.5 \* 10.7 \* 10.2 \*  
 10.5 \* 10.7 \* 10.7 \* 10.5 \* 10.7 \*  
 beste Teiler 53.0 (20.) 65.4 (14.) 67.9 (18.)  
 Trefferlage 0.11 mm rechts, 0.42 mm hoch  
 Streuwert 0.69, horizontal: 0.77, vertikal: 0.59




Serie 3:  
 10.6 \* 10.4 \* 10.6 \* 10.6 \* 10.8 \*  
 10.4 \* 10.7 \* 10.9 \* 10.7 \* 10.2 \*  
 beste Teiler 6.0 (28.) 42.0 (25.) 63.0 (29.)  
 Trefferlage 0.12 mm rechts, 0.25 mm hoch  
 Streuwert 0.76, horizontal: 0.69, vertikal: 0.82



Serie 4:  
 10.2 \* 10.7 \* 10.4 \* 10.7 \* 10.8 \*  
 10.0 → 9.8 ← 10.3 \* 10.4 \* 10.3 \*  
 beste Teiler 40.3 (35.) 70.1 (34.) 74.0 (32.)  
 Trefferlage 0.28 mm links, 0.33 mm tief  
 Streuwert 1.21, horizontal: 1.36, vertikal: 1.03



Serie 5:  
 9.5 ← 10.5 \* 10.0 ↘ 10.6 \* 10.8 \*  
 10.5 \* 10.6 \* 10.7 \* 10.6 \* 10.4 \*  
 beste Teiler 33.1 (45.) 55.3 (48.) 90.4 (49.)  
 Trefferlage 0.16 mm links, 0.00 mm  
 Streuwert 1.20, horizontal: 1.49, vertikal: 0.82



Serie 6:  
 10.2 \* 10.4 \* 10.4 \* 10.5 \* 10.3 \*  
 10.4 \* 10.5 \* 10.5 \* 10.4 \* 10.7 \*  
 beste Teiler 61.6 (60.) 107.9 (58.) 110.8 (57.)  
 Trefferlage 0.01 mm links, 0.50 mm hoch  
 Streuwert 0.93, horizontal: 0.85, vertikal: 1.00

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 129

**Höllwarth,, Michael** #70802021

**StartNr: 25**

17. März 2019 11:06



SG\_Aschau

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>546.7</b>	(524)
Serien:	91.4 92.1 90.1 91.5 91.2 90.4	
Zähler:	15 24 13 6 2 0 0 0 0 0	
Innenzehner:	5	
weiteste:	1163 (51), 1044 (40), 927 (22)	
beste Teiler	84.0 (31.) 134.7 (19.) 148.9 (6.)	
Trefferlage	1.63 mm links, 1.13 mm hoch	
Streuwert	3.42, horizontal: 3.53, vertikal: 3.31	




Serie 1:	9.1 ↖	10.0 →	8.1 →	9.9 ↙	10.0 ↘
	10.4 *	7.8 ↙	8.2 ↓	7.7 ↖	10.2 *
beste Teiler	148.9 (6.)	187.0 (10.)	231.1 (2.)		
Trefferlage	1.02 mm links, 0.94 mm hoch				
Streuwert	3.76, horizontal: 3.84, vertikal: 3.67				




Serie 2:	9.9 ↙	8.0 ↙	9.2 ↙	8.9 ←	9.1 ↙
	9.2 ←	8.8 ↙	9.5 ↑	10.4 *	9.1 ↗
beste Teiler	134.7 (19.)	269.7 (11.)	362.3 (18.)		
Trefferlage	2.44 mm links, 0.00 mm				
Streuwert	2.91, horizontal: 3.05, vertikal: 2.77				




Serie 3:	9.3 →	7.2 ↙	10.1 ↙	8.4 ↑	9.1 ↘
	9.8 ↘	9.8 ↘	9.0 ↑	7.4 →	10.0 ↘
beste Teiler	206.4 (23.)	248.2 (30.)	279.2 (26.)		
Trefferlage	0.40 mm links, 1.06 mm hoch				
Streuwert	3.98, horizontal: 4.60, vertikal: 3.25				



Serie 4:	10.6 *	9.6 ↑	8.6 ↑	9.9 ↙	9.6 ↘
	9.2 ←	9.6 ↑	10.1 ←	7.5 ↘	6.8 ←
beste Teiler	84.0 (31.)	208.9 (38.)	274.8 (34.)		
Trefferlage	2.69 mm links, 2.61 mm hoch				
Streuwert	2.79, horizontal: 2.98, vertikal: 2.59				



Serie 5:	10.0 ↙	9.1 ↘	9.7 ↑	8.3 ↙	9.4 ↘
	7.9 ↑	10.0 ↗	8.2 ↘	8.5 ↙	10.1 ↘
beste Teiler	202.3 (50.)	238.2 (47.)	242.7 (41.)		
Trefferlage	0.74 mm links, 1.66 mm hoch				
Streuwert	3.46, horizontal: 3.69, vertikal: 3.22				



Serie 6:	6.3 ↘	8.6 ←	9.0 ↓	8.7 ↘	9.2 ↓
	10.1 ←	9.7 ↙	10.0 ↘	8.6 ↗	10.2 *
beste Teiler	183.4 (60.)	225.4 (56.)	248.7 (58.)		
Trefferlage	2.48 mm links, 0.50 mm hoch				
Streuwert	3.67, horizontal: 2.90, vertikal: 4.31				

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 131

**Danler,, Michael** #70811101

**StartNr: 27**

17. März 2019 11:00

SG\_Schwaz

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **595.4** (573)

Serien: 94.1 99.5 98.1 101.6 101.4 100.7

Zähler: 37 19 4 0 0 0 0 0 0



Innenzehner: 27

weiteste: 697 (4), 564 (5), 546 (3)

beste Teiler 24.8 (32.) 42.3 (47.) 59.0 (29.)


Trefferlage 0.05 mm links, 0.10 mm hoch

Streuwert 2.14, horizontal: 2.65, vertikal: 1.46




Serie 1:

9.1 ↘	9.3 ↙	8.8 ←	8.2 ←	8.7 →
10.2 *	10.0 ↖	9.4 ←	10.0 ←	10.4 *
beste Teiler	139.9 (10.)	197.0 (6.)	231.8 (9.)	
Trefferlage	1.51 mm links, 0.59 mm tief			
Streuwert	2.93, horizontal: 3.86, vertikal: 1.52			




Serie 2:

9.2 ↙	9.6 ←	10.6 *	10.7 *	10.3 *
10.2 *	10.6 *	9.1 ↘	10.3 *	8.9 →
beste Teiler	72.6 (14.)	86.3 (13.)	97.6 (17.)	
Trefferlage	0.06 mm links, 0.04 mm tief			
Streuwert	2.24, horizontal: 2.87, vertikal: 1.33			




Serie 3:

10.3 *	10.0 ↙	9.5 ↖	10.6 *	9.4 ↗
10.0 ↗	9.1 →	9.4 ↘	10.7 *	9.1 →
beste Teiler	59.0 (29.)	94.6 (24.)	160.9 (21.)	
Trefferlage	1.28 mm rechts, 0.09 mm tief			
Streuwert	2.16, horizontal: 2.51, vertikal: 1.73			




Serie 4:

9.7 ↙	10.9 *	10.0 ↗	10.3 *	10.3 *
10.0 ←	9.2 ↘	10.4 *	10.3 *	10.5 *
beste Teiler	24.8 (32.)	121.1 (40.)	143.2 (38.)	
Trefferlage	0.74 mm links, 0.90 mm hoch			
Streuwert	1.47, horizontal: 1.57, vertikal: 1.35			



Serie 5:

9.0 →	9.7 ←	10.2 *	10.5 *	10.7 *
9.7 ↙	10.8 *	10.0 ↑	10.7 *	10.1 →
beste Teiler	42.3 (47.)	61.1 (49.)	68.0 (45.)	
Trefferlage	0.13 mm rechts, 0.68 mm hoch			
Streuwert	1.72, horizontal: 2.25, vertikal: 0.93			



Serie 6:

10.3 *	10.3 *	9.9 ↑	10.3 *	10.4 *
9.9 ↙	9.0 →	10.0 ↘	10.1 ↙	10.5 *
beste Teiler	102.1 (60.)	133.4 (55.)	157.8 (51.)	
Trefferlage	0.58 mm rechts, 0.20 mm tief			
Streuwert	1.75, horizontal: 1.96, vertikal: 1.52			

**LG 60 ZR – Wertung – Männer**

StandNr: 132

**Kostenzer,, Alexander** #70415010

**StartNr: 28**

17. März 2019 11:14

SG\_Münster

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **601.8** (575)

Serien: 99.0 100.0 99.2 98.7 101.5 103.4

Zähler: 36 23 1 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 508 (40), 438 (22), 435 (8)

beste Teiler 48.6 (44.) 54.8 (23.) 67.1 (60.)

Trefferlage 0.86 mm links, 0.29 mm hoch

Streuwert 1.69, horizontal: 2.05, vertikal: 1.24




Serie 1:

10.4 *	9.5 ↑	10.1 ←	9.6 ←	9.9 ↘
10.0 ↘	10.1 →	9.2 →	10.2 *	10.0 →

beste Teiler 131.9 (1.) 181.6 (9.) 201.1 (7.)

Trefferlage 0.32 mm rechts, 1.12 mm hoch

Streuwert 1.86, horizontal: 2.43, vertikal: 0.99




Serie 2:

10.0 ←	10.6 *	10.4 *	9.4 ↖	10.4 *
9.2 ←	9.8 ↙	9.8 ↘	10.2 *	10.2 *

beste Teiler 97.4 (12.) 134.8 (15.) 143.5 (13.)

Trefferlage 1.50 mm links, 0.68 mm hoch

Streuwert 1.50, horizontal: 1.68, vertikal: 1.29




Serie 3:

10.0 ↘	9.2 ←	10.7 *	9.4 →	10.3 *
10.3 *	9.9 ↙	10.3 *	9.3 ↖	9.8 ←

beste Teiler 54.8 (23.) 156.1 (25.) 170.4 (26.)

Trefferlage 1.02 mm links, 0.00 mm

Streuwert 1.99, horizontal: 2.65, vertikal: 0.93




Serie 4:

10.2 *	9.9 ←	10.5 *	9.9 ↘	10.0 ↘
9.8 ↖	10.3 *	9.8 ↘	9.4 ↘	8.9 ↖

beste Teiler 111.0 (33.) 158.5 (37.) 177.9 (31.)

Trefferlage 0.88 mm links, 0.26 mm hoch

Streuwert 2.06, horizontal: 2.42, vertikal: 1.61




Serie 5:

9.9 ↙	9.8 ↖	10.2 *	10.8 *	10.7 *
10.0 ←	10.0 ←	10.3 *	10.3 *	9.5 ↙

beste Teiler 48.6 (44.) 69.3 (45.) 168.4 (48.)

Trefferlage 1.26 mm links, 0.43 mm tief

Streuwert 1.31, horizontal: 1.52, vertikal: 1.08



Serie 6:

10.3 *	10.7 *	10.4 *	10.3 *	10.3 *
9.8 ←	9.9 ↙	10.6 *	10.4 *	10.7 *

beste Teiler 67.1 (60.) 68.4 (52.) 100.6 (58.)

Trefferlage 0.82 mm links, 0.11 mm hoch

Streuwert 1.10, horizontal: 1.16, vertikal: 1.03

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 133

**Ziegler,, Raimund** #70203041

**StartNr: 29**

17. März 2019 10:42



SG\_ASG-Ibk

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>617.2</b>	(586)							
Serien:	103.6	101.2	103.8	102.0	103.2	103.4			
Zähler:	46	14	0	0	0	0	0	0	0
Innenzehner:	42								
weiteste:	436 (16), 338 (23), 306 (31)								
beste Teiler	8.5 (7.) 12.2 (56.) 26.0 (60.)								
Trefferlage	0.13 mm rechts, 0.58 mm hoch								
Streuwert	1.29, horizontal: 1.35, vertikal: 1.22								




Serie 1:					
	10.5 *	10.2 *	9.9 ↘	10.3 *	10.5 *
	10.8 *	10.9 *	10.7 *	9.9 ↗	9.9 ↗
beste Teiler	8.5 (7.) 43.5 (6.) 68.6 (8.)				
Trefferlage	0.25 mm rechts, 0.36 mm hoch				
Streuwert	1.25, horizontal: 1.56, vertikal: 0.83				




Serie 2:					
	9.7 ↗	10.5 *	10.3 *	10.2 *	10.4 *
	9.2 ↗	9.9 ↗	10.7 *	9.8 ↘	10.5 *
beste Teiler	65.0 (18.) 103.3 (12.) 116.7 (20.)				
Trefferlage	0.81 mm rechts, 0.81 mm hoch				
Streuwert	1.54, horizontal: 1.86, vertikal: 1.12				




Serie 3:					
	10.6 *	10.3 *	9.6 ↙	10.8 *	10.6 *
	10.5 *	10.3 *	10.6 *	9.9 ↗	10.6 *
beste Teiler	44.0 (24.) 76.0 (25.) 77.0 (30.)				
Trefferlage	0.22 mm rechts, 0.21 mm hoch				
Streuwert	1.24, horizontal: 1.20, vertikal: 1.29				



Serie 4:					
	9.7 ↑	10.5 *	10.2 *	10.2 *	10.5 *
	10.0 ↘	10.2 *	10.2 *	10.4 *	10.1 ↑
beste Teiler	108.7 (35.) 120.1 (32.) 149.8 (39.)				
Trefferlage	0.56 mm rechts, 0.72 mm hoch				
Streuwert	1.30, horizontal: 0.74, vertikal: 1.68				



Serie 5:					
	10.5 *	9.8 ↘	10.5 *	10.2 *	9.8 ↑
	10.5 *	10.1 ↘	10.6 *	10.7 *	10.5 *
beste Teiler	63.0 (49.) 86.7 (48.) 104.4 (43.)				
Trefferlage	0.38 mm links, 1.18 mm hoch				
Streuwert	0.96, horizontal: 0.90, vertikal: 1.02				



Serie 6:					
	10.6 *	10.2 *	9.8 ↙	10.4 *	10.5 *
	10.9 *	9.7 ↘	10.1 ↙	10.4 *	10.8 *
beste Teiler	12.2 (56.) 26.0 (60.) 84.7 (51.)				
Trefferlage	0.64 mm links, 0.23 mm hoch				
Streuwert	1.24, horizontal: 1.27, vertikal: 1.22				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 134

**Kostenzer,, Thomas** #70415053

**StartNr: 30**

17. März 2019 10:58

SG\_Münster / SG Münster 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **594.0** (568)

Serien: 97.4 99.4 100.4 100.2 98.4 98.2

Zähler: 32 24 4 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 628 (40), 603 (51), 596 (27)

beste Teiler 57.0 (30.) 65.7 (11.) 68.4 (4.)

Trefferlage 0.29 mm rechts, 0.42 mm hoch

Streuwert 2.10, horizontal: 2.23, vertikal: 1.96




Serie 1:

9.5 ↑	8.6 ↑	9.2 ←	10.7 *	10.3 *
10.1 ↘	9.5 →	9.6 ↓	10.2 *	9.7 ↑

beste Teiler 68.4 (4.) 170.6 (5.) 178.4 (9.)

Trefferlage 0.23 mm links, 1.06 mm hoch

Streuwert 2.38, horizontal: 2.06, vertikal: 2.67




Serie 2:

10.7 *	9.7 →	9.6 ↘	9.8 ↑	9.8 ↑
10.5 *	9.9 ↓	9.6 ←	10.1 ↑	9.7 ↙

beste Teiler 65.7 (11.) 108.2 (16.) 205.0 (19.)

Trefferlage 0.35 mm links, 0.58 mm hoch

Streuwert 1.93, horizontal: 1.88, vertikal: 1.98




Serie 3:

10.5 *	10.0 ↘	10.2 *	10.6 *	9.8 ↓
10.3 *	8.6 ←	10.3 *	9.4 →	10.7 *

beste Teiler 57.0 (30.) 86.3 (24.) 102.9 (21.)

Trefferlage 0.00 mm , 0.68 mm hoch

Streuwert 1.98, horizontal: 2.49, vertikal: 1.28




Serie 4:

10.6 *	10.1 ↘	10.5 *	10.1 →	10.6 *
10.0 ↘	10.1 ←	10.4 *	9.4 ↘	8.4 ↘

beste Teiler 84.2 (31.) 97.0 (35.) 121.3 (33.)

Trefferlage 0.42 mm links, 1.10 mm hoch

Streuwert 1.90, horizontal: 1.87, vertikal: 1.94




Serie 5:

10.3 *	9.4 ↘	10.5 *	9.6 ↓	9.6 ↑
9.3 →	9.5 ↓	9.3 →	10.4 *	10.5 *

beste Teiler 109.8 (50.) 114.9 (43.) 128.1 (49.)

Trefferlage 1.39 mm rechts, 0.22 mm tief

Streuwert 1.97, horizontal: 2.01, vertikal: 1.94



Serie 6:

8.5 ↘	10.0 ↗	9.1 ↘	10.1 →	9.5 →
10.4 *	10.4 *	10.6 *	10.5 *	9.1 ←

beste Teiler 77.3 (58.) 117.0 (59.) 129.1 (56.)

Trefferlage 1.39 mm rechts, 0.65 mm tief

Streuwert 2.15, horizontal: 2.64, vertikal: 1.51

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 136

**Lamplmayr,, Florian** #70415009

**StartNr: 32**

17. März 2019 10:35

SG\_Münster



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **607.7** (583)  
 Serien: 100.4 102.7 101.5 101.0 99.6 102.5  
 Zähler: 43 17 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 457 (10), 409 (47), 400 (27)  
 beste Teiler 22.2 (40.) 61.5 (57.) 66.2 (52.)  
 Trefferlage 0.14 mm rechts, 0.34 mm hoch  
 Streuwert 1.59, horizontal: 1.62, vertikal: 1.56




Serie 1:  
 10.1 ↗ 10.4 \* 10.5 \* 10.5 \* 9.9 ↑  
 10.1 ↖ 9.7 ↙ 9.7 ↑ 10.4 \* 9.1 ←  
 beste Teiler 118.9 (3.) 125.0 (4.) 136.2 (2.)  
 Trefferlage 0.49 mm links, 0.87 mm hoch  
 Streuwert 1.74, horizontal: 1.96, vertikal: 1.50




Serie 2:  
 10.1 ↑ 10.1 ↙ 10.3 \* 10.2 \* 10.4 \*  
 10.2 \* 9.7 ↙ 10.6 \* 10.7 \* 10.4 \*  
 beste Teiler 68.4 (19.) 91.9 (18.) 130.1 (20.)  
 Trefferlage 0.63 mm links, 0.11 mm hoch  
 Streuwert 1.28, horizontal: 1.07, vertikal: 1.46




Serie 3:  
 10.2 \* 10.0 ↖ 10.4 \* 10.5 \* 10.0 ↑  
 10.4 \* 9.4 ↑ 10.6 \* 10.1 → 9.9 →  
 beste Teiler 79.3 (28.) 107.0 (24.) 128.3 (23.)  
 Trefferlage 0.16 mm rechts, 0.64 mm hoch  
 Streuwert 1.54, horizontal: 1.48, vertikal: 1.60



Serie 4:  
 9.6 ↘ 9.6 ↗ 10.7 \* 10.3 \* 10.0 ↑  
 10.2 \* 9.8 ↗ 9.8 ↑ 10.1 ↘ 10.9 \*  
 beste Teiler 22.2 (40.) 69.0 (33.) 163.2 (34.)  
 Trefferlage 0.81 mm rechts, 0.78 mm hoch  
 Streuwert 1.53, horizontal: 1.35, vertikal: 1.69



Serie 5:  
 9.6 ↘ 9.5 ↘ 10.7 \* 10.1 ↖ 10.0 →  
 10.2 \* 9.3 → 9.9 → 10.2 \* 10.1 ↑  
 beste Teiler 68.3 (43.) 179.2 (49.) 187.8 (46.)  
 Trefferlage 0.97 mm rechts, 0.48 mm tief  
 Streuwert 1.80, horizontal: 1.98, vertikal: 1.60



Serie 6:  
 9.7 ↑ 10.7 \* 10.3 \* 10.1 ← 10.4 \*  
 10.3 \* 10.7 \* 10.3 \* 9.9 ↘ 10.1 ←  
 beste Teiler 61.5 (57.) 66.2 (52.) 137.7 (55.)  
 Trefferlage 0.03 mm rechts, 0.14 mm hoch  
 Streuwert 1.43, horizontal: 1.37, vertikal: 1.49

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 137

**Fuchs,, Manfred** #70406038

**StartNr: 33**

17. März 2019 10:35

SG\_Bruckhäusl / SG Bruckhäusl 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **613.1** (588)

Serien: 101.3 101.8 101.5 103.9 100.2 104.4

Zähler: 48 12 0 0 0 0 0 0 0



Innenzehner: 40

weiteste: 445 (48), 439 (50), 422 (25)

beste Teiler 16.0 (32.) 33.3 (4.) 42.4 (37.)

Trefferlage 0.71 mm rechts, 0.29 mm tief

Streuwert 1.40, horizontal: 1.62, vertikal: 1.15




Serie 1:

10.1 ↑	10.4 *	9.7 →	10.8 *	9.7 →
10.5 *	9.5 ↘	10.3 *	10.0 →	10.3 *

beste Teiler 33.3 (4.) 120.0 (6.) 136.7 (2.)

Trefferlage 1.00 mm rechts, 0.06 mm tief

Streuwert 1.54, horizontal: 1.57, vertikal: 1.50




Serie 2:

10.1 →	10.0 ↘	10.3 *	9.4 →	10.4 *
10.2 *	10.4 *	10.2 *	10.4 *	10.4 *

beste Teiler 131.6 (20.) 134.2 (19.) 140.9 (15.)

Trefferlage 0.65 mm rechts, 0.03 mm hoch

Streuwert 1.44, horizontal: 1.58, vertikal: 1.28




Serie 3:

10.5 *	10.7 *	10.6 *	10.0 ↘	9.3 ←
10.0 →	9.9 →	10.2 *	10.4 *	9.9 →

beste Teiler 57.3 (22.) 92.0 (23.) 108.0 (21.)

Trefferlage 0.44 mm rechts, 0.51 mm tief

Streuwert 1.61, horizontal: 2.03, vertikal: 1.02




Serie 4:

10.3 *	10.9 *	9.7 ↙	10.3 *	10.7 *
10.7 *	10.8 *	10.3 *	10.2 *	10.0 →

beste Teiler 16.0 (32.) 42.4 (37.) 69.7 (35.)

Trefferlage 0.15 mm rechts, 0.23 mm tief

Streuwert 1.26, horizontal: 1.43, vertikal: 1.05




Serie 5:

10.6 *	9.8 ↓	9.4 →	10.3 *	10.3 *
10.5 *	10.5 *	9.2 →	10.4 *	9.2 →

beste Teiler 100.4 (41.) 121.8 (47.) 125.1 (46.)

Trefferlage 1.46 mm rechts, 0.71 mm tief

Streuwert 1.61, horizontal: 1.91, vertikal: 1.24



Serie 6:

10.6 *	10.2 *	10.5 *	10.0 →	10.8 *
10.7 *	10.8 *	10.2 *	10.4 *	10.2 *

beste Teiler 42.4 (55.) 45.1 (57.) 56.3 (56.)

Trefferlage 0.59 mm rechts, 0.29 mm tief

Streuwert 0.95, horizontal: 1.08, vertikal: 0.81

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 138

**Anrain,, Julian** #70415054

**StartNr: 34**

17. März 2019 11:10



SG\_Münster / SG Münster 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.9** (587)  
 Serien: 102.4 103.0 103.5 101.9 104.0 102.1  
 Zähler: 47 13 0 0 0 0 0 0 0  
 Innenzehner: 41  
 weiteste: 488 (11), 404 (37), 355 (3)  
 beste Teiler 17.0 (18.) 18.0 (45.) 20.8 (49.)  
 Trefferlage 0.02 mm links, 0.20 mm tief  
 Streuwert 1.38, horizontal: 1.55, vertikal: 1.18




Serie 1:  
 10.4 \*                      10.4 \*                      9.5 →                      10.8 \*                      10.5 \*  
 9.6 ←                      10.5 \*                      10.3 \*                      10.6 \*                      9.8 ↘  
 beste Teiler 45.4 (4.) 100.4 (9.) 116.9 (7.)  
 Trefferlage 0.54 mm rechts, 0.25 mm tief  
 Streuwert 1.49, horizontal: 1.82, vertikal: 1.05




Serie 2:  
 9.0 ↘                      10.1 ↑                      10.7 \*                      10.5 \*                      9.8 ↖  
 10.6 \*                      10.2 \*                      10.9 \*                      10.6 \*                      10.6 \*  
 beste Teiler 17.0 (18.) 70.2 (13.) 79.9 (16.)  
 Trefferlage 0.43 mm rechts, 0.18 mm tief  
 Streuwert 1.51, horizontal: 1.40, vertikal: 1.62




Serie 3:  
 9.8 ↘                      10.4 \*                      10.4 \*                      10.4 \*                      10.3 \*  
 10.6 \*                      10.5 \*                      10.5 \*                      10.7 \*                      9.9 ←  
 beste Teiler 71.0 (29.) 76.2 (26.) 120.0 (28.)  
 Trefferlage 0.05 mm rechts, 0.68 mm tief  
 Streuwert 1.14, horizontal: 1.20, vertikal: 1.06



Serie 4:  
 10.0 ←                      10.6 \*                      10.6 \*                      10.4 \*                      10.1 →  
 10.4 \*                      9.3 ←                      10.4 \*                      9.7 ↑                      10.4 \*  
 beste Teiler 80.3 (33.) 83.9 (32.) 126.4 (36.)  
 Trefferlage 0.29 mm links, 0.08 mm tief  
 Streuwert 1.56, horizontal: 1.87, vertikal: 1.17



Serie 5:  
 10.6 \*                      10.2 \*                      10.1 ←                      10.5 \*                      10.9 \*  
 10.5 \*                      10.4 \*                      9.8 ←                      10.9 \*                      10.1 ↘  
 beste Teiler 18.0 (45.) 20.8 (49.) 84.0 (41.)  
 Trefferlage 0.39 mm links, 0.06 mm hoch  
 Streuwert 1.17, horizontal: 1.39, vertikal: 0.91



Serie 6:  
 9.7 ←                      10.2 \*                      10.6 \*                      9.8 ↙                      10.1 ↑  
 10.5 \*                      10.2 \*                      10.4 \*                      10.7 \*                      9.9 ↓  
 beste Teiler 74.2 (59.) 76.0 (53.) 122.2 (56.)  
 Trefferlage 0.46 mm links, 0.10 mm tief  
 Streuwert 1.48, horizontal: 1.62, vertikal: 1.32

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 140

**Patka,, Hannes** #70108315

**StartNr: 36**

17. März 2019 11:16

SG\_Mieming

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik