





Ergebnis: **605.0** (583)  
 Serien: 99.6 100.1 102.1 100.9 101.2 101.1  
 Zähler: 43 17 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 448 (43), 440 (58), 414 (19)  
 beste Teiler 15.6 (59.) 38.4 (49.) 63.2 (25.)  
 Trefferlage 0.35 mm links, 0.11 mm hoch  
 Streuwert 1.68, horizontal: 1.84, vertikal: 1.50




Serie 1:  
 9.9 ↘ 9.3 ↖ 10.4 \* 10.3 \* 9.7 ←  
 9.9 ↘ 10.0 ↑ 9.6 ↓ 10.5 \* 10.0 ↖  
 beste Teiler 122.1 (9.) 139.5 (3.) 158.1 (4.)  
 Trefferlage 0.77 mm links, 0.20 mm tief  
 Streuwert 1.89, horizontal: 1.82, vertikal: 1.96




Serie 2:  
 10.2 \* 10.5 \* 9.6 ↗ 10.1 ↑ 10.1 ↓  
 10.0 ← 10.1 ↓ 10.0 ↓ 9.3 ← 10.2 \*  
 beste Teiler 123.6 (12.) 178.8 (11.) 192.0 (20.)  
 Trefferlage 0.17 mm links, 0.45 mm tief  
 Streuwert 1.82, horizontal: 1.93, vertikal: 1.70




Serie 3:  
 10.5 \* 10.1 ↓ 10.4 \* 9.4 ↖ 10.7 \*  
 10.2 \* 10.1 ↓ 10.0 ↖ 10.2 \* 10.5 \*  
 beste Teiler 63.2 (25.) 103.8 (30.) 119.1 (21.)  
 Trefferlage 0.60 mm links, 0.23 mm hoch  
 Streuwert 1.43, horizontal: 1.45, vertikal: 1.40



Serie 4:  
 10.1 ↑ 9.6 ↙ 10.1 ↖ 9.6 → 10.6 \*  
 10.0 ← 10.1 ↖ 10.4 \* 9.7 → 10.7 \*  
 beste Teiler 71.0 (40.) 91.7 (35.) 150.6 (38.)  
 Trefferlage 0.15 mm links, 0.29 mm hoch  
 Streuwert 1.74, horizontal: 1.93, vertikal: 1.52



Serie 5:  
 10.1 ↓ 10.5 \* 9.2 → 10.1 ↖ 9.7 →  
 9.9 ← 10.1 ← 10.3 \* 10.8 \* 10.5 \*  
 beste Teiler 38.4 (49.) 110.4 (50.) 117.0 (42.)  
 Trefferlage 0.12 mm links, 0.08 mm tief  
 Streuwert 1.75, horizontal: 2.26, vertikal: 0.99



Serie 6:  
 10.0 → 10.6 \* 10.2 \* 10.1 ← 10.3 \*  
 9.8 ← 9.9 ↘ 9.2 ↗ 10.9 \* 10.1 ↑  
 beste Teiler 15.6 (59.) 81.7 (52.) 170.2 (55.)  
 Trefferlage 0.26 mm links, 0.89 mm hoch  
 Streuwert 1.62, horizontal: 1.93, vertikal: 1.23

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 137

**Bauhofer,, Markus #70309007**

**StartNr: 35**

4. März 2018 11:13



SG\_Kössen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **579.2** (552)  
 Serien: 94.7 97.3 94.5 101.3 96.2 95.2  
 Zähler: 23 26 11 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 717 (53), 706 (26), 616 (27)  
 beste Teiler 5.0 (20.) 46.3 (21.) 47.0 (38.)  
 Trefferlage 1.29 mm links, 0.18 mm tief  
 Streuwert 2.44, horizontal: 2.66, vertikal: 2.20




Serie 1:  
 8.7 ← 10.1 ↗ 10.2 \* 9.1 ↘ 9.7 ↙  
 9.7 → 9.3 ↘ 9.9 ← 8.7 ↘ 9.3 ←  
 beste Teiler 184.9 (3.) 215.5 (2.) 261.0 (8.)  
 Trefferlage 2.20 mm links, 0.22 mm hoch  
 Streuwert 2.43, horizontal: 2.80, vertikal: 1.97




Serie 2:  
 9.7 ↗ 9.5 ↑ 9.6 ← 10.2 \* 9.6 ↘  
 9.5 ↗ 10.0 ↘ 9.1 ↗ 9.2 ↑ 10.9 \*  
 beste Teiler 5.0 (20.) 200.2 (14.) 239.4 (17.)  
 Trefferlage 0.41 mm rechts, 1.62 mm hoch  
 Streuwert 2.09, horizontal: 2.38, vertikal: 1.76




Serie 3:  
 10.8 \* 10.0 ↓ 10.7 \* 8.8 ← 8.5 ↙  
 8.1 ↓ 8.5 ← 10.1 ↘ 10.2 \* 8.8 ↙  
 beste Teiler 46.3 (21.) 66.7 (23.) 194.6 (29.)  
 Trefferlage 2.04 mm links, 1.46 mm tief  
 Streuwert 2.73, horizontal: 2.84, vertikal: 2.62



Serie 4:  
 9.8 ↘ 9.9 ↙ 9.3 ← 10.1 ↘ 9.9 ↙  
 10.4 \* 10.6 \* 10.8 \* 10.7 \* 9.8 ↑  
 beste Teiler 47.0 (38.) 61.5 (39.) 93.6 (37.)  
 Trefferlage 0.86 mm links, 0.19 mm tief  
 Streuwert 1.61, horizontal: 1.70, vertikal: 1.51



Serie 5:  
 10.0 ← 8.9 ← 9.8 ↓ 10.1 ↘ 9.2 ↓  
 10.2 \* 10.2 \* 9.5 ← 9.7 ← 8.6 ↘  
 beste Teiler 197.2 (46.) 198.7 (47.) 219.0 (44.)  
 Trefferlage 1.72 mm links, 0.57 mm tief  
 Streuwert 2.32, horizontal: 2.25, vertikal: 2.38



Serie 6:  
 10.1 ↓ 9.4 ↓ 8.1 ← 10.4 \* 9.0 ←  
 10.0 ↗ 8.9 ← 10.6 \* 9.1 ← 9.6 →  
 beste Teiler 92.3 (58.) 133.3 (54.) 219.2 (51.)  
 Trefferlage 1.33 mm links, 0.70 mm tief  
 Streuwert 2.76, horizontal: 3.40, vertikal: 1.92

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 138

**Klaunzer,, Roland** #1000000128

**StartNr: 36**

4. März 2018 11:14



SG\_Matrei

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>591.5</b>	(564)
Serien:	95.3 93.9 99.2 100.6 99.8 102.7	
Zähler:	31 22 7 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	743 (11), 742 (19), 615 (1)	
beste Teiler	18.9 (43.) 47.1 (59.) 62.3 (27.)	
Trefferlage	0.69 mm rechts, 0.26 mm tief	
Streuwert	2.22, horizontal: 2.73, vertikal: 1.54	




Serie 1:	8.5 ↙	10.3 *	9.9 ↖	10.3 *	9.7 ↗
	9.9 ↙	9.7 ↓	8.6 →	9.4 →	9.0 →
beste Teiler	151.2 (4.)	170.0 (2.)	267.0 (3.)		
Trefferlage	0.55 mm rechts, 0.99 mm tief				
Streuwert	2.75, horizontal: 3.53, vertikal: 1.64				




Serie 2:	8.0 ↖	10.5 *	9.5 ↘	10.1 ↖	9.3 →
	10.1 ↓	9.1 →	10.3 *	8.0 ↖	9.0 →
beste Teiler	123.0 (12.)	173.0 (18.)	212.1 (14.)		
Trefferlage	0.10 mm links, 0.39 mm hoch				
Streuwert	3.34, horizontal: 4.42, vertikal: 1.66				




Serie 3:	10.0 ↑	8.7 →	9.9 ↘	10.2 *	10.3 *
	10.7 *	10.7 *	9.9 ↓	10.1 ↓	8.7 →
beste Teiler	62.3 (27.)	70.6 (26.)	175.4 (25.)		
Trefferlage	1.32 mm rechts, 0.22 mm tief				
Streuwert	2.05, horizontal: 2.40, vertikal: 1.62				



Serie 4:	10.3 *	9.8 ↗	9.9 ↗	10.4 *	9.3 ↘
	9.9 ↗	10.5 *	10.3 *	10.4 *	9.8 →
beste Teiler	119.5 (37.)	130.2 (39.)	130.6 (34.)		
Trefferlage	1.67 mm rechts, 0.35 mm hoch				
Streuwert	1.28, horizontal: 0.95, vertikal: 1.55				



Serie 5:	9.7 →	9.6 →	10.9 *	8.8 ↖	10.0 ↙
	10.3 *	10.2 *	9.9 ↑	10.0 ↓	10.4 *
beste Teiler	18.9 (43.)	137.9 (50.)	153.4 (46.)		
Trefferlage	0.16 mm rechts, 0.47 mm tief				
Streuwert	2.01, horizontal: 2.43, vertikal: 1.48				



Serie 6:	10.3 *	10.1 ↓	9.5 ↘	10.5 *	10.4 *
	10.4 *	10.3 *	10.6 *	10.8 *	9.8 →
beste Teiler	47.1 (59.)	87.3 (58.)	109.0 (54.)		
Trefferlage	0.56 mm rechts, 0.66 mm tief				
Streuwert	1.25, horizontal: 1.39, vertikal: 1.09				

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 139

**Pfeifer,, Peter** #1000000129

**StartNr: 37**

4. März 2018 11:06



SG\_Imst

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>599.2</b>	(572)
Serien:	99.0 102.6 99.0 98.0 102.2 98.4	
Zähler:	34 24 2 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	622 (23), 620 (55), 484 (10)	
beste Teiler	20.2 (46.) 41.7 (33.) 49.4 (57.)	
Trefferlage	0.17 mm links, 0.18 mm hoch	
Streuwert	1.99, horizontal: 2.37, vertikal: 1.52	




Serie 1:

9.7 ↘	10.7 *	9.1 ↘	10.3 *	10.0 →
10.4 *	9.8 ↘	10.5 *	9.5 ↙	9.0 →
beste Teiler	70.1 (2.) 101.8 (8.) 141.8 (6.)			
Trefferlage	0.41 mm links, 0.57 mm hoch			
Streuwert	2.14, horizontal: 2.56, vertikal: 1.62			




Serie 2:

10.0 ←	10.6 *	9.8 ↘	9.9 ↑	10.0 →
10.5 *	10.2 *	10.7 *	10.3 *	10.6 *
beste Teiler	56.0 (18.) 78.1 (20.) 81.7 (12.)			
Trefferlage	0.31 mm links, 0.04 mm hoch			
Streuwert	1.39, horizontal: 1.35, vertikal: 1.43			




Serie 3:

10.7 *	9.3 ↘	8.5 →	10.7 *	10.4 *
10.2 *	10.1 ↑	9.1 ←	10.7 *	9.3 ↙
beste Teiler	54.1 (24.) 68.0 (21.) 73.7 (29.)			
Trefferlage	0.19 mm links, 0.39 mm hoch			
Streuwert	2.42, horizontal: 3.18, vertikal: 1.25			




Serie 4:

10.1 ↘	9.5 ←	10.8 *	9.9 ↙	10.2 *
9.6 ↙	9.8 ↘	9.3 ↙	9.5 ↘	9.3 ↘
beste Teiler	41.7 (33.) 176.0 (35.) 204.4 (31.)			
Trefferlage	1.27 mm links, 0.21 mm tief			
Streuwert	2.07, horizontal: 2.01, vertikal: 2.14			



Serie 5:

9.5 ↗	10.1 ↑	10.7 *	10.0 ↘	9.8 →
10.9 *	9.5 →	10.6 *	10.7 *	10.4 *
beste Teiler	20.2 (46.) 59.1 (49.) 71.7 (43.)			
Trefferlage	1.32 mm rechts, 0.33 mm hoch			
Streuwert	1.28, horizontal: 1.33, vertikal: 1.23			



Serie 6:

10.1 ↙	9.7 ↙	10.2 *	9.6 ←	8.5 →
9.4 ←	10.8 *	9.7 ↗	10.0 ↗	10.4 *
beste Teiler	49.4 (57.) 148.7 (60.) 196.2 (53.)			
Trefferlage	0.18 mm links, 0.02 mm tief			
Streuwert	2.33, horizontal: 2.93, vertikal: 1.52			

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 140

**Fuetsch,, Manfred** #1000000130

**StartNr: 38**

4. März 2018 11:15

SG\_Matrei



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **598.9** (572)  
 Serien: 97.1 99.7 101.9 102.8 99.3 98.1  
 Zähler: 34 24 2 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 540 (47), 503 (55), 495 (3)  
 beste Teiler 20.0 (10.) 26.8 (51.) 37.5 (38.)  
 Trefferlage 0.24 mm links, 0.25 mm hoch  
 Streuwert 1.94, horizontal: 2.17, vertikal: 1.67




Serie 1:  
 10.3 \* 10.0 ↗ 9.0 ↘ 10.1 ↗ 9.9 →  
 9.1 ↖ 9.1 ← 9.5 ↖ 9.2 ↖ 10.9 \*  
 beste Teiler 20.0 (10.) 172.5 (1.) 208.1 (4.)  
 Trefferlage 0.67 mm links, 0.75 mm hoch  
 Streuwert 2.48, horizontal: 3.18, vertikal: 1.46




Serie 2:  
 10.0 ↘ 10.7 \* 10.2 \* 9.2 ← 10.6 \*  
 9.6 ← 9.4 ↗ 10.4 \* 9.9 ↗ 9.7 ↖  
 beste Teiler 54.4 (12.) 88.2 (15.) 126.2 (18.)  
 Trefferlage 0.50 mm links, 1.19 mm hoch  
 Streuwert 1.75, horizontal: 2.04, vertikal: 1.41




Serie 3:  
 9.5 ↘ 10.3 \* 10.1 ↑ 10.6 \* 9.9 ↗  
 10.3 \* 10.7 \* 9.8 ↖ 10.2 \* 10.5 \*  
 beste Teiler 67.4 (27.) 89.8 (24.) 111.2 (30.)  
 Trefferlage 0.40 mm rechts, 0.42 mm hoch  
 Streuwert 1.51, horizontal: 1.49, vertikal: 1.53



Serie 4:  
 10.3 \* 10.2 \* 10.1 ↖ 10.4 \* 10.7 \*  
 10.1 ↖ 9.9 ↗ 10.8 \* 10.4 \* 9.9 ↘  
 beste Teiler 37.5 (38.) 62.4 (35.) 127.7 (39.)  
 Trefferlage 0.12 mm rechts, 0.41 mm hoch  
 Streuwert 1.34, horizontal: 1.37, vertikal: 1.31



Serie 5:  
 9.8 → 9.8 ↖ 10.3 \* 10.4 \* 10.1 ↖  
 10.3 \* 8.8 ↘ 9.6 ↓ 10.2 \* 10.0 ←  
 beste Teiler 145.5 (44.) 155.2 (46.) 156.8 (43.)  
 Trefferlage 0.11 mm links, 0.52 mm tief  
 Streuwert 2.04, horizontal: 1.94, vertikal: 2.14



Serie 6:  
 10.8 \* 9.4 ↘ 10.0 ↘ 10.3 \* 8.9 ←  
 9.5 ↘ 10.5 \* 9.8 ↖ 9.3 ↖ 9.6 ←  
 beste Teiler 26.8 (51.) 102.7 (57.) 161.3 (54.)  
 Trefferlage 0.71 mm links, 0.71 mm tief  
 Streuwert 2.24, horizontal: 2.74, vertikal: 1.59

**LG 60 ZR – Wertung – Männer**

StandNr: 141

**Kostenzer,, Alexander** #1000000131

**StartNr: 39**

4. März 2018 11:36



SG\_Münster

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.6** (577)  
 Serien: 98.7 100.5 101.5 99.3 100.9 103.7  
 Zähler: 40 17 3 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 628 (5), 586 (34), 536 (47)  
 beste Teiler 26.2 (59.) 40.0 (22.) 44.7 (23.)  
 Trefferlage 0.51 mm links, 0.23 mm tief  
 Streuwert 1.79, horizontal: 2.05, vertikal: 1.47




Serie 1:  
 10.1 ↑                      10.5 \*                      9.4 ↙                      10.2 \*                      8.4 ←  
 9.8 ←                      9.7 ↘                      10.4 \*                      10.4 \*                      9.8 ↖  
 beste Teiler 120.9 (2.) 139.8 (9.) 140.3 (8.)  
 Trefferlage 0.86 mm links, 0.71 mm tief  
 Streuwert 2.14, horizontal: 2.58, vertikal: 1.59




Serie 2:  
 9.5 →                      10.7 \*                      10.1 ↖                      10.8 \*                      10.4 \*  
 9.7 ↓                      9.3 ←                      10.1 ↑                      10.1 ↓                      9.8 ↗  
 beste Teiler 49.1 (14.) 64.0 (12.) 139.0 (15.)  
 Trefferlage 0.02 mm rechts, 0.23 mm hoch  
 Streuwert 1.91, horizontal: 1.89, vertikal: 1.94




Serie 3:  
 9.9 ↙                      10.8 \*                      10.8 \*                      10.1 ↘                      9.9 ↗  
 10.3 \*                      9.9 ←                      9.5 ←                      10.0 ↖                      10.3 \*  
 beste Teiler 40.0 (22.) 44.7 (23.) 153.3 (30.)  
 Trefferlage 0.49 mm links, 0.14 mm tief  
 Streuwert 1.61, horizontal: 1.83, vertikal: 1.35



Serie 4:  
 10.4 \*                      10.7 \*                      9.8 ↓                      8.6 ↖                      10.8 \*  
 9.4 →                      9.1 ←                      9.9 →                      10.2 \*                      10.4 \*  
 beste Teiler 47.8 (35.) 69.1 (32.) 131.4 (31.)  
 Trefferlage 0.45 mm links, 0.09 mm tief  
 Streuwert 2.30, horizontal: 2.99, vertikal: 1.27



Serie 5:  
 10.2 \*                      10.3 \*                      10.5 \*                      10.3 \*                      10.7 \*  
 10.1 ↑                      8.8 ←                      10.1 ↓                      10.2 \*                      9.7 ↙  
 beste Teiler 75.3 (45.) 115.3 (43.) 167.4 (44.)  
 Trefferlage 0.87 mm links, 0.23 mm tief  
 Streuwert 1.72, horizontal: 1.85, vertikal: 1.58



Serie 6:  
 10.1 ↙                      10.3 \*                      10.1 ↘                      10.6 \*                      10.2 \*  
 10.3 \*                      10.5 \*                      10.2 \*                      10.8 \*                      10.6 \*  
 beste Teiler 26.2 (59.) 83.2 (54.) 94.1 (60.)  
 Trefferlage 0.44 mm links, 0.44 mm tief  
 Streuwert 1.11, horizontal: 1.03, vertikal: 1.19

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 142

**Bauhofer,, Michael** #70309084

**StartNr: 40**

4. März 2018 11:15



SG\_Kössen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **612.2** (584)  
 Serien: 101.9 102.1 101.9 102.0 102.8 101.5  
 Zähler: 44 16 0 0 0 0 0 0 0  
 Innenzehner: 37  
 weiteste: 463 (60), 388 (32), 378 (7)  
 beste Teiler 25.1 (18.) 49.4 (2.) 52.4 (1.)  
 Trefferlage 0.08 mm links, 0.19 mm hoch  
 Streuwert 1.48, horizontal: 1.69, vertikal: 1.23




Serie 1:  
 10.7 \* 10.8 \* 10.2 \* 9.9 ↘ 10.5 \*  
 10.0 ← 9.4 ↘ 10.1 ↑ 9.8 → 10.5 \*  
 beste Teiler 49.4 (2.) 52.4 (1.) 104.6 (10.)  
 Trefferlage 0.13 mm rechts, 0.29 mm hoch  
 Streuwert 1.59, horizontal: 1.91, vertikal: 1.18




Serie 2:  
 10.5 \* 10.5 \* 10.1 ↑ 10.4 \* 9.9 ↓  
 9.9 ← 10.4 \* 10.9 \* 9.9 ↘ 9.6 →  
 beste Teiler 25.1 (18.) 105.0 (12.) 107.0 (11.)  
 Trefferlage 0.18 mm links, 0.18 mm tief  
 Streuwert 1.49, horizontal: 1.56, vertikal: 1.43




Serie 3:  
 10.4 \* 10.3 \* 9.7 ← 9.8 ↘ 9.8 ↗  
 10.6 \* 10.3 \* 10.2 \* 10.5 \* 10.3 \*  
 beste Teiler 86.0 (26.) 110.8 (29.) 139.6 (21.)  
 Trefferlage 0.16 mm links, 0.71 mm hoch  
 Streuwert 1.42, horizontal: 1.67, vertikal: 1.11



Serie 4:  
 10.4 \* 9.4 ↘ 10.6 \* 10.6 \* 10.4 \*  
 10.2 \* 10.4 \* 10.6 \* 9.7 ↘ 9.7 →  
 beste Teiler 77.0 (33.) 77.0 (34.) 88.3 (38.)  
 Trefferlage 0.03 mm rechts, 0.21 mm hoch  
 Streuwert 1.60, horizontal: 1.74, vertikal: 1.44



Serie 5:  
 10.0 ↘ 10.2 \* 10.5 \* 9.8 ↘ 10.4 \*  
 10.0 → 10.7 \* 10.2 \* 10.5 \* 10.5 \*  
 beste Teiler 61.0 (47.) 109.1 (43.) 115.4 (49.)  
 Trefferlage 0.16 mm links, 0.44 mm hoch  
 Streuwert 1.32, horizontal: 1.60, vertikal: 0.95



Serie 6:  
 10.2 \* 10.1 ↙ 10.5 \* 10.2 \* 9.9 ↘  
 10.3 \* 10.6 \* 10.6 \* 10.0 ↙ 9.1 →  
 beste Teiler 88.6 (58.) 90.6 (57.) 115.9 (53.)  
 Trefferlage 0.14 mm links, 0.30 mm tief  
 Streuwert 1.67, horizontal: 2.05, vertikal: 1.18

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 143

**Fuchs,, Manfred** #1000000132

**StartNr: 41**

4. März 2018 11:02



SG\_Bruckhäusl / Bruckhäusl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **609.2** (583)  
 Serien: 100.0 102.9 103.2 101.2 102.3 99.6  
 Zähler: 44 15 1 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 728 (2), 457 (51), 439 (55)  
 beste Teiler 41.3 (3.) 66.3 (13.) 70.1 (48.)  
 Trefferlage 0.01 mm links, 0.00 mm  
 Streuwert 1.63, horizontal: 1.88, vertikal: 1.33




Serie 1:  
 9.9 ↙ 8.0 → 10.8 \* 10.3 \* 10.4 \*  
 9.7 ← 10.7 \* 10.0 → 9.7 ↘ 10.5 \*  
 beste Teiler 41.3 (3.) 72.0 (7.) 102.3 (10.)  
 Trefferlage 0.25 mm rechts, 0.39 mm tief  
 Streuwert 2.22, horizontal: 2.85, vertikal: 1.30




Serie 2:  
 10.0 ↖ 10.3 \* 10.7 \* 10.5 \* 9.9 →  
 10.3 \* 10.5 \* 10.0 ↖ 10.1 ↑ 10.6 \*  
 beste Teiler 66.3 (13.) 90.0 (20.) 102.2 (14.)  
 Trefferlage 0.61 mm links, 0.49 mm hoch  
 Streuwert 1.22, horizontal: 1.47, vertikal: 0.91




Serie 3:  
 10.3 \* 10.1 → 10.2 \* 10.6 \* 10.6 \*  
 10.6 \* 10.1 → 10.3 \* 10.5 \* 9.9 ↗  
 beste Teiler 80.0 (25.) 89.1 (24.) 90.6 (26.)  
 Trefferlage 0.60 mm rechts, 0.04 mm hoch  
 Streuwert 1.20, horizontal: 1.31, vertikal: 1.06



Serie 4:  
 10.1 ↗ 9.9 → 10.6 \* 10.4 \* 10.4 \*  
 10.4 \* 9.4 ↓ 9.9 → 9.9 ↙ 10.2 \*  
 beste Teiler 99.7 (33.) 128.8 (35.) 133.7 (36.)  
 Trefferlage 0.73 mm rechts, 0.61 mm tief  
 Streuwert 1.47, horizontal: 1.41, vertikal: 1.53



Serie 5:  
 10.1 ↖ 10.1 ↓ 10.0 ↗ 10.2 \* 10.3 \*  
 9.9 ↗ 10.4 \* 10.7 \* 10.4 \* 10.2 \*  
 beste Teiler 70.1 (48.) 138.2 (49.) 149.2 (47.)  
 Trefferlage 0.08 mm links, 0.09 mm hoch  
 Streuwert 1.41, horizontal: 1.19, vertikal: 1.61



Serie 6:  
 9.1 ← 9.9 ↗ 9.7 ↗ 10.3 \* 9.2 ←  
 10.3 \* 10.4 \* 9.9 ↙ 10.4 \* 10.4 \*  
 beste Teiler 128.5 (59.) 143.0 (57.) 145.9 (60.)  
 Trefferlage 0.97 mm links, 0.42 mm hoch  
 Streuwert 1.90, horizontal: 2.30, vertikal: 1.38

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 144

**Anrain,, Julian** #1000000133

**StartNr: 42**

4. März 2018 11:36

SG\_Münster / Münster 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>605.1</b>	(578)
Serien:	98.9	101.8 101.5 101.4 101.6 99.9
Zähler:	39	20 1 0 0 0 0 0 0 0
Innenzehner:	30	
weiteste:	536	(2), 471 (55), 403 (45)
beste Teiler	30.0	(28.) 43.6 (47.) 45.4 (54.)
Trefferlage	0.23 mm	rechts, 0.58 mm hoch
Streuwert	1.65,	horizontal: 1.74, vertikal: 1.56




Serie 1:	9.9 →	8.8 ↗	10.1 ↘	9.9 ↗	10.0 ↘
	10.2 *	10.4 *	9.8 ↘	10.1 ↗	9.7 ↗
beste Teiler	133.5	(7.) 179.9 (6.)	201.9 (3.)		
Trefferlage	0.83 mm	rechts, 0.58 mm hoch			
Streuwert	1.96,	horizontal: 1.15, vertikal: 2.51			




Serie 2:	10.4 *	9.7 ↖	10.2 *	10.2 *	10.2 *
	10.2 *	10.1 ↗	10.3 *	10.4 *	10.1 ↗
beste Teiler	140.4	(19.) 149.5 (11.)	161.4 (18.)		
Trefferlage	0.79 mm	rechts, 0.52 mm hoch			
Streuwert	1.31,	horizontal: 1.12, vertikal: 1.48			




Serie 3:	10.4 *	9.4 ↖	10.3 *	10.7 *	10.5 *
	10.0 ↗	9.6 ↗	10.8 *	10.3 *	9.5 ↘
beste Teiler	30.0	(28.) 58.6 (24.)	104.7 (25.)		
Trefferlage	0.01 mm	rechts, 0.32 mm hoch			
Streuwert	1.73,	horizontal: 1.81, vertikal: 1.65			



Serie 4:	9.7 ↖	10.4 *	10.5 *	10.1 →	10.2 *
	10.3 *	9.6 ↗	9.8 ↗	10.5 *	10.3 *
beste Teiler	114.1	(33.) 123.0 (39.)	143.3 (32.)		
Trefferlage	0.81 mm	rechts, 0.66 mm hoch			
Streuwert	1.44,	horizontal: 1.58, vertikal: 1.28			



Serie 5:	9.8 ↗	9.9 ↖	10.1 ↗	10.3 *	9.3 ←
	10.6 *	10.8 *	10.2 *	10.4 *	10.2 *
beste Teiler	43.6	(47.) 77.8 (46.)	150.5 (49.)		
Trefferlage	0.47 mm	links, 0.59 mm hoch			
Streuwert	1.56,	horizontal: 1.79, vertikal: 1.29			



Serie 6:	10.1 →	9.9 ↖	9.8 ↗	10.8 *	9.1 ↖
	9.9 →	10.3 *	9.7 ←	10.5 *	9.8 ↗
beste Teiler	45.4	(54.) 115.5 (59.)	151.7 (57.)		
Trefferlage	0.55 mm	links, 0.84 mm hoch			
Streuwert	1.86,	horizontal: 2.40, vertikal: 1.08			

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 145

**Oberhofer,, Robert\_jun.** #1000000134

**StartNr: 43**

4. März 2018 11:12



SG\_Bruckhäusl / Bruckhäusl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **601.4** (577)  
 Serien: 99.8 101.3 100.4 101.1 101.3 97.5  
 Zähler: 39 19 2 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 563 (58), 548 (47), 492 (53)  
 beste Teiler 71.8 (20.) 85.0 (42.) 85.5 (19.)  
 Trefferlage 0.22 mm links, 0.68 mm hoch  
 Streuwert 1.78, horizontal: 2.07, vertikal: 1.44




Serie 1:  
 9.6 ↗ 10.1 ↘ 10.6 \* 10.1 ↘ 9.4 ←  
 9.5 ↘ 10.3 \* 10.0 ↗ 10.2 \* 10.0 ↘  
 beste Teiler 88.8 (3.) 174.8 (7.) 197.6 (9.)  
 Trefferlage 1.06 mm links, 1.21 mm hoch  
 Streuwert 1.52, horizontal: 1.85, vertikal: 1.10




Serie 2:  
 10.0 ← 10.0 ↗ 9.9 ↗ 10.3 \* 9.6 ↗  
 10.4 \* 9.9 ↘ 9.9 ↗ 10.6 \* 10.7 \*  
 beste Teiler 71.8 (20.) 85.5 (19.) 140.0 (16.)  
 Trefferlage 0.25 mm rechts, 1.38 mm hoch  
 Streuwert 1.26, horizontal: 1.50, vertikal: 0.97




Serie 3:  
 10.0 ↗ 10.4 \* 9.8 ↗ 9.8 → 10.4 \*  
 10.5 \* 9.3 → 10.6 \* 10.4 \* 9.2 ↘  
 beste Teiler 85.5 (28.) 116.1 (26.) 130.0 (25.)  
 Trefferlage 0.08 mm rechts, 0.13 mm tief  
 Streuwert 1.91, horizontal: 2.32, vertikal: 1.37



Serie 4:  
 10.0 ↗ 10.6 \* 9.8 ↗ 9.6 ↗ 10.3 \*  
 10.5 \* 10.3 \* 9.6 ↘ 10.0 ↗ 10.4 \*  
 beste Teiler 90.0 (32.) 124.2 (36.) 131.6 (40.)  
 Trefferlage 0.22 mm rechts, 0.22 mm tief  
 Streuwert 1.68, horizontal: 1.74, vertikal: 1.61



Serie 5:  
 10.2 \* 10.6 \* 10.4 \* 10.4 \* 10.4 \*  
 10.5 \* 8.8 ← 9.6 ↗ 10.3 \* 10.1 ↗  
 beste Teiler 85.0 (42.) 103.7 (46.) 129.0 (45.)  
 Trefferlage 0.25 mm links, 0.31 mm hoch  
 Streuwert 1.79, horizontal: 2.34, vertikal: 0.96



Serie 6:  
 10.3 \* 10.3 \* 9.0 ← 10.3 \* 9.5 ↑  
 9.1 ↗ 10.4 \* 8.7 ↘ 9.8 ↑ 10.1 ↗  
 beste Teiler 141.0 (57.) 153.8 (54.) 170.4 (52.)  
 Trefferlage 0.57 mm links, 1.56 mm hoch  
 Streuwert 2.18, horizontal: 2.65, vertikal: 1.59

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 118

**Holznecht,, Wolfgang** #70209010

**StartNr: 17**

4. März 2018 11:14



SG\_Hötting–Ibk / Hötting 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **619.3** (593)  
 Serien: 104.3 103.5 102.4 101.8 103.8 103.5  
 Zähler: 53 7 0 0 0 0 0 0 0  
 Innenzehner: 48  
 weiteste: 442 (35), 360 (25), 308 (22)  
 beste Teiler 32.3 (9.) 40.3 (4.) 45.0 (14.)  
 Trefferlage 0.16 mm rechts, 0.31 mm tief  
 Streuwert 1.24, horizontal: 1.45, vertikal: 0.98




Serie 1:  
 10.2 \*                      10.2 \*                      10.2 \*                      10.8 \*                      10.7 \*  
 10.5 \*                      10.4 \*                      10.4 \*                      10.8 \*                      10.1 ↙  
 beste Teiler 32.3 (9.) 40.3 (4.) 69.7 (5.)  
 Trefferlage 0.06 mm links, 0.31 mm tief  
 Streuwert 1.05, horizontal: 1.10, vertikal: 0.99




Serie 2:  
 9.8 →                      10.5 \*                      10.4 \*                      10.8 \*                      10.1 ↘  
 10.4 \*                      10.3 \*                      10.2 \*                      10.7 \*                      10.3 \*  
 beste Teiler 45.0 (14.) 64.6 (19.) 116.2 (12.)  
 Trefferlage 0.52 mm rechts, 0.83 mm tief  
 Streuwert 0.99, horizontal: 1.20, vertikal: 0.71




Serie 3:  
 10.3 \*                      9.7 ↗                      10.2 \*                      10.4 \*                      9.5 ↖  
 10.4 \*                      10.5 \*                      10.4 \*                      10.8 \*                      10.2 \*  
 beste Teiler 45.3 (29.) 108.1 (27.) 126.0 (26.)  
 Trefferlage 0.11 mm rechts, 0.36 mm tief  
 Streuwert 1.45, horizontal: 1.69, vertikal: 1.16



Serie 4:  
 10.7 \*                      10.4 \*                      10.5 \*                      10.3 \*                      9.2 ↖  
 10.6 \*                      9.7 →                      10.2 \*                      10.2 \*                      10.0 →  
 beste Teiler 71.4 (31.) 91.2 (36.) 113.1 (33.)  
 Trefferlage 0.35 mm links, 0.41 mm hoch  
 Streuwert 1.60, horizontal: 2.13, vertikal: 0.77



Serie 5:  
 10.8 \*                      10.4 \*                      10.3 \*                      10.6 \*                      10.3 \*  
 10.5 \*                      9.8 →                      10.4 \*                      10.6 \*                      10.1 ↓  
 beste Teiler 47.9 (41.) 90.8 (44.) 91.6 (49.)  
 Trefferlage 0.27 mm rechts, 0.25 mm tief  
 Streuwert 1.15, horizontal: 1.23, vertikal: 1.07



Serie 6:  
 10.4 \*                      10.7 \*                      10.5 \*                      10.3 \*                      10.4 \*  
 10.5 \*                      10.2 \*                      10.6 \*                      9.8 →                      10.1 ↓  
 beste Teiler 54.2 (52.) 89.0 (58.) 108.1 (56.)  
 Trefferlage 0.47 mm rechts, 0.52 mm tief  
 Streuwert 1.08, horizontal: 1.25, vertikal: 0.89

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 119

**Patka,, Hannes** #1000000115

**StartNr: 18**

4. März 2018 11:44



SG\_Mieming / Mieming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **593.8** (566)  
 Serien: 101.0 97.7 99.1 97.8 98.8 99.4  
 Zähler: 29 28 3 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 642 (38), 526 (11), 502 (24)  
 beste Teiler 36.7 (7.) 72.1 (16.) 77.0 (45.)  
 Trefferlage 0.14 mm links, 0.31 mm hoch  
 Streuwert 2.11, horizontal: 2.47, vertikal: 1.67




Serie 1:  
 9.3 ←                      10.5 \*                      10.5 \*                      10.5 \*                      9.4 ←  
 10.3 \*                      10.8 \*                      10.0 ↘                      10.2 \*                      9.5 ←  
 beste Teiler 36.7 (7.) 101.1 (2.) 109.6 (4.)  
 Trefferlage 1.44 mm links, 0.30 mm hoch  
 Streuwert 1.45, horizontal: 1.76, vertikal: 1.06




Serie 2:  
 8.8 ←                      9.2 ↘                      10.5 \*                      9.9 ↑                      9.5 →  
 10.7 \*                      10.2 \*                      9.7 ←                      9.8 ↗                      9.4 →  
 beste Teiler 72.1 (16.) 121.5 (13.) 183.1 (17.)  
 Trefferlage 0.27 mm links, 0.68 mm hoch  
 Streuwert 2.39, horizontal: 3.04, vertikal: 1.48




Serie 3:  
 10.3 \*                      10.6 \*                      10.2 \*                      8.9 ↙                      9.5 ←  
 10.5 \*                      9.8 ↖                      10.4 \*                      9.2 ↖                      9.7 ↗  
 beste Teiler 95.0 (22.) 107.9 (26.) 131.4 (28.)  
 Trefferlage 1.09 mm links, 0.03 mm tief  
 Streuwert 2.02, horizontal: 2.45, vertikal: 1.46



Serie 4:  
 10.6 \*                      10.2 \*                      9.3 ↗                      10.6 \*                      10.6 \*  
 9.9 →                      10.0 ↗                      8.4 →                      9.0 ↗                      9.2 ↑  
 beste Teiler 80.5 (35.) 96.1 (34.) 99.0 (31.)  
 Trefferlage 1.91 mm rechts, 1.09 mm hoch  
 Streuwert 2.00, horizontal: 1.96, vertikal: 2.04



Serie 5:  
 9.1 ↑                      10.5 \*                      10.5 \*                      9.8 ↗                      10.6 \*  
 9.3 →                      9.4 ←                      9.5 ↗                      10.1 ↓                      10.0 →  
 beste Teiler 77.0 (45.) 111.7 (43.) 122.2 (42.)  
 Trefferlage 0.87 mm rechts, 0.18 mm hoch  
 Streuwert 2.11, horizontal: 2.32, vertikal: 1.89



Serie 6:  
 9.6 ↓                      9.8 ↘                      9.8 ↘                      10.1 ↘                      9.9 ↓  
 9.7 ←                      10.1 ↗                      9.8 ↘                      10.2 \*                      10.4 \*  
 beste Teiler 127.6 (60.) 186.8 (59.) 207.5 (54.)  
 Trefferlage 0.83 mm links, 0.31 mm tief  
 Streuwert 1.84, horizontal: 1.75, vertikal: 1.93

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 122

**Insam,, Fabian** #70804040

**StartNr: 20**

4. März 2018 11:44

SG\_Fügenberg / Fügenberg 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>621.8</b>	(594)							
Serien:	103.7	102.4	104.7	104.2	102.9	103.9			
Zähler:	54	6	0	0	0	0	0	0	0
Innenzehner:	49								
weiteste:	318	(19),	313	(20),	305	(51)			
beste Teiler	48.0	(36.)	49.0	(48.)	51.6	(52.)			
Trefferlage	0.01 mm rechts, 0.20 mm tief								
Streuwert	1.14, horizontal: 1.34, vertikal: 0.90								




Serie 1:					
	10.5 *	10.4 *	9.8 ←	10.2 *	10.5 *
	10.5 *	10.6 *	10.4 *	10.3 *	10.5 *
beste Teiler	99.3 (7.) 104.3 (1.) 105.5 (10.)				
Trefferlage	0.74 mm links, 0.19 mm tief				
Streuwert	1.00, horizontal: 1.04, vertikal: 0.96				




Serie 2:					
	10.5 *	10.6 *	10.0 ↓	10.3 *	10.2 *
	10.7 *	10.5 *	10.2 *	9.7 ←	9.7 ←
beste Teiler	65.7 (16.) 90.7 (12.) 108.2 (17.)				
Trefferlage	0.04 mm links, 0.46 mm tief				
Streuwert	1.42, horizontal: 1.72, vertikal: 1.03				




Serie 3:					
	10.7 *	10.4 *	10.4 *	10.4 *	10.6 *
	10.6 *	10.5 *	10.6 *	10.3 *	10.2 *
beste Teiler	69.4 (21.) 80.2 (25.) 86.4 (26.)				
Trefferlage	0.20 mm rechts, 0.33 mm tief				
Streuwert	0.87, horizontal: 0.91, vertikal: 0.83				



Serie 4:					
	10.6 *	10.5 *	10.3 *	10.3 *	10.0 →
	10.8 *	10.2 *	10.4 *	10.5 *	10.6 *
beste Teiler	48.0 (36.) 94.0 (40.) 96.2 (31.)				
Trefferlage	0.25 mm rechts, 0.02 mm tief				
Streuwert	1.08, horizontal: 1.17, vertikal: 0.98				



Serie 5:					
	10.1 ↓	9.9 →	10.3 *	10.4 *	10.6 *
	10.2 *	9.9 ↘	10.8 *	10.0 ↘	10.7 *
beste Teiler	49.0 (48.) 53.3 (50.) 97.5 (45.)				
Trefferlage	0.67 mm rechts, 0.18 mm tief				
Streuwert	1.25, horizontal: 1.41, vertikal: 1.08				



Serie 6:					
	9.7 ←	10.7 *	10.5 *	10.5 *	10.5 *
	10.5 *	10.5 *	10.4 *	10.6 *	10.0 ←
beste Teiler	51.6 (52.) 86.6 (59.) 101.1 (53.)				
Trefferlage	0.24 mm links, 0.03 mm tief				
Streuwert	1.14, horizontal: 1.50, vertikal: 0.59				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 123

**Zott, Georg** #1000000117

**StartNr: 21**

4. März 2018 11:11



SG\_Söller\_Sportschützen / Söll 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>592.4</b>	(568)
Serien:	98.7 99.7 98.0 100.9 98.5 96.6	
Zähler:	31 26 3 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	555 (58), 533 (23), 521 (45)	
beste Teiler	23.0 (42.) 26.0 (36.) 41.4 (32.)	
Trefferlage	0.45 mm links, 0.86 mm hoch	
Streuwert	2.04, horizontal: 2.27, vertikal: 1.78	




Serie 1:					
	9.7 →	10.0 ←	9.2 ↘	10.6 *	10.2 *
	9.1 →	10.1 ↘	9.7 →	9.5 ↑	10.6 *
beste Teiler	78.1 (4.) 98.7 (10.) 199.1 (5.)				
Trefferlage	0.34 mm rechts, 1.47 mm hoch				
Streuwert	1.88, horizontal: 2.49, vertikal: 0.94				




Serie 2:					
	10.0 ↘	9.7 ↘	9.3 ↘	10.6 *	9.6 ↑
	10.0 →	9.9 ↘	9.7 ↘	10.4 *	10.5 *
beste Teiler	80.0 (14.) 112.2 (20.) 129.7 (19.)				
Trefferlage	0.21 mm links, 0.95 mm hoch				
Streuwert	1.85, horizontal: 1.89, vertikal: 1.81				




Serie 3:					
	10.1 ↘	9.9 ↘	8.8 ↑	10.2 *	10.0 ↘
	9.4 →	10.1 ↘	9.3 →	9.7 ↘	10.5 *
beste Teiler	121.2 (30.) 176.1 (24.) 205.7 (27.)				
Trefferlage	0.34 mm rechts, 0.89 mm hoch				
Streuwert	2.21, horizontal: 2.25, vertikal: 2.17				



Serie 4:					
	9.1 →	10.8 *	9.8 ←	10.0 ←	9.4 ↘
	10.8 *	10.3 *	10.0 ↘	10.4 *	10.3 *
beste Teiler	26.0 (36.) 41.4 (32.) 137.7 (39.)				
Trefferlage	0.47 mm links, 0.17 mm hoch				
Streuwert	1.82, horizontal: 2.17, vertikal: 1.39				



Serie 5:					
	9.1 ↘	10.9 *	10.3 *	10.3 *	8.9 ↘
	9.7 ↑	10.6 *	9.2 ↘	10.2 *	9.3 ←
beste Teiler	23.0 (42.) 85.1 (47.) 159.2 (44.)				
Trefferlage	1.74 mm links, 0.74 mm hoch				
Streuwert	1.99, horizontal: 2.10, vertikal: 1.88				



Serie 6:					
	10.0 ↘	9.8 ↘	10.6 *	10.0 ↑	9.0 ←
	10.3 *	9.3 ↑	8.7 ↘	9.3 ↘	9.6 ↗
beste Teiler	100.4 (53.) 162.0 (56.) 227.1 (51.)				
Trefferlage	0.99 mm links, 0.92 mm hoch				
Streuwert	2.41, horizontal: 2.49, vertikal: 2.33				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 124

**Schöler,, Andreas** #1000000118

**StartNr: 22**

4. März 2018 11:10

SG\_Kaltenbach-Ried

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **576.6** (549)

Serien: 93.5 97.4 95.3 96.0 98.2 96.2

Zähler: 22 29 6 2 1 0 0 0 0 0



Innenzehner: 11

weiteste: 1083 (38), 839 (2), 780 (30)

beste Teiler 39.0 (12.) 70.7 (16.) 72.4 (32.)

Trefferlage 0.68 mm links, 1.11 mm hoch

Streuwert 2.59, horizontal: 2.97, vertikal: 2.16



Serie 1:


8.2 ↗ 7.6 ↗ 9.6 ↑ 10.3 \* 9.9 →

8.3 ← 10.5 \* 10.1 ↗ 9.5 ↘ 9.5 ↗

beste Teiler 119.2 (7.) 169.8 (4.) 224.0 (8.)

Trefferlage 0.59 mm rechts, 2.37 mm hoch

Streuwert 2.93, horizontal: 3.18, vertikal: 2.65



Serie 2:


9.7 ↘ 10.8 \* 9.8 ↘ 10.1 ← 8.7 ↘

10.7 \* 8.8 ← 9.6 ↘ 9.6 ↘ 9.6 ↘

beste Teiler 39.0 (12.) 70.7 (16.) 224.0 (14.)

Trefferlage 1.98 mm links, 0.90 mm hoch

Streuwert 1.97, horizontal: 2.41, vertikal: 1.39



Serie 3:


9.9 ← 10.0 ↓ 10.1 ↑ 10.3 \* 9.6 ↘

10.4 \* 9.1 ↘ 9.3 ← 8.8 ↘ 7.8 ←

beste Teiler 126.4 (26.) 169.1 (24.) 212.5 (23.)

Trefferlage 2.64 mm links, 0.59 mm hoch

Streuwert 2.20, horizontal: 2.60, vertikal: 1.72



Serie 4:


10.1 → 10.7 \* 10.4 \* 9.7 ↘ 9.7 ←

9.5 ↗ 10.0 ↘ 6.6 ↘ 10.0 ↗ 9.3 ↗

beste Teiler 72.4 (32.) 142.4 (33.) 209.8 (31.)

Trefferlage 0.60 mm links, 1.44 mm hoch

Streuwert 3.01, horizontal: 3.89, vertikal: 1.74



Serie 5:


9.8 ↑ 10.2 \* 9.6 ← 10.0 ↑ 10.1 ←

10.5 \* 9.4 ↘ 9.6 ↓ 9.2 → 9.8 ↘

beste Teiler 120.7 (46.) 176.3 (42.) 202.5 (45.)

Trefferlage 0.50 mm rechts, 0.33 mm tief

Streuwert 2.17, horizontal: 2.36, vertikal: 1.95



Serie 6:

9.3 ↘ 9.7 ↗ 8.4 ↑ 9.4 ↘ 9.8 ↓

10.1 ↓ 9.5 ↘ 10.3 \* 10.1 ↗ 9.6 ↗

beste Teiler 160.5 (58.) 204.7 (59.) 221.0 (56.)

Trefferlage 0.02 mm rechts, 1.68 mm hoch

Streuwert 2.34, horizontal: 2.05, vertikal: 2.60

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 125

**Kecht,, Nico** #1000000119

**StartNr: 23**

4. März 2018 11:32



SG\_Wörgl / Wörgl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>574.2</b>	(547)
Serien:	96.3 98.0 95.0 93.4 96.6 94.9	
Zähler:	21 26 12 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	811 (32), 726 (23), 667 (49)	
beste Teiler	39.5 (48.) 53.0 (42.) 79.8 (35.)	
Trefferlage	0.63 mm links, 1.18 mm hoch	
Streuwert	2.64, horizontal: 3.30, vertikal: 1.73	




Serie 1:	9.5 ↘	9.1 ↗	9.3 ↗	8.3 →	9.9 ←
	10.0 ↖	10.2 *	10.3 *	9.6 ←	10.1 ↗
beste Teiler	163.0 (8.) 188.9 (7.) 225.8 (10.)				
Trefferlage	1.08 mm rechts, 1.07 mm hoch				
Streuwert	2.46, horizontal: 2.97, vertikal: 1.81				




Serie 2:	9.4 ↖	8.4 ↖	8.8 ↗	10.5 *	10.3 *
	10.6 *	9.8 ↗	10.1 →	9.9 ↗	10.2 *
beste Teiler	99.9 (16.) 122.4 (14.) 160.8 (15.)				
Trefferlage	0.10 mm rechts, 1.14 mm hoch				
Streuwert	2.38, horizontal: 2.96, vertikal: 1.61				




Serie 3:	9.6 ←	9.3 ↖	8.0 →	9.7 →	9.5 ↘
	10.3 *	10.4 *	9.8 ←	8.7 ↗	9.7 ↘
beste Teiler	134.0 (27.) 160.5 (26.) 290.0 (28.)				
Trefferlage	0.26 mm rechts, 0.47 mm hoch				
Streuwert	2.94, horizontal: 3.64, vertikal: 2.01				



Serie 4:	9.0 →	7.7 ←	9.4 ↖	9.5 ↖	10.6 *
	10.6 *	10.3 *	8.5 ↖	9.1 ↖	8.7 ↖
beste Teiler	79.8 (35.) 98.4 (36.) 153.8 (37.)				
Trefferlage	2.14 mm links, 1.34 mm hoch				
Streuwert	2.89, horizontal: 3.61, vertikal: 1.90				



Serie 5:	10.0 →	10.7 *	9.5 ←	8.5 ↗	10.0 ↖
	9.7 ↑	9.4 ←	10.8 *	8.3 ←	9.7 ↖
beste Teiler	39.5 (48.) 53.0 (42.) 235.6 (41.)				
Trefferlage	0.97 mm links, 1.07 mm hoch				
Streuwert	2.57, horizontal: 3.27, vertikal: 1.60				



Serie 6:	9.3 ↖	10.3 *	9.9 ↗	8.6 ↗	9.0 ←
	8.7 ↖	9.6 ↗	10.6 *	10.3 *	8.6 ←
beste Teiler	100.8 (58.) 151.6 (59.) 168.5 (52.)				
Trefferlage	2.15 mm links, 1.96 mm hoch				
Streuwert	2.15, horizontal: 2.65, vertikal: 1.50				

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 126

**Rief, Daniel** #70233026

**StartNr: 24**

4. März 2018 11:26

SG\_Thaur



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>598.7</b>	(570)
Serien:	97.7	102.8 98.4 99.0 99.7 101.1
Zähler:	33	24 3 0 0 0 0 0 0 0
Innenzehner:	24	
weiteste:	590 (22), 543 (37), 526 (23)	
beste Teiler	30.0 (12.)	45.5 (52.) 79.4 (60.)
Trefferlage	0.32 mm rechts, 0.05 mm tief	
Streuwert	1.92, horizontal: 2.11, vertikal: 1.71	




Serie 1:	9.3 ↘	10.1 ↓	10.1 →	9.4 ↘	9.9 ↗
	9.5 →	9.8 ↓	9.7 ↖	10.4 *	9.5 ←
beste Teiler	146.4 (9.) 206.9 (2.) 216.1 (3.)				
Trefferlage	0.36 mm rechts, 0.31 mm tief				
Streuwert	2.27, horizontal: 2.48, vertikal: 2.04				




Serie 2:	9.8 ↗	10.8 *	10.3 *	10.5 *	10.5 *
	9.5 ↘	10.0 ↓	10.4 *	10.4 *	10.6 *
beste Teiler	30.0 (12.) 87.8 (20.) 119.4 (15.)				
Trefferlage	0.67 mm rechts, 0.02 mm hoch				
Streuwert	1.32, horizontal: 1.25, vertikal: 1.39				




Serie 3:	10.6 *	8.6 →	8.8 ←	9.7 ↘	10.0 ↓
	10.4 *	10.3 *	10.2 *	10.2 *	9.6 ↓
beste Teiler	79.6 (21.) 134.1 (26.) 155.5 (27.)				
Trefferlage	0.05 mm rechts, 0.56 mm tief				
Streuwert	2.33, horizontal: 2.83, vertikal: 1.68				



Serie 4:	9.8 →	10.0 →	10.5 *	10.4 *	10.0 ↗
	10.0 →	8.8 →	9.4 ↘	9.9 ↘	10.2 *
beste Teiler	125.6 (33.) 140.7 (34.) 200.1 (40.)				
Trefferlage	1.16 mm rechts, 0.55 mm hoch				
Streuwert	1.92, horizontal: 2.38, vertikal: 1.32				



Serie 5:	10.4 *	10.5 *	9.7 ↘	10.0 ↓	10.2 *
	9.3 ←	9.5 ↓	9.6 ↓	10.6 *	9.9 ↓
beste Teiler	91.0 (49.) 120.8 (42.) 139.9 (41.)				
Trefferlage	0.31 mm links, 0.74 mm tief				
Streuwert	1.92, horizontal: 2.02, vertikal: 1.81				



Serie 6:	9.9 ↓	10.8 *	9.8 ↘	10.0 ↓	10.6 *
	9.7 ↗	9.7 →	10.2 *	9.8 ↗	10.6 *
beste Teiler	45.5 (52.) 79.4 (60.) 98.1 (55.)				
Trefferlage	0.04 mm rechts, 0.72 mm hoch				
Streuwert	1.63, horizontal: 1.44, vertikal: 1.79				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 127

**Vogl,, Andreas** #70225053

**StartNr: 25**

4. März 2018 11:20



SG\_Wattens–Rettenberg / Wattens1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>575.2</b>	(548)
Serien:	94.6 93.8 98.7 97.0 96.6 94.5	
Zähler:	21 27 11 1 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	758 (51), 750 (15), 707 (35)	
beste Teiler	41.1 (57.) 55.1 (1.) 70.1 (22.)	
Trefferlage	0.35 mm rechts, 0.13 mm hoch	
Streuwert	2.77, horizontal: 3.42, vertikal: 1.92	




Serie 1:	10.7 *	8.6 ↙	8.6 ↖	8.5 ↘	10.4 *
	10.4 *	8.9 →	9.4 →	8.9 →	10.2 *
beste Teiler	55.1 (1.)	127.1 (5.)	130.1 (6.)		
Trefferlage	1.12 mm rechts, 0.46 mm tief				
Streuwert	3.08, horizontal: 3.97, vertikal: 1.80				




Serie 2:	10.2 *	10.5 *	9.5 →	9.2 ↖	8.0 ↖
	10.2 *	8.1 →	8.8 ↙	9.4 ↖	9.9 ↑
beste Teiler	106.0 (12.)	188.3 (11.)	197.2 (16.)		
Trefferlage	0.97 mm links, 0.65 mm hoch				
Streuwert	3.18, horizontal: 4.15, vertikal: 1.73				




Serie 3:	10.2 *	10.7 *	9.8 ↘	8.6 →	9.7 ↑
	10.4 *	9.5 →	10.3 *	9.8 ↖	9.7 →
beste Teiler	70.1 (22.)	147.1 (26.)	155.2 (28.)		
Trefferlage	1.68 mm rechts, 0.04 mm hoch				
Streuwert	1.90, horizontal: 2.17, vertikal: 1.60				



Serie 4:	9.7 ↖	10.7 *	9.1 →	10.4 *	8.1 →
	9.7 ↖	9.0 ↙	10.5 *	9.1 →	10.7 *
beste Teiler	74.2 (40.)	74.9 (32.)	107.1 (38.)		
Trefferlage	0.71 mm rechts, 0.07 mm tief				
Streuwert	2.75, horizontal: 3.54, vertikal: 1.61				



Serie 5:	8.5 ↗	9.7 →	9.0 ↙	9.5 ↘	10.2 *
	10.5 *	9.4 ↖	10.1 →	10.2 *	9.5 ↑
beste Teiler	105.1 (46.)	191.6 (49.)	200.1 (45.)		
Trefferlage	0.19 mm rechts, 0.65 mm hoch				
Streuwert	2.56, horizontal: 2.70, vertikal: 2.41				



Serie 6:	7.9 ↖	9.2 ↓	9.6 ↖	9.5 ↖	9.0 ↙
	9.1 →	10.8 *	9.6 ↑	10.5 *	9.3 →
beste Teiler	41.1 (57.)	113.7 (59.)	339.5 (53.)		
Trefferlage	0.64 mm links, 0.01 mm tief				
Streuwert	3.09, horizontal: 3.64, vertikal: 2.42				

**LG 60 ZR – Wertung – Männer**

StandNr: 129

**Wibmer,, Andreas** #1000000121

**StartNr: 27**

4. März 2018 11:23



SG\_Matrei

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>594.1</b>	(569)
Serien:	99.1	102.3 102.4 98.0 93.8 98.5
Zähler:	32	25 3 0 0 0 0 0 0 0
Innenzehner:	22	
weiteste:	721	(50), 634 (36), 531 (43)
beste Teiler	31.7	(10.) 61.0 (29.) 71.4 (19.)
Trefferlage	0.36 mm	links, 0.20 mm hoch
Streuwert	2.07,	horizontal: 2.43, vertikal: 1.64




Serie 1:	10.5 *	9.3 ↖	10.3 *	9.3 ←	10.1 ↓
	9.7 ↘	9.6 ↓	10.0 ↗	9.5 ←	10.8 *
beste Teiler	31.7	(10.) 120.7	(1.) 156.2	(3.)	
Trefferlage	0.49 mm	links, 0.57 mm	tief		
Streuwert	2.07,	horizontal: 2.45,	vertikal: 1.61		




Serie 2:	10.3 *	9.9 ↖	10.2 *	9.8 ↑	10.3 *
	10.6 *	10.2 *	10.2 *	10.7 *	10.1 ↓
beste Teiler	71.4	(19.) 95.9	(16.) 165.5	(11.)	
Trefferlage	0.11 mm	rechts, 0.41 mm	hoch		
Streuwert	1.40,	horizontal: 1.29,	vertikal: 1.50		




Serie 3:	10.3 *	10.4 *	10.4 *	10.3 *	9.5 ↘
	10.1 ↖	10.0 ↓	10.1 ↑	10.7 *	10.6 *
beste Teiler	61.0	(29.) 79.1	(30.) 137.2	(23.)	
Trefferlage	0.29 mm	links, 0.14 mm	hoch		
Streuwert	1.38,	horizontal: 1.42,	vertikal: 1.34		



Serie 4:	10.0 ↖	10.1 ↖	10.4 *	10.2 *	10.5 *
	8.4 →	9.8 ←	10.1 ↓	9.5 ↑	9.0 ←
beste Teiler	121.7	(35.) 139.0	(33.) 180.3	(34.)	
Trefferlage	0.73 mm	links, 0.27 mm	hoch		
Streuwert	2.35,	horizontal: 2.80,	vertikal: 1.80		



Serie 5:	9.5 →	10.1 ↗	8.8 ↘	10.3 *	9.6 ↓
	9.3 ←	9.0 →	9.7 ←	9.4 ←	8.1 ↖
beste Teiler	164.9	(44.) 207.1	(42.) 301.7	(48.)	
Trefferlage	0.02 mm	links, 0.04 mm	tief		
Streuwert	3.12,	horizontal: 3.90,	vertikal: 2.08		



Serie 6:	9.6 ↗	10.4 *	9.9 ↘	10.2 *	9.8 →
	9.9 ↑	9.7 ↖	9.5 ↖	9.9 ←	9.6 ↖
beste Teiler	127.7	(52.) 191.7	(54.) 255.8	(59.)	
Trefferlage	0.76 mm	links, 1.00 mm	hoch		
Streuwert	1.90,	horizontal: 2.30,	vertikal: 1.40		

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 130

**Tipotsch,, Michael** #1000000122

**StartNr: 28**

4. März 2018 11:29

SG\_Mayrhofen

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.8** (570)

Serien: 102.4 100.0 97.8 100.5 98.2 100.9

Zähler: 31 28 1 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 548 (56), 478 (27), 461 (50)

beste Teiler 25.0 (8.) 72.8 (35.) 74.2 (32.)

Trefferlage 0.26 mm links, 0.59 mm hoch

Streuwert 1.83, horizontal: 2.16, vertikal: 1.44




Serie 1:

10.4 *	10.0 ↑	10.4 *	10.3 *	10.5 *
9.8 ↘	9.8 ↑	10.9 *	10.4 *	9.9 ←

beste Teiler 25.0 (8.) 117.8 (5.) 132.4 (1.)

Trefferlage 0.88 mm links, 0.53 mm hoch

Streuwert 1.27, horizontal: 1.08, vertikal: 1.44




Serie 2:

10.2 *	10.5 *	9.6 ↑	10.5 *	9.9 ↑
10.0 ↑	10.2 *	9.9 →	9.7 →	9.5 ←

beste Teiler 102.4 (14.) 110.4 (12.) 182.3 (17.)

Trefferlage 0.15 mm rechts, 0.82 mm hoch

Streuwert 1.74, horizontal: 2.01, vertikal: 1.42




Serie 3:

10.5 *	9.5 ↘	9.4 →	9.5 ↘	9.7 ↘
10.6 *	9.0 ↘	9.9 ↗	9.6 →	10.1 ↘

beste Teiler 93.9 (26.) 102.4 (21.) 221.4 (30.)

Trefferlage 0.20 mm rechts, 0.02 mm tief

Streuwert 2.34, horizontal: 2.81, vertikal: 1.74




Serie 4:

9.8 ↗	10.7 *	9.5 ↗	10.0 ←	10.7 *
10.6 *	9.5 ↙	10.3 *	9.5 ↘	9.9 ↘

beste Teiler 72.8 (35.) 74.2 (32.) 80.0 (36.)

Trefferlage 0.66 mm links, 0.35 mm hoch

Streuwert 1.84, horizontal: 2.00, vertikal: 1.66




Serie 5:

10.2 *	9.4 →	9.8 ↘	9.6 ←	9.6 ↗
10.4 *	10.3 *	9.9 ↘	9.9 ↘	9.1 →

beste Teiler 146.8 (46.) 156.9 (47.) 200.9 (41.)

Trefferlage 0.13 mm rechts, 0.84 mm hoch

Streuwert 2.16, horizontal: 2.80, vertikal: 1.21



Serie 6:

10.3 *	10.0 ←	10.6 *	10.1 ↑	10.4 *
8.8 ←	10.4 *	9.6 ↑	10.6 *	10.1 ↘

beste Teiler 85.3 (53.) 86.6 (59.) 127.8 (55.)

Trefferlage 0.51 mm links, 1.02 mm hoch

Streuwert 1.68, horizontal: 2.07, vertikal: 1.18

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 131

**Lamplmayr,, Florian** #1000000123

**StartNr: 29**

4. März 2018 11:35

SG\_Münster



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **625.3** (596)  
 Serien: 104.2 104.1 105.4 103.3 103.8 104.5  
 Zähler: 56 4 0 0 0 0 0 0 0  
 Innenzehner: 52  
 weiteste: 394 (16), 284 (1), 274 (60)  
 beste Teiler 4.0 (58.) 42.0 (22.) 45.2 (46.)  
 Trefferlage 0.07 mm rechts, 0.01 mm hoch  
 Streuwert 1.06, horizontal: 1.10, vertikal: 1.02




Serie 1:  
 9.8 ↓                      10.6 \*                      10.5 \*                      10.6 \*                      10.7 \*  
 10.3 \*                      10.7 \*                      10.3 \*                      10.3 \*                      10.4 \*  
 beste Teiler 64.0 (5.) 67.0 (7.) 81.2 (4.)  
 Trefferlage 0.33 mm links, 0.06 mm tief  
 Streuwert 1.06, horizontal: 0.86, vertikal: 1.22




Serie 2:  
 10.4 \*                      10.7 \*                      10.7 \*                      10.6 \*                      10.5 \*  
 9.4 →                      10.5 \*                      10.2 \*                      10.6 \*                      10.5 \*  
 beste Teiler 71.2 (13.) 75.1 (12.) 80.6 (14.)  
 Trefferlage 0.09 mm rechts, 0.24 mm hoch  
 Streuwert 1.22, horizontal: 1.56, vertikal: 0.75




Serie 3:  
 10.4 \*                      10.8 \*                      10.4 \*                      10.7 \*                      10.3 \*  
 10.7 \*                      10.6 \*                      10.6 \*                      10.5 \*                      10.4 \*  
 beste Teiler 42.0 (22.) 57.4 (26.) 58.6 (24.)  
 Trefferlage 0.23 mm rechts, 0.18 mm tief  
 Streuwert 0.76, horizontal: 0.75, vertikal: 0.76



Serie 4:  
 10.6 \*                      10.2 \*                      10.3 \*                      10.5 \*                      9.9 ↗  
 10.6 \*                      10.2 \*                      10.6 \*                      10.4 \*                      10.0 ↘  
 beste Teiler 86.3 (36.) 87.1 (31.) 93.7 (38.)  
 Trefferlage 0.33 mm rechts, 0.30 mm hoch  
 Streuwert 1.21, horizontal: 1.25, vertikal: 1.17



Serie 5:  
 10.0 ↖                      10.6 \*                      10.5 \*                      10.3 \*                      10.1 ↓  
 10.8 \*                      10.5 \*                      10.6 \*                      10.1 ↓                      10.3 \*  
 beste Teiler 45.2 (46.) 78.5 (48.) 81.9 (42.)  
 Trefferlage 0.26 mm links, 0.09 mm tief  
 Streuwert 1.17, horizontal: 0.83, vertikal: 1.42



Serie 6:  
 10.5 \*                      10.4 \*                      10.3 \*                      10.6 \*                      10.6 \*  
 10.4 \*                      10.6 \*                      10.9 \*                      10.3 \*                      9.9 →  
 beste Teiler 4.0 (58.) 77.9 (57.) 80.5 (54.)  
 Trefferlage 0.37 mm rechts, 0.12 mm tief  
 Streuwert 1.00, horizontal: 1.20, vertikal: 0.75

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 132

**Höllwarth,, Michael** #1000000124

**StartNr: 30**

4. März 2018 11:31



SG\_Aschau

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>584.2</b>	(555)							
Serien:	98.9	95.2	95.7	97.2	96.9	100.3			
Zähler:	27	22	10	1	0	0	0	0	0
Innenzehner:	22								
weiteste:	784 (46), 706 (20), 646 (27)								
beste Teiler	51.6 (11.) 72.0 (19.) 79.9 (55.)								
Trefferlage	0.47 mm rechts, 0.12 mm hoch								
Streuwert	2.47, horizontal: 2.85, vertikal: 2.03								




Serie 1:	8.9 ↘	9.5 ↓	9.9 ↗	10.0 ↘	10.4 *
	9.6 ↗	10.6 *	10.6 *	9.8 ↘	9.6 ↑
beste Teiler	80.9 (7.) 99.0 (8.) 127.0 (5.)				
Trefferlage	1.06 mm rechts, 0.26 mm tief				
Streuwert	2.01, horizontal: 1.77, vertikal: 2.22				




Serie 2:	10.7 *	8.9 →	9.3 ←	10.3 *	10.2 *
	9.3 ↘	8.7 ←	9.0 →	10.7 *	8.1 ←
beste Teiler	51.6 (11.) 72.0 (19.) 158.2 (14.)				
Trefferlage	0.67 mm links, 0.42 mm tief				
Streuwert	3.03, horizontal: 4.07, vertikal: 1.32				




Serie 3:	10.1 →	10.0 ↑	9.5 ↗	8.7 ↗	10.3 *
	10.5 *	8.4 ↖	9.9 ↗	8.4 →	9.9 ↘
beste Teiler	113.1 (26.) 152.1 (25.) 211.5 (21.)				
Trefferlage	0.85 mm rechts, 0.85 mm hoch				
Streuwert	2.78, horizontal: 3.50, vertikal: 1.81				



Serie 4:	10.5 *	9.5 →	8.5 ↖	10.3 *	9.7 ↑
	10.5 *	8.9 ←	10.0 ↓	9.6 ↓	9.7 ↗
beste Teiler	112.7 (31.) 120.3 (36.) 153.2 (34.)				
Trefferlage	0.01 mm links, 0.27 mm hoch				
Streuwert	2.54, horizontal: 2.89, vertikal: 2.12				



Serie 5:	10.4 *	10.5 *	10.4 *	9.7 ↘	9.3 ↘
	7.8 →	9.8 ↑	10.1 ↘	9.1 ↓	9.8 ↘
beste Teiler	102.5 (42.) 137.6 (41.) 150.4 (43.)				
Trefferlage	1.17 mm rechts, 0.08 mm tief				
Streuwert	2.58, horizontal: 2.66, vertikal: 2.51				



Serie 6:	10.3 *	10.2 *	10.3 *	8.6 ↗	10.6 *
	9.5 ↗	9.7 ↘	10.4 *	10.5 *	10.2 *
beste Teiler	79.9 (55.) 122.5 (59.) 127.3 (58.)				
Trefferlage	0.47 mm rechts, 0.41 mm hoch				
Streuwert	1.98, horizontal: 1.70, vertikal: 2.23				

**LG 60 ZR – Wertung – Männer**

StandNr: 133

**Fuchs,, Andreas** #70406019

**StartNr: 31**

4. März 2018 11:12



SG\_Bruckhäusl

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.9** (580)  
 Serien: 100.9 101.0 101.0 101.8 98.5 100.7  
 Zähler: 42 16 2 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 570 (19), 517 (46), 410 (58)  
 beste Teiler 53.3 (28.) 58.3 (2.) 97.0 (16.)  
 Trefferlage 0.21 mm rechts, 0.12 mm hoch  
 Streuwert 1.72, horizontal: 2.01, vertikal: 1.38




Serie 1:  
 10.5 \* 10.7 \* 9.6 ↘ 9.7 ↙ 10.1 ↖  
 10.3 \* 10.2 \* 10.1 → 9.6 ↗ 10.1 →  
 beste Teiler 58.3 (2.) 105.6 (1.) 169.0 (6.)  
 Trefferlage 0.41 mm rechts, 0.43 mm hoch  
 Streuwert 1.64, horizontal: 1.87, vertikal: 1.37




Serie 2:  
 10.4 \* 10.1 ↙ 10.2 \* 10.2 \* 10.5 \*  
 10.6 \* 10.1 ↘ 9.8 ↘ 8.7 → 10.4 \*  
 beste Teiler 97.0 (16.) 123.4 (15.) 126.8 (11.)  
 Trefferlage 0.58 mm rechts, 0.76 mm tief  
 Streuwert 1.73, horizontal: 2.13, vertikal: 1.19




Serie 3:  
 10.3 \* 9.5 ↙ 9.9 ↗ 10.0 ↗ 10.5 \*  
 10.1 ← 9.7 → 10.7 \* 10.3 \* 10.0 ↗  
 beste Teiler 53.3 (28.) 123.4 (25.) 152.8 (21.)  
 Trefferlage 0.66 mm rechts, 0.18 mm hoch  
 Streuwert 1.63, horizontal: 1.99, vertikal: 1.17



Serie 4:  
 10.3 \* 9.9 ↗ 10.2 \* 10.3 \* 10.2 \*  
 10.4 \* 10.1 ↙ 9.8 ↘ 10.4 \* 10.2 \*  
 beste Teiler 130.0 (39.) 135.2 (36.) 163.1 (34.)  
 Trefferlage 0.09 mm links, 0.59 mm hoch  
 Streuwert 1.41, horizontal: 1.50, vertikal: 1.33



Serie 5:  
 10.5 \* 9.7 ↘ 9.3 → 9.6 ↗ 10.5 \*  
 8.9 → 10.3 \* 9.9 ↗ 9.6 ↙ 10.2 \*  
 beste Teiler 107.2 (45.) 125.2 (41.) 162.4 (47.)  
 Trefferlage 0.60 mm rechts, 0.64 mm hoch  
 Streuwert 2.16, horizontal: 2.71, vertikal: 1.42



Serie 6:  
 10.0 ↘ 10.5 \* 10.1 ↙ 10.0 ↘ 9.7 ↙  
 10.3 \* 10.3 \* 9.3 ↙ 10.2 \* 10.3 \*  
 beste Teiler 115.5 (52.) 151.3 (57.) 156.8 (56.)  
 Trefferlage 0.90 mm links, 0.31 mm tief  
 Streuwert 1.59, horizontal: 1.68, vertikal: 1.50

Meyton Elektronik

**LG 60 ZR** – Wertung – **Männer**

StandNr: 134

**Moser, Manuel** #1000000125

**StartNr: 32**

4. März 2018 11:26

SG\_Münster

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **617.2** (592)

Serien: 102.5 104.2 102.5 102.3 103.3 102.4

Zähler: 52 8 0 0 0 0 0 0 0



Innenzehner: 42

weiteste: 359 (25), 349 (59), 343 (1)

beste Teiler 13.1 (2.) 49.4 (30.) 57.7 (34.)

Trefferlage 0.31 mm links, 0.03 mm tief

Streuwert 1.31, horizontal: 1.29, vertikal: 1.33




Serie 1:

9.6 ↘	10.9 *	10.3 *	10.2 *	9.9 ↙
10.7 *	10.4 *	10.3 *	10.2 *	10.0 ↖

beste Teiler 13.1 (2.) 58.1 (6.) 150.6 (7.)

Trefferlage 0.93 mm links, 0.14 mm hoch

Streuwert 1.31, horizontal: 1.12, vertikal: 1.47




Serie 2:

10.3 *	10.3 *	10.6 *	10.6 *	10.3 *
10.2 *	10.7 *	10.2 *	10.5 *	10.5 *

beste Teiler 64.5 (17.) 82.2 (13.) 98.4 (14.)

Trefferlage 0.13 mm rechts, 0.00 mm

Streuwert 1.05, horizontal: 0.87, vertikal: 1.20




Serie 3:

10.1 ↑	10.5 *	10.5 *	9.8 ↙	9.5 ↘
10.5 *	10.0 ↙	10.2 *	10.6 *	10.8 *

beste Teiler 49.4 (30.) 89.0 (29.) 106.0 (22.)

Trefferlage 0.75 mm links, 0.07 mm hoch

Streuwert 1.33, horizontal: 1.45, vertikal: 1.21




Serie 4:

10.0 ↙	9.7 ↘	10.0 ↓	10.7 *	10.0 ↑
10.7 *	10.2 *	10.7 *	10.0 ↘	10.3 *

beste Teiler 57.7 (34.) 59.2 (36.) 61.2 (38.)

Trefferlage 0.29 mm rechts, 0.83 mm tief

Streuwert 1.35, horizontal: 1.11, vertikal: 1.56




Serie 5:

10.2 *	10.5 *	10.2 *	10.6 *	10.7 *
10.3 *	10.3 *	10.1 ↑	10.3 *	10.1 ↘

beste Teiler 66.2 (45.) 82.7 (44.) 102.3 (42.)

Trefferlage 0.25 mm links, 0.19 mm hoch

Streuwert 1.20, horizontal: 1.18, vertikal: 1.21



Serie 6:

10.5 *	9.7 ↑	10.6 *	10.6 *	9.7 →
10.1 ↘	10.4 *	10.6 *	9.6 ↙	10.6 *

beste Teiler 77.2 (54.) 81.5 (53.) 92.9 (60.)

Trefferlage 0.39 mm links, 0.23 mm hoch

Streuwert 1.51, horizontal: 1.69, vertikal: 1.30

**LG 60 ZR** – Wertung – **Männer**

StandNr: 135

**Kostenzer,, Thomas** #1000000126

**StartNr: 33**

4. März 2018 11:38

SG\_Münster / Münster 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik