





Ergebnis:	<b>383</b>	(402.2)
Serien:	95	96 94 98
Zähler:	23	17 0 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	1435	(23), 1402 (16), 1324 (5)
beste Teiler	139.4	(34.) 154.1 (14.) 160.5 (18.)
Trefferlage	0.06 mm	rechts, 0.30 mm hoch
Streuwert	5.80,	horizontal: 6.36, vertikal: 5.19




Serie 1:	10.4 *	10.1 ↗	9.8 ↖	9.4 ↘	9.3 ↘
	9.5 ↙	9.6 →	10.2 ↑	10.5 *	10.2 ↘
beste Teiler	327.8	(9.) 458.5 (1.) 634.5 (10.)			
Trefferlage	2.32 mm	rechts, 0.67 mm tief			
Streuwert	6.54,	horizontal: 6.63, vertikal: 6.45			



Serie 2:	10.4 *	10.7 *	10.3 *	10.8 *	10.3 *
	9.2 ↘	9.4 ↙	10.8 *	9.7 ↙	9.6 ↗
beste Teiler	154.1	(14.) 160.5 (18.) 199.6 (12.)			
Trefferlage	1.85 mm	links, 1.15 mm hoch			
Streuwert	5.83,	horizontal: 6.32, vertikal: 5.30			



Serie 3:	9.8 ↗	9.7 ←	9.2 →	9.9 ←	10.0 ↙
	9.9 ↑	10.4 *	9.9 ↗	10.7 *	10.1 ↙
beste Teiler	228.7	(29.) 416.4 (27.) 680.0 (30.)			
Trefferlage	0.30 mm	rechts, 1.33 mm hoch			
Streuwert	6.23,	horizontal: 7.00, vertikal: 5.34			





Serie 4:	10.4 *	9.8 ←	10.6 *	10.8 *	10.3 ↘
	9.5 →	10.0 ←	10.2 ↓	10.6 *	10.2 ↑
beste Teiler	139.4	(34.) 254.8 (33.) 303.9 (39.)			
Trefferlage	0.51 mm	links, 0.59 mm tief			
Streuwert	4.83,	horizontal: 5.65, vertikal: 3.84			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (361.6)  
 Serien: 81 84 87 91  
 Zähler: 6 16 15 1 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3377 (5), 3287 (6), 3007 (1)  
 beste Teiler 150.0 (40.) 284.9 (29.) 497.6 (9.)  
 Trefferlage 1.59 mm links, 3.34 mm tief  
 Streuwert 11.84, horizontal: 12.13, vertikal: 11.54




Serie 1:  
 7.2 ↙ 9.9 ↗ 9.3 ↘ 9.2 ↖ 6.7 ↖  
 6.8 ← 8.8 ↓ 9.6 ↘ 10.3 \* 8.8 ↓  
 beste Teiler 497.6 (9.) 872.5 (2.) 1104.5 (8.)  
 Trefferlage 6.60 mm links, 2.68 mm tief  
 Streuwert 14.53, horizontal: 14.13, vertikal: 14.92



Serie 2:  
 9.4 ↙ 8.9 ↘ 9.9 ↗ 9.7 ↘ 8.9 ←  
 8.3 ↖ 9.5 ↘ 8.7 ↘ 8.2 ↘ 8.5 ↓  
 beste Teiler 850.5 (13.) 976.2 (14.) 1199.8 (17.)  
 Trefferlage 2.03 mm rechts, 6.90 mm tief  
 Streuwert 11.01, horizontal: 12.78, vertikal: 8.88



Serie 3:  
 8.5 → 8.1 ↓ 9.2 ↘ 8.4 ↙ 9.1 ←  
 9.4 ↓ 9.6 ↙ 8.7 → 10.6 \* 9.1 ↓  
 beste Teiler 284.9 (29.) 1065.7 (27.) 1275.9 (26.)  
 Trefferlage 1.74 mm rechts, 6.73 mm tief  
 Streuwert 10.84, horizontal: 12.23, vertikal: 9.26





Serie 4:  
 9.3 ↓ 8.3 ← 8.3 ↖ 10.1 ← 10.0 ←  
 10.0 ↖ 8.8 ↑ 9.0 ↑ 9.7 → 10.8 \*  
 beste Teiler 150.0 (40.) 673.7 (34.) 752.6 (36.)  
 Trefferlage 3.54 mm links, 2.93 mm hoch  
 Streuwert 9.61, horizontal: 8.08, vertikal: 10.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>380</b>	(398.1)
Serien:	96 96 94 94	
Zähler:	20 20 0 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	1575 (33), 1489 (39), 1360 (3)	
beste Teiler	159.9 (7.) 168.1 (29.) 256.6 (11.)	
Trefferlage	1.54 mm rechts, 1.65 mm tief	
Streuwert	6.06, horizontal: 5.79, vertikal: 6.31	




Serie 1:	10.3 ↘	9.4 ↙	9.3 ↓	9.7 →	9.3 →
	10.1 ↘	10.8 *	10.0 ↘	10.1 ↘	10.4 *
beste Teiler	159.9 (7.)	404.6 (10.)	558.1 (1.)		
Trefferlage	3.54 mm rechts, 3.86 mm tief				
Streuwert	5.47, horizontal: 6.49, vertikal: 4.20				



Serie 2:	10.6 *	10.3 *	9.6 →	9.9 ↓	10.5 *
	10.3 *	9.9 ↓	9.9 ↑	10.5 *	10.6 *
beste Teiler	256.6 (11.)	305.3 (20.)	358.9 (15.)		
Trefferlage	1.61 mm rechts, 0.50 mm tief				
Streuwert	4.64, horizontal: 3.68, vertikal: 5.44				





Serie 3:	9.5 ↗	10.4 *	9.7 →	10.3 ↘	9.7 ↖
	9.5 ↙	9.7 ↓	10.0 ↑	10.7 *	9.9 →
beste Teiler	168.1 (29.)	417.7 (22.)	556.4 (24.)		
Trefferlage	1.47 mm rechts, 0.18 mm hoch				
Streuwert	6.30, horizontal: 6.64, vertikal: 5.95				




Serie 4:	9.6 ↙	9.9 →	9.0 ↓	10.0 ↙	9.7 ↓
	9.4 ↖	10.3 *	10.2 ↙	9.1 ↗	10.0 ↓
beste Teiler	487.4 (37.)	608.6 (38.)	740.4 (34.)		
Trefferlage	0.46 mm links, 2.45 mm tief				
Streuwert	7.59, horizontal: 6.04, vertikal: 8.88				

Unterschrift des Schützen


Ergebnis: **380** (397.9)  
 Serien: 97 97 93 93  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1865 (38), 1584 (16), 1384 (27)  
 beste Teiler 109.6 (39.) 320.0 (25.) 362.9 (36.)  
 Trefferlage 0.34 mm rechts, 1.97 mm tief  
 Streuwert 6.12, horizontal: 6.28, vertikal: 5.97




Serie 1:  
 10.3 \*                      10.3 ↙                      10.4 \*                      10.1 ↙                      10.1 ↖  
 9.9 ↓                      10.3 ↗                      9.3 ↘                      9.4 ↘                      10.5 \*  
 beste Teiler 374.3 (10.) 441.9 (3.) 500.5 (1.)  
 Trefferlage 1.40 mm rechts, 2.90 mm tief  
 Streuwert 5.28, horizontal: 6.12, vertikal: 4.27



Serie 2:  
 10.2 ↓                      10.3 \*                      10.2 ↓                      10.1 ↙                      10.3 ↘  
 9.0 ↘                      9.7 ↘                      10.2 ↖                      10.2 ↓                      9.8 ↗  
 beste Teiler 508.1 (12.) 556.0 (15.) 564.3 (18.)  
 Trefferlage 1.34 mm rechts, 4.25 mm tief  
 Streuwert 5.21, horizontal: 5.03, vertikal: 5.38



Serie 3:  
 9.5 ↖                      9.9 ↓                      9.7 ↖                      10.3 \*                      10.6 \*  
 9.8 ↖                      9.2 ↖                      9.6 ↘                      10.2 ↖                      9.6 ↖  
 beste Teiler 320.0 (25.) 493.2 (24.) 586.2 (29.)  
 Trefferlage 4.12 mm links, 1.34 mm hoch  
 Streuwert 6.12, horizontal: 5.69, vertikal: 6.53



Serie 4:  
 10.0 ↗                      9.7 ↘                      10.5 \*                      9.8 ↓                      9.8 →  
 10.5 \*                      9.7 →                      8.6 ↘                      10.8 \*                      9.5 ↖  
 beste Teiler 109.6 (39.) 362.9 (36.) 366.7 (33.)  
 Trefferlage 2.76 mm rechts, 2.06 mm tief  
 Streuwert 6.71, horizontal: 6.69, vertikal: 6.74

Unterschrift des Schützen

Meyton Elektronik