





Ergebnis:	377	(396.9)
Serien:	95 93 96 93	
Zähler:	19 19 2 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2348 (38), 1770 (31), 1375 (27)	
beste Teiler	212.4 (39.) 218.2 (15.) 272.1 (21.)	
Trefferlage	2.08 mm links, 1.42 mm tief	
Streuwert	6.39, horizontal: 7.57, vertikal: 4.92	




Serie 1:	9.9 ←	10.2 ←	9.8 ↓	10.6 *	9.8 ↓
	10.5 *	9.3 ←	10.0 ↘	10.6 *	9.9 ←
beste Teiler	297.9 (4.)	304.5 (9.)	354.8 (6.)		
Trefferlage	2.10 mm links, 2.66 mm tief				
Streuwert	5.20, horizontal: 6.27, vertikal: 3.84				



Serie 2:	9.8 ↖	9.8 ↖	10.2 ←	9.3 ↘	10.7 *
	9.3 →	10.1 →	9.9 ←	9.9 →	9.5 ↘
beste Teiler	218.2 (15.)	633.6 (13.)	662.2 (17.)		
Trefferlage	1.60 mm rechts, 1.52 mm tief				
Streuwert	6.93, horizontal: 8.28, vertikal: 5.24				



Serie 3:	10.6 *	10.2 ↗	9.9 →	10.1 ←	9.6 ↓
	10.2 ←	9.2 ↓	10.1 ←	9.9 ↖	10.4 *
beste Teiler	272.1 (21.)	421.6 (30.)	565.1 (26.)		
Trefferlage	1.05 mm links, 1.20 mm tief				
Streuwert	5.87, horizontal: 5.62, vertikal: 6.10				





Serie 4:	8.7 ←	10.2 ↑	10.0 ↖	9.9 ↖	9.7 ←
	9.9 ↓	10.4 *	8.0 ←	10.7 *	10.1 ↓
beste Teiler	212.4 (39.)	471.8 (37.)	609.6 (32.)		
Trefferlage	6.77 mm links, 0.30 mm tief				
Streuwert	6.73, horizontal: 8.26, vertikal: 4.72				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	376	(395.4)
Serien:	91 95 97 93	
Zähler:	22 13 4 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2607 (5), 2105 (3), 1832 (28)	
beste Teiler	60.8 (15.) 122.7 (11.) 132.3 (30.)	
Trefferlage	1.87 mm rechts, 0.31 mm hoch	
Streuwert	7.19, horizontal: 8.48, vertikal: 5.61	




Serie 1:

9.5 ↖	9.6 ↘	8.3 ↖	10.4 *	7.7 ↗
9.3 ↗	10.0 →	10.0 ↗	10.3 ↖	9.9 ↑
beste Teiler	413.0 (4.) 552.5 (9.) 750.6 (7.)			
Trefferlage	0.68 mm rechts, 3.39 mm hoch			
Streuwert	9.56, horizontal: 12.47, vertikal: 5.25			




Serie 2:

10.8 *	9.9 ↓	9.0 →	9.7 →	10.9 *
10.6 *	10.3 ↘	8.8 ↓	10.7 *	10.1 ↘
beste Teiler	60.8 (15.) 122.7 (11.) 198.1 (19.)			
Trefferlage	1.34 mm rechts, 2.14 mm tief			
Streuwert	6.39, horizontal: 7.04, vertikal: 5.66			



Serie 3:

10.0 ↘	10.5 *	10.0 ↖	10.5 *	10.4 *
9.7 →	10.2 ↘	8.7 ↘	10.2 ↙	10.8 *
beste Teiler	132.3 (30.) 326.4 (22.) 387.6 (24.)			
Trefferlage	1.90 mm rechts, 0.21 mm hoch			
Streuwert	5.95, horizontal: 7.41, vertikal: 3.99			





Serie 4:

10.6 *	10.4 *	10.3 *	9.6 ↘	9.6 ↑
9.9 →	10.2 ↖	9.9 →	9.3 →	8.8 ↘
beste Teiler	310.5 (31.) 452.6 (32.) 491.0 (33.)			
Trefferlage	3.58 mm rechts, 0.18 mm tief			
Streuwert	6.70, horizontal: 6.83, vertikal: 6.57			


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	387	(403.1)
Serien:	98 97 97 95	
Zähler:	27 13 0 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1379 (13), 1354 (22), 1310 (8)	
beste Teiler	107.8 (16.) 162.1 (14.) 264.6 (40.)	
Trefferlage	1.07 mm links, 1.40 mm tief	
Streuwert	5.41, horizontal: 5.60, vertikal: 5.21	




Serie 1:	10.1 ↓	10.5 *	10.2 ↓	10.5 *	10.0 ↗
	10.1 ↑	9.8 →	9.3 ↖	10.6 *	10.0 ↖
beste Teiler	267.0 (9.) 382.5 (4.) 396.7 (2.)				
Trefferlage	0.61 mm rechts, 1.10 mm hoch				
Streuwert	5.34, horizontal: 5.83, vertikal: 4.79				



Serie 2:	9.4 ↙	10.2 →	9.2 ↓	10.7 *	10.2 ↖
	10.8 *	9.7 →	10.2 ↙	10.2 ↖	10.4 *
beste Teiler	107.8 (16.) 162.1 (14.) 425.7 (20.)				
Trefferlage	0.64 mm links, 1.86 mm tief				
Streuwert	5.66, horizontal: 6.08, vertikal: 5.21				



Serie 3:	10.0 ↙	9.3 ↓	9.7 ↙	10.5 *	10.0 ↙
	10.2 ↓	10.3 *	10.3 ↑	9.8 ↘	10.6 *
beste Teiler	281.8 (30.) 334.3 (24.) 501.5 (27.)				
Trefferlage	1.76 mm links, 2.59 mm tief				
Streuwert	5.23, horizontal: 5.53, vertikal: 4.92				





Serie 4:	10.0 ↗	9.7 ↓	10.0 ↖	9.6 ↓	9.9 ↙
	9.4 ↙	10.6 *	9.9 ↓	10.6 *	10.6 *
beste Teiler	264.6 (40.) 280.9 (37.) 320.9 (39.)				
Trefferlage	2.52 mm links, 2.27 mm tief				
Streuwert	5.57, horizontal: 5.32, vertikal: 5.81				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(392.8)
Serien:	91 94 95 94	
Zähler:	20 14 6 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2299 (6), 2086 (36), 1862 (34)	
beste Teiler	134.1 (15.) 138.7 (38.) 153.3 (23.)	
Trefferlage	0.72 mm links, 1.19 mm tief	
Streuwert	7.61, horizontal: 9.27, vertikal: 5.46	



Serie 1:

10.0 ↑	8.7 ↘	9.5 ↘	10.1 ↑	10.3 ↗
8.1 ←	9.6 ↘	10.5 *	8.8 ↘	9.5 →


beste Teiler 377.9 (8.) 553.9 (5.) 663.1 (4.)
 Trefferlage 3.53 mm rechts, 2.11 mm tief
 Streuwert 9.16, horizontal: 10.29, vertikal: 7.88



Serie 2:

9.7 →	9.3 →	10.2 ↘	10.6 *	10.8 *
9.2 ←	9.3 ←	9.9 ↘	10.4 *	9.7 ↗


beste Teiler 134.1 (15.) 273.7 (14.) 444.0 (19.)
 Trefferlage 2.47 mm links, 0.06 mm hoch
 Streuwert 6.76, horizontal: 9.00, vertikal: 3.24



Serie 3:

9.3 →	9.4 ←	10.8 *	10.5 *	10.3 *
9.9 ↘	10.4 *	10.3 ↘	10.7 *	8.9 ↘

beste Teiler 153.3 (23.) 221.0 (29.) 347.6 (24.)
 Trefferlage 0.25 mm rechts, 0.81 mm tief
 Streuwert 6.53, horizontal: 8.27, vertikal: 4.09





Serie 4:

10.0 ↘	10.6 *	10.1 ↘	8.6 ↗	10.4 *
8.3 ←	10.6 *	10.8 *	9.2 ↘	9.5 ↗

beste Teiler 138.7 (38.) 275.3 (32.) 287.9 (37.)
 Trefferlage 4.22 mm links, 1.91 mm tief
 Streuwert 7.60, horizontal: 8.90, vertikal: 6.03


Unterschrift des Schützen

Ergebnis:	367	(387.8)			
Serien:	90	95	89	93	
Zähler:	17	16	4	3	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	2623 (1), 2473 (29), 2452 (22)				
beste Teiler	259.7 (5.) 271.8 (15.) 328.9 (34.)				
Trefferlage	2.52 mm rechts, 0.08 mm hoch				
Streuwert	8.25, horizontal: 9.85, vertikal: 6.23				




Serie 1:

7.7 ↘	9.7 ↓	9.7 ↙	9.8 →	10.6 *
9.7 →	8.8 →	9.7 ↘	10.5 *	10.1 ↑
beste Teiler	259.7 (5.) 331.6 (9.) 668.2 (10.)			
Trefferlage	4.17 mm rechts, 0.96 mm tief			
Streuwert	8.63, horizontal: 9.94, vertikal: 7.08			




Serie 2:

9.6 ↖	10.1 ↖	9.2 →	9.8 →	10.6 *
9.9 ↘	10.4 *	10.3 ↖	9.8 →	10.1 ↘
beste Teiler	271.8 (15.) 408.4 (17.) 549.3 (18.)			
Trefferlage	2.61 mm rechts, 1.22 mm hoch			
Streuwert	5.90, horizontal: 6.72, vertikal: 4.94			



Serie 3:

9.9 ↖	7.9 ↘	8.8 ↗	10.4 *	10.5 *
9.5 ↖	10.5 *	10.2 ↗	7.9 ←	9.0 →
beste Teiler	329.5 (25.) 338.8 (27.) 418.5 (24.)			
Trefferlage	1.12 mm rechts, 0.68 mm hoch			
Streuwert	10.59, horizontal: 12.98, vertikal: 7.47			





Serie 4:

9.7 →	9.6 ↑	9.9 →	10.5 *	10.3 →
8.1 →	10.1 ←	8.9 ↖	10.0 ↓	10.0 ↓
beste Teiler	328.9 (34.) 555.0 (35.) 705.8 (37.)			
Trefferlage	2.18 mm rechts, 0.61 mm tief			
Streuwert	8.29, horizontal: 10.15, vertikal: 5.87			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(400.7)
Serien:	96	97 95 97
Zähler:	25	15 0 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	1431	(25), 1368 (28), 1274 (21)
beste Teiler	259.9	(23.) 317.0 (12.) 333.1 (15.)
Trefferlage	1.90 mm	links, 0.35 mm hoch
Streuwert	5.66,	horizontal: 6.04, vertikal: 5.26




Serie 1:	9.6 ←	10.1 ↑	10.2 ↖	9.6 →	10.5 *
	10.5 *	9.7 ←	9.9 ↙	10.5 *	10.2 ↓
beste Teiler	333.9	(9.) 345.9 (6.) 367.2 (5.)			
Trefferlage	1.95 mm	links, 0.79 mm tief			
Streuwert	5.39,	horizontal: 6.62, vertikal: 3.78			



Serie 2:	10.3 *	10.6 *	10.0 ←	9.4 ←	10.5 *
	9.5 ↙	10.1 ↑	10.4 *	10.0 ↓	9.6 ↘
beste Teiler	317.0	(12.) 333.1 (15.) 446.8 (18.)			
Trefferlage	3.96 mm	links, 1.98 mm tief			
Streuwert	5.01,	horizontal: 5.14, vertikal: 4.88			





Serie 3:	9.4 ↖	10.5 *	10.6 *	10.1 ↖	9.2 →
	10.3 *	9.6 ↑	9.2 ↘	9.5 ↑	10.3 *
beste Teiler	259.9	(23.) 365.3 (22.) 499.6 (30.)			
Trefferlage	0.13 mm	rechts, 1.92 mm hoch			
Streuwert	7.01,	horizontal: 7.96, vertikal: 5.91			




Serie 4:	10.4 *	10.1 ↓	10.0 ↑	9.7 ↖	10.2 ↗
	10.2 ↖	10.5 *	9.9 ↖	10.0 ←	9.8 ↑
beste Teiler	382.8	(37.) 403.3 (31.) 592.4 (36.)			
Trefferlage	1.84 mm	links, 2.26 mm hoch			
Streuwert	4.86,	horizontal: 3.87, vertikal: 5.69			

Unterschrift des Schützen


Ergebnis:	369	(385.8)
Serien:	93 95 88 93	
Zähler:	14 22 3 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2413 (27), 2006 (35), 1882 (23)	
beste Teiler	196.8 (40.) 257.7 (12.) 335.6 (34.)	
Trefferlage	2.11 mm rechts, 4.15 mm hoch	
Streuwert	7.62, horizontal: 9.74, vertikal: 4.60	




Serie 1:	9.4 ↘	10.0 ↘	8.9 →	10.5 *	10.0 ↘
	9.9 ↙	9.3 ↙	10.1 ↗	9.4 ↑	9.4 →
beste Teiler	348.0 (4.) 702.4 (8.) 746.7 (2.)				
Trefferlage	0.39 mm links, 4.93 mm hoch				
Streuwert	7.17, horizontal: 9.54, vertikal: 3.43				



Serie 2:	9.2 ↖	10.6 *	9.0 ↗	10.1 ↘	9.4 ↘
	9.5 ↖	10.5 *	10.4 *	9.4 ←	10.3 *
beste Teiler	257.7 (12.) 387.0 (17.) 428.2 (18.)				
Trefferlage	0.07 mm rechts, 3.88 mm hoch				
Streuwert	6.96, horizontal: 7.24, vertikal: 6.67				



Serie 3:	9.2 ↙	9.0 →	8.6 →	9.2 →	10.1 ↑
	9.9 ↘	7.9 →	9.2 →	9.8 ↑	9.5 ↑
beste Teiler	711.1 (25.) 822.9 (26.) 917.9 (29.)				
Trefferlage	6.62 mm rechts, 5.50 mm hoch				
Streuwert	8.75, horizontal: 12.08, vertikal: 2.70				





Serie 4:	9.7 ↗	9.4 ↘	10.2 ↓	10.5 *	8.4 →
	10.4 *	9.3 →	9.9 ↑	9.6 ←	10.7 *
beste Teiler	196.8 (40.) 335.6 (34.) 472.7 (36.)				
Trefferlage	2.15 mm rechts, 2.28 mm hoch				
Streuwert	7.40, horizontal: 9.37, vertikal: 4.65				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(404.4)
Serien:	96 96 95 96	
Zähler:	24 15 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1939 (7), 1406 (19), 1398 (11)	
beste Teiler	123.1 (25.) 154.6 (40.) 164.1 (16.)	
Trefferlage	1.46 mm rechts, 0.71 mm tief	
Streuwert	5.40, horizontal: 6.18, vertikal: 4.48	




Serie 1:	9.8 ↓	10.6 *	10.2 →	10.2 ↖	10.2 ↗
	9.8 ↓	8.5 →	10.5 *	10.7 *	10.2 ↗
beste Teiler	214.6 (9.)	292.1 (2.)	373.6 (8.)		
Trefferlage	2.08 mm rechts, 1.16 mm tief				
Streuwert	6.00, horizontal: 6.97, vertikal: 4.85				



Serie 2:	9.2 →	10.4 *	10.2 ↖	10.4 *	10.1 ↖
	10.7 *	9.9 ↓	10.6 *	9.2 ↘	9.9 →
beste Teiler	164.1 (16.)	262.4 (18.)	415.0 (12.)		
Trefferlage	1.98 mm rechts, 1.44 mm tief				
Streuwert	5.78, horizontal: 6.71, vertikal: 4.67				



Serie 3:	9.8 ↓	9.9 ←	10.7 *	9.9 ↗	10.8 *
	9.6 ↘	9.5 →	10.6 *	10.6 *	10.2 →
beste Teiler	123.1 (25.)	220.7 (23.)	268.4 (29.)		
Trefferlage	1.09 mm rechts, 1.66 mm tief				
Streuwert	5.19, horizontal: 5.85, vertikal: 4.42				





Serie 4:	9.7 →	10.2 →	9.6 ↘	9.9 ↖	10.1 ←
	10.2 ↑	10.5 *	9.9 ↖	10.6 *	10.8 *
beste Teiler	154.6 (40.)	317.9 (39.)	383.2 (37.)		
Trefferlage	0.68 mm rechts, 1.41 mm hoch				
Streuwert	5.08, horizontal: 6.03, vertikal: 3.92				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (388.0)
 Serien: 93 92 88 93
 Zähler: 13 22 3 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3086 (30), 2457 (18), 1935 (5)
 beste Teiler 68.1 (32.) 360.0 (19.) 378.2 (8.)
 Trefferlage 4.30 mm links, 2.32 mm hoch
 Streuwert 7.56, horizontal: 9.25, vertikal: 5.35




Serie 1:
 9.9 ← 10.4 * 9.7 ↑ 10.1 ↑ 8.5 ←
 9.2 → 9.9 ← 10.5 * 9.9 ← 10.4 *
 beste Teiler 378.2 (8.) 438.9 (10.) 469.3 (2.)
 Trefferlage 2.75 mm links, 0.40 mm hoch
 Streuwert 7.13, horizontal: 8.60, vertikal: 5.24



Serie 2:
 10.3 ↑ 9.7 ↑ 10.2 ← 10.4 * 9.1 ←
 9.9 ↑ 9.6 ↘ 7.9 ← 10.5 * 9.4 ←
 beste Teiler 360.0 (19.) 452.6 (14.) 547.3 (11.)
 Trefferlage 6.74 mm links, 2.18 mm hoch
 Streuwert 6.95, horizontal: 8.36, vertikal: 5.17



Serie 3:
 9.6 ↘ 9.7 ← 10.3 * 9.9 → 9.9 →
 8.6 → 9.8 ↘ 9.8 ↓ 9.6 ↗ 7.1 ←
 beste Teiler 491.9 (23.) 810.0 (25.) 869.8 (24.)
 Trefferlage 1.25 mm links, 2.30 mm hoch
 Streuwert 10.29, horizontal: 13.65, vertikal: 5.03



Serie 4:
 9.7 ↘ 10.9 * 10.4 * 9.3 ↘ 8.6 ↘
 9.6 ↘ 10.5 * 10.0 ← 9.4 ↘ 9.8 ↘
 beste Teiler 68.1 (32.) 381.1 (37.) 439.0 (33.)
 Trefferlage 6.46 mm links, 4.38 mm hoch
 Streuwert 5.07, horizontal: 3.98, vertikal: 5.96

Unterschrift des Schützen