





Ergebnis: **365** (384.4)
 Serien: 92 92 93 88
 Zähler: 17 13 8 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2518 (38), 2408 (40), 2127 (34)
 beste Teiler 104.1 (19.) 132.5 (20.) 186.9 (26.)
 Trefferlage 0.12 mm rechts, 0.98 mm hoch
 Streuwert 8.89, horizontal: 8.59, vertikal: 9.17




Serie 1:
 10.2 ↙ 8.8 ↑ 9.9 ↑ 10.5 * 10.5 *
 9.1 ↙ 10.1 ↘ 9.2 ↑ 8.7 ↘ 9.4 →
 beste Teiler 338.3 (4.) 368.2 (5.) 581.0 (1.)
 Trefferlage 2.58 mm rechts, 0.30 mm hoch
 Streuwert 8.48, horizontal: 6.87, vertikal: 9.82



Serie 2:
 9.6 ← 9.2 ↑ 9.7 ← 8.5 ↗ 8.3 ↙
 9.6 ← 10.6 * 10.0 ↓ 10.8 * 10.8 *
 beste Teiler 104.1 (19.) 132.5 (20.) 275.7 (17.)
 Trefferlage 2.99 mm links, 1.62 mm hoch
 Streuwert 8.45, horizontal: 7.89, vertikal: 8.97



Serie 3:
 10.4 * 8.8 ↘ 9.8 ↗ 10.6 * 8.9 ↙
 10.7 * 10.0 → 10.1 ↑ 9.7 → 9.2 ↑
 beste Teiler 186.9 (26.) 261.8 (24.) 447.3 (21.)
 Trefferlage 2.47 mm rechts, 0.73 mm hoch
 Streuwert 7.47, horizontal: 7.52, vertikal: 7.43





Serie 4:
 10.4 → 10.3 → 9.6 ↘ 8.3 ↙ 10.1 ←
 10.1 → 8.8 ↗ 7.8 ↙ 9.4 ↗ 7.9 ↘
 beste Teiler 476.6 (31.) 484.3 (32.) 657.5 (36.)
 Trefferlage 1.57 mm links, 1.27 mm hoch
 Streuwert 11.36, horizontal: 11.25, vertikal: 11.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.0)
 Serien: 93 95 98 92
 Zähler: 22 15 2 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2842 (36), 2069 (40), 1772 (9)
 beste Teiler 123.0 (10.) 249.0 (38.) 252.0 (32.)
 Trefferlage 1.55 mm links, 0.35 mm tief
 Streuwert 7.22, horizontal: 6.71, vertikal: 7.69




Serie 1:
 9.3 ↘ 10.1 ↑ 10.4 * 9.1 ↑ 9.7 ↙
 10.3 ← 9.6 ↘ 9.9 ↓ 8.7 ← 10.8 *
 beste Teiler 123.0 (10.) 474.6 (3.) 488.1 (6.)
 Trefferlage 1.28 mm links, 1.08 mm tief
 Streuwert 7.77, horizontal: 6.70, vertikal: 8.70



Serie 2:
 10.0 ↘ 10.4 * 9.7 ↓ 10.3 ↗ 10.6 *
 9.6 ↘ 9.9 ↑ 9.2 ↓ 9.0 ↑ 10.5 *
 beste Teiler 267.8 (15.) 327.1 (20.) 403.1 (12.)
 Trefferlage 1.49 mm links, 0.05 mm tief
 Streuwert 6.75, horizontal: 2.95, vertikal: 9.08



Serie 3:
 9.9 → 9.8 ↗ 10.6 * 10.2 ↗ 10.0 ↘
 10.6 * 10.0 ↘ 10.1 ↑ 10.1 ↘ 10.6 *
 beste Teiler 263.6 (26.) 279.5 (23.) 284.4 (30.)
 Trefferlage 0.01 mm links, 1.78 mm hoch
 Streuwert 4.60, horizontal: 4.49, vertikal: 4.71





Serie 4:
 10.4 * 10.6 * 10.1 ↑ 9.4 ↘ 9.1 ↘
 7.4 ← 9.9 → 10.6 * 10.1 ↗ 8.4 ↙
 beste Teiler 249.0 (38.) 252.0 (32.) 431.8 (31.)
 Trefferlage 3.42 mm links, 2.07 mm tief
 Streuwert 9.53, horizontal: 10.72, vertikal: 8.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.8)
 Serien: 94 96 96 91
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1937 (40), 1810 (17), 1792 (38)
 beste Teiler 92.6 (31.) 95.0 (3.) 101.5 (29.)
 Trefferlage 2.20 mm rechts, 0.36 mm tief
 Streuwert 6.73, horizontal: 3.70, vertikal: 8.77




Serie 1:
 9.5 ↘ 9.9 ↑ 10.8 * 10.2 ↘ 9.9 ↓
 9.9 ↓ 10.2 → 9.3 ↓ 9.9 ↑ 10.4 *
 beste Teiler 95.0 (3.) 448.0 (10.) 609.8 (4.)
 Trefferlage 0.11 mm links, 0.56 mm tief
 Streuwert 6.14, horizontal: 3.85, vertikal: 7.77



Serie 2:
 10.2 → 10.3 ← 9.9 ↓ 10.2 ↘ 9.2 ↑
 10.3 ↘ 8.7 ↓ 10.4 * 10.5 * 10.6 *
 beste Teiler 286.3 (20.) 359.6 (19.) 424.3 (18.)
 Trefferlage 1.86 mm rechts, 1.86 mm tief
 Streuwert 6.21, horizontal: 3.69, vertikal: 7.98



Serie 3:
 9.6 ↗ 8.8 ↓ 10.6 * 10.6 * 10.0 ↓
 10.4 * 9.2 ↑ 10.1 → 10.8 * 10.0 ↓
 beste Teiler 101.5 (29.) 261.4 (24.) 288.6 (23.)
 Trefferlage 2.40 mm rechts, 0.26 mm hoch
 Streuwert 6.44, horizontal: 2.51, vertikal: 8.75





Serie 4:
 10.8 * 9.1 ↗ 8.9 ↑ 9.5 ↘ 10.7 *
 9.8 → 10.3 ↓ 8.7 ↓ 10.1 ↘ 8.5 ↑
 beste Teiler 92.6 (31.) 206.6 (35.) 556.7 (37.)
 Trefferlage 4.67 mm rechts, 0.69 mm hoch
 Streuwert 8.36, horizontal: 3.39, vertikal: 11.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (398.7)
 Serien: 94 94 97 95
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2006 (2), 1828 (36), 1340 (38)
 beste Teiler 139.5 (35.) 156.5 (34.) 175.8 (15.)
 Trefferlage 3.78 mm links, 1.60 mm hoch
 Streuwert 5.72, horizontal: 4.56, vertikal: 6.68




Serie 1:
 9.8 ↖ 8.4 ↗ 9.3 ↙ 9.4 ↘ 10.3 ↓
 10.0 ↑ 10.5 * 10.0 ← 10.5 * 9.3 ←
 beste Teiler 356.5 (9.) 389.5 (7.) 549.3 (5.)
 Trefferlage 5.71 mm links, 2.57 mm hoch
 Streuwert 6.48, horizontal: 4.41, vertikal: 8.04



Serie 2:
 9.5 ← 10.3 → 10.6 * 10.4 * 10.7 *
 9.8 ← 9.6 ↘ 9.6 ↘ 9.5 ↑ 9.8 ↘
 beste Teiler 175.8 (15.) 299.8 (13.) 427.4 (14.)
 Trefferlage 2.68 mm links, 3.04 mm hoch
 Streuwert 5.61, horizontal: 5.49, vertikal: 5.72



Serie 3:
 10.1 ← 10.3 ← 10.6 * 10.3 ↑ 9.6 ↙
 10.3 ← 9.7 ↓ 9.9 ↓ 10.6 * 10.0 ↑
 beste Teiler 244.3 (23.) 285.2 (29.) 502.4 (22.)
 Trefferlage 3.46 mm links, 1.78 mm tief
 Streuwert 4.39, horizontal: 3.04, vertikal: 5.41





Serie 4:
 10.2 ↖ 9.7 ↗ 9.7 ↓ 10.8 * 10.8 *
 8.7 ↘ 10.4 * 9.3 ← 10.2 ↑ 10.2 ↑
 beste Teiler 139.5 (35.) 156.5 (34.) 470.9 (37.)
 Trefferlage 3.29 mm links, 2.58 mm hoch
 Streuwert 6.12, horizontal: 5.02, vertikal: 7.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.1)
 Serien: 92 96 92 90
 Zähler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2574 (10), 2049 (22), 1855 (31)
 beste Teiler 120.0 (30.) 226.6 (20.) 277.0 (18.)
 Trefferlage 0.72 mm rechts, 1.74 mm tief
 Streuwert 7.99, horizontal: 6.46, vertikal: 9.26




Serie 1:
 10.0 ↓ 10.1 ↗ 10.1 ↖ 8.9 ↓ 9.8 ↓
 9.5 ↖ 9.1 ↗ 10.1 ↖ 10.3 ↓ 7.7 ↓
 beste Teiler 531.2 (9.) 646.1 (8.) 670.1 (3.)
 Trefferlage 0.10 mm rechts, 2.63 mm tief
 Streuwert 9.15, horizontal: 4.76, vertikal: 12.03



Serie 2:
 9.4 ↗ 10.3 ↖ 9.7 ↗ 10.1 ↗ 10.3 ↓
 9.9 ↗ 9.2 ↓ 10.6 * 10.1 ↓ 10.7 *
 beste Teiler 226.6 (20.) 277.0 (18.) 534.7 (12.)
 Trefferlage 1.67 mm rechts, 1.41 mm tief
 Streuwert 5.88, horizontal: 4.64, vertikal: 6.90



Serie 3:
 9.3 ↖ 8.4 ↖ 9.1 ↗ 10.2 ↖ 8.9 ↓
 9.3 ↖ 10.1 ↖ 9.7 ↗ 10.6 * 10.8 *
 beste Teiler 120.0 (30.) 285.6 (29.) 609.7 (24.)
 Trefferlage 1.38 mm links, 0.44 mm tief
 Streuwert 8.83, horizontal: 9.19, vertikal: 8.45



Serie 4:
 8.6 ↓ 9.9 ↖ 9.7 ↗ 9.8 ↓ 10.4 *
 10.5 * 9.1 ↓ 9.3 ↓ 8.7 ↗ 9.8 ↗
 beste Teiler 331.4 (36.) 464.2 (35.) 861.6 (32.)
 Trefferlage 2.48 mm rechts, 2.48 mm tief
 Streuwert 8.58, horizontal: 6.51, vertikal: 10.23

Unterschrift des Schützen

Meyton Elektronik