





Ergebnis: **359** (373.8)  
 Serien: 87 87 96 89  
 Zähler: 14 14 9 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3168 (38), 2932 (12), 2743 (10)  
 beste Teiler 260.8 (18.) 271.8 (37.) 387.7 (30.)  
 Trefferlage 0.55 mm links, 2.94 mm hoch  
 Streuwert 10.38, horizontal: 10.79, vertikal: 9.95




Serie 1:  
 9.0 ↗ 8.9 ↗ 9.0 ↘ 9.3 ↘ 10.0 →  
 9.7 ← 9.5 ↗ 9.8 ↘ 8.7 ↘ 7.5 ←  
 beste Teiler 766.5 (5.) 884.9 (8.) 995.0 (6.)  
 Trefferlage 4.16 mm links, 4.73 mm hoch  
 Streuwert 10.50, horizontal: 11.15, vertikal: 9.80



Serie 2:  
 8.4 ↑ 7.3 ↘ 8.0 ↘ 9.6 → 9.8 ←  
 9.5 ↑ 8.5 ↘ 10.6 \* 10.0 ↘ 9.4 ↗  
 beste Teiler 260.8 (18.) 775.7 (19.) 940.0 (15.)  
 Trefferlage 3.87 mm links, 8.43 mm hoch  
 Streuwert 10.30, horizontal: 11.65, vertikal: 8.75



Serie 3:  
 10.0 ↗ 10.0 ← 10.3 ↗ 9.4 → 10.1 ↗  
 8.6 ↓ 10.2 → 10.1 ↓ 9.9 ↘ 10.5 \*  
 beste Teiler 387.7 (30.) 536.7 (23.) 591.7 (27.)  
 Trefferlage 1.44 mm rechts, 0.93 mm tief  
 Streuwert 6.78, horizontal: 6.07, vertikal: 7.42





Serie 4:  
 10.4 \* 9.6 ↗ 8.4 → 8.5 ↘ 8.0 ↘  
 10.2 ↗ 10.6 \* 7.0 ↘ 9.3 → 10.2 →  
 beste Teiler 271.8 (37.) 439.9 (31.) 573.2 (36.)  
 Trefferlage 4.38 mm rechts, 0.43 mm tief  
 Streuwert 11.92, horizontal: 12.21, vertikal: 11.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (375.7)  
 Serien: 87 93 90 91  
 Zähler: 14 15 9 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3123 (8), 2889 (40), 2238 (29)  
 beste Teiler 82.4 (18.) 196.2 (6.) 294.6 (31.)  
 Trefferlage 0.88 mm links, 3.76 mm hoch  
 Streuwert 9.87, horizontal: 10.58, vertikal: 9.11




Serie 1:  
 9.3 ←                      8.4 ←                      9.7 ↖                      9.7 ↓                      9.3 ↓  
 10.7 \*                      8.5 ←                      7.0 ↑                      9.5 →                      9.9 ↓  
 beste Teiler 196.2 (6.) 853.8 (10.) 987.9 (4.)  
 Trefferlage 2.23 mm links, 0.13 mm hoch  
 Streuwert 11.67, horizontal: 12.15, vertikal: 11.17



Serie 2:  
 10.3 ↗                      10.0 →                      10.1 ↘                      9.2 ←                      8.9 ↑  
 10.1 ↓                      9.5 ↑                      10.8 \*                      9.0 ↗                      8.2 ↖  
 beste Teiler 82.4 (18.) 550.7 (11.) 690.8 (13.)  
 Trefferlage 0.60 mm links, 6.07 mm hoch  
 Streuwert 8.03, horizontal: 7.79, vertikal: 8.26



Serie 3:  
 9.3 ↖                      9.5 ↗                      9.3 ↓                      8.2 ←                      9.1 ↗  
 10.0 ↗                      8.6 →                      10.2 ↓                      8.2 ↖                      10.4 \*  
 beste Teiler 430.0 (30.) 639.1 (28.) 764.7 (26.)  
 Trefferlage 1.84 mm links, 2.67 mm hoch  
 Streuwert 10.67, horizontal: 12.72, vertikal: 8.11





Serie 4:  
 10.6 \*                      8.3 →                      8.8 ↖                      10.3 ↗                      9.2 →  
 10.0 ←                      10.2 ↑                      9.8 ←                      10.3 \*                      7.3 ↑  
 beste Teiler 294.6 (31.) 512.7 (39.) 545.5 (34.)  
 Trefferlage 1.13 mm rechts, 6.18 mm hoch  
 Streuwert 9.48, horizontal: 10.35, vertikal: 8.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.5)  
 Serien: 88 94 89 89  
 Zähler: 11 20 7 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2548 (38), 2477 (32), 2387 (10)  
 beste Teiler 94.3 (34.) 163.6 (1.) 351.0 (5.)  
 Trefferlage 2.30 mm rechts, 0.07 mm hoch  
 Streuwert 9.61, horizontal: 10.54, vertikal: 8.57




Serie 1:  
 10.7 \* 9.8 → 9.3 ↖ 8.0 → 10.5 \*  
 8.4 ↙ 8.7 ← 9.9 ↑ 9.6 ↓ 8.0 ↗  
 beste Teiler 163.6 (1.) 351.0 (5.) 859.8 (8.)  
 Trefferlage 2.39 mm links, 0.54 mm hoch  
 Streuwert 11.16, horizontal: 12.85, vertikal: 9.16



Serie 2:  
 9.7 ↖ 9.4 ↗ 9.2 → 10.5 \* 9.3 ↙  
 9.7 ↓ 9.2 → 10.2 ↗ 10.0 ↖ 10.0 ↓  
 beste Teiler 354.4 (14.) 599.6 (18.) 749.2 (20.)  
 Trefferlage 2.00 mm rechts, 0.10 mm tief  
 Streuwert 7.62, horizontal: 8.35, vertikal: 6.81





Serie 3:  
 10.1 ↖ 10.2 ↙ 8.3 ↗ 9.5 ↓ 9.1 →  
 9.6 ↓ 8.5 ↑ 9.4 ← 9.9 ↖ 8.5 →  
 beste Teiler 580.9 (22.) 704.8 (21.) 869.5 (29.)  
 Trefferlage 4.06 mm rechts, 2.43 mm hoch  
 Streuwert 9.86, horizontal: 10.17, vertikal: 9.55




Serie 4:  
 10.1 ↖ 7.9 → 9.0 ↓ 10.8 \* 10.0 ↖  
 9.8 ↘ 9.6 → 7.8 ↘ 9.6 → 9.7 ←  
 beste Teiler 94.3 (34.) 648.4 (31.) 764.5 (35.)  
 Trefferlage 5.55 mm rechts, 2.56 mm tief  
 Streuwert 9.64, horizontal: 10.16, vertikal: 9.10

Unterschrift des Schützen


Ergebnis:	<b>388</b>	(405.1)
Serien:	96 97 98 97	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1518 (3), 1380 (4), 1251 (5)	
beste Teiler	199.4 (1.) 259.6 (6.) 272.9 (12.)	
Trefferlage	1.47 mm links, 2.04 mm tief	
Streuwert	4.94, horizontal: 5.26, vertikal: 4.60	




Serie 1:	10.7 *	10.2 ↘	9.1 ↙	9.2 ↖	9.4 ↗
	10.6 *	10.2 ↘	10.1 ↘	9.5 ←	10.0 ↗
beste Teiler	199.4 (1.)	259.6 (6.)	568.7 (2.)		
Trefferlage	4.06 mm links, 1.47 mm tief				
Streuwert	6.29, horizontal: 5.78, vertikal: 6.76				



Serie 2:	9.8 ↘	10.6 *	9.7 ↙	9.6 ↘	10.6 *
	10.4 *	10.4 *	10.2 ←	10.6 *	10.4 *
beste Teiler	272.9 (12.)	274.8 (15.)	310.8 (19.)		
Trefferlage	1.57 mm links, 3.68 mm tief				
Streuwert	3.86, horizontal: 4.30, vertikal: 3.37				



Serie 3:	10.4 *	10.0 ↓	9.8 ↗	10.1 ↙	10.3 *
	10.0 ←	10.6 *	9.9 ←	10.0 ↙	10.6 *
beste Teiler	279.7 (27.)	297.5 (30.)	452.6 (21.)		
Trefferlage	2.15 mm links, 2.09 mm tief				
Streuwert	4.28, horizontal: 4.45, vertikal: 4.11				





Serie 4:	10.6 *	9.8 ↖	10.2 ↘	10.4 *	10.5 *
	10.4 *	10.2 →	9.7 →	10.4 *	9.9 ↘
beste Teiler	280.2 (31.)	369.9 (35.)	401.7 (36.)		
Trefferlage	1.89 mm rechts, 0.92 mm tief				
Streuwert	4.49, horizontal: 5.24, vertikal: 3.59				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.3)  
 Serien: 94 96 92 95  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 2298 (2), 1703 (3), 1614 (29)  
 beste Teiler 132.6 (21.) 199.1 (19.) 283.9 (10.)  
 Trefferlage 0.05 mm rechts, 0.34 mm hoch  
 Streuwert 7.31, horizontal: 8.33, vertikal: 6.13




Serie 1:  
 9.2 ↖ 8.1 ↘ 8.8 → 10.3 \* 10.3 ↓  
 10.1 ↑ 9.7 ← 10.5 \* 10.5 \* 10.6 \*  
 beste Teiler 283.9 (10.) 396.2 (9.) 396.8 (8.)  
 Trefferlage 2.87 mm links, 1.87 mm hoch  
 Streuwert 7.91, horizontal: 9.00, vertikal: 6.64



Serie 2:  
 10.3 \* 9.6 → 9.2 ↘ 10.5 \* 10.6 \*  
 10.1 ↓ 9.1 → 9.5 ↓ 10.7 \* 10.2 ✓  
 beste Teiler 199.1 (19.) 288.0 (15.) 395.1 (14.)  
 Trefferlage 3.09 mm rechts, 3.09 mm tief  
 Streuwert 5.83, horizontal: 5.93, vertikal: 5.73



Serie 3:  
 10.8 \* 9.6 → 9.5 ↑ 9.1 ← 10.3 \*  
 9.4 → 9.9 ↘ 10.2 ← 8.9 → 9.3 ←  
 beste Teiler 132.6 (21.) 530.6 (25.) 618.3 (28.)  
 Trefferlage 0.86 mm rechts, 0.21 mm hoch  
 Streuwert 8.18, horizontal: 10.35, vertikal: 5.17





Serie 4:  
 10.1 ← 10.0 ↘ 9.6 → 9.3 ↖ 10.5 \*  
 9.1 ↗ 10.0 ↘ 9.9 → 9.5 ↓ 10.4 \*  
 beste Teiler 396.6 (35.) 463.4 (40.) 671.0 (31.)  
 Trefferlage 0.85 mm links, 2.37 mm hoch  
 Streuwert 6.89, horizontal: 7.47, vertikal: 6.25

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>386</b>	(404.6)
Serien:	98 97 94 97	
Zähler:	27 12 1 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1771 (21), 1487 (23), 1189 (12)	
beste Teiler	107.0 (38.) 109.6 (30.) 120.6 (5.)	
Trefferlage	1.12 mm links, 0.09 mm hoch	
Streuwert	5.40, horizontal: 6.07, vertikal: 4.63	




Serie 1:

9.7 ↑	10.1 ←	10.2 ↘	10.6 *	10.8 *
9.7 ←	10.3 ↘	10.4 *	10.3 ←	10.6 *
beste Teiler	120.6 (5.) 293.1 (10.) 300.8 (4.)			
Trefferlage	3.42 mm links, 0.71 mm hoch			
Streuwert	3.79, horizontal: 3.49, vertikal: 4.07			




Serie 2:

9.5 ↑	9.5 ←	9.7 ↗	10.4 *	10.2 →
10.7 *	10.7 *	10.4 *	10.3 *	10.1 ↘
beste Teiler	184.6 (16.) 219.3 (17.) 406.0 (14.)			
Trefferlage	0.18 mm links, 1.00 mm hoch			
Streuwert	5.36, horizontal: 5.67, vertikal: 5.04			



Serie 3:

8.7 ←	10.1 ↑	9.1 →	9.5 ↘	10.5 *
10.6 *	9.7 ↘	9.9 ↓	10.1 ←	10.8 *
beste Teiler	109.6 (30.) 251.2 (26.) 384.6 (25.)			
Trefferlage	0.73 mm rechts, 2.07 mm tief			
Streuwert	7.06, horizontal: 8.54, vertikal: 5.18			





Serie 4:

9.8 ←	10.2 →	10.3 *	10.3 *	9.8 ↘
10.1 ↗	9.9 ↑	10.8 *	10.1 ↘	10.1 ←
beste Teiler	107.0 (38.) 503.3 (33.) 510.6 (34.)			
Trefferlage	1.63 mm links, 0.72 mm hoch			
Streuwert	4.92, horizontal: 5.59, vertikal: 4.14			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>379</b>	(396.2)
Serien:	94 93 95 97	
Zähler:	21 17 2 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1934 (23), 1717 (15), 1419 (22)	
beste Teiler	199.8 (3.) 231.7 (32.) 249.2 (14.)	
Trefferlage	1.15 mm links, 0.37 mm hoch	
Streuwert	6.70, horizontal: 7.77, vertikal: 5.41	




Serie 1:	10.3 →	9.8 ←	10.7 *	10.4 *	9.3 ↖
	9.7 ←	10.1 ↗	9.5 ↘	9.4 ✓	9.7 ↖
beste Teiler	199.8 (3.)	456.3 (4.)	547.1 (1.)		
Trefferlage	4.53 mm links, 1.07 mm hoch				
Streuwert	6.00, horizontal: 6.32, vertikal: 5.66				



Serie 2:	9.2 ↘	9.9 ↘	10.3 *	10.6 *	8.8 ↖
	9.2 ↘	9.7 →	10.0 ↑	10.2 ✓	9.6 ↑
beste Teiler	249.2 (14.)	487.2 (13.)	602.7 (19.)		
Trefferlage	1.38 mm rechts, 0.15 mm hoch				
Streuwert	7.71, horizontal: 8.17, vertikal: 7.21				



Serie 3:	9.9 →	9.2 ↘	8.5 ↖	10.4 *	10.6 *
	10.1 ↖	10.5 *	9.4 ↘	10.1 ←	10.3 →
beste Teiler	283.7 (25.)	345.5 (27.)	430.0 (24.)		
Trefferlage	1.36 mm rechts, 0.07 mm tief				
Streuwert	7.22, horizontal: 8.87, vertikal: 5.07				





Serie 4:	10.6 *	10.7 *	10.3 *	10.1 ↓	10.6 *
	9.4 ←	10.0 →	9.5 ↘	10.4 *	9.2 ←
beste Teiler	231.7 (32.)	262.1 (31.)	272.7 (35.)		
Trefferlage	2.84 mm links, 0.34 mm hoch				
Streuwert	5.59, horizontal: 6.80, vertikal: 4.03				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (411.1)  
 Serien: 96 99 98 97  
 Zähler: 30 10 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 1225 (27), 1187 (3), 1003 (9)  
 beste Teiler 24.1 (37.) 27.6 (16.) 67.6 (25.)  
 Trefferlage 1.13 mm links, 0.14 mm tief  
 Streuwert 4.41, horizontal: 4.21, vertikal: 4.60




Serie 1:  
 9.9 ↘ 10.5 \* 9.5 ↘ 10.0 ↘ 10.1 ↘  
 10.6 \* 9.9 ← 10.4 \* 9.7 ↑ 10.5 \*  
 beste Teiler 252.4 (6.) 365.9 (10.) 379.2 (2.)  
 Trefferlage 0.25 mm links, 0.91 mm tief  
 Streuwert 5.49, horizontal: 4.58, vertikal: 6.27



Serie 2:  
 10.4 \* 10.5 \* 10.3 ↘ 9.8 ← 10.7 \*  
 10.9 \* 10.1 ↘ 10.1 ← 10.6 \* 10.3 \*  
 beste Teiler 27.6 (16.) 221.1 (15.) 291.3 (19.)  
 Trefferlage 1.49 mm links, 0.92 mm tief  
 Streuwert 3.61, horizontal: 3.91, vertikal: 3.28



Serie 3:  
 10.0 → 10.3 ↘ 9.7 ← 10.5 \* 10.9 \*  
 10.8 \* 9.4 ↑ 10.4 \* 10.6 \* 10.6 \*  
 beste Teiler 67.6 (25.) 93.2 (26.) 244.4 (29.)  
 Trefferlage 0.76 mm links, 0.05 mm tief  
 Streuwert 4.59, horizontal: 4.38, vertikal: 4.79





Serie 4:  
 10.7 \* 9.8 ↑ 10.7 \* 10.3 ↘ 9.7 ←  
 9.9 ← 10.9 \* 10.1 ↘ 10.7 \* 10.3 →  
 beste Teiler 24.1 (37.) 176.0 (33.) 197.6 (31.)  
 Trefferlage 2.03 mm links, 1.31 mm hoch  
 Streuwert 4.13, horizontal: 4.39, vertikal: 3.85

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **381** (396.5)  
 Serien: 94 97 95 95  
 Zähler: 26 9 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2294 (35), 2155 (37), 2141 (21)  
 beste Teiler 225.3 (5.) 241.5 (30.) 284.3 (26.)  
 Trefferlage 0.26 mm rechts, 1.02 mm hoch  
 Streuwert 7.12, horizontal: 8.65, vertikal: 5.15




Serie 1:  
 9.8 ↙ 10.2 ↗ 9.0 ← 9.4 ↘ 10.7 \*  
 9.3 ↘ 10.4 \* 8.7 ↙ 10.4 \* 10.3 \*  
 beste Teiler 225.3 (5.) 407.3 (7.) 457.4 (9.)  
 Trefferlage 3.63 mm links, 1.93 mm hoch  
 Streuwert 7.15, horizontal: 9.03, vertikal: 4.57



Serie 2:  
 10.2 ↓ 10.5 \* 9.3 ↘ 10.3 ← 9.5 ↘  
 10.1 ↓ 10.1 ↙ 9.8 → 10.1 → 10.5 \*  
 beste Teiler 331.7 (12.) 344.0 (20.) 559.1 (14.)  
 Trefferlage 1.80 mm rechts, 1.66 mm tief  
 Streuwert 5.58, horizontal: 5.79, vertikal: 5.37



Serie 3:  
 8.3 → 10.4 \* 10.2 ↓ 8.8 ↘ 10.3 ↓  
 10.6 \* 9.9 → 10.2 ↗ 10.6 \* 10.6 \*  
 beste Teiler 241.5 (30.) 284.3 (26.) 301.3 (29.)  
 Trefferlage 5.78 mm rechts, 0.57 mm tief  
 Streuwert 5.93, horizontal: 6.78, vertikal: 4.93





Serie 4:  
 9.9 ↑ 10.1 ↗ 10.4 \* 10.0 ↗ 8.1 ↘  
 10.0 ↑ 8.3 ← 10.1 ↘ 10.5 \* 10.6 \*  
 beste Teiler 319.5 (40.) 358.2 (39.) 443.6 (33.)  
 Trefferlage 2.90 mm links, 4.38 mm hoch  
 Streuwert 7.60, horizontal: 9.95, vertikal: 4.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>382</b>	(400.7)
Serien:	96 95 94 97	
Zähler:	24 14 2 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1947 (16), 1918 (8), 1369 (23)	
beste Teiler	112.0 (37.) 137.3 (4.) 185.1 (2.)	
Trefferlage	0.19 mm rechts, 0.37 mm tief	
Streuwert	6.13, horizontal: 7.19, vertikal: 4.85	




Serie 1:	10.5 *	10.7 *	10.4 *	10.8 *	10.5 *
	10.0 ↖	9.7 ↘	8.6 ↘	10.1 ↓	9.9 ←
beste Teiler	137.3 (4.)	185.1 (2.)	357.6 (5.)		
Trefferlage	1.28 mm rechts, 2.28 mm tief				
Streuwert	5.89, horizontal: 6.81, vertikal: 4.80				



Serie 2:	9.7 ↖	10.4 *	10.0 ←	9.8 ←	10.6 *
	8.5 →	9.6 ↖	10.3 ↗	10.1 ↖	10.4 *
beste Teiler	317.4 (15.)	421.0 (12.)	467.2 (20.)		
Trefferlage	2.13 mm links, 1.35 mm hoch				
Streuwert	6.70, horizontal: 8.44, vertikal: 4.29				





Serie 3:	10.5 *	9.6 ↓	9.2 ↘	9.8 ↘	9.7 ↘
	9.5 ←	10.1 ↖	10.2 ←	10.2 ↖	9.7 ↖
beste Teiler	369.5 (21.)	564.0 (29.)	581.4 (28.)		
Trefferlage	0.73 mm links, 1.03 mm tief				
Streuwert	6.74, horizontal: 7.37, vertikal: 6.05				




Serie 4:	10.7 *	10.2 ↘	10.2 ↑	10.7 *	9.8 ↗
	9.4 →	10.8 *	10.3 ↘	9.4 ←	10.1 ↘
beste Teiler	112.0 (37.)	213.0 (34.)	221.4 (31.)		
Trefferlage	2.37 mm rechts, 0.46 mm hoch				
Streuwert	5.18, horizontal: 6.19, vertikal: 3.92				

Unterschrift des Schützen


Ergebnis: **370** (385.2)  
 Serien: 88 93 94 95  
 Zähler: 18 16 5 0 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3212 (10), 1968 (39), 1853 (13)  
 beste Teiler 71.4 (16.) 76.8 (34.) 289.2 (2.)  
 Trefferlage 2.07 mm links, 0.25 mm tief  
 Streuwert 8.62, horizontal: 8.61, vertikal: 8.62




Serie 1:  
 8.8 ↘ 10.6 \* 9.0 ↖ 10.4 \* 9.0 ↖  
 9.1 ↓ 9.0 ↗ 9.2 ↑ 9.7 ↓ 6.9 ↖  
 beste Teiler 289.2 (2.) 424.1 (4.) 990.4 (9.)  
 Trefferlage 5.18 mm links, 4.99 mm hoch  
 Streuwert 10.70, horizontal: 11.51, vertikal: 9.81



Serie 2:  
 9.5 ↓ 10.3 \* 8.6 ↘ 10.0 ↓ 10.5 \*  
 10.9 \* 9.1 ↘ 9.6 ↗ 8.9 ↖ 10.0 ↙  
 beste Teiler 71.4 (16.) 380.7 (15.) 516.4 (12.)  
 Trefferlage 0.68 mm links, 4.42 mm tief  
 Streuwert 7.56, horizontal: 6.60, vertikal: 8.41



Serie 3:  
 9.2 ↙ 10.0 ↖ 10.2 → 10.2 ↖ 10.1 →  
 9.4 ↖ 10.1 ↗ 9.6 ↓ 9.6 → 8.7 ↖  
 beste Teiler 568.6 (24.) 585.1 (23.) 696.9 (27.)  
 Trefferlage 2.06 mm links, 0.65 mm tief  
 Streuwert 7.73, horizontal: 8.18, vertikal: 7.27





Serie 4:  
 10.2 ↓ 10.4 \* 9.4 ↘ 10.9 \* 10.3 ↓  
 9.1 ↘ 9.6 ↖ 10.1 ↗ 8.5 → 10.5 \*  
 beste Teiler 76.8 (34.) 346.6 (40.) 423.5 (32.)  
 Trefferlage 0.36 mm links, 0.91 mm tief  
 Streuwert 7.55, horizontal: 7.88, vertikal: 7.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>383</b>	(401.4)
Serien:	92 94 100 97	
Zähler:	26 11 3 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	2235 (1), 1961 (2), 1652 (16)	
beste Teiler	146.4 (28.) 163.3 (22.) 212.8 (23.)	
Trefferlage	1.54 mm links, 0.86 mm hoch	
Streuwert	6.15, horizontal: 5.93, vertikal: 6.36	




Serie 1:					
	8.2 ↘	8.5 ↑	9.6 ↓	10.1 ↗	10.4 *
	10.1 ↘	10.1 →	9.1 ↘	9.3 ←	9.7 ↖
beste Teiler	477.7 (5.)	648.6 (7.)	706.0 (4.)		
Trefferlage	4.66 mm links, 3.35 mm hoch				
Streuwert	8.61, horizontal: 8.15, vertikal: 9.05				



Serie 2:					
	10.2 ↘	9.6 ←	9.8 ↗	10.2 ↘	10.6 *
	8.9 ↑	10.5 *	9.9 ←	9.9 ↑	10.1 →
beste Teiler	272.2 (15.)	399.9 (17.)	578.7 (11.)		
Trefferlage	1.22 mm links, 3.93 mm hoch				
Streuwert	5.71, horizontal: 6.20, vertikal: 5.18				



Serie 3:					
	10.5 *	10.7 *	10.7 *	10.3 *	10.3 *
	10.6 *	10.6 *	10.8 *	10.4 *	10.2 ↓
beste Teiler	146.4 (28.)	163.3 (22.)	212.8 (23.)		
Trefferlage	0.00 mm , 1.77 mm tief				
Streuwert	2.46, horizontal: 2.38, vertikal: 2.53				





Serie 4:					
	10.4 *	10.5 *	10.6 *	10.1 ↑	10.5 *
	9.5 ↙	10.4 *	9.5 ↙	10.5 *	9.5 ↘
beste Teiler	275.4 (33.)	333.3 (39.)	343.7 (32.)		
Trefferlage	0.31 mm links, 2.03 mm tief				
Streuwert	5.10, horizontal: 5.14, vertikal: 5.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (406.3)  
 Serien: 99 95 99 97  
 Zähler: 31 8 1 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1621 (18), 1545 (35), 1329 (13)  
 beste Teiler 51.6 (12.) 83.3 (29.) 151.2 (19.)  
 Trefferlage 1.10 mm rechts, 0.35 mm hoch  
 Streuwert 5.23, horizontal: 6.11, vertikal: 4.16




Serie 1:  
 10.6 \*                      10.7 \*                      9.9 →                      10.3 \*                      10.6 \*  
 10.5 \*                      10.5 \*                      10.1 →                      10.5 \*                      10.7 \*  
 beste Teiler 167.3 (2.) 214.6 (10.) 300.4 (5.)  
 Trefferlage 0.77 mm rechts, 0.90 mm hoch  
 Streuwert 3.19, horizontal: 4.02, vertikal: 2.04



Serie 2:  
 9.5 →                      10.9 \*                      9.3 ↓                      10.1 ↓                      9.5 ↖  
 10.5 \*                      10.2 ↖                      8.9 →                      10.8 \*                      10.5 \*  
 beste Teiler 51.6 (12.) 151.2 (19.) 330.9 (20.)  
 Trefferlage 1.53 mm rechts, 0.97 mm tief  
 Streuwert 6.67, horizontal: 7.85, vertikal: 5.24



Serie 3:  
 10.1 →                      9.7 ↑                      10.3 \*                      10.2 ↘                      10.1 ←  
 10.2 ←                      10.2 →                      10.1 ←                      10.8 \*                      10.2 ↘  
 beste Teiler 83.3 (29.) 501.3 (23.) 571.2 (30.)  
 Trefferlage 0.35 mm rechts, 0.82 mm hoch  
 Streuwert 4.75, horizontal: 5.22, vertikal: 4.24





Serie 4:  
 10.2 ↓                      10.0 ↖                      10.2 ↘                      10.4 \*                      9.0 →  
 10.5 \*                      10.2 →                      9.4 ↖                      9.6 ↘                      10.3 \*  
 beste Teiler 353.5 (36.) 475.2 (34.) 502.0 (40.)  
 Trefferlage 1.76 mm rechts, 0.64 mm hoch  
 Streuwert 6.26, horizontal: 7.45, vertikal: 4.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>387</b>	(405.3)
Serien:	95 96 98 98	
Zähler:	28 11 1 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1726 (17), 1315 (10), 1282 (21)	
beste Teiler	105.1 (37.) 174.0 (18.) 209.4 (12.)	
Trefferlage	0.39 mm links, 0.51 mm tief	
Streuwert	5.29, horizontal: 4.69, vertikal: 5.83	




Serie 1:	9.7 ↑	10.2 ↑	10.6 *	9.8 ↓	9.8 ↖
	10.1 ↓	10.5 *	10.3 *	9.7 ↓	9.3 ↘
beste Teiler	304.8 (3.)	355.9 (7.)	484.0 (8.)		
Trefferlage	0.17 mm links, 2.18 mm tief				
Streuwert	5.89, horizontal: 5.02, vertikal: 6.65				



Serie 2:	10.7 *	10.7 *	9.9 ↖	9.7 ↖	10.5 *
	10.6 *	8.8 ↓	10.7 *	10.2 ↓	10.5 *
beste Teiler	174.0 (18.)	209.4 (12.)	233.6 (11.)		
Trefferlage	0.62 mm rechts, 1.78 mm tief				
Streuwert	5.35, horizontal: 5.39, vertikal: 5.32				



Serie 3:	9.3 ↘	10.4 *	10.3 *	10.6 *	10.0 ↓
	10.0 ↘	10.6 *	9.6 ↑	10.6 *	10.3 *
beste Teiler	246.6 (29.)	269.6 (24.)	293.9 (27.)		
Trefferlage	1.25 mm rechts, 1.08 mm tief				
Streuwert	5.12, horizontal: 3.90, vertikal: 6.10				





Serie 4:	10.3 *	10.1 ↓	10.0 ↖	9.7 ↖	9.9 ↑
	10.2 ↑	10.8 *	10.0 ↑	10.2 ↘	10.1 ↖
beste Teiler	105.1 (37.)	482.1 (31.)	569.3 (39.)		
Trefferlage	3.30 mm links, 2.98 mm hoch				
Streuwert	3.91, horizontal: 3.47, vertikal: 4.30				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (406.2)  
 Serien: 97 96 97 97  
 Zähler: 30 8 1 1 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 2575 (12), 1812 (8), 1267 (36)  
 beste Teiler 120.9 (15.) 128.8 (37.) 160.4 (9.)  
 Trefferlage 0.89 mm rechts, 0.42 mm tief  
 Streuwert 5.62, horizontal: 6.48, vertikal: 4.60




Serie 1:  
 10.4 \* 10.4 \* 10.1 ↗ 9.9 → 10.3 \*  
 10.6 \* 10.0 ↘ 8.7 → 10.8 \* 10.7 \*  
 beste Teiler 160.4 (9.) 234.1 (10.) 263.5 (6.)  
 Trefferlage 2.87 mm rechts, 0.56 mm tief  
 Streuwert 5.27, horizontal: 6.65, vertikal: 3.38



Serie 2:  
 9.6 ↘ 7.7 ↘ 10.3 \* 10.4 \* 10.8 \*  
 10.7 \* 10.3 \* 10.1 ↑ 10.2 ↓ 10.4 \*  
 beste Teiler 120.9 (15.) 226.6 (16.) 449.6 (14.)  
 Trefferlage 2.77 mm rechts, 1.69 mm tief  
 Streuwert 6.89, horizontal: 6.48, vertikal: 7.28



Serie 3:  
 10.4 \* 10.5 \* 9.8 ↖ 10.2 → 10.4 \*  
 10.3 \* 9.7 ↘ 10.3 ← 10.4 \* 9.9 ↖  
 beste Teiler 356.5 (22.) 419.0 (25.) 423.5 (21.)  
 Trefferlage 1.66 mm links, 0.33 mm hoch  
 Streuwert 4.70, horizontal: 5.34, vertikal: 3.97



Serie 4:  
 9.5 ↖ 10.4 \* 10.6 \* 10.6 \* 9.7 →  
 9.4 ← 10.8 \* 10.3 \* 10.6 \* 10.0 →  
 beste Teiler 128.8 (37.) 273.2 (39.) 307.9 (33.)  
 Trefferlage 0.40 mm links, 0.23 mm hoch  
 Streuwert 5.43, horizontal: 7.08, vertikal: 2.96

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **376** (394.6)

Serien: 95 92 93 96

Zähler: 17 22 1 0 0 0 0 0 0 0



Innenzehner: 10

weiteste: 1646 (18), 1507 (14), 1447 (15)

beste Teiler 199.9 (40.) 230.1 (5.) 272.8 (29.)

Trefferlage 1.43 mm rechts, 0.43 mm tief

Streuwert 6.78, horizontal: 6.56, vertikal: 6.99




Serie 1:

10.3 *	10.3 →	10.0 ↓	9.8 ↑	10.7 *
9.6 ←	9.6 →	10.0 ←	9.2 ↑	9.3 ↘

beste Teiler 230.1 (5.) 520.1 (1.) 553.1 (2.)

Trefferlage 1.38 mm links, 2.39 mm hoch

Streuwert 6.67, horizontal: 6.72, vertikal: 6.62




Serie 2:

9.4 ←	9.2 ↖	9.9 →	9.1 ↓	9.1 ↓
10.4 *	9.9 ↓	8.9 →	10.0 ↘	10.3 *

beste Teiler 416.4 (16.) 504.2 (20.) 762.7 (19.)

Trefferlage 2.12 mm rechts, 3.08 mm tief

Streuwert 8.05, horizontal: 8.81, vertikal: 7.21




Serie 3:

10.4 *	10.2 ↑	9.9 ↓	9.9 →	9.3 ↓
9.5 ↗	9.9 ↘	9.7 →	10.6 *	9.5 →

beste Teiler 272.8 (29.) 468.5 (21.) 588.7 (22.)

Trefferlage 5.03 mm rechts, 0.34 mm tief

Streuwert 5.72, horizontal: 4.18, vertikal: 6.92



Serie 4:

10.2 ↑	10.4 *	10.0 ↓	9.6 ↗	9.8 ↑
9.8 ←	10.4 *	10.6 *	9.2 ↓	10.7 *

beste Teiler 199.9 (40.) 316.1 (38.) 455.3 (37.)

Trefferlage 0.04 mm links, 0.70 mm tief



Streuwert 5.96, horizontal: 4.48, vertikal: 7.14

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **364** (381.3)  
 Serien: 90 89 93 92  
 Zähler: 15 16 7 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2762 (16), 2666 (7), 2301 (13)  
 beste Teiler 128.3 (8.) 145.1 (25.) 162.6 (10.)  
 Trefferlage 1.31 mm rechts, 2.32 mm tief  
 Streuwert 9.33, horizontal: 9.54, vertikal: 9.11




Serie 1:  
 9.6 ↘                      9.4 ↙                      8.3 →                      10.1 ↙                      10.0 →  
 8.4 ↑                      7.6 ↑                      10.8 \*                      9.7 ↖                      10.7 \*  
 beste Teiler 128.3 (8.) 162.6 (10.) 641.4 (4.)  
 Trefferlage 1.49 mm rechts, 2.74 mm hoch  
 Streuwert 10.43, horizontal: 8.86, vertikal: 11.79



Serie 2:  
 10.0 ←                      10.5 \*                      8.1 ↖                      8.3 ↘                      9.5 →  
 7.5 →                      10.0 ↖                      10.4 \*                      9.9 ↑                      8.8 ↓  
 beste Teiler 347.1 (12.) 461.7 (18.) 759.3 (17.)  
 Trefferlage 2.07 mm rechts, 0.61 mm tief  
 Streuwert 11.40, horizontal: 13.69, vertikal: 8.52



Serie 3:  
 8.1 ↓                      9.6 →                      10.3 \*                      9.8 ←                      10.8 \*  
 9.9 ↓                      9.2 ↘                      10.6 \*                      10.3 \*                      9.6 ↘  
 beste Teiler 145.1 (25.) 320.6 (28.) 513.1 (29.)  
 Trefferlage 2.08 mm rechts, 6.00 mm tief  
 Streuwert 6.48, horizontal: 6.66, vertikal: 6.30





Serie 4:  
 8.7 ↖                      9.3 ←                      9.2 ↓                      9.0 ↘                      9.3 →  
 10.4 \*                      9.5 ↓                      10.4 \*                      9.7 ↓                      10.0 ↓  
 beste Teiler 466.1 (36.) 480.4 (38.) 780.5 (40.)  
 Trefferlage 0.40 mm links, 5.41 mm tief  
 Streuwert 8.08, horizontal: 8.91, vertikal: 7.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.4)  
 Serien: 97 93 95 98  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1603 (12), 1583 (6), 1363 (15)  
 beste Teiler 252.2 (16.) 265.1 (31.) 281.4 (5.)  
 Trefferlage 1.07 mm links, 1.96 mm hoch  
 Streuwert 5.82, horizontal: 5.60, vertikal: 6.02




Serie 1:  
 9.5 ↖ 10.4 \* 10.2 ↖ 10.0 ↖ 10.6 \*  
 9.0 ↖ 10.6 \* 10.0 ↗ 9.9 ↖ 10.0 ↗  
 beste Teiler 281.4 (5.) 304.3 (7.) 460.2 (2.)  
 Trefferlage 3.14 mm links, 5.45 mm hoch  
 Streuwert 4.22, horizontal: 4.84, vertikal: 3.48



Serie 2:  
 9.8 ↘ 8.9 ↘ 9.4 ↓ 10.2 ↗ 9.2 ↘  
 10.6 \* 9.8 ↘ 10.1 ↗ 9.7 ↓ 10.2 ↗  
 beste Teiler 252.2 (16.) 618.5 (20.) 633.2 (14.)  
 Trefferlage 0.69 mm rechts, 0.39 mm tief  
 Streuwert 7.42, horizontal: 7.09, vertikal: 7.73



Serie 3:  
 9.7 ↓ 10.0 ↑ 9.7 ↖ 9.8 ↖ 10.2 ↘  
 10.1 ↗ 10.4 \* 9.9 ↗ 10.0 ↓ 9.4 ↖  
 beste Teiler 453.5 (27.) 596.7 (25.) 678.0 (26.)  
 Trefferlage 2.10 mm links, 1.61 mm hoch  
 Streuwert 6.09, horizontal: 5.52, vertikal: 6.61





Serie 4:  
 10.6 \* 10.1 ↖ 10.4 \* 10.2 ↖ 10.2 ←  
 10.1 → 9.8 ↘ 10.5 \* 10.4 \* 9.8 ↗  
 beste Teiler 265.1 (31.) 366.4 (38.) 444.8 (33.)  
 Trefferlage 0.25 mm rechts, 1.17 mm hoch  
 Streuwert 4.56, horizontal: 4.52, vertikal: 4.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>386</b>	(398.1)
Serien:	97 93 97 99	
Zähler:	28 10 2 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	1827 (13), 1681 (30), 1578 (11)	
beste Teiler	250.7 (37.) 359.0 (19.) 370.6 (23.)	
Trefferlage	1.95 mm rechts, 0.75 mm hoch	
Streuwert	6.22, horizontal: 6.16, vertikal: 6.28	




Serie 1:				
10.5 *	10.2 ↗	9.8 ↗	9.5 ↑	9.9 ←
10.3 *	10.1 ↑	10.2 ↗	10.1 ↓	10.3 *
beste Teiler	385.2 (1.)	489.3 (10.)	499.4 (6.)	
Trefferlage	0.32 mm rechts, 2.74 mm hoch			
Streuwert	4.85, horizontal: 4.26, vertikal: 5.37			



Serie 2:				
9.0 ↗	9.0 ↑	8.7 ↗	9.6 ↗	10.1 →
10.1 ↓	9.0 ↘	10.1 ↘	10.5 *	9.4 →
beste Teiler	359.0 (19.)	661.5 (16.)	696.0 (15.)	
Trefferlage	7.00 mm rechts, 3.06 mm hoch			
Streuwert	7.11, horizontal: 5.39, vertikal: 8.49			



Serie 3:				
10.4 *	10.2 ↘	10.5 *	10.4 *	10.4 *
10.0 →	9.9 →	10.3 →	10.0 ✓	8.8 ✓
beste Teiler	370.6 (23.)	422.5 (24.)	453.4 (25.)	
Trefferlage	1.00 mm rechts, 1.87 mm tief			
Streuwert	5.58, horizontal: 5.50, vertikal: 5.66			



Serie 4:				
10.2 ←	10.1 ↓	10.1 →	10.1 ↓	10.3 *
10.0 ↗	10.6 *	10.1 →	10.3 *	9.0 ←
beste Teiler	250.7 (37.)	496.7 (35.)	503.5 (39.)	
Trefferlage	0.51 mm links, 0.93 mm tief			
Streuwert	5.67, horizontal: 6.91, vertikal: 4.07			

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **378** (396.1)

Serien: 95 95 95 93

Zähler: 19 20 1 0 0 0 0 0 0 0



Innenzehner: 8

weiteste: 2077 (10), 1344 (2), 1296 (28)

beste Teiler 213.8 (16.) 268.9 (8.) 381.9 (11.)

Trefferlage 0.10 mm rechts, 1.56 mm hoch

Streuwert 6.46, horizontal: 6.94, vertikal: 5.94




Serie 1:

10.1 ↓	9.3 ↗	10.0 →	9.6 ↓	10.3 ↗
10.2 ↗	10.4 *	10.6 *	9.4 ↗	8.4 ↗

beste Teiler 268.9 (8.) 411.1 (7.) 539.4 (5.)

Trefferlage 3.75 mm rechts, 2.47 mm hoch

Streuwert 6.91, horizontal: 5.26, vertikal: 8.23




Serie 2:

10.5 *	10.0 ↖	9.8 ↗	9.9 ←	10.4 *
10.7 *	9.8 ↖	9.6 →	9.8 ↗	10.3 ↘

beste Teiler 213.8 (16.) 381.9 (11.) 447.3 (15.)

Trefferlage 0.15 mm rechts, 1.79 mm hoch

Streuwert 5.51, horizontal: 6.66, vertikal: 4.05




Serie 3:

9.8 ↖	10.4 *	9.6 ↗	9.8 ↖	9.8 ↗
10.3 *	10.1 ↖	9.3 ←	10.0 ↖	10.5 *

beste Teiler 385.0 (30.) 477.6 (22.) 482.8 (26.)

Trefferlage 3.69 mm links, 2.98 mm hoch

Streuwert 5.20, horizontal: 5.34, vertikal: 5.05



Serie 4:

10.0 ←	9.5 →	10.0 ↖	10.1 ↓	9.7 ←
9.3 ↗	9.4 ↗	9.9 ↘	9.9 ↓	9.6 ←

beste Teiler 704.8 (34.) 738.8 (33.) 788.0 (31.)



Trefferlage 0.20 mm rechts, 0.98 mm tief

Streuwert 7.41, horizontal: 8.78, vertikal: 5.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.0)  
 Serien: 90 95 96 94  
 Zähler: 18 19 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2081 (6), 1800 (40), 1610 (8)  
 beste Teiler 195.5 (36.) 295.2 (29.) 322.2 (27.)  
 Trefferlage 1.73 mm rechts, 0.39 mm tief  
 Streuwert 6.87, horizontal: 7.56, vertikal: 6.11




Serie 1:  
 9.8 ↙                      9.9 ↘                      9.9 ↓                      9.3 ↘                      9.7 ↓  
 8.3 ↖                      9.9 →                      8.9 ↑                      10.5 \*                      10.3 \*  
 beste Teiler 384.2 (9.) 500.1 (10.) 801.0 (2.)  
 Trefferlage 0.92 mm links, 0.05 mm tief  
 Streuwert 8.43, horizontal: 8.82, vertikal: 8.03



Serie 2:  
 10.5 \*                      9.4 ↗                      9.2 →                      9.7 →                      9.2 ↖  
 9.2 ↘                      10.0 ↓                      10.5 \*                      10.4 \*                      10.4 \*  
 beste Teiler 335.7 (11.) 367.7 (18.) 411.1 (19.)  
 Trefferlage 2.88 mm rechts, 0.60 mm hoch  
 Streuwert 6.96, horizontal: 8.04, vertikal: 5.67



Serie 3:  
 9.9 ↑                      9.9 →                      10.1 ↖                      9.7 ↘                      10.2 ↘  
 10.1 ↑                      10.5 \*                      9.0 ↘                      10.6 \*                      10.0 ↑  
 beste Teiler 295.2 (29.) 322.2 (27.) 625.8 (25.)  
 Trefferlage 3.07 mm rechts, 1.29 mm hoch  
 Streuwert 5.73, horizontal: 5.58, vertikal: 5.87





Serie 4:  
 10.0 ←                      9.5 ↘                      10.2 ↘                      9.7 ←                      10.5 \*  
 10.7 \*                      9.9 →                      10.1 ↙                      9.7 ↓                      8.7 →  
 beste Teiler 195.5 (36.) 326.9 (35.) 622.4 (33.)  
 Trefferlage 1.90 mm rechts, 3.42 mm tief  
 Streuwert 6.27, horizontal: 7.94, vertikal: 3.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>384</b>	(401.1)
Serien:	98	96 95 95
Zähler:	25	14 1 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	1945 (37),	1463 (9), 1338 (23)
beste Teiler	33.6 (38.)	190.8 (27.) 231.1 (12.)
Trefferlage	0.31 mm rechts, 0.35 mm tief	
Streuwert	5.97, horizontal: 6.82, vertikal: 4.99	




Serie 1:	10.5 *	10.2 →	10.3 *	10.2 ↖	9.5 ↘
	10.0 ↖	10.4 *	10.1 ↖	9.1 ↙	10.2 ↘
beste Teiler	376.0 (1.) 415.5 (7.) 494.8 (3.)				
Trefferlage	2.72 mm links, 0.66 mm hoch				
Streuwert	5.54, horizontal: 6.18, vertikal: 4.81				



Serie 2:	9.7 ↘	10.7 *	9.7 ↖	10.1 ↖	10.5 *
	9.8 ↖	10.5 *	10.6 *	10.0 →	9.8 ↘
beste Teiler	231.1 (12.) 271.5 (18.) 325.9 (15.)				
Trefferlage	0.50 mm rechts, 0.99 mm hoch				
Streuwert	5.26, horizontal: 5.87, vertikal: 4.56				



Serie 3:	10.2 →	9.7 ↗	9.3 ↙	9.6 ↙	10.0 ↗
	10.4 *	10.7 *	9.5 →	9.9 ↙	10.6 *
beste Teiler	190.8 (27.) 253.1 (30.) 443.1 (26.)				
Trefferlage	0.58 mm rechts, 1.35 mm tief				
Streuwert	6.30, horizontal: 6.67, vertikal: 5.91				



Serie 4:	9.5 ↘	9.6 ↘	9.7 →	10.2 ←	10.0 ↖
	10.6 *	8.5 ↘	10.9 *	10.1 ↓	10.2 ←
beste Teiler	33.6 (38.) 276.9 (36.) 594.0 (40.)				
Trefferlage	2.90 mm rechts, 1.72 mm tief				
Streuwert	6.66, horizontal: 8.15, vertikal: 4.74				

Unterschrift des Schützen

Meyton Elektronik