





Ergebnis: **372** (388.2)
 Serien: 92 95 93 92
 Zähler: 18 16 6 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1978 (23), 1919 (2), 1804 (32)
 beste Teiler 53.3 (27.) 231.1 (22.) 302.4 (21.)
 Trefferlage 0.55 mm links, 1.01 mm hoch
 Streuwert 8.04, horizontal: 9.70, vertikal: 5.94




Serie 1:
 10.3 * 8.6 → 10.1 ↓ 9.8 ↓ 9.3 ←
 10.2 → 9.1 → 10.3 ↖ 8.7 ↗ 9.3 ↑
 beste Teiler 504.0 (1.) 553.6 (8.) 576.2 (6.)
 Trefferlage 4.58 mm rechts, 0.55 mm hoch
 Streuwert 8.31, horizontal: 9.36, vertikal: 7.11



Serie 2:
 10.3 ↗ 10.4 * 9.9 ↑ 8.7 ← 10.2 ↖
 10.2 ← 9.2 ↓ 10.5 * 9.1 ← 10.5 *
 beste Teiler 331.4 (20.) 347.6 (18.) 408.0 (12.)
 Trefferlage 2.70 mm links, 1.23 mm hoch
 Streuwert 6.92, horizontal: 7.78, vertikal: 5.94



Serie 3:
 10.6 * 10.7 * 8.5 → 10.0 ↙ 10.3 ↖
 9.8 ↗ 10.9 * 9.1 ↖ 9.8 ← 8.8 ←
 beste Teiler 53.3 (27.) 231.1 (22.) 302.4 (21.)
 Trefferlage 2.19 mm links, 0.81 mm hoch
 Streuwert 7.95, horizontal: 9.98, vertikal: 5.18





Serie 4:
 10.3 ↘ 8.7 ↖ 10.1 ↗ 9.3 ← 10.0 ←
 9.0 ← 9.5 ← 9.5 ↗ 9.3 → 9.3 ↓
 beste Teiler 541.5 (31.) 679.2 (33.) 790.9 (35.)
 Trefferlage 1.90 mm links, 1.44 mm hoch
 Streuwert 8.96, horizontal: 10.98, vertikal: 6.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (390.4)
 Serien: 90 91 93 96
 Zähler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2176 (11), 1700 (19), 1667 (9)
 beste Teiler 223.5 (17.) 234.0 (38.) 236.2 (31.)
 Trefferlage 0.67 mm links, 1.32 mm tief
 Streuwert 7.61, horizontal: 8.57, vertikal: 6.51




Serie 1:
 9.0 ↖ 9.9 → 9.0 → 10.4 * 9.4 ↗
 9.5 ↘ 8.9 ↘ 9.4 ← 8.9 → 10.5 *
 beste Teiler 378.8 (10.) 474.5 (4.) 802.6 (2.)
 Trefferlage 0.86 mm rechts, 0.17 mm hoch
 Streuwert 9.37, horizontal: 11.23, vertikal: 7.03



Serie 2:
 8.2 ↓ 10.3 ↖ 9.7 ← 9.9 ← 10.2 ↗
 9.5 → 10.7 * 9.8 ↘ 8.8 ← 9.9 ↘
 beste Teiler 223.5 (17.) 543.9 (12.) 563.8 (15.)
 Trefferlage 2.01 mm links, 1.60 mm tief
 Streuwert 8.23, horizontal: 8.68, vertikal: 7.76



Serie 3:
 10.6 * 9.0 ↖ 10.0 ↘ 9.5 ↗ 9.8 ↖
 9.9 → 9.9 → 10.3 * 9.4 ← 9.6 ↘
 beste Teiler 317.4 (21.) 493.4 (28.) 742.4 (23.)
 Trefferlage 1.74 mm rechts, 1.25 mm tief
 Streuwert 7.08, horizontal: 7.45, vertikal: 6.69





Serie 4:
 10.7 * 10.5 * 9.0 ↘ 10.5 * 10.3 *
 9.1 ← 10.5 * 10.7 * 9.9 ← 9.3 ←
 beste Teiler 234.0 (38.) 236.2 (31.) 384.6 (37.)
 Trefferlage 3.30 mm links, 2.60 mm tief
 Streuwert 5.80, horizontal: 6.51, vertikal: 4.99


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **381** (401.3)
 Serien: 98 94 97 92
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1712 (11), 1481 (12), 1479 (34)
 beste Teiler 56.0 (23.) 68.3 (15.) 73.8 (20.)
 Trefferlage 1.07 mm rechts, 1.07 mm hoch
 Streuwert 5.89, horizontal: 6.75, vertikal: 4.87




Serie 1:
 10.5 * 10.0 ↗ 10.4 * 10.1 ↘ 10.5 *
 10.2 ↙ 9.8 ↘ 10.2 ← 9.7 ↑ 10.4 *
 beste Teiler 338.7 (1.) 372.8 (5.) 420.9 (3.)
 Trefferlage 0.59 mm links, 1.01 mm hoch
 Streuwert 4.78, horizontal: 4.12, vertikal: 5.35



Serie 2:
 8.8 → 9.1 ← 9.9 ↑ 10.3 ← 10.9 *
 9.9 ↘ 10.1 ↑ 10.3 * 9.4 → 10.9 *
 beste Teiler 68.3 (15.) 73.8 (20.) 499.3 (18.)
 Trefferlage 1.52 mm rechts, 2.37 mm hoch
 Streuwert 6.81, horizontal: 8.74, vertikal: 4.04



Serie 3:
 9.7 ↘ 9.8 ↘ 10.9 * 10.3 * 9.8 ↑
 10.7 * 10.2 ↑ 10.0 ↗ 10.6 * 10.3 *
 beste Teiler 56.0 (23.) 189.0 (26.) 305.6 (29.)
 Trefferlage 1.87 mm rechts, 1.68 mm hoch
 Streuwert 4.51, horizontal: 4.54, vertikal: 4.48





Serie 4:
 9.6 → 9.7 → 9.6 ↗ 9.1 ← 9.8 ↘
 9.7 ↘ 10.0 ← 10.7 * 9.5 ↘ 9.9 ↘
 beste Teiler 211.2 (38.) 764.0 (37.) 853.1 (40.)
 Trefferlage 1.48 mm rechts, 0.76 mm tief
 Streuwert 7.45, horizontal: 8.90, vertikal: 5.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.2)
 Serien: 86 91 88 95
 Zähler: 12 17 10 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2420 (3), 2183 (1), 2162 (23)
 beste Teiler 251.8 (15.) 298.5 (18.) 332.2 (25.)
 Trefferlage 2.29 mm links, 0.67 mm tief
 Streuwert 9.21, horizontal: 9.66, vertikal: 8.73




Serie 1:
 8.2 ↗ 9.9 → 7.9 ↙ 8.4 ↓ 8.9 ↘
 9.2 ← 9.0 ↓ 9.6 ↗ 10.1 ↑ 9.2 ↖
 beste Teiler 671.2 (9.) 877.3 (2.) 1053.0 (8.)
 Trefferlage 1.61 mm links, 2.30 mm tief
 Streuwert 11.88, horizontal: 11.16, vertikal: 12.57



Serie 2:
 8.9 ← 9.3 ↑ 9.8 ↓ 9.6 ← 10.6 *
 9.7 → 9.9 ↙ 10.6 * 8.5 ← 10.3 ↗
 beste Teiler 251.8 (15.) 298.5 (18.) 553.8 (20.)
 Trefferlage 4.14 mm links, 0.23 mm tief
 Streuwert 7.66, horizontal: 9.07, vertikal: 5.92



Serie 3:
 8.5 ← 8.6 ↗ 8.2 ← 9.7 ↓ 10.5 *
 9.9 ↖ 10.1 ↖ 8.9 ↙ 9.8 ↑ 9.6 →
 beste Teiler 332.2 (25.) 704.5 (27.) 870.3 (26.)
 Trefferlage 4.81 mm links, 1.69 mm hoch
 Streuwert 9.55, horizontal: 10.35, vertikal: 8.68





Serie 4:
 10.3 * 10.3 * 10.2 → 10.2 ↓ 10.0 ↘
 9.1 → 9.2 ↓ 10.5 * 9.2 ↗ 8.8 ←
 beste Teiler 389.6 (38.) 498.4 (31.) 523.9 (32.)
 Trefferlage 1.40 mm rechts, 1.87 mm tief
 Streuwert 7.58, horizontal: 8.00, vertikal: 7.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (391.2)
 Serien: 88 92 97 93
 Zähler: 16 19 4 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2480 (2), 1974 (6), 1966 (7)
 beste Teiler 210.0 (9.) 224.1 (16.) 275.3 (38.)
 Trefferlage 0.21 mm rechts, 0.95 mm tief
 Streuwert 7.71, horizontal: 8.04, vertikal: 7.36




Serie 1:
 9.9 ↖ 7.9 ↘ 10.4 * 9.3 ↘ 9.7 ↙
 8.5 ↗ 8.5 ↓ 9.7 ↖ 10.7 * 9.7 →
 beste Teiler 210.0 (9.) 475.7 (3.) 872.6 (1.)
 Trefferlage 0.91 mm rechts, 6.57 mm tief
 Streuwert 9.26, horizontal: 9.39, vertikal: 9.13



Serie 2:
 9.0 ↗ 10.4 * 10.1 → 9.7 ↖ 9.2 ↖
 10.7 * 9.9 ↘ 8.8 ↘ 9.2 ↖ 9.7 ↖
 beste Teiler 224.1 (16.) 466.7 (12.) 680.0 (13.)
 Trefferlage 0.76 mm rechts, 2.28 mm hoch
 Streuwert 8.22, horizontal: 9.81, vertikal: 6.24



Serie 3:
 10.3 * 9.8 ↖ 10.5 * 9.4 ↑ 9.9 ↖
 10.1 → 10.3 * 10.1 ↓ 10.1 ↓ 10.5 *
 beste Teiler 397.7 (23.) 398.5 (30.) 492.6 (21.)
 Trefferlage 0.69 mm links, 0.35 mm hoch
 Streuwert 5.35, horizontal: 3.89, vertikal: 6.49





Serie 4:
 9.7 ↖ 9.6 ← 10.2 ↖ 9.9 → 9.7 ↓
 10.6 * 9.7 ↖ 10.6 * 10.4 * 8.8 →
 beste Teiler 275.3 (38.) 277.0 (36.) 411.0 (39.)
 Trefferlage 0.10 mm links, 0.12 mm hoch
 Streuwert 7.04, horizontal: 8.87, vertikal: 4.52


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-------------------------|
| Ergebnis: | 374 | (393.0) |
| Serien: | 94 | 93 93 94 |
| Zähler: | 17 | 20 3 0 0 0 0 0 0 0 |
| Innenzehner: | 11 | |
| weiteste: | 1816 (29), | 1687 (8), 1606 (22) |
| beste Teiler | 223.4 (40.) | 224.7 (28.) 227.0 (27.) |
| Trefferlage | 1.29 mm rechts, 1.19 mm tief | |
| Streuwert | 7.09, horizontal: 7.57, vertikal: 6.58 | |




| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 1: | 9.1 ↓ | 10.6 * | 10.3 * | 10.5 * | 10.2 ↘ |
| | 9.7 ↘ | 10.5 * | 8.8 ↘ | 9.4 ↓ | 9.9 ↓ |
| beste Teiler | 262.4 (2.) 354.9 (4.) 375.1 (7.) | | | | |
| Trefferlage | 4.45 mm rechts, 4.50 mm tief | | | | |
| Streuwert | 5.29, horizontal: 4.72, vertikal: 5.80 | | | | |



| | | | | | |
|--------------|--|-------|--------|--------|-------|
| Serie 2: | 9.5 → | 9.5 ↖ | 9.6 ↗ | 9.9 ↓ | 9.5 ↗ |
| | 10.2 ← | 9.2 ↗ | 10.3 * | 10.0 → | 9.2 ← |
| beste Teiler | 509.5 (18.) 595.0 (16.) 778.2 (19.) | | | | |
| Trefferlage | 1.63 mm rechts, 2.93 mm hoch | | | | |
| Streuwert | 7.43, horizontal: 8.64, vertikal: 5.98 | | | | |



| | | | | | |
|--------------|--|--------|--------|-------|--------|
| Serie 3: | 9.1 ← | 8.9 ↓ | 10.1 ← | 9.7 ← | 10.0 ↖ |
| | 9.0 ↓ | 10.7 * | 10.7 * | 8.7 → | 10.3 * |
| beste Teiler | 224.7 (28.) 227.0 (27.) 527.3 (30.) | | | | |
| Trefferlage | 2.78 mm links, 4.00 mm tief | | | | |
| Streuwert | 7.66, horizontal: 8.69, vertikal: 6.47 | | | | |





| | | | | | |
|--------------|--|-------|-------|--------|--------|
| Serie 4: | 10.3 * | 9.2 → | 9.7 ↘ | 9.8 ↖ | 9.8 ↖ |
| | 10.2 ↑ | 9.9 ↗ | 9.7 ↓ | 10.6 * | 10.7 * |
| beste Teiler | 223.4 (40.) 283.9 (39.) 520.5 (31.) | | | | |
| Trefferlage | 1.88 mm rechts, 0.77 mm hoch | | | | |
| Streuwert | 6.22, horizontal: 6.74, vertikal: 5.66 | | | | |


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|------------|----------------------------------|
| Ergebnis: | 382 | (401.1) |
| Serien: | 94 | 97 97 94 |
| Zähler: | 22 | 18 0 0 0 0 0 0 0 0 |
| Innenzehner: | 12 | |
| weiteste: | 1596 | (13), 1538 (2), 1477 (15) |
| beste Teiler | 167.5 | (26.) 242.3 (18.) 254.9 (21.) |
| Trefferlage | 0.18 mm | rechts, 1.72 mm hoch |
| Streuwert | 5.72, | horizontal: 5.93, vertikal: 5.51 |




| | | | | | |
|--------------|--|--------|-------|--------|--------|
| Serie 1: | 9.9 → | 9.0 ↘ | 9.6 ↑ | 10.1 → | 9.9 ← |
| | 9.7 ↗ | 10.2 ↑ | 9.7 → | 10.0 ↗ | 10.4 * |
| beste Teiler | 463.0 (10.) 588.9 (7.) 702.2 (4.) | | | | |
| Trefferlage | 1.69 mm rechts, 4.37 mm hoch | | | | |
| Streuwert | 5.96, horizontal: 6.61, vertikal: 5.24 | | | | |



| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 2: | 10.6 * | 10.5 * | 9.0 ← | 10.0 ↘ | 9.1 ↘ |
| | 10.3 * | 9.9 ↘ | 10.6 * | 10.1 ↘ | 10.6 * |
| beste Teiler | 242.3 (18.) 275.0 (20.) 303.5 (11.) | | | | |
| Trefferlage | 2.45 mm links, 0.35 mm hoch | | | | |
| Streuwert | 6.00, horizontal: 6.66, vertikal: 5.26 | | | | |



| | | | | | |
|--------------|--|--------|-------|--------|--------|
| Serie 3: | 10.6 * | 10.5 * | 9.9 ↘ | 10.1 ↘ | 10.4 * |
| | 10.7 * | 10.2 ↘ | 9.8 ↘ | 10.6 * | 9.9 ← |
| beste Teiler | 167.5 (26.) 254.9 (21.) 272.1 (29.) | | | | |
| Trefferlage | 0.61 mm links, 0.32 mm tief | | | | |
| Streuwert | 4.39, horizontal: 3.68, vertikal: 5.00 | | | | |





| | | | | | |
|--------------|--|-------|--------|--------|-------|
| Serie 4: | 9.9 ↘ | 9.7 ↘ | 9.9 ↗ | 10.2 ↘ | 9.8 ↑ |
| | 10.1 ↑ | 9.7 ↗ | 10.2 ↘ | 10.6 * | 9.1 → |
| beste Teiler | 310.6 (39.) 613.0 (38.) 635.4 (34.) | | | | |
| Trefferlage | 2.13 mm rechts, 2.50 mm hoch | | | | |
| Streuwert | 6.00, horizontal: 5.96, vertikal: 6.03 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.3)
 Serien: 87 87 92 92
 Zähler: 14 17 2 7 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3130 (19), 3094 (15), 2732 (3)
 beste Teiler 23.3 (32.) 226.5 (30.) 264.8 (13.)
 Trefferlage 2.40 mm rechts, 0.96 mm tief
 Streuwert 10.55, horizontal: 13.14, vertikal: 7.09




Serie 1:
 9.2 ↓ 10.1 → 7.5 → 7.6 ← 10.1 ↙
 9.9 → 9.2 → 9.6 ↓ 9.1 → 8.7 ↓
 beste Teiler 685.6 (2.) 694.1 (5.) 857.0 (6.)
 Trefferlage 3.93 mm rechts, 3.89 mm tief
 Streuwert 11.45, horizontal: 14.29, vertikal: 7.62



Serie 2:
 10.4 * 7.9 → 10.6 * 10.3 * 7.1 →
 9.4 → 9.5 ↓ 9.9 ↘ 7.0 ↘ 9.5 ↘
 beste Teiler 264.8 (13.) 427.2 (11.) 486.4 (14.)
 Trefferlage 11.00 mm rechts, 5.13 mm tief
 Streuwert 9.43, horizontal: 11.89, vertikal: 6.02



Serie 3:
 9.5 ↘ 9.0 ↗ 9.6 ↗ 10.2 ← 10.3 *
 9.3 ↑ 9.9 ↘ 10.6 * 7.6 ↖ 10.7 *
 beste Teiler 226.5 (30.) 281.5 (28.) 524.2 (25.)
 Trefferlage 0.89 mm links, 4.67 mm hoch
 Streuwert 8.51, horizontal: 10.16, vertikal: 6.45





Serie 4:
 10.0 ↖ 10.9 * 8.7 ← 10.3 ↗ 9.7 ↙
 9.0 → 9.1 ↖ 10.4 * 7.8 ← 10.1 →
 beste Teiler 23.3 (32.) 463.6 (38.) 560.7 (34.)
 Trefferlage 4.42 mm links, 0.50 mm hoch
 Streuwert 9.09, horizontal: 12.26, vertikal: 3.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.0)
 Serien: 95 87 94 94
 Zähler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2410 (14), 2002 (19), 1941 (30)
 beste Teiler 40.3 (40.) 290.0 (36.) 295.8 (3.)
 Trefferlage 2.64 mm rechts, 0.45 mm hoch
 Streuwert 7.83, horizontal: 8.99, vertikal: 6.47




Serie 1:
 10.5 * 9.6 ↖ 10.6 * 9.9 ↑ 9.5 →
 9.6 ↓ 10.5 * 10.0 ↓ 9.7 ↙ 10.4 *
 beste Teiler 295.8 (3.) 374.5 (7.) 394.3 (1.)
 Trefferlage 0.69 mm links, 1.02 mm tief
 Streuwert 6.03, horizontal: 5.03, vertikal: 6.89



Serie 2:
 9.0 ↘ 8.9 ↗ 9.5 ↖ 7.9 → 10.0 ↙
 9.1 ↗ 9.8 ↖ 9.1 ↗ 8.4 ← 9.7 ↗
 beste Teiler 788.3 (15.) 882.9 (17.) 1033.7 (20.)
 Trefferlage 3.45 mm rechts, 3.19 mm hoch
 Streuwert 10.70, horizontal: 12.52, vertikal: 8.50



Serie 3:
 10.0 ↗ 9.6 ↖ 10.0 ↗ 9.5 ← 9.8 ↘
 9.6 ← 10.0 ↘ 10.1 ↙ 10.2 → 8.5 →
 beste Teiler 596.3 (29.) 692.7 (28.) 724.1 (27.)
 Trefferlage 1.23 mm rechts, 0.47 mm hoch
 Streuwert 7.66, horizontal: 9.22, vertikal: 5.70





Serie 4:
 9.1 → 10.4 * 9.9 ↓ 8.6 → 10.3 *
 10.6 * 8.9 → 10.3 ↑ 10.0 ↗ 10.9 *
 beste Teiler 40.3 (40.) 290.0 (36.) 473.7 (32.)
 Trefferlage 6.58 mm rechts, 0.81 mm tief
 Streuwert 5.81, horizontal: 7.12, vertikal: 4.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.9)
 Serien: 99 96 94 95
 Zähler: 24 16 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1556 (14), 1396 (34), 1249 (22)
 beste Teiler 79.6 (5.) 84.5 (10.) 141.1 (32.)
 Trefferlage 0.53 mm rechts, 2.52 mm tief
 Streuwert 5.42, horizontal: 5.33, vertikal: 5.50




Serie 1:
 10.1 ↘ 10.4 * 9.7 ↓ 10.4 * 10.9 *
 10.4 * 10.2 ↓ 10.1 ↓ 10.0 ← 10.8 *
 beste Teiler 79.6 (5.) 84.5 (10.) 402.4 (6.)
 Trefferlage 0.11 mm rechts, 2.61 mm tief
 Streuwert 3.92, horizontal: 3.48, vertikal: 4.31



Serie 2:
 9.8 ↘ 10.1 ↓ 10.5 * 9.0 ↓ 9.8 ↗
 10.5 * 10.5 * 10.4 * 9.9 ↗ 10.2 ↘
 beste Teiler 361.2 (16.) 361.6 (13.) 384.0 (17.)
 Trefferlage 3.39 mm rechts, 1.09 mm tief
 Streuwert 5.25, horizontal: 3.14, vertikal: 6.73



Serie 3:
 10.3 ↓ 9.4 ← 10.4 * 9.9 ↓ 10.1 ↓
 10.1 ↖ 9.8 ← 9.4 ↓ 9.5 ↓ 9.6 ↘
 beste Teiler 444.9 (23.) 536.5 (21.) 644.9 (26.)
 Trefferlage 1.37 mm links, 5.10 mm tief
 Streuwert 5.70, horizontal: 6.04, vertikal: 5.35



Serie 4:
 9.6 ↘ 10.8 * 10.0 ← 9.2 ← 9.9 ↓
 10.3 → 9.7 ↖ 10.2 → 10.2 ↗ 9.8 ↓
 beste Teiler 141.1 (32.) 541.9 (36.) 570.5 (39.)
 Trefferlage 0.00 mm , 1.26 mm tief
 Streuwert 6.26, horizontal: 7.15, vertikal: 5.23

Unterschrift des Schützen

Meyton Elektronik