





Ergebnis: **298** (315.1)<sub>QF</sub>  
 Serien: 76 66 76 80  
 Zaehler: 2 14 6 7 6 3 0 1 0 1  
 Innenzehner: 1  
 weiteste: 7642 (15), 6066 (8), 4406 (13)  
 beste Teiler 370.3 (32.) 775.3 (30.) 863.0 (4.)  
 Trefferlage 6.35 mm rechts, 1.53 mm hoch  
 Streuwert 20.16, horizontal: 14.73, vertikal: 24.41




Serie 1:  
 7.6 ↑                      9.2 ↘                      6.5 ↗                      9.9 ←                      9.2 →  
 6.4 ↖                      9.0 ↓                      3.4 ↑                      9.2 ↑                      9.5 ←  
 beste Teiler 863.0 (4.) 1179.1 (10.) 1410.1 (5.)  
 Trefferlage 7.75 mm links, 12.53 mm hoch  
 Streuwert 18.10, horizontal: 12.06, vertikal: 22.58



Serie 2:  
 9.4 →                      8.9 ↘                      5.4 ↑                      6.2 →                      1.4 ↓  
 9.8 →                      7.5 ↓                      7.7 ↑                      5.6 ↓                      9.8 ↓  
 beste Teiler 909.1 (20.) 943.3 (16.) 1208.9 (11.)  
 Trefferlage 8.30 mm rechts, 9.59 mm tief  
 Streuwert 25.31, horizontal: 13.69, vertikal: 33.07



Serie 3:  
 6.1 →                      5.5 ↑                      8.2 ↘                      8.0 ↓                      8.2 →  
 7.0 ↑                      9.0 ↓                      9.3 ←                      6.5 ↗                      10.0 ↘  
 beste Teiler 775.3 (30.) 1302.2 (28.) 1588.0 (27.)  
 Trefferlage 11.59 mm rechts, 5.36 mm hoch  
 Streuwert 18.36, horizontal: 14.01, vertikal: 21.85





Serie 4:  
 8.9 →                      10.5 \*                      7.9 ↗                      8.8 ↗                      7.9 ↓  
 6.2 ↘                      7.3 →                      9.2 ↓                      9.8 ↓                      9.2 ↗  
 beste Teiler 370.3 (32.) 912.6 (39.) 1381.6 (38.)  
 Trefferlage 13.28 mm rechts, 2.15 mm tief  
 Streuwert 12.25, horizontal: 10.11, vertikal: 14.06

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **367** (385.7)<sup>QF</sup>  
 Serien: 91 92 90 94  
 Zaehler: 15 17 8 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1857 (4), 1853 (22), 1832 (15)  
 beste Teiler 216.0 (34.) 244.8 (26.) 256.7 (9.)  
 Trefferlage 0.70 mm rechts, 1.72 mm hoch  
 Streuwert 8.26, horizontal: 5.29, vertikal: 10.41




Serie 1:  
 10.0 ↖ 8.8 ↗ 10.0 ↙ 8.6 ↗ 8.8 ↘  
 9.2 ↓ 10.3 ↘ 9.2 ↙ 10.6 \* 9.9 ↑  
 beste Teiler 256.7 (9.) 533.2 (7.) 781.8 (3.)  
 Trefferlage 1.02 mm links, 0.21 mm tief  
 Streuwert 9.29, horizontal: 6.51, vertikal: 11.41



Serie 2:  
 10.0 ↑ 10.0 ↓ 9.8 ↓ 10.5 \* 8.7 ↑  
 10.1 ↑ 8.9 ↘ 9.5 → 9.1 ↓ 9.7 →  
 beste Teiler 364.9 (14.) 716.6 (16.) 722.7 (11.)  
 Trefferlage 3.77 mm rechts, 2.06 mm tief  
 Streuwert 7.94, horizontal: 4.86, vertikal: 10.13



Serie 3:  
 9.9 ↓ 8.6 ↑ 9.1 ↘ 10.5 \* 9.6 ↑  
 10.6 \* 9.2 ↑ 9.8 ↓ 9.7 ↑ 8.8 ↑  
 beste Teiler 244.8 (26.) 372.2 (24.) 860.7 (21.)  
 Trefferlage 0.93 mm rechts, 3.70 mm hoch  
 Streuwert 8.53, horizontal: 3.45, vertikal: 11.55





Serie 4:  
 10.3 → 9.6 ↘ 10.5 \* 10.7 \* 10.5 \*  
 9.0 ↘ 9.1 ↑ 9.8 ↖ 10.0 ↓ 8.7 ↑  
 beste Teiler 216.0 (34.) 386.5 (35.) 398.4 (33.)  
 Trefferlage 0.85 mm links, 5.45 mm hoch  
 Streuwert 6.72, horizontal: 5.17, vertikal: 7.97

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **373** (387.0)<sup>QF</sup>  
 Serien: 95 93 93 92  
 Zaehler: 16 21 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2268 (39), 1859 (29), 1849 (32)  
 beste Teiler 212.0 (24.) 369.8 (11.) 402.4 (30.)  
 Trefferlage 3.99 mm links, 0.50 mm hoch  
 Streuwert 7.50, horizontal: 5.56, vertikal: 9.02




Serie 1:  
 10.1 ← 10.4 \* 9.9 ← 9.1 ↓ 10.3 ↓  
 9.2 ↖ 10.4 \* 9.8 ↗ 10.1 ↗ 9.4 ↖  
 beste Teiler 417.7 (2.) 464.7 (7.) 482.3 (5.)  
 Trefferlage 4.66 mm links, 0.13 mm tief  
 Streuwert 6.07, horizontal: 5.40, vertikal: 6.67



Serie 2:  
 10.5 \* 9.3 ↓ 9.2 ↓ 9.8 ↓ 9.1 ↑  
 10.2 ↗ 9.0 ↖ 10.1 → 9.4 ↑ 9.5 ←  
 beste Teiler 369.8 (11.) 572.6 (16.) 695.8 (18.)  
 Trefferlage 2.77 mm links, 0.05 mm tief  
 Streuwert 8.32, horizontal: 5.85, vertikal: 10.21



Serie 3:  
 9.8 ↓ 10.2 ↖ 10.0 ↖ 10.7 \* 9.6 ↗  
 9.7 ↑ 9.4 ← 9.1 ↗ 8.6 ↖ 10.4 \*  
 beste Teiler 212.0 (24.) 402.4 (30.) 590.2 (22.)  
 Trefferlage 3.87 mm links, 1.43 mm hoch  
 Streuwert 7.39, horizontal: 5.69, vertikal: 8.76





Serie 4:  
 10.0 ↖ 8.6 ↗ 9.2 ↓ 10.3 ↓ 10.2 ↗  
 9.5 ↖ 9.2 ↑ 10.0 ← 8.1 ↑ 9.6 ←  
 beste Teiler 507.6 (34.) 624.3 (35.) 757.1 (31.)  
 Trefferlage 4.68 mm links, 0.75 mm hoch  
 Streuwert 8.98, horizontal: 5.97, vertikal: 11.21

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **355** (373.3)<sup>QF</sup>  
 Serien: 88 84 94 89  
 Zaehler: 11 18 8 1 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3855 (17), 3250 (14), 3148 (9)  
 beste Teiler 82.4 (11.) 166.9 (20.) 187.7 (22.)  
 Trefferlage 3.01 mm rechts, 0.22 mm tief  
 Streuwert 10.83, horizontal: 8.46, vertikal: 12.77




Serie 1:  
 9.9 ↑                      9.4 ↖                      9.8 ↑                      8.2 →                      9.4 ←  
 10.3 ↑                      10.5 \*                      9.5 ↖                      7.0 →                      8.6 ↖  
 beste Teiler 366.6 (7.) 495.3 (6.) 835.8 (1.)  
 Trefferlage 1.99 mm rechts, 6.24 mm hoch  
 Streuwert 10.62, horizontal: 13.46, vertikal: 6.65



Serie 2:  
 10.8 \*                      9.2 ↓                      9.7 ↓                      6.9 ↓                      8.7 ↓  
 9.6 ↗                      6.1 ↑                      9.3 ↓                      8.5 →                      10.7 \*  
 beste Teiler 82.4 (11.) 166.9 (20.) 1040.1 (13.)  
 Trefferlage 2.97 mm rechts, 3.78 mm tief  
 Streuwert 14.20, horizontal: 7.48, vertikal: 18.63



Serie 3:  
 8.2 ↓                      10.7 \*                      9.6 ↓                      10.3 ↘                      9.4 ↘  
 9.0 ↘                      9.1 ↓                      10.2 ↘                      10.4 \*                      10.4 \*  
 beste Teiler 187.7 (22.) 448.3 (30.) 475.6 (29.)  
 Trefferlage 3.80 mm rechts, 6.52 mm tief  
 Streuwert 6.46, horizontal: 5.32, vertikal: 7.43



Serie 4:  
 9.6 ↗                      8.2 ↑                      10.2 ←                      9.5 ↓                      9.7 ↑  
 10.4 \*                      8.4 ↓                      8.6 ↗                      9.7 ↑                      9.6 ↗  
 beste Teiler 418.3 (36.) 619.7 (33.) 997.5 (35.)  
 Trefferlage 3.29 mm rechts, 3.17 mm hoch  
 Streuwert 9.61, horizontal: 6.52, vertikal: 11.92

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik