





Ergebnis: **348** (367.0)
 Serien: 82 87 87 92
 Zähler: 10 19 6 2 1 1 1 0 0 0
 Innenzehner: 5
 weiteste: 5106 (4), 4274 (25), 3260 (5)
 beste Teiler 155.4 (24.) 275.3 (33.) 355.3 (29.)
 Trefferlage 0.64 mm links, 1.85 mm tief
 Streuwert 12.30, horizontal: 15.45, vertikal: 7.97




Serie 1:
 9.2 ↓ 8.8 ↖ 7.9 → 4.6 ← 6.9 ←
 9.3 ↗ 10.0 ← 9.6 ↙ 10.4 * 10.0 ↓
 beste Teiler 455.3 (9.) 768.0 (10.) 790.9 (7.)
 Trefferlage 8.87 mm links, 2.07 mm tief
 Streuwert 15.50, horizontal: 20.49, vertikal: 7.81



Serie 2:
 9.2 ← 9.7 → 9.1 ↓ 7.9 ↓ 9.7 →
 9.6 ← 8.2 ← 9.0 ← 9.3 ↑ 9.6 →
 beste Teiler 990.7 (12.) 991.1 (15.) 1066.7 (20.)
 Trefferlage 1.56 mm links, 3.91 mm tief
 Streuwert 10.99, horizontal: 12.16, vertikal: 9.67



Serie 3:
 9.2 → 9.8 ↑ 9.1 → 10.8 * 5.6 →
 9.8 ↘ 8.9 ↖ 10.1 ↓ 10.5 * 8.2 ↑
 beste Teiler 155.4 (24.) 355.3 (29.) 680.3 (28.)
 Trefferlage 6.03 mm rechts, 2.74 mm hoch
 Streuwert 12.42, horizontal: 15.28, vertikal: 8.67





Serie 4:
 8.8 ↘ 9.9 ↓ 10.6 * 10.1 → 9.3 ←
 10.0 ↓ 10.4 * 8.9 ↘ 9.6 → 9.4 ←
 beste Teiler 275.3 (33.) 424.5 (37.) 695.5 (34.)
 Trefferlage 1.81 mm rechts, 4.16 mm tief
 Streuwert 7.52, horizontal: 10.06, vertikal: 3.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (398.9)
 Serien: 96 93 99 95
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1748 (16), 1451 (39), 1417 (1)
 beste Teiler 164.2 (30.) 248.0 (6.) 252.9 (32.)
 Trefferlage 1.32 mm rechts, 1.26 mm tief
 Streuwert 6.12, horizontal: 7.18, vertikal: 4.84



Serie 1:
 9.2 ↗ 10.1 ↙ 9.2 ↘ 9.4 → 10.2 ←
 10.6 * 10.5 * 10.6 * 10.5 * 9.3 ↘
 beste Teiler 248.0 (6.) 288.2 (8.) 353.9 (7.)
 Trefferlage 0.54 mm rechts, 0.82 mm hoch
 Streuwert 6.82, horizontal: 8.74, vertikal: 4.06



Serie 2:
 9.3 ↗ 9.9 ↖ 9.6 → 10.2 ← 10.1 ↓
 8.8 ↓ 10.4 * 10.3 * 9.8 ↘ 9.9 →
 beste Teiler 403.9 (17.) 499.9 (18.) 611.4 (14.)
 Trefferlage 3.59 mm rechts, 1.96 mm tief
 Streuwert 6.50, horizontal: 5.57, vertikal: 7.31



Serie 3:
 10.4 * 10.1 ↙ 10.2 ↓ 10.0 ↘ 10.1 ↓
 10.0 → 9.9 → 10.5 * 10.4 * 10.7 *
 beste Teiler 164.2 (30.) 379.4 (28.) 410.2 (21.)
 Trefferlage 0.61 mm rechts, 1.04 mm tief
 Streuwert 4.51, horizontal: 4.83, vertikal: 4.15





Serie 4:
 10.5 * 10.6 * 10.1 ↘ 9.7 → 9.3 →
 10.1 ↙ 10.2 ↙ 9.8 ↙ 9.1 ← 9.3 →
 beste Teiler 252.9 (32.) 380.7 (31.) 593.4 (37.)
 Trefferlage 0.52 mm rechts, 2.88 mm tief
 Streuwert 6.74, horizontal: 9.22, vertikal: 2.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.6)
 Serien: 90 89 93 92
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2777 (23), 2340 (2), 2023 (32)
 beste Teiler 160.8 (6.) 244.0 (39.) 257.7 (10.)
 Trefferlage 1.60 mm rechts, 2.93 mm tief
 Streuwert 8.63, horizontal: 9.10, vertikal: 8.14




Serie 1:
 8.8 ↖ 8.0 ↓ 9.1 ← 9.7 ↓ 9.8 →
 10.8 * 8.9 ↓ 10.3 * 9.8 ↘ 10.6 *
 beste Teiler 160.8 (6.) 257.7 (10.) 484.3 (8.)
 Trefferlage 0.43 mm links, 5.30 mm tief
 Streuwert 8.73, horizontal: 8.89, vertikal: 8.55



Serie 2:
 9.1 ↓ 9.9 ↖ 9.4 → 8.7 ↘ 9.6 →
 9.0 ↓ 9.1 ↓ 9.9 → 10.1 ↖ 8.6 ↖
 beste Teiler 645.1 (19.) 817.4 (12.) 875.3 (18.)
 Trefferlage 3.85 mm rechts, 2.87 mm tief
 Streuwert 9.36, horizontal: 8.84, vertikal: 9.85



Serie 3:
 10.0 ↗ 10.2 ↙ 7.5 → 10.2 ↙ 10.4 *
 9.9 ↓ 9.2 ← 10.4 * 9.5 ↖ 9.9 ↓
 beste Teiler 417.4 (25.) 435.5 (28.) 590.4 (22.)
 Trefferlage 0.02 mm links, 1.35 mm tief
 Streuwert 8.79, horizontal: 10.89, vertikal: 6.02





Serie 4:
 9.2 → 8.4 ↘ 9.2 ↘ 10.4 * 9.5 ↖
 9.3 ↖ 10.3 → 9.9 ↙ 10.6 * 9.4 ↓
 beste Teiler 244.0 (39.) 445.0 (34.) 540.5 (37.)
 Trefferlage 3.04 mm rechts, 2.19 mm tief
 Streuwert 8.32, horizontal: 8.22, vertikal: 8.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (359.8)
 Serien: 83 88 81 88
 Zähler: 8 13 11 7 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3208 (28), 3092 (29), 3068 (20)
 beste Teiler 78.2 (14.) 222.3 (17.) 527.2 (35.)
 Trefferlage 8.63 mm links, 4.01 mm hoch
 Streuwert 10.50, horizontal: 11.84, vertikal: 8.96




Serie 1:
 8.7 ↘ 8.9 ↘ 7.6 ← 9.9 ↙ 7.9 ↑
 9.9 ↑ 9.3 ← 9.1 ← 8.8 ← 9.1 ←
 beste Teiler 811.7 (4.) 874.0 (6.) 1296.7 (7.)
 Trefferlage 11.06 mm links, 5.58 mm hoch
 Streuwert 8.80, horizontal: 8.96, vertikal: 8.64



Serie 2:
 9.4 ↓ 7.8 ← 7.9 ↘ 10.9 * 9.8 ↘
 10.2 ↘ 10.7 * 10.0 → 9.3 ↑ 7.1 ←
 beste Teiler 78.2 (14.) 222.3 (17.) 638.8 (16.)
 Trefferlage 6.94 mm links, 2.03 mm hoch
 Streuwert 10.95, horizontal: 13.59, vertikal: 7.44



Serie 3:
 9.0 ← 8.8 ← 9.9 ← 9.1 ↗ 8.8 ↘
 8.8 ↑ 8.9 ← 6.9 ← 7.1 ↑ 9.1 ↘
 beste Teiler 838.7 (23.) 1469.4 (24.) 1495.0 (30.)
 Trefferlage 9.97 mm links, 5.30 mm hoch
 Streuwert 12.13, horizontal: 11.68, vertikal: 12.56



Serie 4:
 10.1 → 8.4 → 8.1 ← 7.7 ← 10.3 *
 9.2 ← 8.8 ↑ 10.0 ← 10.0 ↘ 8.5 ↘
 beste Teiler 527.2 (35.) 707.6 (31.) 761.1 (39.)
 Trefferlage 6.56 mm links, 3.15 mm hoch
 Streuwert 10.96, horizontal: 13.77, vertikal: 7.12

Unterschrift des Schützen

Meyton Elektronik

KK stehend aufgeleg – Wertung – **Männer**

StartNr: 76



StandNr: 29

29. Juli 2017 14:30


Stöckholzer, Mario #70211012

SG_Igls_Vill


Ergebnis: **381** (395.4)
 Serien: 94 97 96 94
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1935 (39), 1808 (37), 1487 (24)
 beste Teiler 139.6 (29.) 268.2 (2.) 278.6 (36.)
 Trefferlage 0.29 mm rechts, 1.86 mm hoch
 Streuwert 6.74, horizontal: 7.26, vertikal: 6.19




Serie 1:
 10.4 * 10.6 * 9.3 ↘ 9.1 ↑ 10.3 *
 9.6 ↙ 10.1 ↗ 9.3 ↘ 9.2 ↘ 9.4 →
 beste Teiler 268.2 (2.) 436.8 (1.) 516.0 (5.)
 Trefferlage 1.48 mm links, 4.90 mm hoch
 Streuwert 6.94, horizontal: 6.51, vertikal: 7.34



Serie 2:
 9.7 ↑ 9.6 ↑ 10.1 ↘ 9.6 ↘ 10.3 ↙
 10.1 ↘ 10.1 ↘ 10.5 * 10.4 * 10.5 *
 beste Teiler 389.1 (20.) 396.2 (18.) 456.0 (19.)
 Trefferlage 0.89 mm rechts, 2.34 mm hoch
 Streuwert 5.28, horizontal: 4.85, vertikal: 5.69



Serie 3:
 9.2 ↖ 10.3 * 10.2 ↙ 9.1 → 9.5 ↓
 10.0 ↓ 9.5 ↘ 10.3 ↙ 10.8 * 10.3 *
 beste Teiler 139.6 (29.) 489.3 (30.) 495.9 (22.)
 Trefferlage 1.75 mm links, 1.07 mm tief
 Streuwert 6.75, horizontal: 7.44, vertikal: 5.99



Serie 4:
 10.1 → 9.9 ↗ 10.0 ↙ 10.2 → 10.4 *
 10.6 * 8.7 → 9.5 ↖ 8.5 ↘ 10.1 ↑
 beste Teiler 278.6 (36.) 443.2 (35.) 628.8 (34.)
 Trefferlage 3.53 mm rechts, 1.28 mm hoch
 Streuwert 7.42, horizontal: 9.31, vertikal: 4.82

Unterschrift des Schützen

Meyton Elektronik

KK stehend aufgeleg – Wertung – **Männer**

StartNr: 77


StandNr: 30

22. Juli 2017 14:21

Ampferer,, Manuel #70403033



SG_Brandenburg / Brandenburg 1

Ergebnis: **0** (0.0)_{DNS}
Serien:
Zähler: 0 0 0 0 0 0 0 0 0 0
Innenzehner: 0
weiteste:
~~beste~~ Teiler – Schütze ist nicht zum Wettkampf angetreten
Trefferlage 0.00 mm , 0.00 mm
Streuwert
Unterschrift des Schützen




Meyton Elektronik


Ergebnis: **373** (390.2)
 Serien: 93 94 93 93
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2355 (5), 1995 (37), 1853 (40)
 beste Teiler 85.7 (33.) 88.9 (39.) 127.4 (24.)
 Trefferlage 0.57 mm rechts, 0.42 mm hoch
 Streuwert 7.95, horizontal: 8.72, vertikal: 7.09




Serie 1:
 9.1 → 10.3 * 10.1 ↗ 10.1 ↑ 8.0 ←
 9.0 ↙ 9.6 ↓ 9.0 ↖ 9.6 ← 10.1 ↖
 beste Teiler 497.8 (2.) 670.0 (10.) 692.3 (3.)
 Trefferlage 2.69 mm links, 0.32 mm hoch
 Streuwert 9.43, horizontal: 10.62, vertikal: 8.07



Serie 2:
 10.4 * 10.7 * 10.3 * 9.6 → 10.5 *
 9.9 → 8.7 → 9.1 ↖ 9.7 ↙ 10.5 *
 beste Teiler 237.0 (12.) 325.3 (15.) 349.6 (20.)
 Trefferlage 1.15 mm rechts, 0.02 mm hoch
 Streuwert 7.04, horizontal: 8.98, vertikal: 4.31



Serie 3:
 8.8 ↓ 10.7 * 9.8 ↘ 10.8 * 9.5 ↓
 10.1 ↖ 9.7 ↘ 10.0 → 9.9 ↖ 9.0 →
 beste Teiler 127.4 (24.) 205.1 (22.) 660.4 (26.)
 Trefferlage 3.01 mm rechts, 3.25 mm tief
 Streuwert 6.87, horizontal: 6.98, vertikal: 6.76





Serie 4:
 10.3 * 10.1 ↑ 10.8 * 10.4 * 9.6 →
 9.1 ↖ 8.5 ↖ 9.4 → 10.8 * 8.6 ↑
 beste Teiler 85.7 (33.) 88.9 (39.) 433.7 (34.)
 Trefferlage 0.82 mm rechts, 4.59 mm hoch
 Streuwert 7.82, horizontal: 8.26, vertikal: 7.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (366.3)
 Serien: 90 86 81 91
 Zähler: 13 10 12 3 1 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4043 (24), 3539 (15), 3163 (17)
 beste Teiler 215.0 (13.) 222.8 (32.) 278.7 (19.)
 Trefferlage 4.14 mm links, 0.94 mm hoch
 Streuwert 11.71, horizontal: 14.79, vertikal: 7.45




Serie 1:
 10.0 ← 7.5 ← 9.1 ← 9.2 ↑ 8.7 ↖
 10.2 ↘ 8.3 ← 10.2 ← 9.7 ← 10.4 *
 beste Teiler 473.6 (10.) 590.1 (8.) 619.9 (6.)
 Trefferlage 10.05 mm links, 2.49 mm hoch
 Streuwert 7.84, horizontal: 9.21, vertikal: 6.17



Serie 2:
 9.2 ↗ 10.1 ↑ 10.7 * 9.2 ← 6.5 ←
 8.8 → 7.0 ← 9.3 ← 10.6 * 8.9 →
 beste Teiler 215.0 (13.) 278.7 (19.) 708.8 (12.)
 Trefferlage 6.88 mm links, 2.44 mm hoch
 Streuwert 12.71, horizontal: 16.94, vertikal: 6.00





Serie 3:
 7.7 ↖ 8.1 ↘ 8.9 ↑ 5.9 → 9.5 ↗
 9.8 ← 8.9 ↗ 8.7 ↖ 9.2 → 10.3 *
 beste Teiler 485.1 (30.) 938.0 (26.) 1178.6 (25.)
 Trefferlage 2.53 mm links, 2.59 mm hoch
 Streuwert 14.84, horizontal: 18.72, vertikal: 9.48




Serie 4:
 10.1 ↓ 10.7 * 8.6 ↘ 8.3 → 8.9 ↗
 9.9 ↗ 10.1 ← 8.6 → 10.0 → 10.5 *
 beste Teiler 222.8 (32.) 348.0 (40.) 649.1 (37.)
 Trefferlage 2.91 mm rechts, 3.76 mm tief
 Streuwert 9.03, horizontal: 10.94, vertikal: 6.60

Unterschrift des Schützen


Ergebnis: **352** (368.6)
 Serien: 88 89 84 91
 Zähler: 12 15 9 1 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3559 (28), 3466 (7), 3267 (21)
 beste Teiler 168.8 (23.) 396.9 (25.) 414.8 (40.)
 Trefferlage 0.09 mm rechts, 2.01 mm hoch
 Streuwert 11.45, horizontal: 15.14, vertikal: 5.74




Serie 1:
 9.1 → 8.5 ← 10.1 ← 9.2 ↗ 8.2 →
 10.2 ← 6.6 → 9.2 ↘ 9.4 ↗ 10.0 ↘
 beste Teiler 591.0 (6.) 691.3 (3.) 731.2 (10.)
 Trefferlage 5.18 mm rechts, 2.96 mm hoch
 Streuwert 12.08, horizontal: 16.16, vertikal: 5.57



Serie 2:
 8.5 → 8.8 → 9.5 ↘ 9.7 ↖ 9.3 ↖
 9.8 ↑ 8.8 ↖ 10.3 * 10.2 ↓ 9.4 →
 beste Teiler 508.5 (18.) 638.5 (19.) 895.5 (16.)
 Trefferlage 1.98 mm rechts, 1.98 mm hoch
 Streuwert 9.47, horizontal: 11.71, vertikal: 6.52



Serie 3:
 6.9 ← 8.6 ↖ 10.7 * 8.9 ← 10.5 *
 9.4 → 10.0 ↘ 6.5 ← 9.3 ↗ 8.1 ←
 beste Teiler 168.8 (23.) 396.9 (25.) 764.7 (27.)
 Trefferlage 10.12 mm links, 1.12 mm hoch
 Streuwert 12.54, horizontal: 16.98, vertikal: 5.12



Serie 4:
 10.1 ↖ 9.8 ← 7.4 → 9.6 ↘ 9.8 ↖
 9.1 ↘ 8.5 → 10.0 → 10.2 ↖ 10.4 *
 beste Teiler 414.8 (40.) 635.8 (39.) 646.2 (31.)
 Trefferlage 3.36 mm rechts, 1.99 mm hoch
 Streuwert 9.69, horizontal: 12.10, vertikal: 6.43

Unterschrift des Schützen