





Ergebnis:	382	(400.8)
Serien:	95 95 97 95	
Zähler:	24 14 2 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1848 (9), 1643 (35), 1434 (17)	
beste Teiler	88.7 (5.) 129.4 (2.) 135.6 (22.)	
Trefferlage	1.13 mm links, 0.56 mm hoch	
Streuwert	6.10, horizontal: 6.15, vertikal: 6.05	




Serie 1:	10.1 ↙	10.8 *	10.5 *	10.5 *	10.8 *
	9.6 ↓	10.2 ←	9.9 ←	8.6 ↖	9.8 ←
beste Teiler	88.7 (5.)	129.4 (2.)	340.6 (4.)		
Trefferlage	4.74 mm links, 0.29 mm tief				
Streuwert	5.28, horizontal: 6.07, vertikal: 4.34				



Serie 2:	10.0 ↙	10.0 ↘	9.2 ↗	9.6 ↘	9.9 ↓
	10.2 ↘	9.2 ↓	10.1 ↘	9.7 ↘	10.1 ↑
beste Teiler	600.6 (16.)	681.0 (20.)	705.5 (18.)		
Trefferlage	3.28 mm links, 0.47 mm tief				
Streuwert	6.74, horizontal: 4.20, vertikal: 8.55				



Serie 3:	10.4 *	10.8 *	10.6 *	10.4 *	9.2 ↘
	10.2 ↗	9.9 ←	10.1 ↘	10.5 *	9.7 ↗
beste Teiler	135.6 (22.)	313.4 (23.)	372.4 (29.)		
Trefferlage	1.56 mm rechts, 1.40 mm hoch				
Streuwert	5.18, horizontal: 5.59, vertikal: 4.74				



Serie 4:	10.5 *	9.9 ↘	10.3 *	10.1 ↖	8.9 ↘
	9.3 ↘	10.8 *	9.4 ↗	10.6 *	10.4 *
beste Teiler	143.8 (37.)	317.5 (39.)	394.0 (31.)		
Trefferlage	1.91 mm rechts, 1.61 mm hoch				
Streuwert	6.33, horizontal: 6.33, vertikal: 6.33				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **375** (393.2)

Serien: 95 93 97 90

Zähler: 17 21 2 0 0 0 0 0 0 0



Innenzehner: 7

weiteste: 2382 (37), 1664 (31), 1501 (22)

beste Teiler 247.3 (6.) 270.1 (7.) 334.3 (21.)

Trefferlage 0.85 mm rechts, 1.57 mm hoch

Streuwert 6.99, horizontal: 7.63, vertikal: 6.29




Serie 1:

9.1 ↖	10.4 *	9.3 ↘	9.8 ↘	10.2 ↗
10.6 *	10.6 *	9.9 →	9.8 ←	10.3 →

beste Teiler 247.3 (6.) 270.1 (7.) 469.5 (2.)

Trefferlage 0.92 mm links, 0.52 mm hoch

Streuwert 6.30, horizontal: 7.33, vertikal: 5.05




Serie 2:

9.6 →	9.7 →	9.7 ↘	9.6 ↖	10.2 ↗
9.8 ↗	9.8 ↘	10.0 ↑	10.2 ↗	9.7 ↘

beste Teiler 582.1 (15.) 600.7 (19.) 796.1 (18.)

Trefferlage 0.82 mm rechts, 1.41 mm hoch

Streuwert 6.75, horizontal: 6.93, vertikal: 6.56




Serie 3:

10.5 *	9.1 ↗	10.5 *	9.8 ↖	10.4 *
9.7 ↘	10.0 ↘	10.0 ↓	10.5 *	10.0 ↑

beste Teiler 334.3 (21.) 338.0 (23.) 377.5 (29.)

Trefferlage 0.03 mm links, 2.06 mm hoch

Streuwert 5.83, horizontal: 6.31, vertikal: 5.31



Serie 4:

8.9 ↘	9.3 ↘	10.2 ↖	9.4 →	9.6 ↑
10.3 ↘	8.0 →	9.5 ↓	9.6 ↑	9.6 ↗

beste Teiler 538.4 (36.) 567.5 (33.) 1063.7 (35.)



Trefferlage 3.54 mm rechts, 2.29 mm hoch

Streuwert 9.25, horizontal: 9.92, vertikal: 8.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	373	(391.4)
Serien:	95 93 94 91	
Zähler:	20 14 5 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2849 (19), 1963 (33), 1859 (9)	
beste Teiler	181.1 (20.) 181.3 (23.) 302.7 (4.)	
Trefferlage	0.43 mm links, 0.18 mm hoch	
Streuwert	7.91, horizontal: 9.78, vertikal: 5.42	




Serie 1:				
10.5 *	10.2 →	10.6 *	10.6 *	9.7 ↘
10.1 ↑	9.0 →	9.4 ↓	8.6 ←	10.1 ↗
beste Teiler	302.7 (4.) 319.2 (3.) 398.6 (1.)			
Trefferlage	1.64 mm rechts, 0.61 mm tief			
Streuwert	7.43, horizontal: 8.72, vertikal: 5.87			



Serie 2:				
10.1 ↘	10.4 *	9.6 ↖	10.0 ↖	9.9 ↘
10.5 *	9.9 ←	9.3 ←	7.4 →	10.7 *
beste Teiler	181.1 (20.) 381.8 (16.) 461.4 (12.)			
Trefferlage	0.12 mm links, 0.83 mm tief			
Streuwert	8.76, horizontal: 10.49, vertikal: 6.58			



Serie 3:				
10.3 *	9.4 ←	10.7 *	9.7 ←	8.6 →
9.5 →	10.4 *	10.3 ↘	9.6 ←	10.6 *
beste Teiler	181.3 (23.) 303.2 (30.) 466.8 (27.)			
Trefferlage	0.58 mm rechts, 0.67 mm tief			
Streuwert	7.18, horizontal: 9.81, vertikal: 2.60			





Serie 4:				
10.2 ↖	10.5 *	8.5 ↖	9.7 ↘	8.8 ←
10.4 *	10.1 →	8.6 ↖	9.5 →	9.4 ←
beste Teiler	364.0 (32.) 423.7 (36.) 618.5 (31.)			
Trefferlage	3.82 mm links, 2.86 mm hoch			
Streuwert	8.52, horizontal: 10.64, vertikal: 5.67			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.7)
 Serien: 95 92 91 95
 Zähler: 20 14 5 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2544 (29), 2025 (38), 1801 (30)
 beste Teiler 169.7 (31.) 245.9 (5.) 315.0 (34.)
 Trefferlage 0.04 mm rechts, 3.53 mm tief
 Streuwert 7.09, horizontal: 8.33, vertikal: 5.58




Serie 1:
 10.4 * 9.9 ← 10.2 ↘ 9.5 → 10.6 *
 9.5 ↘ 9.9 ↓ 10.4 * 9.9 ← 10.2 ↙
 beste Teiler 245.9 (5.) 414.3 (8.) 433.2 (1.)
 Trefferlage 0.78 mm rechts, 3.00 mm tief
 Streuwert 5.30, horizontal: 6.75, vertikal: 3.26



Serie 2:
 10.1 ← 10.1 → 10.3 * 9.6 ↓ 10.2 ↑
 8.7 ↓ 10.4 * 8.8 ← 9.5 ← 8.7 →
 beste Teiler 471.2 (17.) 494.5 (13.) 578.7 (15.)
 Trefferlage 3.31 mm links, 2.96 mm tief
 Streuwert 8.04, horizontal: 9.36, vertikal: 6.44



Serie 3:
 10.1 ↗ 10.4 * 9.6 ↘ 10.5 * 9.9 ↓
 10.3 * 9.1 ↓ 9.6 ↗ 7.8 ← 8.7 →
 beste Teiler 327.7 (24.) 411.3 (22.) 515.0 (26.)
 Trefferlage 1.26 mm rechts, 3.78 mm tief
 Streuwert 8.93, horizontal: 10.15, vertikal: 7.51





Serie 4:
 10.7 * 10.1 ↘ 10.5 * 10.6 * 10.0 ↓
 9.8 ↓ 9.9 ↓ 8.4 ↘ 9.5 ↓ 10.3 *
 beste Teiler 169.7 (31.) 315.0 (34.) 373.3 (33.)
 Trefferlage 1.44 mm rechts, 4.40 mm tief
 Streuwert 6.00, horizontal: 6.87, vertikal: 4.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.4)
 Serien: 95 94 94 95
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1773 (24), 1760 (35), 1385 (27)
 beste Teiler 93.1 (3.) 321.2 (26.) 346.1 (33.)
 Trefferlage 0.17 mm rechts, 1.09 mm hoch
 Streuwert 6.56, horizontal: 6.53, vertikal: 6.60




Serie 1:
 9.4 ↑ 9.9 → 10.8 * 9.5 ↓ 10.0 →
 10.3 ↓ 9.7 ← 9.8 ↘ 10.3 ↗ 10.4 *
 beste Teiler 93.1 (3.) 413.6 (10.) 535.0 (6.)
 Trefferlage 0.67 mm rechts, 0.16 mm tief
 Streuwert 6.07, horizontal: 6.00, vertikal: 6.14



Serie 2:
 9.5 ↑ 10.3 ↘ 9.9 ↗ 9.9 ← 9.9 ←
 9.6 → 10.1 ← 10.1 ↘ 9.6 ↘ 10.1 ←
 beste Teiler 541.3 (12.) 668.9 (18.) 680.2 (20.)
 Trefferlage 0.67 mm rechts, 0.20 mm tief
 Streuwert 6.52, horizontal: 7.46, vertikal: 5.43



Serie 3:
 9.6 ↘ 9.7 ↖ 10.0 ↘ 8.7 ↑ 10.0 ↑
 10.5 * 9.2 ↑ 10.1 ↖ 10.2 ↑ 9.4 ↘
 beste Teiler 321.2 (26.) 568.4 (29.) 656.3 (28.)
 Trefferlage 2.13 mm links, 4.89 mm hoch
 Streuwert 6.65, horizontal: 6.01, vertikal: 7.24





Serie 4:
 9.7 ↘ 10.4 * 10.5 * 9.3 ↘ 8.8 ↘
 10.1 ↑ 9.9 → 10.1 ↑ 10.0 ↓ 10.1 ←
 beste Teiler 346.1 (33.) 426.8 (32.) 678.4 (40.)
 Trefferlage 1.48 mm rechts, 0.15 mm tief
 Streuwert 6.94, horizontal: 6.98, vertikal: 6.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(399.0)
Serien:	93	96 96 96
Zähler:	22	17 1 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	1905 (7),	1540 (23), 1371 (12)
beste Teiler	190.7 (24.)	227.6 (27.) 294.7 (16.)
Trefferlage	1.48 mm rechts, 1.13 mm tief	
Streuwert	6.09, horizontal: 6.68, vertikal: 5.44	




Serie 1:	9.9 ↑	10.2 ↘	9.3 ↓	10.1 ←	10.1 ↓
	9.8 ↘	8.6 ↙	9.9 ↗	10.1 ↖	9.5 →
beste Teiler	593.3 (2.) 649.8 (5.) 703.5 (4.)				
Trefferlage	0.07 mm rechts, 2.54 mm tief				
Streuwert	7.51, horizontal: 8.08, vertikal: 6.88				



Serie 2:	9.5 ↖	9.2 →	10.5 *	10.5 *	9.8 ←
	10.6 *	10.1 ↑	9.9 ↗	10.4 *	10.0 ↑
beste Teiler	294.7 (16.) 347.3 (13.) 396.7 (14.)				
Trefferlage	1.19 mm rechts, 1.95 mm hoch				
Streuwert	5.71, horizontal: 6.34, vertikal: 5.00				



Serie 3:	10.4 *	10.1 →	9.0 →	10.7 *	9.6 ↘
	10.2 ↘	10.7 *	9.6 ←	10.3 ↘	9.4 ↘
beste Teiler	190.7 (24.) 227.6 (27.) 415.0 (21.)				
Trefferlage	3.50 mm rechts, 3.52 mm tief				
Streuwert	5.40, horizontal: 6.62, vertikal: 3.81				





Serie 4:	9.3 →	10.3 *	9.8 ↙	10.4 *	10.4 *
	10.5 *	9.9 ↘	9.8 ←	10.3 →	10.3 *
beste Teiler	321.7 (36.) 407.7 (34.) 419.5 (35.)				
Trefferlage	1.18 mm rechts, 0.42 mm tief				
Streuwert	5.41, horizontal: 6.09, vertikal: 4.64				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	372	(384.4)			
Serien:	95	96	93	88	
Zähler:	20	15	3	1	1 0 0 0 0 0
Innenzehner:	8				
weiteste:	3463 (26), 2824 (36), 1941 (38)				
beste Teiler	82.9 (21.) 341.2 (19.) 405.7 (2.)				
Trefferlage	0.28 mm links, 0.69 mm hoch				
Streuwert	8.97, horizontal: 8.30, vertikal: 9.59				




Serie 1:

10.4 *	10.4 *	10.4 *	10.0 ↙	9.0 ↘
10.1 ↓	10.0 →	8.9 →	9.5 ←	9.4 ↘
beste Teiler	405.7 (2.) 441.3 (1.) 453.0 (3.)			
Trefferlage	2.42 mm rechts, 3.53 mm tief			
Streuwert	6.85, horizontal: 7.68, vertikal: 5.91			




Serie 2:

9.2 ↘	9.9 →	10.0 ↑	9.1 ↖	10.2 ↗
10.0 ←	10.3 *	9.9 ←	10.5 *	10.1 ↖
beste Teiler	341.2 (19.) 523.2 (17.) 634.3 (15.)			
Trefferlage	0.98 mm links, 1.13 mm hoch			
Streuwert	6.57, horizontal: 7.88, vertikal: 4.93			



Serie 3:

10.8 *	10.3 *	10.0 ↖	9.5 ↑	10.0 ↗
6.6 ↑	10.0 ↘	10.0 ↓	9.1 ↖	9.5 ←
beste Teiler	82.9 (21.) 498.2 (22.) 725.2 (25.)			
Trefferlage	2.55 mm links, 5.58 mm hoch			
Streuwert	9.33, horizontal: 6.05, vertikal: 11.73			





Serie 4:

10.1 ←	9.1 ↙	9.7 ↘	9.6 ↘	8.6 ↘
7.4 ↖	9.0 ↑	8.5 ↘	10.3 *	9.0 ↖
beste Teiler	481.8 (39.) 716.0 (31.) 1017.5 (33.)			
Trefferlage	0.02 mm links, 0.40 mm tief			
Streuwert	11.85, horizontal: 11.25, vertikal: 12.41			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	381	(399.2)
Serien:	93 96 96 96	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2067 (6), 1580 (4), 1556 (18)	
beste Teiler	62.6 (26.) 128.7 (14.) 227.7 (40.)	
Trefferlage	0.49 mm links, 1.88 mm hoch	
Streuwert	6.25, horizontal: 6.64, vertikal: 5.83	




Serie 1:

9.7 ←	9.9 →	9.5 ↗	9.0 ↘	9.9 ←
8.4 ↗	10.4 *	10.0 ↘	10.0 ↑	10.6 *
beste Teiler	311.0 (10.) 471.2 (7.) 737.2 (9.)			
Trefferlage	0.62 mm links, 4.63 mm hoch			
Streuwert	7.41, horizontal: 8.71, vertikal: 5.83			




Serie 2:

10.5 *	9.6 ↘	10.5 *	10.8 *	10.5 *
10.1 ↘	10.1 ←	9.0 ↘	9.8 ↘	9.7 ↓
beste Teiler	128.7 (14.) 322.3 (15.) 381.1 (13.)			
Trefferlage	2.06 mm links, 0.74 mm hoch			
Streuwert	5.94, horizontal: 5.84, vertikal: 6.04			



Serie 3:

9.7 →	10.5 *	9.1 →	10.4 *	9.8 ←
10.9 *	10.4 *	9.8 ↗	10.2 ↘	10.5 *
beste Teiler	62.6 (26.) 376.3 (30.) 391.3 (22.)			
Trefferlage	0.90 mm rechts, 0.12 mm tief			
Streuwert	5.77, horizontal: 7.47, vertikal: 3.30			





Serie 4:

10.2 ↗	9.7 ↘	10.0 ↘	9.3 ↘	9.4 ↑
10.3 *	9.9 ↘	10.3 *	10.1 ↓	10.7 *
beste Teiler	227.7 (40.) 508.6 (36.) 528.3 (38.)			
Trefferlage	0.18 mm links, 2.27 mm hoch			
Streuwert	5.99, horizontal: 4.53, vertikal: 7.16			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	378	(398.3)
Serien:	94 94 94 96	
Zähler:	24 10 6 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2068 (30), 1952 (20), 1763 (38)	
beste Teiler	117.4 (34.) 129.7 (33.) 178.7 (40.)	
Trefferlage	1.98 mm rechts, 1.22 mm tief	
Streuwert	6.60, horizontal: 7.07, vertikal: 6.09	




Serie 1:	10.3 ↑	9.4 ↖	10.5 *	10.2 ↗	10.3 *
	9.8 ↘	9.9 ↓	9.4 ↓	8.9 ↓	10.1 ↖
beste Teiler	386.7 (3.) 495.8 (5.) 548.8 (1.)				
Trefferlage	2.29 mm links, 1.43 mm tief				
Streuwert	6.78, horizontal: 4.22, vertikal: 8.61				



Serie 2:	10.3 ↙	10.1 →	9.9 ←	10.6 *	10.4 *
	8.9 ↘	10.7 *	9.2 ↘	10.0 ↑	8.5 →
beste Teiler	217.0 (17.) 272.6 (14.) 404.1 (15.)				
Trefferlage	3.50 mm rechts, 2.68 mm tief				
Streuwert	7.01, horizontal: 8.59, vertikal: 4.96				



Serie 3:	9.9 →	9.8 ↘	10.1 ↗	8.9 →	10.3 *
	10.2 ↑	10.7 *	10.6 *	10.1 →	8.4 →
beste Teiler	210.6 (27.) 297.5 (28.) 505.6 (25.)				
Trefferlage	7.00 mm rechts, 0.12 mm tief				
Streuwert	5.49, horizontal: 6.60, vertikal: 4.09				





Serie 4:	10.6 *	10.4 *	10.8 *	10.8 *	9.7 ↖
	10.0 ↘	9.9 ↙	8.7 ↘	10.3 *	10.7 *
beste Teiler	117.4 (34.) 129.7 (33.) 178.7 (40.)				
Trefferlage	0.28 mm links, 0.63 mm tief				
Streuwert	5.76, horizontal: 5.02, vertikal: 6.43				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(391.6)			
Serien:	93	91	92	95	
Zähler:	19	13	8	0	0 0 0 0 0 0
Innenzehner:	12				
weiteste:	2196 (20), 2091 (10), 1733 (25)				
beste Teiler	114.2 (22.) 126.6 (5.) 244.1 (14.)				
Trefferlage	0.86 mm links, 4.13 mm tief				
Streuwert	7.03, horizontal: 7.55, vertikal: 6.47				




Serie 1:					
	10.3 *	10.1 ↘	8.8 ↓	9.7 ↙	10.8 *
	10.4 *	10.4 *	10.1 ↖	8.9 ↘	8.3 ←
beste Teiler	126.6 (5.) 416.4 (7.) 442.7 (6.)				
Trefferlage	2.61 mm links, 4.93 mm tief				
Streuwert	7.25, horizontal: 7.65, vertikal: 6.82				



Serie 2:					
	9.7 ↙	8.9 ↖	9.8 ↓	10.6 *	8.9 ↘
	9.4 ↘	10.4 *	10.2 ←	10.1 ↗	8.2 ↘
beste Teiler	244.1 (14.) 430.8 (17.) 574.4 (18.)				
Trefferlage	0.58 mm links, 4.43 mm tief				
Streuwert	8.43, horizontal: 9.34, vertikal: 7.41				



Serie 3:					
	9.2 ↘	10.8 *	8.9 ↘	10.6 *	8.8 ↘
	10.1 ↖	9.6 ↓	9.7 ↓	10.6 *	9.9 ←
beste Teiler	114.2 (22.) 260.4 (29.) 292.5 (24.)				
Trefferlage	0.06 mm rechts, 5.44 mm tief				
Streuwert	6.74, horizontal: 7.05, vertikal: 6.41				



Serie 4:					
	10.3 *	9.9 ↘	9.2 ↖	10.4 *	10.2 ←
	9.7 ↘	10.0 ↖	9.7 ↓	10.3 *	9.7 ↗
beste Teiler	425.1 (34.) 495.3 (31.) 503.6 (39.)				
Trefferlage	0.32 mm links, 1.73 mm tief				
Streuwert	6.18, horizontal: 6.82, vertikal: 5.46				

Unterschrift des Schützen

Meyton Elektronik