





Ergebnis: **414.6** (394)  
 Serien: 101.8 103.8 104.6 104.4  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 393 (4), 313 (16), 297 (37)  
 beste Teiler 3.0 (36.) 30.0 (19.) 36.7 (32.)  
 Trefferlage 0.16 mm links, 0.26 mm tief  
 Streuwert 1.22, horizontal: 1.34, vertikal: 1.10




Serie 1:  
 10.5 \* 10.5 \* 9.9 ← 9.4 ✓ 10.1 ↙  
 10.2 \* 10.0 ↙ 10.1 ← 10.5 \* 10.6 \*  
 beste Teiler 99.8 (10.) 110.0 (1.) 114.3 (2.)  
 Trefferlage 0.92 mm links, 0.60 mm tief  
 Streuwert 1.34, horizontal: 1.32, vertikal: 1.36



Serie 2:  
 10.5 \* 10.0 → 10.8 \* 10.7 \* 10.3 \*  
 9.7 ↘ 10.4 \* 10.7 \* 10.8 \* 9.9 ↘  
 beste Teiler 30.0 (19.) 46.0 (13.) 61.0 (14.)  
 Trefferlage 0.28 mm rechts, 0.28 mm hoch  
 Streuwert 1.27, horizontal: 1.34, vertikal: 1.19



Serie 3:  
 10.7 \* 10.4 \* 10.4 \* 10.4 \* 10.6 \*  
 10.5 \* 10.0 ↘ 10.5 \* 10.8 \* 10.3 \*  
 beste Teiler 42.4 (29.) 71.4 (21.) 96.8 (25.)  
 Trefferlage 0.69 mm rechts, 0.73 mm tief  
 Streuwert 0.70, horizontal: 0.71, vertikal: 0.69





Serie 4:  
 9.8 ↖ 10.8 \* 10.8 \* 10.2 \* 10.2 \*  
 10.9 \* 9.8 ↖ 10.6 \* 10.7 \* 10.6 \*  
 beste Teiler 3.0 (36.) 36.7 (32.) 43.0 (33.)  
 Trefferlage 0.70 mm links, 0.00 mm  
 Streuwert 1.09, horizontal: 1.29, vertikal: 0.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **418.5** (398)  
 Serien: 103.9 106.8 103.8 104.0  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 36  
 weiteste: 299 (39), 296 (31), 213 (27)  
 beste Teiler 9.0 (20.) 16.6 (16.) 18.0 (11.)  
 Trefferlage 0.10 mm rechts, 0.09 mm tief  
 Streuwert 1.01, horizontal: 1.13, vertikal: 0.88




Serie 1:  
 10.4 \*                      10.6 \*                      10.1 ↘                      10.2 \*                      10.4 \*  
 10.8 \*                      10.2 \*                      10.7 \*                      10.2 \*                      10.3 \*  
 beste Teiler 47.5 (6.) 63.3 (8.) 82.4 (2.)  
 Trefferlage 0.41 mm links, 0.02 mm hoch  
 Streuwert 1.05, horizontal: 1.10, vertikal: 1.01



Serie 2:  
 10.9 \*                      10.8 \*                      10.9 \*                      10.5 \*                      10.6 \*  
 10.9 \*                      10.5 \*                      10.2 \*                      10.6 \*                      10.9 \*  
 beste Teiler 9.0 (20.) 16.6 (16.) 18.0 (11.)  
 Trefferlage 0.29 mm rechts, 0.28 mm tief  
 Streuwert 0.59, horizontal: 0.63, vertikal: 0.54



Serie 3:  
 10.4 \*                      10.3 \*                      10.6 \*                      10.3 \*                      10.3 \*  
 10.5 \*                      10.1 ↗                      10.7 \*                      10.4 \*                      10.2 \*  
 beste Teiler 62.9 (28.) 84.5 (23.) 124.3 (26.)  
 Trefferlage 0.37 mm rechts, 0.01 mm tief  
 Streuwert 1.09, horizontal: 1.07, vertikal: 1.11





Serie 4:  
 9.8 →                      10.8 \*                      10.5 \*                      10.6 \*                      10.9 \*  
 10.5 \*                      10.3 \*                      10.3 \*                      9.8 ↖                      10.5 \*  
 beste Teiler 24.3 (35.) 41.8 (32.) 90.0 (34.)  
 Trefferlage 0.18 mm rechts, 0.08 mm tief  
 Streuwert 1.24, horizontal: 1.52, vertikal: 0.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.2** (382)  
 Serien: 101.9 93.2 102.1 103.0  
 Zähler: 31 8 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 5407 (20), 471 (14), 387 (8)  
 beste Teiler 8.0 (24.) 16.4 (12.) 31.0 (39.)  
 Trefferlage 0.70 mm links, 1.07 mm tief  
 Streuwert 6.22, horizontal: 4.46, vertikal: 7.58




Serie 1:  
 10.2 \*                      10.5 \*                      9.9 ←                      10.6 \*                      10.2 \*  
 10.1 ↘                      10.6 \*                      9.4 ←                      10.5 \*                      9.9 ←  
 beste Teiler 79.7 (4.) 84.4 (7.) 105.1 (2.)  
 Trefferlage 0.92 mm links, 0.03 mm hoch  
 Streuwert 1.39, horizontal: 1.53, vertikal: 1.24



Serie 2:  
 10.7 \*                      10.9 \*                      10.4 \*                      9.1 →                      10.3 \*  
 10.4 \*                      10.6 \*                      10.3 \*                      10.5 \*                      0.0 ↙  
 beste Teiler 16.4 (12.) 55.8 (11.) 98.3 (17.)  
 Trefferlage 2.32 mm links, 4.51 mm tief  
 Streuwert 12.25, horizontal: 8.56, vertikal: 15.06



Serie 3:  
 10.0 ↘                      9.8 ←                      9.8 →                      10.9 \*                      10.2 \*  
 10.5 \*                      10.0 ↓                      10.4 \*                      10.5 \*                      10.0 ↖  
 beste Teiler 8.0 (24.) 102.3 (29.) 111.4 (26.)  
 Trefferlage 0.32 mm links, 0.01 mm tief  
 Streuwert 1.49, horizontal: 1.72, vertikal: 1.22





Serie 4:  
 9.9 →                      9.5 →                      10.6 \*                      10.0 ↑                      10.7 \*  
 10.4 \*                      10.6 \*                      10.2 \*                      10.8 \*                      10.3 \*  
 beste Teiler 31.0 (39.) 75.0 (35.) 86.0 (37.)  
 Trefferlage 0.76 mm rechts, 0.20 mm hoch  
 Streuwert 1.29, horizontal: 1.41, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.2** (383)  
 Serien: 100.8 98.7 101.9 99.8  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 516 (37), 455 (1), 431 (14)  
 beste Teiler 38.2 (9.) 67.0 (38.) 104.8 (21.)  
 Trefferlage 0.55 mm rechts, 0.57 mm hoch  
 Streuwert 1.74, horizontal: 1.96, vertikal: 1.48




Serie 1:  
 9.1 → 10.3 \* 10.5 \* 9.7 ↑ 10.4 \*  
 9.5 ↗ 10.4 \* 9.8 ↘ 10.8 \* 10.3 \*  
 beste Teiler 38.2 (9.) 110.0 (3.) 135.7 (5.)  
 Trefferlage 1.35 mm rechts, 0.18 mm hoch  
 Streuwert 1.56, horizontal: 1.69, vertikal: 1.42



Serie 2:  
 10.4 \* 9.9 ↘ 10.2 \* 9.2 ↘ 9.9 ↗  
 10.5 \* 9.9 → 9.9 ↑ 9.2 → 9.6 ↘  
 beste Teiler 124.0 (16.) 128.7 (11.) 194.0 (13.)  
 Trefferlage 0.63 mm rechts, 1.10 mm hoch  
 Streuwert 1.93, horizontal: 2.21, vertikal: 1.60



Serie 3:  
 10.5 \* 10.4 \* 10.4 \* 10.1 ↙ 9.6 ↘  
 10.0 ↑ 10.2 \* 10.1 ↑ 10.1 ↗ 10.5 \*  
 beste Teiler 104.8 (21.) 125.3 (30.) 132.3 (22.)  
 Trefferlage 0.03 mm links, 0.54 mm hoch  
 Streuwert 1.48, horizontal: 1.42, vertikal: 1.55





Serie 4:  
 9.6 ↘ 9.8 ↘ 10.5 \* 10.0 → 10.0 →  
 10.2 \* 8.9 ← 10.7 \* 9.8 ↘ 10.3 \*  
 beste Teiler 67.0 (38.) 122.2 (33.) 155.2 (40.)  
 Trefferlage 0.27 mm rechts, 0.47 mm hoch  
 Streuwert 1.97, horizontal: 2.40, vertikal: 1.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.1** (389)  
 Serien: 103.4 100.8 102.9 100.0  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 469 (38), 451 (12), 391 (33)  
 beste Teiler 38.8 (39.) 41.1 (10.) 48.0 (6.)  
 Trefferlage 0.31 mm rechts, 0.19 mm tief  
 Streuwert 1.58, horizontal: 2.04, vertikal: 0.91




Serie 1:  
 10.0 ←                      10.2 \*                      9.9 →                      10.0 ←                      10.3 \*  
 10.8 \*                      10.5 \*                      10.2 \*                      10.7 \*                      10.8 \*  
 beste Teiler 41.1 (10.) 48.0 (6.) 57.9 (9.)  
 Trefferlage 0.44 mm links, 0.38 mm tief  
 Streuwert 1.20, horizontal: 1.56, vertikal: 0.66



Serie 2:  
 10.1 ↘                      9.1 →                      10.1 ↗                      9.7 →                      9.8 ↖  
 10.1 ↗                      10.5 \*                      10.7 \*                      10.1 →                      10.6 \*  
 beste Teiler 67.5 (18.) 94.1 (20.) 101.5 (17.)  
 Trefferlage 0.87 mm rechts, 0.33 mm hoch  
 Streuwert 1.67, horizontal: 2.18, vertikal: 0.91





Serie 3:  
 9.7 →                      10.5 \*                      9.7 ↘                      10.3 \*                      10.5 \*  
 10.4 \*                      10.5 \*                      10.2 \*                      10.4 \*                      10.7 \*  
 beste Teiler 75.0 (30.) 105.1 (27.) 107.5 (25.)  
 Trefferlage 0.64 mm rechts, 0.42 mm tief  
 Streuwert 1.25, horizontal: 1.39, vertikal: 1.10




Serie 4:  
 9.9 →                      10.5 \*                      9.4 →                      10.3 \*                      10.3 \*  
 9.6 →                      9.5 ←                      9.1 ←                      10.8 \*                      10.6 \*  
 beste Teiler 38.8 (39.) 81.3 (40.) 125.9 (32.)  
 Trefferlage 0.20 mm rechts, 0.32 mm tief  
 Streuwert 2.05, horizontal: 2.78, vertikal: 0.83

Unterschrift des Schützen


Ergebnis: **410.5** (394)  
 Serien: 102.3 102.7 102.5 103.0  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 428 (1), 358 (22), 326 (40)  
 beste Teiler 42.0 (36.) 46.6 (20.) 57.0 (4.)  
 Trefferlage 0.29 mm links, 0.28 mm tief  
 Streuwert 1.36, horizontal: 1.58, vertikal: 1.10




Serie 1:  
 9.2 ↘ 10.6 \* 10.1 → 10.7 \* 10.5 \*  
 10.1 ↘ 10.0 ↘ 10.7 \* 9.9 ← 10.5 \*  
 beste Teiler 57.0 (4.) 64.4 (8.) 94.2 (2.)  
 Trefferlage 0.81 mm rechts, 0.70 mm tief  
 Streuwert 1.34, horizontal: 1.71, vertikal: 0.84



Serie 2:  
 10.2 \* 10.5 \* 10.2 \* 10.0 ↑ 10.1 ↑  
 10.0 ↖ 10.4 \* 10.3 \* 10.2 \* 10.8 \*  
 beste Teiler 46.6 (20.) 117.0 (12.) 128.7 (17.)  
 Trefferlage 0.71 mm links, 0.62 mm hoch  
 Streuwert 1.16, horizontal: 0.81, vertikal: 1.42



Serie 3:  
 10.4 \* 9.5 ← 10.6 \* 10.1 ← 10.4 \*  
 10.3 \* 10.7 \* 9.8 ← 10.0 ↓ 10.7 \*  
 beste Teiler 61.6 (30.) 62.0 (27.) 83.8 (23.)  
 Trefferlage 1.09 mm links, 0.81 mm tief  
 Streuwert 1.07, horizontal: 1.40, vertikal: 0.58





Serie 4:  
 10.5 \* 10.7 \* 10.6 \* 10.4 \* 9.7 ←  
 10.8 \* 10.2 \* 10.3 \* 10.2 \* 9.6 →  
 beste Teiler 42.0 (36.) 60.7 (32.) 78.1 (33.)  
 Trefferlage 0.19 mm links, 0.26 mm tief  
 Streuwert 1.36, horizontal: 1.72, vertikal: 0.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **405.5** (390)  
 Serien: 103.0 99.7 100.1 102.7  
 Zähler: 30 10 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 458 (28), 445 (17), 414 (11)  
 beste Teiler 36.3 (6.) 42.1 (4.) 50.2 (34.)  
 Trefferlage 0.40 mm rechts, 0.22 mm tief  
 Streuwert 1.63, horizontal: 1.98, vertikal: 1.17




Serie 1:  
 10.0 ←                      10.0 ←                      10.7 \*                      10.8 \*                      10.7 \*  
 10.8 \*                      10.6 \*                      10.2 \*                      9.3 ←                      9.9 ↘  
 beste Teiler 36.3 (6.) 42.1 (4.) 51.6 (3.)  
 Trefferlage 0.47 mm links, 0.40 mm tief  
 Streuwert 1.41, horizontal: 1.84, vertikal: 0.79



Serie 2:  
 9.3 ↘                      10.4 \*                      9.7 ↘                      10.6 \*                      9.9 →  
 10.3 \*                      9.2 ↘                      10.3 \*                      10.0 ↗                      10.0 →  
 beste Teiler 93.0 (14.) 130.0 (12.) 155.5 (16.)  
 Trefferlage 1.55 mm rechts, 0.75 mm tief  
 Streuwert 1.58, horizontal: 2.00, vertikal: 0.99



Serie 3:  
 10.3 \*                      10.6 \*                      10.0 →                      10.0 ↘                      10.3 \*  
 10.3 \*                      9.7 ↙                      9.1 ↘                      10.0 ↘                      9.8 ↘  
 beste Teiler 92.0 (22.) 162.4 (21.) 170.1 (26.)  
 Trefferlage 0.03 mm links, 0.59 mm hoch  
 Streuwert 1.86, horizontal: 2.14, vertikal: 1.54





Serie 4:  
 10.5 \*                      10.5 \*                      10.3 \*                      10.8 \*                      10.6 \*  
 10.1 ↘                      9.7 ↘                      10.2 \*                      10.0 →                      10.0 ←  
 beste Teiler 50.2 (34.) 93.6 (35.) 117.8 (32.)  
 Trefferlage 0.56 mm rechts, 0.33 mm tief  
 Streuwert 1.31, horizontal: 1.60, vertikal: 0.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.3** (384)  
 Serien: 99.6 100.9 102.1 98.7  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 590 (2), 500 (37), 467 (34)  
 beste Teiler 21.0 (7.) 35.0 (17.) 42.4 (6.)  
 Trefferlage 0.58 mm links, 0.15 mm hoch  
 Streuwert 1.86, horizontal: 2.13, vertikal: 1.55




Serie 1:  
 9.7 ↑                      8.6 ↘                      9.2 ↘                      9.2 ↘                      10.5 \*  
 10.8 \*                      10.9 \*                      10.7 \*                      9.8 →                      10.2 \*  
 beste Teiler 21.0 (7.) 42.4 (6.) 56.4 (8.)  
 Trefferlage 0.98 mm links, 1.02 mm hoch  
 Streuwert 2.04, horizontal: 2.36, vertikal: 1.67



Serie 2:  
 10.1 ↓                      10.8 \*                      10.3 \*                      9.6 ↘                      9.8 ↘  
 9.6 ↙                      10.8 \*                      10.0 ↘                      9.7 →                      10.2 \*  
 beste Teiler 35.0 (17.) 48.0 (12.) 174.1 (13.)  
 Trefferlage 0.34 mm links, 0.51 mm tief  
 Streuwert 1.75, horizontal: 2.02, vertikal: 1.43



Serie 3:  
 10.1 ↘                      10.3 \*                      10.5 \*                      10.6 \*                      10.4 \*  
 9.5 ↘                      10.0 ↓                      10.3 \*                      10.1 →                      10.3 \*  
 beste Teiler 97.9 (24.) 118.9 (23.) 138.1 (25.)  
 Trefferlage 0.64 mm links, 0.10 mm tief  
 Streuwert 1.43, horizontal: 1.44, vertikal: 1.42





Serie 4:  
 10.0 ↘                      9.6 ↘                      10.5 \*                      9.1 ←                      10.1 ↗  
 10.4 \*                      9.0 →                      10.4 \*                      9.8 ↗                      9.8 ←  
 beste Teiler 125.2 (33.) 128.3 (36.) 138.8 (38.)  
 Trefferlage 0.37 mm links, 0.22 mm hoch  
 Streuwert 2.22, horizontal: 2.77, vertikal: 1.46

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **414.5** (397)  
 Serien: 104.0 103.1 104.4 103.0  
 Zähler: 37 3 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 362 (33), 283 (10), 269 (30)  
 beste Teiler 15.2 (20.) 39.1 (6.) 51.2 (25.)  
 Trefferlage 0.46 mm rechts, 0.24 mm tief  
 Streuwert 1.12, horizontal: 1.27, vertikal: 0.96




Serie 1:  
 10.4 \*                      10.4 \*                      10.6 \*                      10.7 \*                      10.3 \*  
 10.8 \*                      10.6 \*                      10.3 \*                      10.1 ↙                      9.8 ↘  
 beste Teiler 39.1 (6.) 71.2 (4.) 82.0 (7.)  
 Trefferlage 0.36 mm rechts, 0.66 mm tief  
 Streuwert 1.02, horizontal: 1.05, vertikal: 0.98



Serie 2:  
 10.2 \*                      10.1 →                      10.2 \*                      10.1 →                      10.1 ↘  
 10.3 \*                      10.4 \*                      10.7 \*                      10.1 ←                      10.9 \*  
 beste Teiler 15.2 (20.) 74.6 (18.) 138.2 (17.)  
 Trefferlage 0.23 mm rechts, 0.02 mm hoch  
 Streuwert 1.32, horizontal: 1.56, vertikal: 1.03



Serie 3:  
 10.4 \*                      10.4 \*                      10.6 \*                      10.2 \*                      10.7 \*  
 10.3 \*                      10.6 \*                      10.6 \*                      10.7 \*                      9.9 →  
 beste Teiler 51.2 (25.) 55.2 (29.) 86.6 (27.)  
 Trefferlage 0.54 mm rechts, 0.16 mm tief  
 Streuwert 0.98, horizontal: 1.10, vertikal: 0.83





Serie 4:  
 10.7 \*                      10.4 \*                      9.5 →                      10.5 \*                      10.5 \*  
 10.5 \*                      10.1 ↙                      10.3 \*                      10.1 ↘                      10.4 \*  
 beste Teiler 72.2 (31.) 107.3 (34.) 115.1 (36.)  
 Trefferlage 0.70 mm rechts, 0.16 mm tief  
 Streuwert 1.24, horizontal: 1.45, vertikal: 0.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.2** (396)  
 Serien: 102.2 104.4 104.3 104.3  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 343 (3), 302 (36), 270 (2)  
 beste Teiler 36.1 (31.) 36.4 (17.) 49.0 (9.)  
 Trefferlage 0.26 mm rechts, 0.30 mm tief  
 Streuwert 1.14, horizontal: 1.29, vertikal: 0.96




Serie 1:  
 10.5 \*                      9.9 ↘                      9.6 ↘                      10.2 \*                      10.5 \*  
 10.4 \*                      10.0 →                      10.3 \*                      10.8 \*                      10.0 ←  
 beste Teiler 49.0 (9.) 116.7 (5.) 117.2 (1.)  
 Trefferlage 0.90 mm rechts, 0.39 mm tief  
 Streuwert 1.33, horizontal: 1.53, vertikal: 1.08



Serie 2:  
 10.1 ↓                      10.4 \*                      10.6 \*                      10.0 ←                      10.7 \*  
 10.4 \*                      10.8 \*                      10.5 \*                      10.7 \*                      10.2 \*  
 beste Teiler 36.4 (17.) 58.6 (19.) 62.6 (15.)  
 Trefferlage 0.33 mm links, 0.25 mm tief  
 Streuwert 1.02, horizontal: 1.18, vertikal: 0.84



Serie 3:  
 10.6 \*                      10.7 \*                      10.5 \*                      10.7 \*                      10.6 \*  
 10.0 ←                      10.6 \*                      10.7 \*                      9.9 ↘                      10.0 →  
 beste Teiler 64.4 (28.) 65.4 (22.) 72.8 (24.)  
 Trefferlage 0.42 mm rechts, 0.00 mm  
 Streuwert 1.09, horizontal: 1.22, vertikal: 0.94





Serie 4:  
 10.8 \*                      10.7 \*                      10.3 \*                      10.6 \*                      10.5 \*  
 9.7 ↘                      10.4 \*                      10.6 \*                      10.5 \*                      10.2 \*  
 beste Teiler 36.1 (31.) 59.8 (32.) 88.5 (34.)  
 Trefferlage 0.06 mm rechts, 0.56 mm tief  
 Streuwert 1.03, horizontal: 1.05, vertikal: 1.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.5** (387)  
 Serien: 102.5 100.6 101.2 102.2  
 Zähler: 29 9 2 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 570 (16), 525 (38), 427 (37)  
 beste Teiler 55.0 (34.) 67.2 (40.) 70.7 (29.)  
 Trefferlage 0.68 mm rechts, 0.40 mm tief  
 Streuwert 1.54, horizontal: 1.76, vertikal: 1.28




Serie 1:  
 10.6 \*                      10.6 \*                      10.0 →                      10.6 \*                      10.0 ↘  
 9.7 →                      10.6 \*                      10.2 \*                      9.8 ↘                      10.4 \*  
 beste Teiler 80.4 (7.) 84.0 (1.) 93.8 (2.)  
 Trefferlage 1.08 mm rechts, 0.39 mm tief  
 Streuwert 1.16, horizontal: 1.42, vertikal: 0.82



Serie 2:  
 10.6 \*                      10.4 \*                      9.8 ↓                      10.2 \*                      10.1 ↘  
 8.7 ↘                      10.5 \*                      10.1 ↘                      10.3 \*                      9.9 ←  
 beste Teiler 99.0 (11.) 118.5 (17.) 140.0 (12.)  
 Trefferlage 0.75 mm rechts, 1.11 mm tief  
 Streuwert 1.66, horizontal: 2.10, vertikal: 1.06



Serie 3:  
 10.1 →                      10.1 ↖                      10.2 \*                      10.4 \*                      9.9 ↑  
 9.9 ↗                      9.7 ↑                      9.9 →                      10.7 \*                      10.3 \*  
 beste Teiler 70.7 (29.) 133.1 (24.) 159.1 (30.)  
 Trefferlage 0.57 mm rechts, 0.58 mm hoch  
 Streuwert 1.50, horizontal: 1.57, vertikal: 1.44





Serie 4:  
 10.1 →                      10.6 \*                      10.4 \*                      10.7 \*                      10.6 \*  
 10.5 \*                      9.2 ←                      8.9 ↘                      10.5 \*                      10.7 \*  
 beste Teiler 55.0 (34.) 67.2 (40.) 78.5 (32.)  
 Trefferlage 0.31 mm rechts, 0.67 mm tief  
 Streuwert 1.69, horizontal: 2.04, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **411.5** (393)  
 Serien: 104.6 100.7 104.2 102.0  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 450 (16), 371 (35), 330 (36)  
 beste Teiler 37.5 (10.) 37.6 (21.) 39.0 (6.)  
 Trefferlage 0.34 mm rechts, 0.27 mm hoch  
 Streuwert 1.36, horizontal: 1.36, vertikal: 1.36




Serie 1:  
 10.7 \*                      10.5 \*                      10.0 ↗                      10.1 ←                      9.7 ↑  
 10.8 \*                      10.6 \*                      10.7 \*                      10.7 \*                      10.8 \*  
 beste Teiler 37.5 (10.) 39.0 (6.) 55.7 (9.)  
 Trefferlage 0.03 mm links, 0.66 mm hoch  
 Streuwert 1.06, horizontal: 1.02, vertikal: 1.09



Serie 2:  
 10.2 \*                      10.5 \*                      10.5 \*                      10.0 →                      10.2 \*  
 9.2 ↑                      9.7 ↘                      9.7 ↖                      10.5 \*                      10.2 \*  
 beste Teiler 105.6 (13.) 115.7 (12.) 124.1 (19.)  
 Trefferlage 0.48 mm rechts, 0.17 mm hoch  
 Streuwert 1.78, horizontal: 1.72, vertikal: 1.83



Serie 3:  
 10.8 \*                      10.3 \*                      10.6 \*                      10.3 \*                      10.3 \*  
 10.8 \*                      10.3 \*                      10.2 \*                      10.5 \*                      10.1 ↑  
 beste Teiler 37.6 (21.) 40.0 (26.) 76.4 (23.)  
 Trefferlage 0.50 mm rechts, 0.65 mm hoch  
 Streuwert 0.91, horizontal: 0.86, vertikal: 0.96





Serie 4:  
 9.7 ↘                      10.7 \*                      10.4 \*                      10.0 →                      9.5 ←  
 9.6 ↘                      10.5 \*                      10.7 \*                      10.4 \*                      10.5 \*  
 beste Teiler 67.2 (32.) 68.7 (38.) 106.1 (40.)  
 Trefferlage 0.41 mm rechts, 0.41 mm tief  
 Streuwert 1.55, horizontal: 1.76, vertikal: 1.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.0** (396)  
 Serien: 99.9 105.0 103.7 104.4  
 Zähler: 38 1 0 1 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 960 (7), 288 (4), 242 (19)  
 beste Teiler 28.3 (12.) 39.0 (17.) 41.5 (40.)  
 Trefferlage 0.23 mm rechts, 0.19 mm tief  
 Streuwert 1.49, horizontal: 1.56, vertikal: 1.42




Serie 1:  
 10.3 \* 10.3 \* 10.3 \* 9.8 ↘ 10.3 \*  
 10.4 \* 7.1 ↘ 10.2 \* 10.5 \* 10.7 \*  
 beste Teiler 56.8 (10.) 108.1 (9.) 148.0 (6.)  
 Trefferlage 1.01 mm rechts, 1.32 mm tief  
 Streuwert 2.24, horizontal: 2.32, vertikal: 2.16



Serie 2:  
 10.5 \* 10.8 \* 10.7 \* 10.4 \* 10.6 \*  
 10.7 \* 10.8 \* 10.2 \* 10.0 ↘ 10.3 \*  
 beste Teiler 28.3 (12.) 39.0 (17.) 66.8 (16.)  
 Trefferlage 0.07 mm rechts, 0.08 mm hoch  
 Streuwert 0.96, horizontal: 0.98, vertikal: 0.93





Serie 3:  
 10.4 \* 10.4 \* 10.1 ↘ 10.5 \* 10.4 \*  
 10.4 \* 10.3 \* 10.2 \* 10.5 \* 10.5 \*  
 beste Teiler 111.0 (29.) 114.0 (24.) 119.9 (30.)  
 Trefferlage 0.00 mm , 0.19 mm hoch  
 Streuwert 1.12, horizontal: 1.30, vertikal: 0.90




Serie 4:  
 10.4 \* 10.4 \* 10.4 \* 10.5 \* 10.7 \*  
 10.1 ↘ 10.7 \* 10.4 \* 10.0 → 10.8 \*  
 beste Teiler 41.5 (40.) 64.6 (35.) 69.2 (37.)  
 Trefferlage 0.14 mm links, 0.26 mm hoch  
 Streuwert 0.99, horizontal: 1.23, vertikal: 0.67

Unterschrift des Schützen


Ergebnis: **399.4** (382)  
 Serien: 102.5 98.0 103.1 95.8  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 554 (39), 543 (38), 486 (11)  
 beste Teiler 71.5 (9.) 71.8 (29.) 76.8 (20.)  
 Trefferlage 0.45 mm rechts, 0.35 mm tief  
 Streuwert 1.94, horizontal: 2.26, vertikal: 1.55




Serie 1:  
 10.3 \*                      9.7 →                      10.0 →                      10.6 \*                      10.5 \*  
 10.6 \*                      9.8 ←                      9.9 →                      10.7 \*                      10.4 \*  
 beste Teiler 71.5 (9.) 86.8 (4.) 97.4 (6.)  
 Trefferlage 0.32 mm rechts, 0.01 mm tief  
 Streuwert 1.42, horizontal: 1.89, vertikal: 0.71



Serie 2:  
 9.0 →                      9.4 ←                      9.1 ↙                      10.3 \*                      9.6 ↓  
 9.9 ↑                      10.1 ↗                      10.3 \*                      9.7 ←                      10.6 \*  
 beste Teiler 76.8 (20.) 152.3 (18.) 152.6 (14.)  
 Trefferlage 0.36 mm links, 0.05 mm hoch  
 Streuwert 2.29, horizontal: 2.75, vertikal: 1.71



Serie 3:  
 10.1 ↖                      10.2 \*                      10.5 \*                      10.5 \*                      10.0 →  
 10.6 \*                      9.9 ↓                      10.6 \*                      10.7 \*                      10.0 ↓  
 beste Teiler 71.8 (29.) 78.7 (28.) 99.1 (26.)  
 Trefferlage 0.03 mm rechts, 0.11 mm tief  
 Streuwert 1.31, horizontal: 1.23, vertikal: 1.39





Serie 4:  
 10.1 →                      10.4 \*                      9.1 →                      10.1 ↓                      9.2 ↓  
 10.4 \*                      9.5 ↗                      8.8 ↘                      8.7 ↘                      9.5 →  
 beste Teiler 145.8 (32.) 147.2 (36.) 204.1 (31.)  
 Trefferlage 1.81 mm rechts, 1.34 mm tief  
 Streuwert 2.23, horizontal: 2.52, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.5** (388)  
 Serien: 99.7 101.0 100.6 102.2  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 498 (26), 434 (10), 385 (3)  
 beste Teiler 68.4 (21.) 79.0 (37.) 82.6 (17.)  
 Trefferlage 0.95 mm links, 0.17 mm tief  
 Streuwert 1.54, horizontal: 1.59, vertikal: 1.49




Serie 1:  
 10.6 \*                      10.4 \*                      9.4 ↙                      10.1 ↗                      10.0 ←  
 9.5 ↖                      10.1 ↖                      10.3 \*                      10.1 ↙                      9.2 ↓  
 beste Teiler 91.2 (1.) 131.7 (2.) 167.7 (8.)  
 Trefferlage 0.94 mm links, 0.65 mm tief  
 Streuwert 1.80, horizontal: 1.65, vertikal: 1.95



Serie 2:  
 10.5 \*                      9.7 ↙                      9.5 ←                      10.1 ←                      10.4 \*  
 10.0 →                      10.6 \*                      9.8 ↙                      10.4 \*                      10.0 ←  
 beste Teiler 82.6 (17.) 103.4 (11.) 130.1 (15.)  
 Trefferlage 1.12 mm links, 0.46 mm tief  
 Streuwert 1.45, horizontal: 1.86, vertikal: 0.85



Serie 3:  
 10.7 \*                      10.5 \*                      9.7 ↖                      10.4 \*                      9.8 ↖  
 9.0 ↖                      10.2 \*                      10.3 \*                      10.1 ←                      9.9 ↑  
 beste Teiler 68.4 (21.) 111.6 (22.) 132.8 (24.)  
 Trefferlage 1.69 mm links, 1.08 mm hoch  
 Streuwert 1.14, horizontal: 1.25, vertikal: 1.01





Serie 4:  
 10.3 \*                      9.9 ↙                      9.9 ↙                      10.1 ↓                      10.1 ↗  
 10.3 \*                      10.6 \*                      10.5 \*                      10.3 \*                      10.2 \*  
 beste Teiler 79.0 (37.) 107.7 (38.) 151.0 (39.)  
 Trefferlage 0.05 mm links, 0.68 mm tief  
 Streuwert 1.30, horizontal: 1.29, vertikal: 1.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.9** (394)  
 Serien: 102.5 102.9 103.2 101.3  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 338 (28), 323 (31), 302 (10)  
 beste Teiler 10.4 (22.) 56.2 (2.) 62.6 (11.)  
 Trefferlage 0.27 mm rechts, 0.27 mm hoch  
 Streuwert 1.34, horizontal: 1.51, vertikal: 1.14




Serie 1:  
 10.3 \*                      10.7 \*                      10.6 \*                      10.2 \*                      10.3 \*  
 10.3 \*                      9.8 ↘                      10.3 \*                      10.3 \*                      9.7 ↗  
 beste Teiler 56.2 (2.) 95.5 (3.) 153.8 (1.)  
 Trefferlage 0.36 mm rechts, 0.04 mm hoch  
 Streuwert 1.37, horizontal: 1.62, vertikal: 1.07



Serie 2:  
 10.7 \*                      10.3 \*                      10.1 ↖                      10.3 \*                      10.2 \*  
 10.2 \*                      10.3 \*                      9.9 ↘                      10.5 \*                      10.4 \*  
 beste Teiler 62.6 (11.) 125.2 (19.) 132.3 (20.)  
 Trefferlage 0.30 mm rechts, 0.48 mm hoch  
 Streuwert 1.26, horizontal: 1.34, vertikal: 1.18



Serie 3:  
 10.2 \*                      10.9 \*                      10.5 \*                      10.7 \*                      10.1 ↑  
 9.8 ↘                      10.5 \*                      9.6 ↘                      10.6 \*                      10.3 \*  
 beste Teiler 10.4 (22.) 65.5 (24.) 86.7 (29.)  
 Trefferlage 0.80 mm rechts, 0.15 mm hoch  
 Streuwert 1.21, horizontal: 1.33, vertikal: 1.08





Serie 4:  
 9.7 ←                      10.0 ←                      10.2 \*                      10.5 \*                      10.4 \*  
 10.0 ↑                      10.1 ↖                      10.1 ←                      10.3 \*                      10.0 ↘  
 beste Teiler 108.8 (34.) 143.7 (35.) 151.1 (39.)  
 Trefferlage 0.38 mm links, 0.39 mm hoch  
 Streuwert 1.54, horizontal: 1.71, vertikal: 1.35

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **408.8** (395)  
 Serien: 101.8 102.4 102.3 102.3  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 376 (7), 326 (40), 320 (20)  
 beste Teiler 47.3 (22.) 51.3 (19.) 77.8 (4.)  
 Trefferlage 0.15 mm links, 0.16 mm hoch  
 Streuwert 1.41, horizontal: 1.21, vertikal: 1.59




Serie 1:  
 10.3 \* 10.3 \* 10.4 \* 10.6 \* 10.0 ↙  
 10.0 ↓ 9.4 ↘ 10.4 \* 10.2 \* 10.2 \*  
 beste Teiler 77.8 (4.) 128.6 (3.) 148.1 (8.)  
 Trefferlage 0.10 mm links, 0.12 mm hoch  
 Streuwert 1.55, horizontal: 1.14, vertikal: 1.86



Serie 2:  
 10.2 \* 10.3 \* 10.2 \* 10.6 \* 10.1 ↑  
 10.1 ↗ 10.2 \* 10.3 \* 10.7 \* 9.7 ↑  
 beste Teiler 51.3 (19.) 100.8 (14.) 171.0 (12.)  
 Trefferlage 0.10 mm rechts, 0.53 mm hoch  
 Streuwert 1.40, horizontal: 1.16, vertikal: 1.60



Serie 3:  
 10.4 \* 10.8 \* 10.6 \* 10.4 \* 10.0 ↘  
 9.7 ↖ 10.0 ↙ 10.1 ← 9.7 ↘ 10.6 \*  
 beste Teiler 47.3 (22.) 78.7 (30.) 94.2 (23.)  
 Trefferlage 0.47 mm links, 0.15 mm tief  
 Streuwert 1.46, horizontal: 1.25, vertikal: 1.65





Serie 4:  
 10.3 \* 10.3 \* 10.0 ↘ 10.3 \* 10.5 \*  
 10.2 \* 10.3 \* 10.5 \* 10.3 \* 9.6 ↘  
 beste Teiler 107.8 (38.) 110.4 (35.) 151.4 (31.)  
 Trefferlage 0.13 mm links, 0.16 mm hoch  
 Streuwert 1.40, horizontal: 1.41, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **416.1** (395)  
 Serien: 103.2 103.8 103.6 105.5  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 368 (28), 296 (17), 273 (14)  
 beste Teiler 11.0 (19.) 19.7 (16.) 43.0 (3.)  
 Trefferlage 0.32 mm links, 0.29 mm tief  
 Streuwert 1.11, horizontal: 1.25, vertikal: 0.96




Serie 1:  
 10.2 \*                      10.8 \*                      10.8 \*                      10.1 ←                      10.5 \*  
 10.2 \*                      10.4 \*                      10.1 ↓                      9.9 ↘                      10.2 \*  
 beste Teiler 43.0 (3.) 50.4 (2.) 101.5 (5.)  
 Trefferlage 0.15 mm rechts, 0.82 mm tief  
 Streuwert 1.14, horizontal: 1.32, vertikal: 0.92



Serie 2:  
 10.1 ↓                      9.9 ↘                      10.7 \*                      9.9 ←                      10.5 \*  
 10.9 \*                      9.8 ←                      10.5 \*                      10.9 \*                      10.6 \*  
 beste Teiler 11.0 (19.) 19.7 (16.) 75.5 (13.)  
 Trefferlage 0.65 mm links, 0.29 mm tief  
 Streuwert 1.21, horizontal: 1.32, vertikal: 1.08



Serie 3:  
 10.5 \*                      10.1 ←                      10.3 \*                      10.8 \*                      10.8 \*  
 10.1 ↘                      10.3 \*                      9.5 ↖                      10.8 \*                      10.4 \*  
 beste Teiler 44.5 (29.) 48.2 (24.) 48.7 (25.)  
 Trefferlage 0.60 mm links, 0.02 mm tief  
 Streuwert 1.24, horizontal: 1.47, vertikal: 0.97



Serie 4:  
 10.6 \*                      10.4 \*                      10.7 \*                      10.2 \*                      10.6 \*  
 10.6 \*                      10.6 \*                      10.7 \*                      10.5 \*                      10.6 \*  
 beste Teiler 66.8 (38.) 69.6 (33.) 79.0 (31.)  
 Trefferlage 0.19 mm links, 0.05 mm tief  
 Streuwert 0.78, horizontal: 0.78, vertikal: 0.78

Unterschrift des Schützen