





Ergebnis: **373** (391.4)
 Serien: 96 90 93 94
 Zähler: 19 15 6 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2136 (22), 2062 (6), 1834 (16)
 beste Teiler 83.6 (25.) 264.9 (39.) 290.6 (8.)
 Trefferlage 0.88 mm links, 0.52 mm tief
 Streuwert 7.59, horizontal: 7.46, vertikal: 7.71




Serie 1:
 10.1 ↓ 10.0 ← 10.0 ↖ 9.4 ↗ 10.1 →
 8.4 ↘ 10.3 * 10.6 * 10.5 * 9.9 ↓
 beste Teiler 290.6 (8.) 336.2 (9.) 525.3 (7.)
 Trefferlage 0.45 mm rechts, 3.00 mm tief
 Streuwert 6.77, horizontal: 7.94, vertikal: 5.35



Serie 2:
 9.5 ↓ 10.5 * 10.1 ↘ 8.9 ↖ 9.6 ↗
 8.7 ↓ 9.4 ↖ 9.8 ← 10.0 → 8.8 ↓
 beste Teiler 368.4 (12.) 672.4 (13.) 733.2 (19.)
 Trefferlage 0.89 mm links, 3.34 mm tief
 Streuwert 8.89, horizontal: 7.38, vertikal: 10.18



Serie 3:
 10.0 ↖ 8.3 ↖ 9.6 ↘ 9.8 ← 10.8 *
 10.5 * 9.7 ↖ 9.1 ↖ 9.7 → 10.5 *
 beste Teiler 83.6 (25.) 334.0 (30.) 344.5 (26.)
 Trefferlage 2.06 mm links, 4.00 mm hoch
 Streuwert 7.24, horizontal: 7.07, vertikal: 7.40





Serie 4:
 10.0 ↖ 9.7 → 9.8 ↖ 9.0 ↖ 9.8 ↖
 8.9 ↓ 10.1 → 10.6 * 10.6 * 10.3 *
 beste Teiler 264.9 (39.) 304.1 (38.) 486.3 (40.)
 Trefferlage 1.02 mm links, 0.24 mm hoch
 Streuwert 7.13, horizontal: 8.37, vertikal: 5.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(390.0)
Serien:	89	94 94 94
Zähler:	18	16 5 1 0 0 0 0 0 0
Innenzehner:	11	
weiteste:	2945 (8), 2322 (5), 1974 (33)	
beste Teiler	143.0 (31.) 158.9 (9.) 245.5 (22.)	
Trefferlage	3.93 mm rechts, 1.39 mm hoch	
Streuwert	7.66, horizontal: 9.16, vertikal: 5.78	




Serie 1:	9.0 ↘	9.5 ↘	8.8 ↘	10.6 *	8.0 ↖
	9.7 ↖	10.3 ↗	7.3 →	10.8 *	9.4 →
beste Teiler	158.9 (9.) 307.2 (4.) 549.4 (7.)				
Trefferlage	5.00 mm rechts, 0.02 mm hoch				
Streuwert	10.88, horizontal: 12.83, vertikal: 8.51				



Serie 2:	10.0 ↗	9.9 ↗	8.6 ↘	9.7 →	9.8 ↑
	10.6 *	10.0 →	10.4 *	9.5 ←	10.3 *
beste Teiler	275.7 (16.) 480.7 (18.) 526.2 (20.)				
Trefferlage	3.94 mm rechts, 2.50 mm hoch				
Streuwert	6.26, horizontal: 7.50, vertikal: 4.69				





Serie 3:	9.1 →	10.6 *	9.1 ↖	8.6 →	9.6 ↑
	9.9 ↓	10.1 →	10.2 ↖	10.6 *	10.5 *
beste Teiler	245.5 (22.) 270.6 (29.) 363.2 (30.)				
Trefferlage	2.91 mm rechts, 1.60 mm hoch				
Streuwert	7.34, horizontal: 9.08, vertikal: 5.03				




Serie 4:	10.8 *	10.2 ↓	8.5 →	9.8 ↗	10.6 *
	10.1 ↖	9.9 →	9.7 ↗	9.5 →	10.4 *
beste Teiler	143.0 (31.) 314.3 (35.) 464.8 (40.)				
Trefferlage	3.88 mm rechts, 1.44 mm hoch				
Streuwert	6.31, horizontal: 7.63, vertikal: 4.65				

Unterschrift des Schützen


Ergebnis: **385** (404.9)
 Serien: 96 95 98 96
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1820 (10), 1765 (33), 1211 (3)
 beste Teiler 179.9 (13.) 223.4 (14.) 229.9 (7.)
 Trefferlage 2.49 mm rechts, 0.24 mm hoch
 Streuwert 5.25, horizontal: 5.89, vertikal: 4.53




Serie 1:
 10.4 * 10.6 * 9.4 ↘ 9.8 ↖ 10.6 *
 10.0 ↗ 10.7 * 10.5 * 10.1 ↑ 8.7 →
 beste Teiler 229.9 (7.) 262.0 (5.) 282.3 (2.)
 Trefferlage 3.10 mm rechts, 0.65 mm hoch
 Streuwert 5.92, horizontal: 7.00, vertikal: 4.57



Serie 2:
 9.8 ↘ 10.3 ← 10.7 * 10.7 * 10.5 *
 10.4 * 9.9 → 9.5 ↘ 9.5 → 9.7 →
 beste Teiler 179.9 (13.) 223.4 (14.) 398.7 (15.)
 Trefferlage 3.85 mm rechts, 1.56 mm tief
 Streuwert 4.95, horizontal: 5.98, vertikal: 3.64



Serie 3:
 10.3 ← 10.3 ↗ 10.3 * 10.0 → 10.6 *
 9.9 ↓ 9.8 ↖ 10.0 ↘ 10.6 * 10.6 *
 beste Teiler 247.6 (30.) 288.0 (25.) 301.3 (29.)
 Trefferlage 0.35 mm rechts, 0.50 mm hoch
 Streuwert 4.51, horizontal: 4.07, vertikal: 4.91





Serie 4:
 10.5 * 10.5 * 8.7 → 10.4 * 10.5 *
 10.1 ↘ 9.8 ↗ 9.5 ↖ 10.3 ↖ 10.4 *
 beste Teiler 323.0 (35.) 360.0 (31.) 364.4 (32.)
 Trefferlage 2.66 mm rechts, 1.39 mm hoch
 Streuwert 5.77, horizontal: 6.42, vertikal: 5.04


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (385.4)
 Serien: 89 94 94 87
 Zähler: 13 18 9 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2255 (7), 2065 (3), 2004 (33)
 beste Teiler 195.0 (16.) 323.3 (24.) 333.6 (12.)
 Trefferlage 0.55 mm links, 0.36 mm hoch
 Streuwert 8.42, horizontal: 9.46, vertikal: 7.24




Serie 1:
 9.9 ↗ 10.1 → 8.4 ↖ 9.6 ↙ 9.1 ↘
 8.9 ← 8.1 ↘ 9.8 ↘ 10.5 * 9.5 ↘
 beste Teiler 336.2 (9.) 679.0 (2.) 832.4 (1.)
 Trefferlage 0.72 mm rechts, 2.28 mm tief
 Streuwert 10.08, horizontal: 11.47, vertikal: 8.46



Serie 2:
 9.9 ↗ 10.5 * 10.5 * 10.3 ↖ 10.1 ↗
 10.7 * 8.5 ← 9.4 ↖ 10.3 * 8.8 ↘
 beste Teiler 195.0 (16.) 333.6 (12.) 383.2 (13.)
 Trefferlage 1.39 mm links, 1.89 mm hoch
 Streuwert 7.48, horizontal: 8.80, vertikal: 5.87



Serie 3:
 9.5 ↘ 9.8 ↖ 10.1 ↗ 10.5 * 10.1 ↘
 9.8 ↘ 10.1 ↘ 9.9 → 8.6 ↖ 10.1 ↗
 beste Teiler 323.3 (24.) 651.6 (30.) 657.7 (27.)
 Trefferlage 1.93 mm rechts, 0.99 mm hoch
 Streuwert 6.85, horizontal: 6.84, vertikal: 6.85





Serie 4:
 8.8 ↖ 8.8 ↖ 8.4 ↖ 9.5 ↙ 9.3 →
 9.9 ↓ 9.9 ↖ 9.9 → 9.8 ↖ 9.7 ↘
 beste Teiler 810.0 (38.) 818.9 (37.) 832.4 (36.)
 Trefferlage 3.49 mm links, 0.87 mm hoch
 Streuwert 9.37, horizontal: 10.62, vertikal: 7.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.0)
 Serien: 93 93 91 98
 Zähler: 21 13 6 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2318 (10), 2209 (25), 2081 (13)
 beste Teiler 156.2 (35.) 211.8 (32.) 285.0 (22.)
 Trefferlage 1.21 mm links, 2.20 mm tief
 Streuwert 7.60, horizontal: 9.28, vertikal: 5.44




Serie 1:
 10.1 → 10.2 ↗ 10.6 * 9.2 ↖ 8.6 →
 10.0 ↗ 9.1 ← 10.1 ↗ 9.5 ↓ 8.1 ↖
 beste Teiler 285.9 (3.) 597.3 (2.) 685.6 (8.)
 Trefferlage 0.86 mm links, 1.37 mm hoch
 Streuwert 9.49, horizontal: 12.51, vertikal: 4.87



Serie 2:
 10.0 ↓ 10.4 * 8.3 ↘ 8.9 ↖ 10.3 *
 9.4 ← 10.4 * 9.6 ↓ 10.1 ↓ 9.5 →
 beste Teiler 441.0 (12.) 449.6 (17.) 529.3 (15.)
 Trefferlage 0.30 mm rechts, 2.58 mm tief
 Streuwert 8.16, horizontal: 9.84, vertikal: 6.02



Serie 3:
 10.3 ↙ 10.6 * 9.7 ↘ 9.9 ↖ 8.2 ↘
 9.8 ← 9.3 ← 10.4 * 9.7 ↓ 8.6 ↙
 beste Teiler 285.0 (22.) 432.2 (28.) 557.3 (21.)
 Trefferlage 2.28 mm links, 4.87 mm tief
 Streuwert 7.97, horizontal: 9.50, vertikal: 6.07





Serie 4:
 10.1 ↘ 10.7 * 10.4 * 10.4 * 10.8 *
 9.6 ↖ 9.9 ↙ 10.0 ↙ 10.2 ↓ 10.0 ←
 beste Teiler 156.2 (35.) 211.8 (32.) 411.7 (33.)
 Trefferlage 1.99 mm links, 2.73 mm tief
 Streuwert 4.10, horizontal: 5.01, vertikal: 2.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (400.4)
 Serien: 93 97 97 94
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1864 (26), 1726 (9), 1580 (33)
 beste Teiler 177.5 (38.) 203.5 (25.) 206.8 (28.)
 Trefferlage 0.26 mm rechts, 1.02 mm tief
 Streuwert 6.10, horizontal: 6.31, vertikal: 5.88




Serie 1:
 10.0 ← 10.4 * 9.9 → 10.1 ↓ 9.4 →
 9.6 ↘ 10.6 * 9.9 → 8.8 ↓ 9.9 ↓
 beste Teiler 290.7 (7.) 435.8 (2.) 708.6 (4.)
 Trefferlage 2.82 mm rechts, 4.32 mm tief
 Streuwert 6.03, horizontal: 6.65, vertikal: 5.35



Serie 2:
 10.6 * 9.7 ↖ 10.1 ↓ 10.3 * 9.8 ↘
 10.4 * 10.4 * 10.2 ↘ 10.2 ↗ 9.5 ↖
 beste Teiler 260.1 (11.) 416.7 (17.) 450.1 (16.)
 Trefferlage 0.37 mm links, 1.43 mm tief
 Streuwert 5.19, horizontal: 4.97, vertikal: 5.41



Serie 3:
 10.4 * 9.6 ↑ 10.3 * 10.6 * 10.7 *
 8.6 ← 10.1 ← 10.7 * 10.2 ↑ 10.5 *
 beste Teiler 203.5 (25.) 206.8 (28.) 270.4 (24.)
 Trefferlage 1.10 mm links, 2.23 mm hoch
 Streuwert 5.52, horizontal: 6.70, vertikal: 3.99





Serie 4:
 10.5 * 9.5 ↙ 9.0 ↓ 10.2 ↑ 9.5 →
 9.6 ↗ 9.7 → 10.7 * 9.9 ↗ 10.3 *
 beste Teiler 177.5 (38.) 380.3 (31.) 529.9 (40.)
 Trefferlage 0.28 mm links, 0.56 mm tief
 Streuwert 7.08, horizontal: 6.97, vertikal: 7.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.1)
 Serien: 91 93 94 95
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1999 (24), 1904 (1), 1816 (4)
 beste Teiler 184.7 (23.) 203.4 (29.) 285.5 (27.)
 Trefferlage 0.55 mm links, 2.83 mm hoch
 Streuwert 7.48, horizontal: 8.56, vertikal: 6.23




Serie 1:
 8.6 → 10.0 → 10.1 ↘ 8.7 → 10.2 ↖
 9.3 ↗ 9.7 → 9.6 ↓ 9.2 → 9.0 ↖
 beste Teiler 579.7 (5.) 669.9 (3.) 791.3 (2.)
 Trefferlage 5.56 mm rechts, 2.04 mm hoch
 Streuwert 8.53, horizontal: 10.33, vertikal: 6.23



Serie 2:
 10.0 ↑ 9.0 ↖ 9.6 ↖ 10.2 ↖ 9.7 ↗
 8.8 ↖ 10.6 * 9.0 ↘ 9.1 ↓ 10.4 *
 beste Teiler 299.8 (17.) 474.5 (20.) 573.9 (14.)
 Trefferlage 0.98 mm links, 2.66 mm hoch
 Streuwert 8.37, horizontal: 8.91, vertikal: 7.79



Serie 3:
 9.9 ← 9.7 ↖ 10.7 * 8.5 ↖ 10.1 ←
 9.0 ↖ 10.6 * 10.2 ↖ 10.7 * 9.9 →
 beste Teiler 184.7 (23.) 203.4 (29.) 285.5 (27.)
 Trefferlage 3.32 mm links, 3.28 mm hoch
 Streuwert 6.49, horizontal: 6.50, vertikal: 6.48





Serie 4:
 10.3 * 9.9 ↑ 10.4 * 10.0 ↗ 10.4 *
 9.9 ↖ 9.4 ↖ 9.9 ← 9.2 ↖ 10.6 *
 beste Teiler 304.1 (40.) 450.2 (33.) 469.1 (35.)
 Trefferlage 3.46 mm links, 3.34 mm hoch
 Streuwert 5.23, horizontal: 5.40, vertikal: 5.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.4)
 Serien: 94 93 92 95
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2257 (26), 1823 (25), 1718 (39)
 beste Teiler 121.4 (2.) 265.1 (4.) 283.7 (35.)
 Trefferlage 0.20 mm links, 1.85 mm tief
 Streuwert 7.12, horizontal: 8.32, vertikal: 5.69




Serie 1:
 8.8 ↘ 10.8 * 10.0 ↓ 10.6 * 10.1 ↓
 9.6 ↓ 9.1 ↘ 10.4 * 9.5 → 9.9 ↖
 beste Teiler 121.4 (2.) 265.1 (4.) 447.3 (8.)
 Trefferlage 3.33 mm rechts, 4.97 mm tief
 Streuwert 5.84, horizontal: 6.01, vertikal: 5.65



Serie 2:
 9.9 → 9.3 → 10.4 * 9.9 ↘ 9.8 ←
 10.6 * 9.8 → 10.5 * 9.5 ← 9.5 ↖
 beste Teiler 305.8 (16.) 324.9 (18.) 425.8 (13.)
 Trefferlage 0.96 mm rechts, 0.46 mm tief
 Streuwert 6.62, horizontal: 8.31, vertikal: 4.31



Serie 3:
 9.9 ↓ 10.4 * 10.0 ↓ 9.1 ↘ 8.7 ↖
 8.1 ↖ 9.6 ← 10.2 → 10.4 * 9.6 ↘
 beste Teiler 459.8 (22.) 472.2 (29.) 619.5 (28.)
 Trefferlage 2.73 mm links, 1.92 mm tief
 Streuwert 8.79, horizontal: 10.33, vertikal: 6.91





Serie 4:
 10.1 ↓ 10.3 ↖ 9.6 ↘ 9.8 ← 10.6 *
 10.5 * 10.3 ↑ 10.0 ↓ 8.8 ↖ 9.4 ←
 beste Teiler 283.7 (35.) 386.7 (36.) 555.0 (37.)
 Trefferlage 2.36 mm links, 0.06 mm tief
 Streuwert 6.54, horizontal: 7.76, vertikal: 5.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (398.4)
 Serien: 96 96 93 97
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1908 (10), 1466 (6), 1445 (12)
 beste Teiler 195.2 (33.) 220.5 (38.) 262.5 (17.)
 Trefferlage 0.67 mm links, 1.82 mm hoch
 Streuwert 6.19, horizontal: 6.16, vertikal: 6.23




Serie 1:
 10.1 ↗ 10.1 ← 10.2 ↘ 9.6 ↗ 10.5 *
 9.1 ↗ 10.2 ↘ 10.1 ↗ 10.5 * 8.6 ↘
 beste Teiler 350.0 (5.) 387.6 (9.) 613.2 (7.)
 Trefferlage 0.77 mm links, 4.51 mm hoch
 Streuwert 6.39, horizontal: 7.46, vertikal: 5.09



Serie 2:
 10.0 ↗ 9.1 ↘ 10.2 ↘ 10.3 * 10.2 ↘
 9.9 ↑ 10.6 * 9.6 ↘ 9.9 ↙ 10.2 ↑
 beste Teiler 262.5 (17.) 501.1 (14.) 563.1 (15.)
 Trefferlage 2.44 mm links, 2.59 mm hoch
 Streuwert 5.46, horizontal: 6.14, vertikal: 4.68



Serie 3:
 9.7 ↘ 10.6 * 9.5 ↑ 9.7 ↑ 9.1 ↘
 9.7 → 10.1 ← 9.8 ↗ 9.3 ↓ 10.2 ↘
 beste Teiler 267.5 (22.) 616.0 (30.) 695.8 (27.)
 Trefferlage 1.26 mm rechts, 0.13 mm tief
 Streuwert 7.40, horizontal: 5.86, vertikal: 8.67





Serie 4:
 10.6 * 9.5 ↘ 10.7 * 9.9 ↓ 10.2 →
 10.2 ↙ 9.2 ↘ 10.7 * 10.2 ↘ 10.5 *
 beste Teiler 195.2 (33.) 220.5 (38.) 319.1 (31.)
 Trefferlage 0.74 mm links, 0.34 mm hoch
 Streuwert 5.41, horizontal: 5.37, vertikal: 5.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (407.6)
 Serien: 97 98 98 98
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1391 (1), 1305 (8), 1175 (30)
 beste Teiler 107.0 (37.) 119.5 (27.) 195.1 (2.)
 Trefferlage 0.27 mm links, 1.00 mm tief
 Streuwert 4.83, horizontal: 4.60, vertikal: 5.04




Serie 1:
 9.2 ↘ 10.7 * 10.0 ✓ 10.4 * 10.2 ↓
 10.0 ↓ 10.1 ↘ 9.3 → 9.9 ← 10.2 ✓
 beste Teiler 195.1 (2.) 412.4 (4.) 574.0 (5.)
 Trefferlage 0.65 mm rechts, 3.81 mm tief
 Streuwert 5.47, horizontal: 6.01, vertikal: 4.88



Serie 2:
 9.8 ↖ 10.5 * 10.3 ↖ 10.2 ↖ 10.0 ↘
 9.9 ↑ 10.4 * 10.2 ✓ 10.6 * 10.1 ↑
 beste Teiler 307.6 (19.) 395.8 (12.) 411.7 (17.)
 Trefferlage 2.13 mm links, 2.11 mm hoch
 Streuwert 4.16, horizontal: 3.50, vertikal: 4.73



Serie 3:
 10.6 * 10.1 ↗ 10.5 * 10.2 ↘ 10.0 ↙
 9.7 → 10.8 * 10.6 * 10.3 * 9.5 ↘
 beste Teiler 119.5 (27.) 300.0 (28.) 317.3 (21.)
 Trefferlage 1.54 mm rechts, 0.93 mm tief
 Streuwert 4.65, horizontal: 5.09, vertikal: 4.15





Serie 4:
 10.3 * 10.7 * 9.8 ↓ 9.6 ↑ 10.6 *
 10.6 * 10.8 * 10.1 ↓ 10.6 * 10.2 ←
 beste Teiler 107.0 (37.) 195.4 (32.) 258.8 (36.)
 Trefferlage 1.16 mm links, 1.36 mm tief
 Streuwert 4.19, horizontal: 2.83, vertikal: 5.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (404.1)
 Serien: 95 97 99 95
 Zähler: 27 12 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1689 (2), 1452 (6), 1303 (33)
 beste Teiler 59.6 (40.) 97.6 (10.) 169.2 (20.)
 Trefferlage 0.26 mm rechts, 1.36 mm hoch
 Streuwert 5.45, horizontal: 5.69, vertikal: 5.20




Serie 1:
 10.2 ↑ 8.8 ↖ 9.4 ↖ 10.1 ↘ 10.3 →
 9.1 ↗ 10.0 → 10.2 ↓ 9.8 ← 10.8 *
 beste Teiler 97.6 (10.) 542.1 (5.) 589.1 (8.)
 Trefferlage 0.96 mm links, 1.33 mm hoch
 Streuwert 7.13, horizontal: 8.49, vertikal: 5.44



Serie 2:
 10.3 * 9.5 ↗ 10.5 * 10.1 ↖ 9.3 ↓
 10.1 ↓ 9.9 ↓ 10.2 ↑ 10.4 * 10.7 *
 beste Teiler 169.2 (20.) 341.4 (13.) 439.0 (19.)
 Trefferlage 0.43 mm rechts, 0.25 mm tief
 Streuwert 5.59, horizontal: 4.03, vertikal: 6.79



Serie 3:
 10.4 * 10.3 * 10.3 ↗ 10.2 ↖ 10.6 *
 10.0 ↗ 10.7 * 10.4 * 9.6 → 10.5 *
 beste Teiler 214.1 (27.) 302.7 (25.) 323.6 (30.)
 Trefferlage 0.38 mm rechts, 1.41 mm hoch
 Streuwert 4.21, horizontal: 4.71, vertikal: 3.64





Serie 4:
 9.9 ↖ 10.4 * 9.3 ↖ 9.9 → 10.6 *
 9.8 ↖ 10.3 * 10.6 * 9.7 → 10.9 *
 beste Teiler 59.6 (40.) 252.4 (38.) 273.8 (35.)
 Trefferlage 1.22 mm rechts, 2.98 mm hoch
 Streuwert 4.98, horizontal: 5.22, vertikal: 4.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.2)
 Serien: 88 89 96 91
 Zähler: 13 18 9 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1968 (7), 1909 (6), 1813 (16)
 beste Teiler 283.2 (29.) 336.0 (39.) 461.2 (40.)
 Trefferlage 0.91 mm rechts, 0.76 mm tief
 Streuwert 8.54, horizontal: 9.35, vertikal: 7.63




Serie 1:
 9.2 ← 8.8 → 9.7 ← 8.8 ↖ 10.2 ↘
 8.6 → 8.5 ↘ 9.0 ← 10.3 * 9.4 ↗
 beste Teiler 525.1 (9.) 627.3 (5.) 1034.2 (3.)
 Trefferlage 0.40 mm links, 0.55 mm tief
 Streuwert 10.84, horizontal: 14.05, vertikal: 6.14



Serie 2:
 8.9 ↘ 10.2 ↗ 9.2 ↘ 9.7 ← 9.7 ↗
 8.7 → 8.8 ↓ 9.9 ↘ 9.9 ↓ 10.0 →
 beste Teiler 562.5 (12.) 759.2 (20.) 803.4 (19.)
 Trefferlage 4.27 mm rechts, 5.22 mm tief
 Streuwert 7.63, horizontal: 7.79, vertikal: 7.48



Serie 3:
 8.9 ↖ 9.4 ↑ 10.3 * 10.4 * 10.0 ↓
 10.0 ↓ 10.1 ↗ 10.2 ← 10.6 * 9.8 ↘
 beste Teiler 283.2 (29.) 476.3 (24.) 503.5 (23.)
 Trefferlage 0.85 mm links, 2.09 mm hoch
 Streuwert 6.36, horizontal: 3.95, vertikal: 8.08





Serie 4:
 9.9 ↘ 9.3 ← 8.9 ↘ 9.5 ↘ 9.5 ↖
 9.0 ↘ 9.8 ↖ 9.2 → 10.5 * 10.4 *
 beste Teiler 336.0 (39.) 461.2 (40.) 848.9 (31.)
 Trefferlage 0.65 mm rechts, 0.63 mm hoch
 Streuwert 8.59, horizontal: 9.36, vertikal: 7.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.0)
 Serien: 94 95 91 93
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1800 (22), 1743 (26), 1646 (31)
 beste Teiler 190.2 (38.) 228.5 (28.) 257.7 (19.)
 Trefferlage 3.37 mm links, 1.78 mm tief
 Streuwert 6.89, horizontal: 6.34, vertikal: 7.40




Serie 1:
 10.2 ↓ 9.4 ↑ 9.2 ← 10.2 ↓ 10.1 ←
 9.7 ↓ 10.2 ↘ 9.1 ↙ 9.7 ← 9.3 ↓
 beste Teiler 581.9 (4.) 598.6 (7.) 632.0 (1.)
 Trefferlage 5.86 mm links, 3.06 mm tief
 Streuwert 6.07, horizontal: 4.48, vertikal: 7.32



Serie 2:
 9.9 ↙ 10.5 * 9.5 ↓ 9.5 ↓ 9.8 ↘
 9.6 ↗ 10.1 ↑ 10.5 * 10.6 * 10.2 ↑
 beste Teiler 257.7 (19.) 363.8 (18.) 370.0 (12.)
 Trefferlage 0.54 mm links, 0.24 mm tief
 Streuwert 6.07, horizontal: 4.60, vertikal: 7.25



Serie 3:
 9.3 ↘ 8.7 ↓ 9.7 ↓ 9.9 ↙ 9.3 ↑
 8.8 ← 10.3 * 10.7 * 10.6 * 9.2 ↘
 beste Teiler 228.5 (28.) 287.9 (29.) 520.3 (27.)
 Trefferlage 2.19 mm links, 3.99 mm tief
 Streuwert 8.07, horizontal: 7.86, vertikal: 8.28





Serie 4:
 8.9 ← 8.9 ↙ 8.9 ↘ 10.2 ↘ 9.3 ↘
 10.4 * 10.0 ↓ 10.7 * 10.3 * 10.6 *
 beste Teiler 190.2 (38.) 286.1 (40.) 426.3 (36.)
 Trefferlage 4.88 mm links, 0.18 mm hoch
 Streuwert 7.04, horizontal: 7.14, vertikal: 6.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (378.0)
 Serien: 93 88 91 86
 Zähler: 10 20 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2942 (35), 2622 (39), 2186 (11)
 beste Teiler 175.9 (2.) 267.7 (13.) 291.2 (27.)
 Trefferlage 1.59 mm rechts, 4.23 mm tief
 Streuwert 9.07, horizontal: 9.55, vertikal: 8.56




Serie 1:
 10.0 ↗ 10.7 * 9.1 ↓ 8.5 ← 10.2 ↗
 9.9 → 9.2 ↘ 9.5 ↓ 9.5 ↓ 10.4 *
 beste Teiler 175.9 (2.) 453.4 (10.) 635.5 (5.)
 Trefferlage 2.06 mm rechts, 4.66 mm tief
 Streuwert 7.41, horizontal: 8.45, vertikal: 6.21



Serie 2:
 8.2 ↓ 9.8 ↖ 10.6 * 8.6 ↘ 8.6 ↖
 9.6 ↓ 9.9 ← 8.9 ↘ 10.1 → 9.9 →
 beste Teiler 267.7 (13.) 701.0 (19.) 857.3 (20.)
 Trefferlage 2.18 mm links, 5.31 mm tief
 Streuwert 9.21, horizontal: 9.28, vertikal: 9.15



Serie 3:
 9.8 → 9.4 ↑ 8.9 ↘ 9.2 → 9.4 ↖
 9.5 ↘ 10.6 * 10.2 ↖ 10.1 ← 8.9 ↑
 beste Teiler 291.2 (27.) 587.9 (28.) 661.9 (29.)
 Trefferlage 1.41 mm rechts, 0.44 mm tief
 Streuwert 8.63, horizontal: 8.30, vertikal: 8.96





Serie 4:
 8.4 ↖ 10.0 ← 9.5 ↖ 9.7 → 7.3 ↘
 9.9 ↓ 9.7 ↓ 9.2 → 7.7 → 9.4 ↘
 beste Teiler 731.0 (32.) 817.2 (36.) 963.0 (34.)
 Trefferlage 5.10 mm rechts, 6.53 mm tief
 Streuwert 10.75, horizontal: 11.80, vertikal: 9.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.7)
 Serien: 93 93 94 97
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1822 (22), 1804 (4), 1610 (3)
 beste Teiler 78.4 (16.) 92.7 (6.) 97.5 (10.)
 Trefferlage 1.34 mm links, 0.74 mm tief
 Streuwert 7.05, horizontal: 7.57, vertikal: 6.50




Serie 1:
 10.7 * 10.1 ↘ 8.9 ↘ 8.7 ↖ 10.1 ↓
 10.8 * 9.4 ↘ 9.2 ← 9.8 ↖ 10.8 *
 beste Teiler 92.7 (6.) 97.5 (10.) 227.0 (1.)
 Trefferlage 6.11 mm links, 3.29 mm hoch
 Streuwert 5.96, horizontal: 5.79, vertikal: 6.13



Serie 2:
 9.6 ↓ 9.9 ↙ 9.0 ↖ 10.5 * 9.7 ↓
 10.9 * 9.8 → 9.5 → 10.0 ↘ 9.6 ↓
 beste Teiler 78.4 (16.) 371.4 (14.) 780.4 (19.)
 Trefferlage 0.55 mm links, 2.71 mm tief
 Streuwert 6.87, horizontal: 7.32, vertikal: 6.38



Serie 3:
 10.2 ↑ 8.7 → 9.6 ↖ 9.0 ← 9.5 →
 10.3 * 10.2 ↘ 10.1 → 10.0 ↖ 9.3 ↓
 beste Teiler 509.7 (26.) 589.5 (21.) 590.3 (27.)
 Trefferlage 0.09 mm rechts, 0.93 mm tief
 Streuwert 8.15, horizontal: 9.54, vertikal: 6.47





Serie 4:
 10.7 * 9.1 ↓ 9.7 ↘ 9.4 → 10.3 ↓
 10.1 ↖ 10.3 * 10.0 ↘ 10.2 ↓ 10.0 ↑
 beste Teiler 162.8 (31.) 497.7 (37.) 537.3 (35.)
 Trefferlage 1.17 mm rechts, 2.62 mm tief
 Streuwert 5.97, horizontal: 5.91, vertikal: 6.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (367.2)
 Serien: 87 85 86 90
 Zähler: 8 17 11 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3405 (2), 2749 (21), 2684 (14)
 beste Teiler 86.7 (32.) 403.9 (1.) 470.3 (12.)
 Trefferlage 2.21 mm links, 7.09 mm hoch
 Streuwert 9.95, horizontal: 10.64, vertikal: 9.21




Serie 1:
 10.4 * 6.7 ↘ 8.5 ↗ 10.0 ↘ 10.0 ↗
 8.2 ↘ 8.9 ← 9.3 ↑ 9.1 ↓ 9.9 ↘
 beste Teiler 403.9 (1.) 759.8 (4.) 798.2 (5.)
 Trefferlage 6.64 mm links, 7.15 mm hoch
 Streuwert 10.38, horizontal: 9.68, vertikal: 11.04



Serie 2:
 9.6 → 10.4 * 8.9 → 7.6 ↘ 9.1 →
 9.5 ↘ 7.7 ↘ 9.6 ← 9.2 ↘ 8.8 ↑
 beste Teiler 470.3 (12.) 1041.7 (18.) 1082.6 (11.)
 Trefferlage 2.29 mm links, 6.98 mm hoch
 Streuwert 11.06, horizontal: 13.17, vertikal: 8.45



Serie 3:
 7.5 ↑ 8.0 ↑ 8.4 ↘ 9.3 ↘ 8.6 →
 9.9 ↗ 9.9 → 9.8 ↗ 9.3 ← 10.1 ←
 beste Teiler 668.2 (30.) 814.3 (26.) 845.4 (27.)
 Trefferlage 1.85 mm links, 8.43 mm hoch
 Streuwert 10.35, horizontal: 9.98, vertikal: 10.71





Serie 4:
 10.2 ↓ 10.8 * 8.5 ↘ 9.5 ↑ 9.6 ↗
 8.9 ↘ 9.6 → 8.7 → 9.2 ↑ 10.0 →
 beste Teiler 86.7 (32.) 601.7 (31.) 755.5 (40.)
 Trefferlage 1.94 mm rechts, 5.78 mm hoch
 Streuwert 8.32, horizontal: 9.10, vertikal: 7.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.1)
 Serien: 91 93 91 90
 Zähler: 17 12 10 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2452 (8), 2384 (36), 2134 (13)
 beste Teiler 119.3 (1.) 132.9 (34.) 188.2 (27.)
 Trefferlage 1.93 mm links, 0.31 mm hoch
 Streuwert 9.04, horizontal: 10.00, vertikal: 7.97




Serie 1:
 10.8 * 9.0 → 10.0 ↗ 10.3 ↓ 10.5 *
 9.9 ↑ 10.4 * 7.9 → 8.6 ← 8.6 ↘
 beste Teiler 119.3 (1.) 394.2 (5.) 404.6 (7.)
 Trefferlage 0.17 mm rechts, 0.28 mm hoch
 Streuwert 9.80, horizontal: 12.44, vertikal: 6.11



Serie 2:
 9.7 ← 10.5 * 8.3 ↘ 9.4 ← 10.1 ←
 10.4 * 10.1 ↘ 9.5 ↓ 8.9 ↘ 10.6 *
 beste Teiler 262.1 (20.) 374.4 (12.) 466.5 (16.)
 Trefferlage 0.70 mm links, 3.18 mm tief
 Streuwert 7.99, horizontal: 9.98, vertikal: 5.29



Serie 3:
 9.8 ↙ 9.0 ← 9.4 ↑ 10.1 ↗ 8.8 ↓
 10.1 ↗ 10.7 * 8.3 ↘ 8.8 ↘ 10.1 ↙
 beste Teiler 188.2 (27.) 690.3 (26.) 694.2 (24.)
 Trefferlage 4.91 mm links, 2.72 mm hoch
 Streuwert 8.65, horizontal: 6.14, vertikal: 10.59





Serie 4:
 10.5 * 9.5 ↖ 9.3 ↑ 10.8 * 8.9 ↖
 8.0 ← 9.8 ↘ 10.1 ↗ 8.6 ↓ 9.0 →
 beste Teiler 132.9 (34.) 397.6 (31.) 647.7 (38.)
 Trefferlage 2.28 mm links, 1.45 mm hoch
 Streuwert 10.03, horizontal: 11.16, vertikal: 8.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.6)
 Serien: 91 97 93 93
 Zähler: 17 21 1 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2497 (4), 2070 (38), 1466 (5)
 beste Teiler 110.0 (37.) 232.9 (8.) 269.9 (19.)
 Trefferlage 1.28 mm links, 0.03 mm hoch
 Streuwert 7.27, horizontal: 8.50, vertikal: 5.79




Serie 1:
 9.7 ↖ 9.5 ↙ 9.4 ← 7.8 ↖ 9.1 ↘
 10.4 * 9.3 ← 10.7 * 9.8 → 10.2 ↗
 beste Teiler 232.9 (8.) 451.1 (6.) 633.8 (10.)
 Trefferlage 3.10 mm links, 0.14 mm tief
 Streuwert 9.03, horizontal: 10.85, vertikal: 6.73



Serie 2:
 9.6 ↖ 9.2 ↘ 10.1 ↗ 10.0 ↗ 10.2 ↘
 10.6 * 10.1 ← 10.1 → 10.6 * 9.8 →
 beste Teiler 269.9 (19.) 283.9 (16.) 625.6 (15.)
 Trefferlage 2.32 mm rechts, 0.32 mm tief
 Streuwert 5.72, horizontal: 6.58, vertikal: 4.71



Serie 3:
 10.2 ↘ 9.6 ↙ 10.2 ↓ 9.4 ← 9.9 →
 9.9 ↘ 10.1 ↙ 9.4 ↙ 9.5 ↙ 9.9 ↘
 beste Teiler 565.9 (23.) 633.6 (21.) 670.0 (27.)
 Trefferlage 2.02 mm links, 3.80 mm tief
 Streuwert 6.31, horizontal: 7.12, vertikal: 5.37





Serie 4:
 10.1 ↗ 10.6 * 10.1 ↖ 9.5 → 9.4 ↖
 9.7 ↖ 10.8 * 8.4 ← 9.9 ↗ 9.8 ↖
 beste Teiler 110.0 (37.) 303.5 (32.) 681.1 (33.)
 Trefferlage 2.34 mm links, 4.42 mm hoch
 Streuwert 6.80, horizontal: 9.01, vertikal: 3.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.6)
 Serien: 97 98 95 96
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1488 (10), 1346 (9), 1342 (8)
 beste Teiler 17.6 (14.) 208.6 (23.) 233.0 (34.)
 Trefferlage 0.24 mm links, 1.84 mm hoch
 Streuwert 5.32, horizontal: 5.53, vertikal: 5.10




Serie 1:
 10.4 * 10.5 * 10.0 ↗ 10.1 → 10.0 ←
 10.0 ↗ 10.3 * 9.3 ↗ 9.3 → 9.1 ↗
 beste Teiler 375.7 (2.) 423.7 (1.) 502.0 (7.)
 Trefferlage 3.92 mm rechts, 4.46 mm hoch
 Streuwert 5.33, horizontal: 6.16, vertikal: 4.36



Serie 2:
 10.0 ↗ 10.5 * 10.4 * 10.9 * 10.5 *
 9.8 ↘ 10.4 * 10.1 ↑ 10.5 * 9.7 ↘
 beste Teiler 17.6 (14.) 342.6 (15.) 378.4 (19.)
 Trefferlage 0.55 mm rechts, 0.18 mm hoch
 Streuwert 4.48, horizontal: 4.44, vertikal: 4.51



Serie 3:
 9.9 ↑ 10.0 ↘ 10.7 * 9.8 ↑ 9.7 ←
 10.3 * 10.3 ↗ 10.1 ← 9.8 ← 9.7 ↘
 beste Teiler 208.6 (23.) 499.7 (26.) 533.6 (27.)
 Trefferlage 3.44 mm links, 3.44 mm hoch
 Streuwert 4.61, horizontal: 4.61, vertikal: 4.62





Serie 4:
 10.5 * 9.9 ↓ 10.4 * 10.7 * 9.9 ↘
 9.7 ↑ 10.3 * 10.2 ↗ 9.7 ← 10.2 ↑
 beste Teiler 233.0 (34.) 334.5 (31.) 458.6 (33.)
 Trefferlage 2.00 mm links, 0.69 mm tief
 Streuwert 5.01, horizontal: 4.32, vertikal: 5.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (394.2)
 Serien: 89 92 99 96
 Zähler: 21 14 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2085 (3), 1863 (10), 1793 (4)
 beste Teiler 194.6 (8.) 266.6 (14.) 350.9 (38.)
 Trefferlage 0.99 mm links, 1.34 mm tief
 Streuwert 6.96, horizontal: 7.45, vertikal: 6.43




Serie 1:
 9.8 ↘ 10.3 ↙ 8.3 ← 8.7 ← 9.4 ↙
 9.9 ↓ 10.5 * 10.7 * 8.8 ↘ 8.6 ↘
 beste Teiler 194.6 (8.) 364.7 (7.) 548.4 (2.)
 Trefferlage 2.33 mm links, 5.68 mm tief
 Streuwert 8.79, horizontal: 11.15, vertikal: 5.49



Serie 2:
 9.8 ↘ 9.7 ↙ 8.9 ↘ 10.6 * 10.4 *
 9.5 ↓ 9.2 → 9.5 ↘ 10.3 * 9.9 ↗
 beste Teiler 266.6 (14.) 475.9 (15.) 497.4 (19.)
 Trefferlage 1.06 mm links, 1.11 mm hoch
 Streuwert 7.48, horizontal: 8.11, vertikal: 6.80



Serie 3:
 10.0 ↑ 10.1 ← 10.3 * 10.3 ↘ 10.2 ↓
 10.2 ↓ 10.3 * 10.0 ↘ 10.3 ↘ 9.9 →
 beste Teiler 489.3 (27.) 511.8 (23.) 546.1 (24.)
 Trefferlage 0.77 mm links, 0.53 mm tief
 Streuwert 4.79, horizontal: 4.23, vertikal: 5.30



Serie 4:
 10.2 ↙ 10.2 ↘ 9.8 → 10.1 ↘ 9.8 ↘
 9.7 ↙ 9.2 ↑ 10.5 * 10.3 ↘ 10.0 ↘
 beste Teiler 350.9 (38.) 560.3 (39.) 573.0 (31.)
 Trefferlage 0.22 mm rechts, 0.28 mm tief
 Streuwert 6.11, horizontal: 5.40, vertikal: 6.74

Unterschrift des Schützen

Meyton Elektronik