





Ergebnis: **374** (393.2)  
 Serien: 96 93 94 91  
 Zähler: 18 18 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2202 (40), 1978 (15), 1854 (18)  
 beste Teiler 34.1 (30.) 101.0 (38.) 127.0 (20.)  
 Trefferlage 1.93 mm links, 0.51 mm hoch  
 Streuwert 7.36, horizontal: 8.39, vertikal: 6.17




Serie 1:  
 9.6 ↑                      9.1 ↖                      10.5 \*                      10.4 \*                      9.7 ↑  
 9.4 ↘                      10.1 ↓                      10.5 \*                      10.0 ↖                      10.4 \*  
 beste Teiler 339.3 (3.) 364.6 (8.) 463.7 (4.)  
 Trefferlage 0.66 mm links, 1.09 mm hoch  
 Streuwert 6.40, horizontal: 6.82, vertikal: 5.94



Serie 2:  
 10.4 \*                      10.5 \*                      9.4 ↘                      9.9 ↓                      8.5 ←  
 10.6 \*                      10.6 \*                      8.6 ↖                      9.4 →                      10.8 \*  
 beste Teiler 127.0 (20.) 251.5 (17.) 315.5 (16.)  
 Trefferlage 1.90 mm links, 0.09 mm hoch  
 Streuwert 7.94, horizontal: 10.41, vertikal: 4.22



Serie 3:  
 10.4 \*                      9.7 ↙                      9.9 ↘                      9.2 ↙                      10.1 ↖  
 9.1 ↖                      9.7 ↓                      10.1 ↖                      9.8 ↓                      10.9 \*  
 beste Teiler 34.1 (30.) 406.2 (21.) 644.3 (28.)  
 Trefferlage 3.73 mm links, 2.51 mm tief  
 Streuwert 6.09, horizontal: 6.81, vertikal: 5.26





Serie 4:  
 9.5 ↖                      8.8 ↘                      10.6 \*                      10.5 \*                      9.5 ↖  
 9.3 ↑                      9.5 ↗                      10.8 \*                      9.2 ↑                      8.2 ←  
 beste Teiler 101.0 (38.) 312.9 (33.) 365.0 (34.)  
 Trefferlage 1.44 mm links, 3.38 mm hoch  
 Streuwert 9.00, horizontal: 9.89, vertikal: 8.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.4)  
 Serien: 92 94 92 95  
 Zähler: 17 20 2 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2431 (25), 1634 (3), 1606 (32)  
 beste Teiler 292.0 (31.) 318.1 (15.) 326.0 (22.)  
 Trefferlage 1.70 mm links, 0.30 mm tief  
 Streuwert 7.02, horizontal: 6.49, vertikal: 7.51




Serie 1:  
 9.1 ↓                      9.9 ↙                      8.9 ↓                      9.5 ↑                      9.7 ↘  
 10.4 \*                      10.1 ↓                      10.3 \*                      9.5 ↗                      9.6 ↙  
 beste Teiler 465.9 (6.) 519.1 (8.) 686.0 (7.)  
 Trefferlage 0.64 mm links, 2.82 mm tief  
 Streuwert 7.68, horizontal: 6.29, vertikal: 8.85



Serie 2:  
 9.0 ↖                      9.7 →                      9.7 ↘                      10.5 \*                      10.6 \*  
 9.8 ↘                      10.4 \*                      9.2 ←                      10.4 \*                      9.6 ↘  
 beste Teiler 318.1 (15.) 387.6 (14.) 413.8 (17.)  
 Trefferlage 1.53 mm links, 2.30 mm hoch  
 Streuwert 6.71, horizontal: 8.37, vertikal: 4.48



Serie 3:  
 10.2 ↘                      10.5 \*                      9.6 ↘                      10.0 ↙                      7.9 ↓  
 9.7 ↗                      9.7 ←                      9.8 ↘                      9.9 ↑                      10.0 ←  
 beste Teiler 326.0 (22.) 638.2 (21.) 756.8 (30.)  
 Trefferlage 2.97 mm links, 0.13 mm tief  
 Streuwert 7.94, horizontal: 6.19, vertikal: 9.37





Serie 4:  
 10.6 \*                      8.9 ↓                      10.0 ↑                      9.9 →                      10.2 ↓  
 10.5 \*                      9.8 ←                      10.2 ↘                      9.7 ←                      10.4 \*  
 beste Teiler 292.0 (31.) 364.8 (36.) 473.7 (40.)  
 Trefferlage 1.69 mm links, 0.58 mm tief  
 Streuwert 6.12, horizontal: 5.62, vertikal: 6.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.5)  
 Serien: 92 92 88 93  
 Zähler: 15 16 8 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2761 (37), 2216 (24), 2147 (14)  
 beste Teiler 117.2 (27.) 213.4 (10.) 278.4 (28.)  
 Trefferlage 1.83 mm links, 1.69 mm hoch  
 Streuwert 8.82, horizontal: 10.84, vertikal: 6.18




Serie 1:  
 9.5 → 8.5 ↘ 8.3 ← 10.4 \* 10.3 \*  
 10.2 ↖ 9.3 ↙ 9.9 ↗ 9.9 ↑ 10.7 \*  
 beste Teiler 213.4 (10.) 439.3 (4.) 514.2 (5.)  
 Trefferlage 0.96 mm links, 0.05 mm hoch  
 Streuwert 8.78, horizontal: 10.84, vertikal: 6.04



Serie 2:  
 10.5 \* 10.5 \* 9.7 ↑ 8.3 → 10.2 ↗  
 10.5 \* 9.9 ← 8.5 → 9.6 ← 9.7 ↖  
 beste Teiler 357.4 (12.) 364.4 (16.) 391.9 (11.)  
 Trefferlage 1.51 mm rechts, 0.59 mm hoch  
 Streuwert 8.38, horizontal: 10.75, vertikal: 4.99



Serie 3:  
 8.5 → 9.1 → 9.8 → 8.2 ↖ 9.4 ↖  
 9.6 ← 10.8 \* 10.6 \* 8.6 ↖ 8.7 ↖  
 beste Teiler 117.2 (27.) 278.4 (28.) 952.9 (23.)  
 Trefferlage 1.74 mm links, 4.81 mm hoch  
 Streuwert 10.24, horizontal: 12.41, vertikal: 7.46





Serie 4:  
 9.3 ← 10.2 ← 9.5 ↓ 10.2 ↖ 9.4 ↖  
 10.5 \* 7.5 ← 10.2 → 10.5 \* 9.5 ↖  
 beste Teiler 329.4 (39.) 377.9 (36.) 565.1 (34.)  
 Trefferlage 6.12 mm links, 1.31 mm hoch  
 Streuwert 7.79, horizontal: 9.39, vertikal: 5.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (402.7)  
 Serien: 91 99 98 96  
 Zähler: 25 14 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 2042 (6), 1526 (32), 1457 (22)  
 beste Teiler 92.7 (26.) 116.9 (27.) 192.0 (38.)  
 Trefferlage 1.00 mm links, 1.74 mm hoch  
 Streuwert 5.83, horizontal: 5.94, vertikal: 5.71




Serie 1:  
 9.6 ↘                      10.1 ↓                      9.5 ↘                      9.9 ↑                      9.2 ↗  
 8.4 ←                      9.9 ↘                      9.8 ↓                      9.7 ↘                      10.3 \*  
 beste Teiler 519.9 (10.) 683.0 (2.) 844.7 (7.)  
 Trefferlage 2.27 mm links, 2.52 mm hoch  
 Streuwert 8.08, horizontal: 8.38, vertikal: 7.76



Serie 2:  
 10.6 \*                      10.6 \*                      10.3 \*                      10.6 \*                      10.2 →  
 10.0 ←                      9.3 ↗                      10.1 ↘                      10.7 \*                      10.2 ↘  
 beste Teiler 202.4 (19.) 254.1 (11.) 269.9 (14.)  
 Trefferlage 0.48 mm links, 2.03 mm hoch  
 Streuwert 4.56, horizontal: 5.37, vertikal: 3.56



Serie 3:  
 10.3 ↙                      9.1 ↖                      10.4 \*                      10.3 ↑                      10.6 \*  
 10.8 \*                      10.8 \*                      10.0 ↓                      10.6 \*                      9.8 ↖  
 beste Teiler 92.7 (26.) 116.9 (27.) 285.8 (25.)  
 Trefferlage 2.03 mm links, 0.78 mm hoch  
 Streuwert 4.74, horizontal: 5.19, vertikal: 4.24



Serie 4:  
 9.8 ↗                      9.0 ↑                      10.4 \*                      10.3 \*                      9.4 ↖  
 10.6 \*                      10.5 \*                      10.7 \*                      10.6 \*                      9.7 ↘  
 beste Teiler 192.0 (38.) 284.9 (39.) 294.1 (36.)  
 Trefferlage 0.75 mm rechts, 1.64 mm hoch  
 Streuwert 5.87, horizontal: 4.49, vertikal: 6.97

Unterschrift des Schützen

Meyton Elektronik