





Ergebnis: **404.0** (386)  
 Serien: 101.2 99.5 100.5 102.8  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 379 (22), 350 (30), 349 (39)  
 beste Teiler 91.4 (2.) 92.2 (36.) 92.9 (37.)  
 Trefferlage 0.41 mm links, 0.12 mm tief  
 Streuwert 1.63, horizontal: 1.94, vertikal: 1.24




Serie 1:  
 10.3 \*                      10.6 \*                      10.1 ↗                      9.8 ↘                      10.4 \*  
 9.7 ↘                      9.9 ↙                      10.0 ↖                      10.6 \*                      9.8 ↘  
 beste Teiler 91.4 (2.) 97.5 (9.) 134.4 (5.)  
 Trefferlage 0.02 mm rechts, 0.10 mm tief  
 Streuwert 1.66, horizontal: 1.74, vertikal: 1.59



Serie 2:  
 10.2 \*                      9.6 ←                      10.0 ↖                      9.7 ←                      10.0 ↓  
 10.5 \*                      9.7 ↖                      9.6 ←                      10.0 ↘                      10.2 \*  
 beste Teiler 110.8 (16.) 199.8 (11.) 199.9 (20.)  
 Trefferlage 1.83 mm links, 0.33 mm tief  
 Streuwert 1.36, horizontal: 1.41, vertikal: 1.32



Serie 3:  
 9.9 ←                      9.4 →                      10.1 ↘                      10.4 \*                      10.6 \*  
 10.5 \*                      10.4 \*                      9.6 →                      10.0 ↙                      9.6 ←  
 beste Teiler 97.4 (25.) 104.6 (26.) 129.1 (24.)  
 Trefferlage 0.22 mm links, 0.21 mm tief  
 Streuwert 1.83, horizontal: 2.36, vertikal: 1.04





Serie 4:  
 9.9 ↖                      10.0 ↙                      10.5 \*                      10.3 \*                      10.5 \*  
 10.6 \*                      10.6 \*                      10.3 \*                      9.6 →                      10.5 \*  
 beste Teiler 92.2 (36.) 92.9 (37.) 111.7 (35.)  
 Trefferlage 0.36 mm rechts, 0.15 mm hoch  
 Streuwert 1.36, horizontal: 1.60, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.0** (385)  
 Serien: 99.1 102.4 100.4 101.1  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 594 (29), 485 (36), 427 (6)  
 beste Teiler 40.3 (28.) 59.0 (18.) 73.9 (34.)  
 Trefferlage 0.16 mm rechts, 0.70 mm hoch  
 Streuwert 1.76, horizontal: 2.19, vertikal: 1.19




Serie 1:  
 9.3 ←                      9.9 ↘                      10.6 \*                      9.4 ↖                      10.5 \*  
 9.2 ↘                      10.4 \*                      9.7 ↘                      9.7 ↖                      10.4 \*  
 beste Teiler 84.2 (3.) 119.7 (5.) 136.6 (10.)  
 Trefferlage 1.09 mm links, 0.32 mm hoch  
 Streuwert 1.98, horizontal: 2.24, vertikal: 1.68



Serie 2:  
 10.1 ↗                      10.5 \*                      10.2 \*                      10.2 \*                      10.0 →  
 10.5 \*                      10.2 \*                      10.7 \*                      9.5 ↖                      10.5 \*  
 beste Teiler 59.0 (18.) 104.4 (12.) 112.1 (16.)  
 Trefferlage 0.07 mm rechts, 0.95 mm hoch  
 Streuwert 1.31, horizontal: 1.64, vertikal: 0.85



Serie 3:  
 10.6 \*                      9.4 ↖                      10.4 \*                      10.3 \*                      10.6 \*  
 9.7 →                      9.5 →                      10.8 \*                      8.6 →                      10.5 \*  
 beste Teiler 40.3 (28.) 76.0 (21.) 77.1 (25.)  
 Trefferlage 0.72 mm rechts, 0.48 mm hoch  
 Streuwert 1.99, horizontal: 2.63, vertikal: 1.00





Serie 4:  
 10.2 \*                      9.9 ↗                      10.6 \*                      10.7 \*                      10.0 →  
 9.0 →                      10.6 \*                      10.3 \*                      9.4 ↖                      10.4 \*  
 beste Teiler 73.9 (34.) 79.6 (33.) 100.4 (37.)  
 Trefferlage 0.94 mm rechts, 1.03 mm hoch  
 Streuwert 1.51, horizontal: 1.84, vertikal: 1.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.6** (387)  
 Serien: 100.2 99.5 100.6 103.3  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 426 (4), 408 (29), 378 (1)  
 beste Teiler 47.5 (38.) 72.3 (22.) 73.3 (19.)  
 Trefferlage 0.18 mm rechts, 0.22 mm hoch  
 Streuwert 1.66, horizontal: 1.68, vertikal: 1.64




Serie 1:  
 9.4 ↖ 9.6 ↖ 10.3 \* 9.2 ↖ 9.9 ↖  
 10.4 \* 10.3 \* 10.5 \* 10.1 ↓ 10.5 \*  
 beste Teiler 105.1 (10.) 109.4 (8.) 136.4 (6.)  
 Trefferlage 0.60 mm links, 0.36 mm hoch  
 Streuwert 1.82, horizontal: 1.82, vertikal: 1.83



Serie 2:  
 10.0 ↘ 10.1 ↘ 10.0 ↓ 10.0 → 9.9 →  
 9.7 ↓ 9.7 ↓ 9.8 ↓ 10.7 \* 9.6 ↖  
 beste Teiler 73.3 (19.) 221.3 (12.) 228.8 (13.)  
 Trefferlage 1.10 mm rechts, 0.79 mm tief  
 Streuwert 1.67, horizontal: 1.27, vertikal: 1.99



Serie 3:  
 10.4 \* 10.7 \* 9.9 ↖ 10.3 \* 10.0 ↖  
 10.1 ↗ 10.2 \* 9.8 → 9.3 ↖ 9.9 →  
 beste Teiler 72.3 (22.) 147.6 (21.) 168.4 (24.)  
 Trefferlage 0.28 mm rechts, 0.96 mm hoch  
 Streuwert 1.65, horizontal: 2.00, vertikal: 1.21





Serie 4:  
 10.1 ↓ 10.2 \* 10.2 \* 10.3 \* 10.5 \*  
 10.4 \* 10.4 \* 10.8 \* 10.3 \* 10.1 ↖  
 beste Teiler 47.5 (38.) 104.0 (35.) 131.4 (37.)  
 Trefferlage 0.03 mm links, 0.35 mm hoch  
 Streuwert 1.15, horizontal: 1.25, vertikal: 1.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.7** (386)  
 Serien: 101.1 100.5 101.2 99.9  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 484 (9), 419 (29), 410 (28)  
 beste Teiler 20.0 (30.) 29.1 (19.) 80.3 (3.)  
 Trefferlage 0.81 mm links, 0.38 mm tief  
 Streuwert 1.63, horizontal: 1.99, vertikal: 1.16




Serie 1:  
 10.2 \*                      10.2 \*                      10.6 \*                      10.4 \*                      9.7 ↗  
 10.4 \*                      9.9 ↘                      10.4 \*                      9.0 ←                      10.3 \*  
 beste Teiler 80.3 (3.) 137.5 (8.) 137.9 (4.)  
 Trefferlage 0.64 mm links, 0.62 mm tief  
 Streuwert 1.65, horizontal: 2.06, vertikal: 1.10



Serie 2:  
 10.1 ↖                      10.0 ↓                      10.1 ↑                      9.8 ↖                      9.6 ←  
 9.6 ←                      9.9 ←                      10.4 \*                      10.8 \*                      10.2 \*  
 beste Teiler 29.1 (19.) 146.1 (18.) 197.7 (20.)  
 Trefferlage 1.32 mm links, 0.32 mm tief  
 Streuwert 1.51, horizontal: 1.72, vertikal: 1.27



Serie 3:  
 10.3 \*                      9.5 ↘                      10.4 \*                      10.6 \*                      10.2 \*  
 10.6 \*                      10.1 ←                      9.3 ←                      9.3 ←                      10.9 \*  
 beste Teiler 20.0 (30.) 85.7 (26.) 90.0 (24.)  
 Trefferlage 0.57 mm links, 0.45 mm tief  
 Streuwert 1.78, horizontal: 2.31, vertikal: 0.99





Serie 4:  
 10.3 \*                      9.7 ←                      10.0 ↗                      10.0 ↓                      9.9 →  
 10.0 ←                      10.2 \*                      9.6 ←                      10.3 \*                      9.9 ←  
 beste Teiler 155.1 (31.) 166.2 (39.) 185.2 (37.)  
 Trefferlage 0.72 mm links, 0.12 mm tief  
 Streuwert 1.75, horizontal: 2.07, vertikal: 1.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.6** (396)  
 Serien: 102.8 105.6 104.0 102.2  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 328 (33), 300 (9), 275 (23)  
 beste Teiler 32.0 (1.) 37.1 (19.) 48.2 (15.)  
 Trefferlage 0.15 mm rechts, 0.01 mm hoch  
 Streuwert 1.17, horizontal: 1.38, vertikal: 0.91




Serie 1:  
 10.8 \*                      10.7 \*                      10.3 \*                      10.1 →                      10.2 \*  
 10.1 ↗                      10.1 ↘                      10.2 \*                      9.8 ←                      10.5 \*  
 beste Teiler 32.0 (1.) 75.5 (2.) 118.1 (10.)  
 Trefferlage 0.37 mm rechts, 0.17 mm hoch  
 Streuwert 1.33, horizontal: 1.68, vertikal: 0.85



Serie 2:  
 10.4 \*                      10.6 \*                      10.4 \*                      10.4 \*                      10.8 \*  
 10.5 \*                      10.5 \*                      10.5 \*                      10.8 \*                      10.7 \*  
 beste Teiler 37.1 (19.) 48.2 (15.) 63.0 (20.)  
 Trefferlage 0.13 mm links, 0.41 mm tief  
 Streuwert 0.71, horizontal: 0.87, vertikal: 0.51



Serie 3:  
 10.3 \*                      10.4 \*                      9.9 ↗                      10.6 \*                      10.7 \*  
 10.3 \*                      10.5 \*                      10.1 →                      10.6 \*                      10.6 \*  
 beste Teiler 68.0 (25.) 83.2 (29.) 84.8 (30.)  
 Trefferlage 0.00 mm , 0.22 mm hoch  
 Streuwert 1.14, horizontal: 1.33, vertikal: 0.91





Serie 4:  
 10.5 \*                      10.4 \*                      9.6 ↘                      10.6 \*                      10.0 ↘  
 9.9 ↗                      10.5 \*                      10.1 ↗                      10.6 \*                      10.0 ←  
 beste Teiler 92.6 (34.) 100.1 (39.) 112.6 (37.)  
 Trefferlage 0.36 mm rechts, 0.07 mm hoch  
 Streuwert 1.45, horizontal: 1.65, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.0** (388)  
 Serien: 100.9 101.2 102.2 99.7  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 472 (13), 446 (7), 394 (31)  
 beste Teiler 38.4 (12.) 59.0 (22.) 65.0 (5.)  
 Trefferlage 0.26 mm rechts, 0.35 mm hoch  
 Streuwert 1.65, horizontal: 1.76, vertikal: 1.53




Serie 1:  
 9.9 ↘ 10.3 \* 10.4 \* 10.2 \* 10.7 \*  
 9.7 ← 9.2 ↘ 10.3 \* 9.9 ↙ 10.3 \*  
 beste Teiler 65.0 (5.) 131.7 (3.) 173.1 (8.)  
 Trefferlage 0.31 mm rechts, 0.60 mm tief  
 Streuwert 1.73, horizontal: 2.07, vertikal: 1.30



Serie 2:  
 10.3 \* 10.8 \* 9.1 → 10.5 \* 10.3 \*  
 10.0 ← 10.1 ↑ 9.5 ↘ 10.2 \* 10.4 \*  
 beste Teiler 38.4 (12.) 120.0 (14.) 148.8 (20.)  
 Trefferlage 0.19 mm links, 0.48 mm hoch  
 Streuwert 1.75, horizontal: 2.04, vertikal: 1.41





Serie 3:  
 10.2 \* 10.7 \* 10.1 ↖ 9.8 ↓ 9.9 ←  
 10.4 \* 10.5 \* 10.3 \* 10.2 \* 10.1 →  
 beste Teiler 59.0 (22.) 121.4 (27.) 148.9 (26.)  
 Trefferlage 0.00 mm , 0.66 mm hoch  
 Streuwert 1.36, horizontal: 1.33, vertikal: 1.39




Serie 4:  
 9.4 ↗ 10.2 \* 10.1 ↗ 10.1 → 10.3 \*  
 9.7 ↑ 10.1 → 9.8 → 10.3 \* 9.7 ↘  
 beste Teiler 156.2 (39.) 162.4 (35.) 185.1 (32.)  
 Trefferlage 0.91 mm rechts, 0.88 mm hoch  
 Streuwert 1.67, horizontal: 1.58, vertikal: 1.76

Unterschrift des Schützen


Ergebnis: **408.2** (392)  
 Serien: 101.1 101.7 102.9 102.5  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 434 (5), 338 (38), 319 (11)  
 beste Teiler 33.6 (12.) 72.0 (17.) 82.8 (30.)  
 Trefferlage 0.34 mm links, 0.08 mm hoch  
 Streuwert 1.45, horizontal: 1.79, vertikal: 1.01




Serie 1:  
 10.6 \* 10.5 \* 10.3 \* 10.2 \* 9.2 ↖  
 10.1 ↙ 9.9 ← 10.2 \* 9.7 → 10.4 \*  
 beste Teiler 85.7 (1.) 103.2 (2.) 128.0 (10.)  
 Trefferlage 0.73 mm links, 0.20 mm tief  
 Streuwert 1.61, horizontal: 2.06, vertikal: 0.97



Serie 2:  
 9.7 → 10.8 \* 10.4 \* 10.2 \* 10.1 ↖  
 10.0 → 10.7 \* 9.8 ← 10.2 \* 9.8 ↖  
 beste Teiler 33.6 (12.) 72.0 (17.) 139.2 (13.)  
 Trefferlage 0.33 mm rechts, 0.77 mm hoch  
 Streuwert 1.47, horizontal: 1.94, vertikal: 0.76



Serie 3:  
 10.0 ↗ 10.5 \* 9.9 ← 10.0 ↘ 10.6 \*  
 10.6 \* 10.1 ↖ 10.4 \* 10.2 \* 10.6 \*  
 beste Teiler 82.8 (30.) 84.0 (25.) 97.7 (26.)  
 Trefferlage 0.53 mm links, 0.01 mm hoch  
 Streuwert 1.29, horizontal: 1.51, vertikal: 1.04





Serie 4:  
 10.0 → 10.4 \* 10.6 \* 10.0 ↓ 10.6 \*  
 10.0 ← 10.6 \* 9.6 ← 10.1 ↖ 10.6 \*  
 beste Teiler 83.0 (37.) 83.4 (33.) 88.6 (35.)  
 Trefferlage 0.43 mm links, 0.23 mm tief  
 Streuwert 1.40, horizontal: 1.68, vertikal: 1.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **419.0** (396)  
 Serien: 103.3 106.1 104.5 105.1  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 352 (2), 348 (28), 286 (6)  
 beste Teiler 5.8 (36.) 9.8 (27.) 12.8 (11.)  
 Trefferlage 0.01 mm links, 0.03 mm tief  
 Streuwert 1.05, horizontal: 1.13, vertikal: 0.96




Serie 1:  
 10.6 \*                      9.5 ↗                      10.7 \*                      10.8 \*                      10.2 \*  
 9.8 ↑                      10.1 ←                      10.3 \*                      10.6 \*                      10.7 \*  
 beste Teiler 38.2 (4.) 55.8 (10.) 61.7 (3.)  
 Trefferlage 0.42 mm links, 0.61 mm hoch  
 Streuwert 1.25, horizontal: 1.21, vertikal: 1.28



Serie 2:  
 10.9 \*                      10.5 \*                      10.5 \*                      10.7 \*                      10.8 \*  
 10.6 \*                      10.5 \*                      10.4 \*                      10.4 \*                      10.8 \*  
 beste Teiler 12.8 (11.) 27.2 (20.) 37.3 (15.)  
 Trefferlage 0.05 mm rechts, 0.18 mm tief  
 Streuwert 0.68, horizontal: 0.87, vertikal: 0.42



Serie 3:  
 10.7 \*                      10.6 \*                      9.8 ↘                      10.8 \*                      10.0 ↙  
 10.5 \*                      10.9 \*                      9.6 →                      10.8 \*                      10.8 \*  
 beste Teiler 9.8 (27.) 33.0 (29.) 33.0 (30.)  
 Trefferlage 0.34 mm rechts, 0.31 mm tief  
 Streuwert 1.22, horizontal: 1.44, vertikal: 0.96





Serie 4:  
 10.5 \*                      10.0 ↙                      10.6 \*                      10.7 \*                      10.3 \*  
 10.9 \*                      10.6 \*                      10.5 \*                      10.6 \*                      10.4 \*  
 beste Teiler 5.8 (36.) 61.7 (34.) 76.3 (37.)  
 Trefferlage 0.05 mm links, 0.26 mm tief  
 Streuwert 0.88, horizontal: 0.96, vertikal: 0.80


Unterschrift des Schützen




Ergebnis: **401.7** (384)  
 Serien: 101.1 100.2 98.6 101.8  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 487 (22), 413 (25), 390 (12)  
 beste Teiler 74.3 (37.) 86.5 (7.) 94.4 (19.)  
 Trefferlage 0.57 mm links, 0.07 mm hoch  
 Streuwert 1.71, horizontal: 2.02, vertikal: 1.34




Serie 1:  
 10.2 \*                      9.8 ↙                      9.8 →                      10.4 \*                      9.9 ←  
    9.6 ←                      10.6 \*                      10.5 \*                      10.5 \*                      9.8 ↗  
 beste Teiler 86.5 (7.) 104.6 (8.) 105.0 (9.)  
 Trefferlage 0.64 mm links, 0.25 mm hoch  
 Streuwert 1.62, horizontal: 1.94, vertikal: 1.21



Serie 2:  
 10.0 →                      9.4 ↖                      9.8 ↗                      10.3 \*                      10.0 ↖  
    9.7 ↖                      10.5 \*                      9.8 ↖                      10.6 \*                      10.1 ↓  
 beste Teiler 94.4 (19.) 106.0 (17.) 154.9 (14.)  
 Trefferlage 0.58 mm links, 1.13 mm hoch  
 Streuwert 1.59, horizontal: 1.68, vertikal: 1.48



Serie 3:  
 10.4 \*                      9.0 ←                      9.6 ←                      10.2 \*                      9.3 →  
    10.4 \*                      10.0 ←                      9.9 ←                      9.9 ←                      9.9 ↘  
 beste Teiler 131.0 (21.) 135.0 (26.) 180.7 (24.)  
 Trefferlage 0.90 mm links, 0.39 mm tief  
 Streuwert 2.06, horizontal: 2.68, vertikal: 1.14





Serie 4:  
 10.3 \*                      10.1 →                      9.6 ←                      10.0 →                      10.2 \*  
    10.0 ↓                      10.7 \*                      10.0 ←                      10.5 \*                      10.4 \*  
 beste Teiler 74.3 (37.) 104.0 (39.) 146.2 (40.)  
 Trefferlage 0.15 mm links, 0.69 mm tief  
 Streuwert 1.45, horizontal: 1.91, vertikal: 0.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.7** (385)  
 Serien: 100.7 101.7 101.7 97.6  
 Zähler: 25 15 0 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 480 (39), 452 (6), 440 (13)  
 beste Teiler 20.1 (8.) 57.2 (20.) 72.8 (30.)  
 Trefferlage 0.05 mm links, 0.08 mm tief  
 Streuwert 1.82, horizontal: 2.26, vertikal: 1.23




Serie 1:  
 10.1 ↖ 10.4 \* 10.5 \* 9.3 ↗ 9.8 ↘  
 9.1 ← 10.1 ↖ 10.9 \* 10.6 \* 9.9 ↗  
 beste Teiler 20.1 (8.) 96.6 (9.) 102.4 (3.)  
 Trefferlage 0.07 mm links, 0.41 mm tief  
 Streuwert 1.89, horizontal: 2.41, vertikal: 1.14



Serie 2:  
 10.6 \* 10.5 \* 9.2 ↖ 9.8 ↖ 10.1 ↘  
 10.0 ↖ 10.3 \* 10.1 ↖ 10.4 \* 10.7 \*  
 beste Teiler 57.2 (20.) 84.4 (11.) 109.2 (12.)  
 Trefferlage 0.78 mm links, 0.05 mm hoch  
 Streuwert 1.54, horizontal: 1.99, vertikal: 0.90



Serie 3:  
 10.6 \* 9.9 ↘ 9.8 ↖ 10.3 \* 9.7 ↖  
 10.4 \* 9.9 ↘ 10.4 \* 10.0 ↗ 10.7 \*  
 beste Teiler 72.8 (30.) 98.9 (21.) 127.4 (28.)  
 Trefferlage 0.04 mm rechts, 0.01 mm hoch  
 Streuwert 1.59, horizontal: 1.94, vertikal: 1.14





Serie 4:  
 9.4 ↘ 9.6 ↗ 10.2 \* 9.4 ↗ 10.2 \*  
 10.0 ↘ 10.2 \* 10.0 ↗ 9.0 ← 9.6 ↘  
 beste Teiler 184.1 (33.) 185.0 (37.) 192.0 (35.)  
 Trefferlage 0.60 mm rechts, 0.01 mm tief  
 Streuwert 2.29, horizontal: 2.74, vertikal: 1.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **416.9** (398)  
 Serien: 103.8 104.2 105.2 103.7  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 316 (37), 284 (40), 240 (18)  
 beste Teiler 36.2 (22.) 42.4 (21.) 45.2 (25.)  
 Trefferlage 0.34 mm links, 0.04 mm hoch  
 Streuwert 1.03, horizontal: 1.14, vertikal: 0.91




Serie 1:  
 10.3 \*                      10.5 \*                      10.3 \*                      10.1 ↘                      10.5 \*  
 10.3 \*                      10.5 \*                      10.6 \*                      10.2 \*                      10.5 \*  
 beste Teiler 99.8 (8.) 107.0 (5.) 111.6 (10.)  
 Trefferlage 0.73 mm rechts, 0.14 mm tief  
 Streuwert 0.98, horizontal: 0.76, vertikal: 1.15



Serie 2:  
 10.3 \*                      10.6 \*                      10.3 \*                      10.4 \*                      10.6 \*  
 10.7 \*                      10.1 ←                      10.0 ↑                      10.7 \*                      10.5 \*  
 beste Teiler 59.6 (16.) 69.4 (19.) 91.4 (12.)  
 Trefferlage 0.63 mm links, 0.15 mm hoch  
 Streuwert 0.97, horizontal: 0.91, vertikal: 1.03



Serie 3:  
 10.8 \*                      10.8 \*                      10.0 ←                      10.7 \*                      10.8 \*  
 10.4 \*                      10.3 \*                      10.3 \*                      10.7 \*                      10.4 \*  
 beste Teiler 36.2 (22.) 42.4 (21.) 45.2 (25.)  
 Trefferlage 0.51 mm links, 0.21 mm tief  
 Streuwert 0.85, horizontal: 1.03, vertikal: 0.60





Serie 4:  
 10.7 \*                      10.6 \*                      10.4 \*                      10.6 \*                      10.3 \*  
 10.7 \*                      9.7 ↖                      10.6 \*                      10.3 \*                      9.8 ←  
 beste Teiler 56.3 (31.) 57.8 (36.) 81.7 (38.)  
 Trefferlage 0.98 mm links, 0.40 mm hoch  
 Streuwert 0.95, horizontal: 1.12, vertikal: 0.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.7** (381)  
 Serien: 96.6 99.5 102.0 102.6  
 Zähler: 22 17 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 519 (19), 485 (6), 474 (31)  
 beste Teiler 37.0 (37.) 49.2 (11.) 62.2 (25.)  
 Trefferlage 0.27 mm links, 0.01 mm tief  
 Streuwert 1.94, horizontal: 2.43, vertikal: 1.27




Serie 1:  
 9.2 ↙ 10.6 \* 10.3 \* 9.2 ↙ 9.9 →  
 9.0 ← 9.8 ↑ 9.4 → 9.3 ↗ 9.9 ↙  
 beste Teiler 78.5 (2.) 151.2 (3.) 256.4 (10.)  
 Trefferlage 0.45 mm links, 0.01 mm tief  
 Streuwert 2.53, horizontal: 3.18, vertikal: 1.66



Serie 2:  
 10.8 \* 10.4 \* 9.7 ↘ 10.5 \* 9.2 ↖  
 9.8 ← 10.3 \* 10.2 \* 8.9 ← 9.7 ↙  
 beste Teiler 49.2 (11.) 111.4 (14.) 144.9 (12.)  
 Trefferlage 1.24 mm links, 0.41 mm tief  
 Streuwert 1.91, horizontal: 2.31, vertikal: 1.40



Serie 3:  
 9.7 ↘ 10.5 \* 10.5 \* 10.5 \* 10.7 \*  
 10.7 \* 9.2 → 10.0 ↗ 9.7 ↖ 10.5 \*  
 beste Teiler 62.2 (25.) 66.0 (26.) 103.4 (23.)  
 Trefferlage 0.77 mm rechts, 0.50 mm hoch  
 Streuwert 1.54, horizontal: 1.89, vertikal: 1.10





Serie 4:  
 9.1 ← 9.7 ↘ 10.5 \* 10.6 \* 10.5 \*  
 10.5 \* 10.8 \* 10.2 \* 10.3 \* 10.4 \*  
 beste Teiler 37.0 (37.) 85.8 (34.) 102.7 (33.)  
 Trefferlage 0.16 mm links, 0.15 mm tief  
 Streuwert 1.57, horizontal: 2.09, vertikal: 0.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **420.2** (400)  
 Serien: 106.1 104.8 105.2 104.1  
 Zähler: 40 0 0 0 0 0 0 0 0 0  
 Innenzehner: 39  
 weiteste: 224 (34), 192 (32), 179 (24)  
 beste Teiler 10.1 (10.) 53.7 (18.) 56.8 (20.)  
 Trefferlage 0.06 mm links, 0.05 mm tief  
 Streuwert 0.86, horizontal: 0.93, vertikal: 0.80




Serie 1:  
 10.7 \*                    10.4 \*                    10.6 \*                    10.6 \*                    10.7 \*  
 10.3 \*                    10.6 \*                    10.6 \*                    10.7 \*                    10.9 \*  
 beste Teiler 10.1 (10.) 64.0 (1.) 67.5 (9.)  
 Trefferlage 0.10 mm links, 0.14 mm hoch  
 Streuwert 0.71, horizontal: 0.54, vertikal: 0.85



Serie 2:  
 10.7 \*                    10.3 \*                    10.4 \*                    10.5 \*                    10.3 \*  
 10.3 \*                    10.4 \*                    10.7 \*                    10.5 \*                    10.7 \*  
 beste Teiler 53.7 (18.) 56.8 (20.) 70.2 (11.)  
 Trefferlage 0.27 mm rechts, 0.15 mm tief  
 Streuwert 0.90, horizontal: 0.83, vertikal: 0.97



Serie 3:  
 10.6 \*                    10.5 \*                    10.4 \*                    10.2 \*                    10.6 \*  
 10.7 \*                    10.7 \*                    10.5 \*                    10.6 \*                    10.4 \*  
 beste Teiler 57.1 (26.) 75.0 (27.) 76.0 (21.)  
 Trefferlage 0.27 mm links, 0.28 mm tief  
 Streuwert 0.78, horizontal: 0.91, vertikal: 0.62



Serie 4:  
 10.6 \*                    10.2 \*                    10.7 \*                    10.1 ↘                    10.6 \*  
 10.3 \*                    10.4 \*                    10.3 \*                    10.5 \*                    10.4 \*  
 beste Teiler 69.1 (33.) 76.4 (35.) 82.2 (31.)  
 Trefferlage 0.15 mm links, 0.07 mm hoch  
 Streuwert 1.07, horizontal: 1.32, vertikal: 0.76

Unterschrift des Schützen

Meyton Elektronik