

Ergebnis: **611.5** (586)

Serien: 100.9 101.1 104.1 103.5 101.7 100.2

Zähler: 46 14 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 1459 (60), 1225 (12), 1136 (55)

beste Teiler 98.2 (53.) 108.7 (20.) 114.8 (21.)

Trefferlage 0.36 mm links, 0.00 mm

Streuwert 4.77, horizontal: 4.65, vertikal: 4.88




Serie 1:

10.4 *	9.9 ↘	10.4 *	9.9 ↗	10.0 ↘
10.3 ↘	10.4 *	9.9 ↑	10.1 ↗	9.6 ←

beste Teiler 418.4 (1.) 440.3 (3.) 449.1 (7.)

Trefferlage 0.33 mm links, 3.79 mm hoch

Streuwert 4.58, horizontal: 5.26, vertikal: 3.78




Serie 2:

9.9 ↗	9.4 ↘	10.3 *	10.1 ↓	10.6 *
10.1 ↘	9.7 ↓	10.2 ↓	10.0 ↘	10.8 *

beste Teiler 108.7 (20.) 264.5 (15.) 505.4 (13.)

Trefferlage 1.38 mm rechts, 2.44 mm tief

Streuwert 5.04, horizontal: 3.96, vertikal: 5.92




Serie 3:

10.8 *	10.7 *	10.1 ←	10.1 ↙	10.1 ↓
10.4 *	10.6 *	10.2 ←	10.5 *	10.6 *

beste Teiler 114.8 (21.) 164.0 (22.) 284.0 (30.)

Trefferlage 1.37 mm links, 1.27 mm tief

Streuwert 3.23, horizontal: 3.78, vertikal: 2.57




Serie 4:

10.1 ↑	10.2 ↙	10.5 *	10.6 *	9.6 ↘
10.6 *	10.7 *	10.6 *	10.4 *	10.2 ↘

beste Teiler 232.6 (37.) 249.0 (34.) 259.1 (38.)

Trefferlage 1.01 mm links, 1.75 mm hoch

Streuwert 3.68, horizontal: 2.71, vertikal: 4.45




Serie 5:

10.1 ←	10.0 ←	10.8 *	10.0 ↓	10.5 *
10.5 *	9.8 ↘	9.8 ↗	9.8 →	10.4 *

beste Teiler 115.5 (43.) 340.3 (46.) 365.8 (45.)

Trefferlage 1.08 mm rechts, 0.38 mm hoch

Streuwert 4.94, horizontal: 5.56, vertikal: 4.23



Serie 6:

9.6 ↘	10.3 ←	10.8 *	10.2 ↓	9.5 ↙
10.1 ↘	10.3 *	10.2 →	10.1 ←	9.1 ↓

beste Teiler 98.2 (53.) 511.2 (57.) 551.4 (52.)

Trefferlage 1.91 mm links, 2.16 mm tief

Streuwert 5.71, horizontal: 5.99, vertikal: 5.42

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 9

Nepejchal, Filip #70817161

StartNr: 3



10. Juni 2017 9:44

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **619.0** (594)
 Serien: 103.3 104.5 103.7 102.3 103.4 101.8
 Zähler: 54 6 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 1148 (5), 1113 (54), 1000 (26)
 beste Teiler 66.2 (3.) 99.0 (21.) 140.4 (24.)
 Trefferlage 1.17 mm links, 0.05 mm tief
 Streuwert 3.94, horizontal: 4.18, vertikal: 3.69




Serie 1:
 10.1 ↙ 10.3 * 10.9 * 10.3 * 9.5 ←
 10.7 * 10.3 ↘ 10.5 * 10.3 ← 10.4 *
 beste Teiler 66.2 (3.) 212.1 (6.) 379.1 (8.)
 Trefferlage 3.29 mm links, 0.65 mm tief
 Streuwert 3.49, horizontal: 4.32, vertikal: 2.38




Serie 2:
 10.6 * 10.2 ↓ 10.2 ↙ 10.3 ↘ 10.3 ↙
 10.6 * 10.8 * 10.6 * 10.4 * 10.5 *
 beste Teiler 151.2 (17.) 247.9 (16.) 276.2 (18.)
 Trefferlage 0.94 mm links, 1.01 mm tief
 Streuwert 3.09, horizontal: 2.76, vertikal: 3.38




Serie 3:
 10.8 * 10.4 * 10.6 * 10.8 * 10.2 →
 9.7 ↑ 9.9 ↘ 10.4 * 10.6 * 10.3 *
 beste Teiler 99.0 (21.) 140.4 (24.) 279.5 (29.)
 Trefferlage 0.99 mm links, 0.98 mm hoch
 Streuwert 3.84, horizontal: 3.50, vertikal: 4.16



Serie 4:
 10.6 * 10.2 ↗ 10.1 ↙ 10.0 ↘ 9.9 ↙
 10.6 * 10.4 * 10.6 * 9.9 ↙ 10.0 ↘
 beste Teiler 255.8 (31.) 275.8 (36.) 280.7 (38.)
 Trefferlage 1.50 mm links, 0.99 mm hoch
 Streuwert 4.50, horizontal: 4.90, vertikal: 4.06



Serie 5:
 10.8 * 10.7 * 10.4 * 10.2 ↑ 10.5 *
 10.2 ↘ 10.1 ↙ 10.1 ↘ 10.4 * 10.0 ↙
 beste Teiler 158.6 (41.) 193.0 (42.) 360.4 (45.)
 Trefferlage 1.80 mm links, 0.35 mm tief
 Streuwert 3.65, horizontal: 3.33, vertikal: 3.95



Serie 6:
 10.6 * 10.1 ↙ 10.0 ↗ 9.6 ↓ 10.0 →
 10.5 * 10.1 ↘ 10.0 ↘ 10.4 * 10.5 *
 beste Teiler 281.8 (51.) 342.0 (56.) 363.0 (60.)
 Trefferlage 1.47 mm rechts, 0.28 mm tief
 Streuwert 4.82, horizontal: 5.26, vertikal: 4.35

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 16

Hrckulak, David #70804302

StartNr: 10



10. Juni 2017 9:42

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	617.4	(588)							
Serien:	103.9	102.6	103.3	103.7	100.2	103.7			
Zähler:	49	10	1	0	0	0	0	0	0
Innenzehner:	36								
weiteste:	1955 (45), 1212 (35), 1158 (15)								
beste Teiler	118.9 (36.)	120.3 (33.)	121.3 (31.)						
Trefferlage	1.75 mm links, 2.20 mm hoch								
Streuwert	3.92, horizontal: 4.02, vertikal: 3.83								




Serie 1:	10.3 *	10.6 *	10.3 *	10.7 *	10.6 *
	10.3 ↓	10.3 *	10.6 *	10.3 *	9.9 ↖
beste Teiler	177.2 (4.)	291.6 (8.)	299.8 (2.)		
Trefferlage	1.90 mm links, 0.42 mm hoch				
Streuwert	3.23, horizontal: 3.23, vertikal: 3.24				




Serie 2:	10.5 *	10.5 *	10.6 *	10.7 *	9.5 ↗
	10.3 *	10.2 ←	10.2 ←	9.9 ←	10.2 ↑
beste Teiler	193.0 (14.)	307.4 (13.)	364.7 (12.)		
Trefferlage	2.65 mm links, 2.04 mm hoch				
Streuwert	3.86, horizontal: 3.69, vertikal: 4.02				




Serie 3:	10.4 *	9.6 ↗	10.0 ↖	10.6 *	10.5 *
	10.3 ↖	10.4 *	10.7 *	10.1 ↑	10.7 *
beste Teiler	164.5 (30.)	170.8 (28.)	297.5 (24.)		
Trefferlage	1.99 mm links, 3.41 mm hoch				
Streuwert	2.95, horizontal: 2.64, vertikal: 3.24				



Serie 4:	10.8 *	10.5 *	10.8 *	10.6 *	9.4 ↑
	10.8 *	10.6 *	9.7 ←	10.6 *	9.9 ↑
beste Teiler	118.9 (36.)	120.3 (33.)	121.3 (31.)		
Trefferlage	1.58 mm links, 1.82 mm hoch				
Streuwert	4.12, horizontal: 3.36, vertikal: 4.77				



Serie 5:	9.8 ↗	10.1 ↗	9.9 →	10.7 *	8.5 ↖
	10.4 *	10.5 *	9.8 ←	10.3 *	10.2 ↑
beste Teiler	226.4 (44.)	367.1 (47.)	477.8 (46.)		
Trefferlage	2.76 mm links, 3.57 mm hoch				
Streuwert	5.54, horizontal: 6.77, vertikal: 3.93				



Serie 6:	10.5 *	10.7 *	10.0 ↑	10.1 ↗	10.3 *
	10.4 *	10.7 *	10.6 *	10.3 ←	10.1 ↗
beste Teiler	228.6 (52.)	233.0 (57.)	284.1 (58.)		
Trefferlage	0.36 mm rechts, 1.95 mm hoch				
Streuwert	3.45, horizontal: 3.23, vertikal: 3.66				

ISSF Prone Men – Wertung – Männer

StandNr: 19

Cipro, Adam #70804300

StartNr: 13

10. Juni 2017 9:48

CZE

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.7** (571)

Serien: 99.7 100.1 99.7 99.7 101.2 98.3

Zähler: 33 25 2 0 0 0 0 0 0 0



Innenzehner: 18

weiteste: 1807 (9), 1794 (54), 1394 (5)

beste Teiler 135.0 (10.) 219.9 (41.) 291.5 (3.)

Trefferlage 1.86 mm links, 1.19 mm tief

Streuwert 5.94, horizontal: 6.92, vertikal: 4.78




Serie 1:

10.5 *	10.0 →	10.6 *	10.4 *	9.2 ←
9.6 ↖	10.3 *	9.6 ←	8.7 ←	10.8 *

beste Teiler 135.0 (10.) 291.5 (3.) 382.6 (1.)

Trefferlage 3.79 mm links, 1.08 mm hoch

Streuwert 6.38, horizontal: 8.45, vertikal: 3.17




Serie 2:

10.5 *	9.8 ↖	9.4 ↖	10.0 ↖	10.2 ↖
9.5 →	10.6 *	10.1 ←	9.9 ↗	10.1 ↖

beste Teiler 305.6 (17.) 342.6 (11.) 566.3 (15.)

Trefferlage 4.00 mm links, 0.29 mm hoch

Streuwert 5.33, horizontal: 6.31, vertikal: 4.13




Serie 3:

9.8 ↘	9.9 ↗	9.7 ↓	10.2 ↘	10.2 ↗
9.6 ←	10.4 *	10.0 →	10.5 *	9.4 ←

beste Teiler 399.0 (29.) 463.0 (27.) 604.6 (25.)

Trefferlage 0.45 mm links, 2.65 mm tief

Streuwert 5.88, horizontal: 7.02, vertikal: 4.48




Serie 4:

9.9 →	10.2 ↗	10.6 *	10.3 *	10.3 *
9.8 ↗	9.3 ↓	9.9 ←	9.3 ↘	10.1 ←

beste Teiler 318.2 (33.) 496.4 (35.) 504.0 (34.)

Trefferlage 2.13 mm links, 1.04 mm tief

Streuwert 5.98, horizontal: 5.56, vertikal: 6.37




Serie 5:

10.7 *	10.2 ↓	9.4 ↘	10.5 *	10.2 →
9.4 ↗	9.9 ↓	10.6 *	9.9 →	10.4 *

beste Teiler 219.9 (41.) 310.5 (48.) 348.9 (44.)

Trefferlage 1.05 mm rechts, 2.85 mm tief

Streuwert 5.13, horizontal: 5.79, vertikal: 4.37



Serie 6:

10.1 ↖	10.4 *	10.3 *	8.7 ↘	9.8 ↘
10.0 ↗	9.2 ←	9.9 ↑	9.9 ←	10.0 ←

beste Teiler 412.6 (52.) 516.2 (53.) 644.6 (51.)

Trefferlage 1.86 mm links, 1.99 mm tief

Streuwert 6.93, horizontal: 8.23, vertikal: 5.32

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 31

Eberlberger, Florian #251

StartNr: 25

10. Juni 2017 9:41

AUT

Unterschrift des Schützen

Meyton Elektronik