





Ergebnis: **284** (297.2)
 Serien: 96 94 94
 Zähler: 17 11 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2407 (26), 2319 (19), 1499 (10)
 beste Teiler 99.1 (30.) 127.1 (27.) 149.3 (29.)
 Trefferlage 1.41 mm rechts, 0.18 mm tief
 Streuwert 7.12, horizontal: 5.56, vertikal: 8.40



Serie 1:
 10.1 ↘ 9.9 ↙ 10.0 ↗ 10.5 * 10.0 ↗
 10.3 ↑ 10.0 ↘ 9.6 ↗ 9.9 ↖ 9.1 ↗
 beste Teiler 359.0 (4.) 540.0 (6.) 649.0 (1.)
 Trefferlage 1.25 mm rechts, 0.67 mm hoch
 Streuwert 6.31, horizontal: 6.45, vertikal: 6.18



Serie 2:
 10.4 * 9.9 ← 10.3 → 10.6 * 10.4 *
 9.7 ↘ 9.4 ↘ 10.4 * 8.1 ↘ 9.8 ↘
 beste Teiler 259.1 (14.) 407.4 (18.) 431.6 (11.)
 Trefferlage 1.40 mm rechts, 3.49 mm tief
 Streuwert 7.14, horizontal: 4.93, vertikal: 8.82





Serie 3:
 9.6 ↓ 10.0 ↗ 9.2 ↗ 10.3 → 9.2 ↗
 7.9 ↑ 10.8 * 10.2 ↑ 10.8 * 10.8 *
 beste Teiler 99.1 (30.) 127.1 (27.) 149.3 (29.)
 Trefferlage 1.58 mm rechts, 2.24 mm hoch
 Streuwert 7.92, horizontal: 5.81, vertikal: 9.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **260** (274.7)
 Serien: 87 89 84
 Zähler: 7 9 11 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2767 (23), 2433 (28), 2423 (19)
 beste Teiler 425.0 (24.) 456.8 (12.) 517.4 (18.)
 Trefferlage 3.41 mm links, 1.04 mm tief
 Streuwert 11.10, horizontal: 10.92, vertikal: 11.27



Serie 1:
 9.7 ← 9.7 ← 9.2 ↙ 10.2 ↘ 8.9 →
 9.5 ↙ 8.5 ← 9.9 ↘ 8.1 ← 8.7 ↑
 beste Teiler 597.2 (4.) 873.6 (8.) 964.5 (1.)
 Trefferlage 6.70 mm links, 0.42 mm tief
 Streuwert 9.67, horizontal: 11.00, vertikal: 8.13



Serie 2:
 9.3 ↗ 10.4 * 10.0 ↑ 8.3 ↗ 10.0 ←
 9.5 ← 8.0 → 10.3 ← 7.9 ↙ 8.5 ↙
 beste Teiler 456.8 (12.) 517.4 (18.) 748.5 (15.)
 Trefferlage 0.65 mm links, 0.07 mm tief
 Streuwert 11.68, horizontal: 11.74, vertikal: 11.62





Serie 3:
 8.7 ↘ 9.7 ← 7.5 ↘ 10.4 * 8.9 ↘
 9.6 ↑ 8.5 ↓ 7.9 ↙ 10.3 ↑ 8.6 ↙
 beste Teiler 425.0 (24.) 559.2 (29.) 994.5 (22.)
 Trefferlage 2.87 mm links, 2.62 mm tief
 Streuwert 12.43, horizontal: 10.23, vertikal: 14.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **278** (288.1)
 Serien: 91 92 95
 Zähler: 11 16 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2047 (29), 1933 (17), 1741 (2)
 beste Teiler 196.0 (13.) 213.9 (27.) 248.6 (22.)
 Trefferlage 1.23 mm links, 0.66 mm tief
 Streuwert 8.53, horizontal: 9.28, vertikal: 7.71



Serie 1:
 9.3 ↖ 8.8 ↙ 10.6 * 9.5 ↗ 9.3 ↘
 10.1 ← 9.3 → 9.3 → 9.1 → 9.4 ↘
 beste Teiler 303.4 (3.) 696.3 (6.) 1186.7 (4.)
 Trefferlage 1.99 mm rechts, 1.65 mm tief
 Streuwert 9.17, horizontal: 11.18, vertikal: 6.56



Serie 2:
 9.5 ↑ 10.0 ↑ 10.7 * 9.1 ↓ 9.2 ↘
 9.1 ↓ 8.5 ↙ 9.9 ↙ 10.4 * 9.2 ←
 beste Teiler 196.0 (13.) 425.1 (19.) 784.9 (12.)
 Trefferlage 5.30 mm links, 1.94 mm tief
 Streuwert 8.06, horizontal: 4.98, vertikal: 10.26





Serie 3:
 10.0 ↑ 10.6 * 10.3 ↑ 9.3 ↗ 10.1 ↗
 9.1 ↙ 10.7 * 10.2 ↓ 8.4 ← 9.1 →
 beste Teiler 213.9 (27.) 248.6 (22.) 532.3 (23.)
 Trefferlage 0.38 mm links, 1.59 mm hoch
 Streuwert 8.11, horizontal: 9.85, vertikal: 5.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264** (280.3)
 Serien: 87 88 89
 Zähler: 4 18 6 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2655 (19), 2635 (26), 2194 (28)
 beste Teiler 247.9 (30.) 327.8 (22.) 517.6 (7.)
 Trefferlage 3.41 mm rechts, 2.03 mm tief
 Streuwert 9.78, horizontal: 6.70, vertikal: 12.11



Serie 1:
 8.6 ↗ 9.7 ↓ 9.8 → 8.7 ↙ 8.2 ↓
 8.8 ↗ 10.3 ↖ 9.9 ↓ 9.8 ↗ 9.0 →
 beste Teiler 517.6 (7.) 845.7 (8.) 892.5 (3.)
 Trefferlage 4.49 mm rechts, 2.17 mm tief
 Streuwert 9.98, horizontal: 6.83, vertikal: 12.36



Serie 2:
 9.5 → 9.9 → 8.4 ↓ 9.3 ↓ 10.1 ↓
 9.3 ↘ 9.5 ↓ 9.6 ↖ 7.6 ↑ 9.1 ↓
 beste Teiler 665.3 (15.) 842.9 (12.) 1064.2 (18.)
 Trefferlage 2.87 mm rechts, 3.95 mm tief
 Streuwert 10.40, horizontal: 6.81, vertikal: 13.03





Serie 3:
 9.9 ↑ 10.5 * 9.8 ↓ 9.6 ↖ 9.4 ↘
 7.7 ↓ 9.7 ↑ 8.2 ↗ 9.8 ↘ 10.6 *
 beste Teiler 247.9 (30.) 327.8 (22.) 802.0 (21.)
 Trefferlage 2.88 mm rechts, 0.01 mm hoch
 Streuwert 9.77, horizontal: 7.05, vertikal: 11.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (298.1)
 Serien: 94 95 96
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1754 (17), 1543 (26), 1300 (24)
 beste Teiler 317.4 (28.) 323.5 (27.) 339.5 (30.)
 Trefferlage 3.19 mm links, 0.80 mm hoch
 Streuwert 5.95, horizontal: 5.01, vertikal: 6.76



Serie 1:
 9.3 ↘ 10.2 → 10.0 ← 9.5 ← 9.7 ↘
 9.5 ↘ 10.1 ← 10.1 ← 9.9 → 9.7 ↓
 beste Teiler 562.5 (2.) 650.7 (7.) 653.8 (8.)
 Trefferlage 3.29 mm links, 0.90 mm tief
 Streuwert 6.47, horizontal: 7.09, vertikal: 5.80





Serie 2:
 9.9 ↓ 10.5 * 9.7 ↘ 10.3 ↘ 10.0 ←
 10.1 ↑ 8.8 ↑ 10.5 * 9.9 ← 10.4 *
 beste Teiler 360.4 (12.) 382.2 (18.) 436.3 (20.)
 Trefferlage 2.49 mm links, 2.24 mm hoch
 Streuwert 5.84, horizontal: 3.93, vertikal: 7.27




Serie 3:
 10.5 * 9.6 ↓ 10.4 * 9.3 ↑ 10.2 ↑
 9.0 ↘ 10.5 * 10.6 * 9.4 ↘ 10.5 *
 beste Teiler 317.4 (28.) 323.5 (27.) 339.5 (30.)
 Trefferlage 3.79 mm links, 1.08 mm hoch
 Streuwert 5.89, horizontal: 3.76, vertikal: 7.43

Unterschrift des Schützen


Ergebnis: **279** (293.6)
 Serien: 94 94 91
 Zähler: 13 13 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1958 (2), 1800 (29), 1718 (3)
 beste Teiler 86.2 (17.) 362.6 (23.) 389.6 (8.)
 Trefferlage 1.46 mm rechts, 0.41 mm hoch
 Streuwert 7.43, horizontal: 7.28, vertikal: 7.58



Serie 1:
 10.4 * 8.5 ↘ 8.8 ↗ 9.7 ↓ 10.4 *
 10.3 ↘ 9.3 ↑ 10.5 * 10.1 ↘ 10.5 *
 beste Teiler 389.6 (8.) 391.1 (10.) 416.9 (1.)
 Trefferlage 0.49 mm rechts, 2.38 mm hoch
 Streuwert 7.59, horizontal: 7.47, vertikal: 7.70





Serie 2:
 9.2 ↓ 9.9 ↙ 10.1 ↙ 10.2 → 10.2 ↘
 9.8 ← 10.8 * 8.8 ↗ 10.4 * 9.7 ↓
 beste Teiler 86.2 (17.) 454.3 (19.) 606.8 (14.)
 Trefferlage 0.17 mm links, 2.99 mm tief
 Streuwert 6.62, horizontal: 6.52, vertikal: 6.72




Serie 3:
 9.1 ↑ 9.7 → 10.5 * 9.5 ↙ 9.7 ↗
 9.9 ↘ 10.0 ↙ 9.4 ↑ 8.7 → 9.5 →
 beste Teiler 362.6 (23.) 728.9 (27.) 815.2 (26.)
 Trefferlage 4.06 mm rechts, 1.87 mm hoch
 Streuwert 7.82, horizontal: 7.82, vertikal: 7.82

Unterschrift des Schützen


Ergebnis: **265** (277.2)
 Serien: 87 88 90
 Zähler: 8 13 6 2 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3357 (3), 3190 (25), 2893 (2)
 beste Teiler 386.8 (7.) 487.1 (1.) 537.6 (16.)
 Trefferlage 1.85 mm links, 0.60 mm hoch
 Streuwert 11.26, horizontal: 10.14, vertikal: 12.28



Serie 1:
 10.3 ↘ 7.3 ↗ 6.8 ↙ 9.0 → 9.1 ↘
 10.2 ← 10.5 * 9.0 ↘ 8.4 ↗ 9.9 ↘
 beste Teiler 386.8 (7.) 487.1 (1.) 604.4 (6.)
 Trefferlage 0.09 mm links, 0.86 mm hoch
 Streuwert 13.41, horizontal: 11.12, vertikal: 15.36





Serie 2:
 8.4 ↘ 8.2 ← 9.9 ↓ 8.8 ↘ 9.5 ↘
 10.3 → 8.9 ↗ 9.8 ← 10.2 ← 9.9 →
 beste Teiler 537.6 (16.) 582.8 (19.) 851.9 (20.)
 Trefferlage 3.07 mm links, 1.20 mm tief
 Streuwert 10.03, horizontal: 11.28, vertikal: 8.60




Serie 3:
 10.1 ↘ 9.3 ↑ 9.1 → 9.1 ↑ 7.0 ↘
 10.0 ↘ 9.2 ↙ 10.3 ← 8.8 ↙ 9.9 ↓
 beste Teiler 539.1 (28.) 653.4 (21.) 734.5 (26.)
 Trefferlage 2.37 mm links, 2.16 mm hoch
 Streuwert 11.06, horizontal: 8.68, vertikal: 13.02

Unterschrift des Schützen


Ergebnis: **277** (290.7)
 Serien: 96 91 90
 Zähler: 11 15 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2118 (26), 2032 (30), 2005 (14)
 beste Teiler 320.4 (10.) 329.8 (27.) 400.4 (28.)
 Trefferlage 0.15 mm rechts, 1.13 mm hoch
 Streuwert 7.99, horizontal: 5.08, vertikal: 10.09



Serie 1:
 10.1 ↖ 10.0 ↓ 9.3 ↑ 10.1 ↓ 9.7 ↓
 10.0 ↑ 9.9 ← 9.3 ↗ 10.4 * 10.6 *
 beste Teiler 320.4 (10.) 454.2 (9.) 674.6 (4.)
 Trefferlage 0.07 mm rechts, 1.05 mm hoch
 Streuwert 6.56, horizontal: 5.17, vertikal: 7.70



Serie 2:
 9.9 ↘ 9.5 ↗ 9.5 ↗ 8.4 ↑ 10.1 ↓
 10.2 ↖ 9.9 ↑ 9.5 ↘ 9.2 ↑ 9.6 ↓
 beste Teiler 637.5 (16.) 684.4 (15.) 828.1 (11.)
 Trefferlage 1.66 mm rechts, 3.92 mm hoch
 Streuwert 7.98, horizontal: 6.00, vertikal: 9.55



Serie 3:
 8.9 ↘ 9.6 ↓ 9.8 ↓ 9.3 ↓ 10.3 ↙
 8.3 ↓ 10.5 * 10.5 * 9.9 ↘ 8.4 ↑
 beste Teiler 329.8 (27.) 400.4 (28.) 511.3 (25.)
 Trefferlage 1.27 mm links, 1.56 mm tief
 Streuwert 9.40, horizontal: 3.94, vertikal: 12.69

Unterschrift des Schützen