





Ergebnis: **312.7** (297)
 Serien: 104.9 103.3 104.5
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 352 (26), 266 (11), 253 (12)
 beste Teiler 31.3 (29.) 49.5 (3.) 50.2 (25.)
 Trefferlage 0.07 mm rechts, 0.15 mm hoch
 Streuwert 1.06, horizontal: 1.17, vertikal: 0.93



Serie 1:
 10.7 * 10.6 * 10.8 * 10.6 * 10.4 *
 10.2 * 10.3 * 10.6 * 10.3 * 10.4 *
 beste Teiler 49.5 (3.) 74.2 (1.) 87.5 (4.)
 Trefferlage 0.15 mm links, 0.20 mm hoch
 Streuwert 0.91, horizontal: 0.91, vertikal: 0.91



Serie 2:
 9.9 ← 9.9 ↑ 10.4 * 10.4 * 10.5 *
 10.4 * 10.4 * 10.5 * 10.2 * 10.7 *
 beste Teiler 68.8 (20.) 116.6 (18.) 120.8 (15.)
 Trefferlage 0.01 mm links, 0.25 mm hoch
 Streuwert 1.22, horizontal: 1.23, vertikal: 1.22





Serie 3:
 10.4 * 10.6 * 10.5 * 10.5 * 10.8 *
 9.5 → 10.4 * 10.5 * 10.8 * 10.5 *
 beste Teiler 31.3 (29.) 50.2 (25.) 100.1 (22.)
 Trefferlage 0.38 mm rechts, 0.01 mm hoch
 Streuwert 1.09, horizontal: 1.37, vertikal: 0.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **314.1** (299)
 Serien: 104.9 103.8 105.4
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 283 (16), 249 (7), 174 (20)
 beste Teiler 37.0 (6.) 38.3 (21.) 44.1 (22.)
 Trefferlage 0.45 mm links, 0.15 mm hoch
 Streuwert 0.89, horizontal: 0.92, vertikal: 0.85



Serie 1:
 10.8 * 10.6 * 10.4 * 10.6 * 10.7 *
 10.8 * 10.0 ↘ 10.3 * 10.4 * 10.3 *
 beste Teiler 37.0 (6.) 47.1 (1.) 67.0 (5.)
 Trefferlage 0.67 mm links, 0.41 mm hoch
 Streuwert 0.80, horizontal: 0.83, vertikal: 0.77





Serie 2:
 10.4 * 10.5 * 10.5 * 10.5 * 10.4 *
 9.8 ↙ 10.6 * 10.4 * 10.4 * 10.3 *
 beste Teiler 85.6 (17.) 102.0 (12.) 103.3 (13.)
 Trefferlage 0.17 mm links, 0.27 mm tief
 Streuwert 1.10, horizontal: 1.29, vertikal: 0.87




Serie 3:
 10.8 * 10.8 * 10.3 * 10.4 * 10.7 *
 10.7 * 10.4 * 10.3 * 10.5 * 10.5 *
 beste Teiler 38.3 (21.) 44.1 (22.) 52.4 (25.)
 Trefferlage 0.51 mm links, 0.31 mm hoch
 Streuwert 0.67, horizontal: 0.50, vertikal: 0.81

Unterschrift des Schützen


Ergebnis: **314.1** (300)
 Serien: 104.0 104.3 105.8
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 197 (16), 191 (6), 189 (20)
 beste Teiler 41.4 (26.) 47.5 (10.) 53.5 (21.)
 Trefferlage 0.14 mm rechts, 0.42 mm hoch
 Streuwert 0.86, horizontal: 0.85, vertikal: 0.86



Serie 1:
 10.2 * 10.5 * 10.3 * 10.4 * 10.5 *
 10.2 * 10.4 * 10.4 * 10.3 * 10.8 *
 beste Teiler 47.5 (10.) 114.5 (2.) 119.8 (5.)
 Trefferlage 0.18 mm rechts, 0.89 mm hoch
 Streuwert 0.84, horizontal: 0.88, vertikal: 0.80





Serie 2:
 10.7 * 10.5 * 10.5 * 10.6 * 10.3 *
 10.2 * 10.3 * 10.6 * 10.4 * 10.2 *
 beste Teiler 54.5 (11.) 78.2 (14.) 85.5 (18.)
 Trefferlage 0.27 mm rechts, 0.23 mm hoch
 Streuwert 0.97, horizontal: 0.89, vertikal: 1.04




Serie 3:
 10.7 * 10.4 * 10.4 * 10.7 * 10.6 *
 10.8 * 10.5 * 10.7 * 10.6 * 10.4 *
 beste Teiler 41.4 (26.) 53.5 (21.) 53.7 (24.)
 Trefferlage 0.03 mm links, 0.14 mm hoch
 Streuwert 0.72, horizontal: 0.86, vertikal: 0.54

Unterschrift des Schützen


Ergebnis: **307.2** (296)
 Serien: 102.6 102.3 102.3
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 360 (18), 357 (6), 281 (11)
 beste Teiler 59.4 (10.) 61.0 (15.) 61.1 (4.)
 Trefferlage 0.25 mm rechts, 0.81 mm tief
 Streuwert 1.26, horizontal: 1.40, vertikal: 1.10



Serie 1:
 10.0 ↘ 10.0 ↙ 10.3 * 10.7 * 10.5 *
 9.5 ↙ 10.6 * 10.4 * 9.9 → 10.7 *
 beste Teiler 59.4 (10.) 61.1 (4.) 84.2 (7.)
 Trefferlage 0.10 mm rechts, 0.47 mm tief
 Streuwert 1.41, horizontal: 1.72, vertikal: 1.02





Serie 2:
 9.8 ↓ 10.4 * 10.0 ↙ 10.6 * 10.7 *
 10.5 * 10.3 * 9.5 ↓ 10.4 * 10.1 →
 beste Teiler 61.0 (15.) 76.0 (14.) 122.0 (16.)
 Trefferlage 0.53 mm rechts, 0.98 mm tief
 Streuwert 1.24, horizontal: 1.21, vertikal: 1.27




Serie 3:
 10.2 * 10.1 ↓ 10.0 ↙ 10.5 * 10.1 ↓
 10.5 * 10.3 * 10.4 * 10.2 * 10.0 ↙
 beste Teiler 115.6 (24.) 116.7 (26.) 146.6 (28.)
 Trefferlage 0.11 mm rechts, 0.98 mm tief
 Streuwert 1.18, horizontal: 1.31, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **308.7** (294)
 Serien: 103.5 102.8 102.4
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 352 (21), 324 (15), 291 (24)
 beste Teiler 9.0 (1.) 38.8 (4.) 42.4 (25.)
 Trefferlage 0.42 mm links, 0.74 mm hoch
 Streuwert 1.20, horizontal: 1.48, vertikal: 0.84



Serie 1:
 10.9 * 10.0 ← 10.4 * 10.8 * 10.2 *
 10.5 * 10.5 * 9.9 → 10.4 * 9.9 ↖
 beste Teiler 9.0 (1.) 38.8 (4.) 107.5 (7.)
 Trefferlage 0.48 mm links, 0.44 mm hoch
 Streuwert 1.18, horizontal: 1.57, vertikal: 0.58





Serie 2:
 9.8 ↖ 10.7 * 10.4 * 10.6 * 9.7 ↗
 10.6 * 10.4 * 10.5 * 10.1 ← 10.0 ←
 beste Teiler 55.9 (12.) 98.4 (14.) 99.6 (16.)
 Trefferlage 0.40 mm links, 0.59 mm hoch
 Streuwert 1.32, horizontal: 1.62, vertikal: 0.93




Serie 3:
 9.5 ↖ 10.2 * 10.0 ↖ 9.8 ↑ 10.8 *
 10.5 * 10.6 * 10.2 * 10.3 * 10.5 *
 beste Teiler 42.4 (25.) 78.2 (27.) 101.5 (26.)
 Trefferlage 0.38 mm links, 1.18 mm hoch
 Streuwert 1.16, horizontal: 1.40, vertikal: 0.85

Unterschrift des Schützen


Ergebnis: **309.5** (294)
 Serien: 101.5 105.4 102.6
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 417 (27), 346 (28), 321 (2)
 beste Teiler 21.1 (14.) 30.3 (30.) 34.6 (20.)
 Trefferlage 0.35 mm rechts, 0.21 mm hoch
 Streuwert 1.33, horizontal: 1.35, vertikal: 1.30



Serie 1:
 10.6 * 9.7 → 10.5 * 10.3 * 10.3 *
 10.6 * 9.7 → 10.0 † 9.8 ↗ 10.0 †
 beste Teiler 81.8 (6.) 83.2 (1.) 110.4 (3.)
 Trefferlage 1.07 mm rechts, 0.45 mm hoch
 Streuwert 1.37, horizontal: 1.48, vertikal: 1.26





Serie 2:
 9.7 † 10.4 * 10.7 * 10.9 * 10.7 *
 10.3 * 10.6 * 10.7 * 10.6 * 10.8 *
 beste Teiler 21.1 (14.) 34.6 (20.) 58.4 (18.)
 Trefferlage 0.04 mm rechts, 0.47 mm hoch
 Streuwert 0.90, horizontal: 0.45, vertikal: 1.18




Serie 3:
 10.5 * 10.3 * 10.7 * 10.2 * 10.5 *
 10.4 * 9.3 ← 9.6 ↓ 10.3 * 10.8 *
 beste Teiler 30.3 (30.) 62.1 (23.) 102.3 (25.)
 Trefferlage 0.04 mm links, 0.28 mm tief
 Streuwert 1.52, horizontal: 1.62, vertikal: 1.42

Unterschrift des Schützen


Ergebnis: **309.5** (296)
 Serien: 103.5 104.2 101.8
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 365 (1), 339 (12), 329 (23)
 beste Teiler 6.0 (16.) 18.4 (7.) 21.0 (15.)
 Trefferlage 0.40 mm rechts, 0.19 mm hoch
 Streuwert 1.28, horizontal: 1.38, vertikal: 1.17



Serie 1:
 9.5 ↘ 10.6 * 10.4 * 10.4 * 10.5 *
 10.2 * 10.9 * 10.1 → 10.7 * 10.2 *
 beste Teiler 18.4 (7.) 65.7 (9.) 80.9 (2.)
 Trefferlage 0.51 mm rechts, 0.36 mm tief
 Streuwert 1.22, horizontal: 1.19, vertikal: 1.25





Serie 2:
 10.5 * 9.6 ↗ 10.9 * 10.1 → 10.9 *
 10.9 * 10.4 * 10.1 ↑ 10.3 * 10.5 *
 beste Teiler 6.0 (16.) 21.0 (15.) 24.0 (13.)
 Trefferlage 0.39 mm rechts, 0.52 mm hoch
 Streuwert 1.16, horizontal: 1.22, vertikal: 1.09




Serie 3:
 10.0 ↖ 9.8 ← 9.6 → 10.7 * 10.3 *
 10.4 * 10.2 * 10.4 * 10.2 * 10.2 *
 beste Teiler 68.4 (24.) 130.2 (26.) 145.0 (28.)
 Trefferlage 0.30 mm rechts, 0.41 mm hoch
 Streuwert 1.48, horizontal: 1.79, vertikal: 1.08

Unterschrift des Schützen


Ergebnis: **314.6** (298)
 Serien: 105.5 105.1 104.0
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 290 (22), 280 (28), 179 (20)
 beste Teiler 39.8 (16.) 60.7 (24.) 61.6 (23.)
 Trefferlage 0.24 mm links, 0.23 mm tief
 Streuwert 0.89, horizontal: 0.88, vertikal: 0.89



Serie 1:
 10.5 * 10.6 * 10.5 * 10.5 * 10.6 *
 10.7 * 10.6 * 10.6 * 10.4 * 10.5 *
 beste Teiler 63.2 (6.) 80.5 (8.) 90.7 (5.)
 Trefferlage 0.07 mm links, 0.40 mm hoch
 Streuwert 0.72, horizontal: 0.82, vertikal: 0.60





Serie 2:
 10.6 * 10.6 * 10.6 * 10.4 * 10.5 *
 10.8 * 10.6 * 10.4 * 10.4 * 10.2 *
 beste Teiler 39.8 (16.) 76.8 (11.) 83.0 (12.)
 Trefferlage 0.19 mm links, 0.61 mm tief
 Streuwert 0.72, horizontal: 0.81, vertikal: 0.62




Serie 3:
 10.6 * 9.8 ↖ 10.7 * 10.7 * 10.4 *
 10.6 * 10.5 * 9.8 ↙ 10.5 * 10.4 *
 beste Teiler 60.7 (24.) 61.6 (23.) 76.5 (26.)
 Trefferlage 0.44 mm links, 0.50 mm tief
 Streuwert 1.06, horizontal: 1.05, vertikal: 1.07

Unterschrift des Schützen


Ergebnis: **312.3** (297)
 Serien: 105.3 103.3 103.7
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 270 (13), 267 (25), 253 (18)
 beste Teiler 13.0 (23.) 33.2 (9.) 36.4 (1.)
 Trefferlage 0.35 mm links, 0.06 mm hoch
 Streuwert 1.09, horizontal: 1.31, vertikal: 0.81



Serie 1:
 10.8 * 10.5 * 10.7 * 10.6 * 10.8 *
 10.0 ← 10.6 * 10.3 * 10.8 * 10.2 *
 beste Teiler 33.2 (9.) 36.4 (1.) 43.8 (5.)
 Trefferlage 0.71 mm links, 0.08 mm hoch
 Streuwert 0.77, horizontal: 0.89, vertikal: 0.63





Serie 2:
 10.8 * 10.6 * 9.9 → 10.6 * 10.3 *
 10.0 ← 10.1 ↓ 9.9 ↖ 10.7 * 10.4 *
 beste Teiler 36.6 (11.) 57.0 (19.) 83.1 (14.)
 Trefferlage 0.44 mm links, 0.19 mm tief
 Streuwert 1.25, horizontal: 1.44, vertikal: 1.03




Serie 3:
 10.0 ← 10.4 * 10.9 * 10.4 * 9.9 →
 10.5 * 10.5 * 10.3 * 10.1 ↖ 10.7 *
 beste Teiler 13.0 (23.) 54.0 (30.) 105.0 (27.)
 Trefferlage 0.09 mm rechts, 0.29 mm hoch
 Streuwert 1.18, horizontal: 1.51, vertikal: 0.73

Unterschrift des Schützen


Ergebnis: **309.8** (296)
 Serien: 103.1 103.5 103.2
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 360 (21), 274 (8), 268 (3)
 beste Teiler 47.5 (29.) 56.8 (15.) 57.9 (11.)
 Trefferlage 0.29 mm rechts, 0.42 mm hoch
 Streuwert 1.21, horizontal: 1.32, vertikal: 1.08



Serie 1:
 10.6 * 10.7 * 9.9 → 10.4 * 10.4 *
 10.1 ↑ 10.4 * 9.9 ← 10.5 * 10.2 *
 beste Teiler 67.0 (2.) 81.8 (1.) 115.6 (9.)
 Trefferlage 0.19 mm rechts, 0.37 mm hoch
 Streuwert 1.26, horizontal: 1.43, vertikal: 1.06





Serie 2:
 10.7 * 10.2 * 9.9 ↑ 10.0 ↗ 10.7 *
 10.7 * 10.5 * 10.4 * 10.1 ↑ 10.3 *
 beste Teiler 56.8 (15.) 57.9 (11.) 70.2 (16.)
 Trefferlage 0.08 mm rechts, 0.64 mm hoch
 Streuwert 1.17, horizontal: 1.11, vertikal: 1.23




Serie 3:
 9.5 → 10.4 * 10.6 * 10.0 ↗ 10.5 *
 10.7 * 10.4 * 10.1 ↗ 10.8 * 10.2 *
 beste Teiler 47.5 (29.) 67.6 (26.) 88.4 (23.)
 Trefferlage 0.60 mm rechts, 0.25 mm hoch
 Streuwert 1.27, horizontal: 1.48, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **313.1** (296)
 Serien: 105.5 103.4 104.2
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 309 (18), 289 (21), 277 (17)
 beste Teiler 25.0 (13.) 31.0 (23.) 42.2 (20.)
 Trefferlage 0.29 mm links, 0.09 mm tief
 Streuwert 1.06, horizontal: 1.09, vertikal: 1.02



Serie 1:
 9.9 ↘ 10.7 * 10.5 * 10.4 * 10.8 *
 10.4 * 10.6 * 10.7 * 10.7 * 10.8 *
 beste Teiler 44.7 (5.) 50.6 (10.) 54.0 (2.)
 Trefferlage 0.22 mm rechts, 0.49 mm tief
 Streuwert 0.77, horizontal: 0.75, vertikal: 0.79





Serie 2:
 10.2 * 10.5 * 10.9 * 10.2 * 10.4 *
 10.2 * 9.8 ← 9.7 ← 10.7 * 10.8 *
 beste Teiler 25.0 (13.) 42.2 (20.) 73.7 (19.)
 Trefferlage 0.77 mm links, 0.30 mm tief
 Streuwert 1.19, horizontal: 1.38, vertikal: 0.98




Serie 3:
 9.8 ↗ 10.6 * 10.8 * 10.4 * 10.5 *
 10.3 * 10.4 * 10.5 * 10.4 * 10.5 *
 beste Teiler 31.0 (23.) 89.9 (22.) 111.3 (25.)
 Trefferlage 0.33 mm links, 0.51 mm hoch
 Streuwert 0.99, horizontal: 0.92, vertikal: 1.05

Unterschrift des Schützen


Ergebnis: **312.3** (296)
 Serien: 103.8 104.6 103.9
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 358 (28), 319 (18), 277 (5)
 beste Teiler 34.0 (30.) 39.4 (25.) 43.4 (29.)
 Trefferlage 0.46 mm links, 0.41 mm tief
 Streuwert 1.06, horizontal: 1.09, vertikal: 1.03



Serie 1:
 10.7 * 10.6 * 9.9 ↙ 10.5 * 9.8 ↓
 10.4 * 10.8 * 10.3 * 10.4 * 10.4 *
 beste Teiler 47.5 (7.) 68.4 (1.) 89.4 (2.)
 Trefferlage 0.53 mm links, 0.99 mm tief
 Streuwert 0.87, horizontal: 1.00, vertikal: 0.72



Serie 2:
 10.5 * 10.6 * 10.2 * 10.6 * 10.7 *
 10.7 * 10.4 * 9.7 ↘ 10.4 * 10.8 *
 beste Teiler 50.1 (20.) 51.1 (16.) 59.4 (15.)
 Trefferlage 0.59 mm links, 0.15 mm hoch
 Streuwert 0.98, horizontal: 0.90, vertikal: 1.05





Serie 3:
 10.0 ↘ 10.2 * 10.3 * 10.4 * 10.8 *
 10.5 * 10.6 * 9.5 ↙ 10.8 * 10.8 *
 beste Teiler 34.0 (30.) 39.4 (25.) 43.4 (29.)
 Trefferlage 0.26 mm links, 0.40 mm tief
 Streuwert 1.23, horizontal: 1.39, vertikal: 1.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312.0** (298)
 Serien: 103.8 104.5 103.7
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 257 (4), 257 (22), 239 (6)
 beste Teiler 48.3 (3.) 49.6 (30.) 65.3 (10.)
 Trefferlage 0.13 mm rechts, 0.00 mm
 Streuwert 1.09, horizontal: 1.12, vertikal: 1.05



Serie 1:
 10.3 * 10.5 * 10.8 * 9.9 → 10.6 *
 10.0 ← 10.2 * 10.2 * 10.6 * 10.7 *
 beste Teiler 48.3 (3.) 65.3 (10.) 87.8 (5.)
 Trefferlage 0.01 mm rechts, 0.18 mm hoch
 Streuwert 1.17, horizontal: 1.48, vertikal: 0.74





Serie 2:
 10.2 * 10.6 * 10.5 * 10.5 * 10.7 *
 10.5 * 10.1 ↘ 10.7 * 10.4 * 10.3 *
 beste Teiler 66.0 (15.) 72.0 (18.) 80.7 (12.)
 Trefferlage 0.01 mm links, 0.23 mm tief
 Streuwert 1.00, horizontal: 0.78, vertikal: 1.18




Serie 3:
 10.2 * 9.9 ↑ 10.6 * 10.5 * 10.2 *
 10.6 * 10.5 * 10.4 * 10.0 → 10.8 *
 beste Teiler 49.6 (30.) 92.5 (26.) 98.4 (23.)
 Trefferlage 0.39 mm rechts, 0.04 mm hoch
 Streuwert 1.15, horizontal: 1.07, vertikal: 1.23

Unterschrift des Schützen


Ergebnis: **312.9** (298)
 Serien: 104.4 103.9 104.6
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 327 (9), 253 (8), 241 (26)
 beste Teiler 7.0 (7.) 37.8 (3.) 50.2 (25.)
 Trefferlage 0.21 mm links, 0.20 mm hoch
 Streuwert 1.03, horizontal: 1.19, vertikal: 0.84



Serie 1:
 10.6 * 10.6 * 10.8 * 10.4 * 10.6 *
 10.6 * 10.9 * 9.9 → 9.6 ↖ 10.4 *
 beste Teiler 7.0 (7.) 37.8 (3.) 76.1 (2.)
 Trefferlage 0.21 mm links, 0.24 mm hoch
 Streuwert 1.13, horizontal: 1.30, vertikal: 0.93





Serie 2:
 10.4 * 10.1 ↖ 10.5 * 10.4 * 10.3 *
 10.2 * 10.4 * 10.4 * 10.5 * 10.7 *
 beste Teiler 74.3 (20.) 106.7 (19.) 108.8 (13.)
 Trefferlage 0.18 mm links, 0.27 mm hoch
 Streuwert 1.06, horizontal: 1.08, vertikal: 1.04




Serie 3:
 10.5 * 10.2 * 10.7 * 10.3 * 10.8 *
 10.0 ← 10.4 * 10.6 * 10.6 * 10.5 *
 beste Teiler 50.2 (25.) 75.9 (23.) 86.8 (29.)
 Trefferlage 0.24 mm links, 0.08 mm hoch
 Streuwert 1.00, horizontal: 1.30, vertikal: 0.56

Unterschrift des Schützen


Ergebnis: **315.5** (299)
 Serien: 105.0 104.5 106.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 261 (10), 210 (18), 200 (15)
 beste Teiler 27.8 (24.) 28.1 (17.) 32.2 (3.)
 Trefferlage 0.07 mm rechts, 0.46 mm hoch
 Streuwert 0.82, horizontal: 0.85, vertikal: 0.79



Serie 1:
 10.5 * 10.4 * 10.8 * 10.7 * 10.2 *
 10.5 * 10.6 * 10.7 * 10.7 * 9.9 ↲
 beste Teiler 32.2 (3.) 60.0 (4.) 65.2 (9.)
 Trefferlage 0.08 mm links, 0.69 mm hoch
 Streuwert 0.83, horizontal: 0.88, vertikal: 0.79





Serie 2:
 10.5 * 10.4 * 10.7 * 10.4 * 10.2 *
 10.7 * 10.8 * 10.1 ↑ 10.4 * 10.3 *
 beste Teiler 28.1 (17.) 53.6 (16.) 60.4 (13.)
 Trefferlage 0.40 mm rechts, 0.43 mm hoch
 Streuwert 0.92, horizontal: 0.84, vertikal: 1.00




Serie 3:
 10.6 * 10.8 * 10.5 * 10.8 * 10.4 *
 10.7 * 10.6 * 10.5 * 10.5 * 10.6 *
 beste Teiler 27.8 (24.) 50.0 (22.) 68.0 (26.)
 Trefferlage 0.09 mm links, 0.25 mm hoch
 Streuwert 0.69, horizontal: 0.81, vertikal: 0.54

Unterschrift des Schützen


Ergebnis: **312.1** (297)
 Serien: 105.8 104.7 101.6
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 360 (25), 335 (23), 256 (16)
 beste Teiler 3.1 (13.) 9.4 (7.) 11.4 (9.)
 Trefferlage 0.27 mm rechts, 0.53 mm tief
 Streuwert 1.08, horizontal: 1.14, vertikal: 1.01



Serie 1:
 10.5 * 10.6 * 10.8 * 10.5 * 10.1 ↙
 10.3 * 10.9 * 10.5 * 10.9 * 10.7 *
 beste Teiler 9.4 (7.) 11.4 (9.) 48.7 (3.)
 Trefferlage 0.18 mm links, 0.12 mm tief
 Streuwert 0.81, horizontal: 0.91, vertikal: 0.70





Serie 2:
 10.5 * 10.6 * 10.9 * 10.3 * 10.2 *
 9.9 ↓ 10.6 * 10.6 * 10.4 * 10.7 *
 beste Teiler 3.1 (13.) 61.5 (20.) 76.1 (18.)
 Trefferlage 0.38 mm rechts, 0.59 mm tief
 Streuwert 0.87, horizontal: 0.91, vertikal: 0.83




Serie 3:
 10.0 ↗ 10.1 ↓ 9.6 ↘ 10.7 * 9.5 ↘
 10.6 * 10.6 * 10.3 * 10.2 * 10.0 ↙
 beste Teiler 63.6 (24.) 87.2 (27.) 97.4 (26.)
 Trefferlage 0.63 mm rechts, 0.88 mm tief
 Streuwert 1.41, horizontal: 1.46, vertikal: 1.35

Unterschrift des Schützen


Ergebnis: **312.6** (298)
 Serien: 104.2 105.0 103.4
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 494 (26), 285 (6), 240 (12)
 beste Teiler 13.8 (9.) 18.0 (17.) 50.8 (20.)
 Trefferlage 0.31 mm rechts, 0.23 mm hoch
 Streuwert 1.15, horizontal: 1.32, vertikal: 0.95



Serie 1:
 10.7 * 10.6 * 10.1 ↗ 10.6 * 10.6 *
 9.8 ↗ 10.2 * 10.3 * 10.9 * 10.4 *
 beste Teiler 13.8 (9.) 68.8 (1.) 88.2 (4.)
 Trefferlage 0.21 mm rechts, 0.26 mm hoch
 Streuwert 1.13, horizontal: 1.33, vertikal: 0.89





Serie 2:
 10.7 * 10.0 ↘ 10.6 * 10.3 * 10.7 *
 10.6 * 10.9 * 10.3 * 10.1 → 10.8 *
 beste Teiler 18.0 (17.) 50.8 (20.) 63.5 (15.)
 Trefferlage 0.51 mm rechts, 0.05 mm hoch
 Streuwert 0.91, horizontal: 0.95, vertikal: 0.88




Serie 3:
 10.7 * 10.1 ↑ 10.6 * 10.5 * 10.6 *
 9.0 → 10.3 * 10.4 * 10.7 * 10.5 *
 beste Teiler 60.5 (21.) 74.1 (29.) 83.1 (25.)
 Trefferlage 0.22 mm rechts, 0.39 mm hoch
 Streuwert 1.45, horizontal: 1.70, vertikal: 1.13

Unterschrift des Schützen


Ergebnis: **315.1** (298)
 Serien: 104.3 106.4 104.4
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 326 (26), 297 (30), 232 (10)
 beste Teiler 12.3 (11.) 18.0 (18.) 25.0 (23.)
 Trefferlage 0.18 mm links, 0.07 mm hoch
 Streuwert 0.96, horizontal: 1.07, vertikal: 0.84



Serie 1:
 10.7 * 10.3 * 10.5 * 10.8 * 10.4 *
 10.3 * 10.4 * 10.3 * 10.6 * 10.0 ←
 beste Teiler 48.0 (4.) 71.2 (1.) 83.1 (9.)
 Trefferlage 0.09 mm rechts, 0.06 mm tief
 Streuwert 1.05, horizontal: 1.04, vertikal: 1.05





Serie 2:
 10.9 * 10.7 * 10.6 * 10.7 * 10.5 *
 10.5 * 10.8 * 10.9 * 10.3 * 10.5 *
 beste Teiler 12.3 (11.) 18.0 (18.) 40.8 (17.)
 Trefferlage 0.28 mm links, 0.35 mm hoch
 Streuwert 0.58, horizontal: 0.56, vertikal: 0.61




Serie 3:
 10.8 * 10.4 * 10.9 * 10.7 * 10.2 *
 9.6 ← 10.8 * 10.6 * 10.6 * 9.8 ←
 beste Teiler 25.0 (23.) 42.7 (21.) 49.1 (27.)
 Trefferlage 0.37 mm links, 0.04 mm tief
 Streuwert 1.19, horizontal: 1.47, vertikal: 0.83

Unterschrift des Schützen


Ergebnis: **306.7** (294)
 Serien: 102.4 101.9 102.4
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 383 (15), 380 (3), 312 (23)
 beste Teiler 42.4 (27.) 74.4 (4.) 76.4 (28.)
 Trefferlage 0.11 mm links, 0.23 mm hoch
 Streuwert 1.42, horizontal: 1.62, vertikal: 1.17



Serie 1:
 10.3 * 10.3 * 9.4 ← 10.7 * 10.6 *
 10.1 ← 10.2 * 10.3 * 9.9 ↗ 10.6 *
 beste Teiler 74.4 (4.) 77.3 (5.) 79.3 (10.)
 Trefferlage 0.75 mm links, 0.59 mm hoch
 Streuwert 1.29, horizontal: 1.50, vertikal: 1.03





Serie 2:
 10.2 * 10.6 * 10.2 * 9.8 ↓ 9.4 →
 10.2 * 10.3 * 10.5 * 10.6 * 10.1 ↘
 beste Teiler 84.6 (19.) 87.8 (12.) 104.2 (18.)
 Trefferlage 0.38 mm rechts, 0.59 mm hoch
 Streuwert 1.43, horizontal: 1.57, vertikal: 1.27




Serie 3:
 9.8 → 10.3 * 9.7 ↙ 10.6 * 10.3 *
 10.0 ← 10.8 * 10.6 * 10.1 ↗ 10.2 *
 beste Teiler 42.4 (27.) 76.4 (28.) 87.2 (24.)
 Trefferlage 0.02 mm rechts, 0.48 mm tief
 Streuwert 1.39, horizontal: 1.74, vertikal: 0.93

Unterschrift des Schützen


Ergebnis: **312.1** (298)
 Serien: 103.9 102.8 105.4
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 316 (17), 263 (11), 245 (26)
 beste Teiler 34.4 (15.) 41.1 (25.) 56.0 (5.)
 Trefferlage 0.01 mm links, 0.01 mm tief
 Streuwert 1.09, horizontal: 1.25, vertikal: 0.92



Serie 1:
 10.2 * 10.6 * 10.5 * 10.5 * 10.7 *
 10.1 ↖ 10.1 ↖ 10.5 * 10.4 * 10.3 *
 beste Teiler 56.0 (5.) 91.9 (2.) 104.0 (8.)
 Trefferlage 0.22 mm links, 0.03 mm hoch
 Streuwert 1.07, horizontal: 1.00, vertikal: 1.13



Serie 2:
 9.9 ← 10.5 * 10.5 * 10.4 * 10.8 *
 10.4 * 9.7 ↗ 10.4 * 10.1 ↙ 10.1 ↙
 beste Teiler 34.4 (15.) 107.3 (12.) 115.4 (13.)
 Trefferlage 0.00 mm , 0.10 mm tief
 Streuwert 1.37, horizontal: 1.71, vertikal: 0.90



Serie 3:
 10.4 * 10.7 * 10.7 * 10.6 * 10.8 *
 10.0 → 10.5 * 10.7 * 10.6 * 10.4 *
 beste Teiler 41.1 (25.) 56.7 (28.) 67.0 (23.)
 Trefferlage 0.17 mm rechts, 0.02 mm hoch
 Streuwert 0.89, horizontal: 1.00, vertikal: 0.78

Unterschrift des Schützen