





Ergebnis: **374** (390.4)  
 Serien: 95 95 92 92  
 Zähler: 18 18 4 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2053 (26), 1998 (38), 1889 (21)  
 beste Teiler 58.1 (13.) 197.0 (33.) 213.5 (32.)  
 Trefferlage 1.25 mm rechts, 5.96 mm tief  
 Streuwert 6.22, horizontal: 5.97, vertikal: 6.47




Serie 1:  
 9.2 ↙ 9.4 ↓ 10.0 ↘ 9.5 ↓ 10.2 →  
 10.3 ← 10.1 ↗ 9.9 ↓ 10.0 ↓ 9.8 ↓  
 beste Teiler 491.6 (6.) 566.6 (5.) 698.4 (7.)  
 Trefferlage 0.36 mm links, 7.23 mm tief  
 Streuwert 4.35, horizontal: 4.73, vertikal: 3.94



Serie 2:  
 10.2 → 9.8 ↘ 10.9 \* 10.1 ↓ 10.2 ↘  
 9.9 ← 9.6 ← 9.9 ↓ 9.3 ↘ 10.0 →  
 beste Teiler 58.1 (13.) 577.5 (15.) 632.7 (11.)  
 Trefferlage 0.86 mm rechts, 3.17 mm tief  
 Streuwert 5.67, horizontal: 6.87, vertikal: 4.14



Serie 3:  
 8.6 ↓ 10.1 ↓ 9.1 ↘ 10.0 ↓ 9.6 ↓  
 8.4 ↗ 10.2 ↘ 10.2 ↑ 9.8 ↓ 9.0 →  
 beste Teiler 588.0 (27.) 609.1 (28.) 667.5 (22.)  
 Trefferlage 1.96 mm rechts, 7.81 mm tief  
 Streuwert 7.35, horizontal: 6.84, vertikal: 7.83





Serie 4:  
 9.4 ↖ 10.7 \* 10.7 \* 9.3 ↘ 9.6 ↓  
 9.7 ↓ 8.7 ↓ 8.5 ↓ 10.3 ↓ 10.2 ←  
 beste Teiler 197.0 (33.) 213.5 (32.) 501.8 (39.)  
 Trefferlage 2.55 mm rechts, 5.64 mm tief  
 Streuwert 7.26, horizontal: 5.70, vertikal: 8.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.6)  
 Serien: 94 96 96 95  
 Zähler: 24 13 3 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1811 (9), 1695 (36), 1617 (24)  
 beste Teiler 101.1 (37.) 175.1 (7.) 228.6 (15.)  
 Trefferlage 1.86 mm rechts, 1.01 mm tief  
 Streuwert 6.07, horizontal: 6.16, vertikal: 5.98




Serie 1:  
 10.4 \* 10.2 ↗ 9.7 ↘ 10.1 ↘ 10.0 →  
 9.9 ← 10.7 \* 9.6 ↘ 8.7 → 9.2 ↑  
 beste Teiler 175.1 (7.) 472.0 (1.) 577.1 (2.)  
 Trefferlage 3.21 mm rechts, 1.60 mm tief  
 Streuwert 6.88, horizontal: 6.59, vertikal: 7.16



Serie 2:  
 10.6 \* 9.8 ↓ 9.9 ↖ 10.6 \* 10.7 \*  
 9.5 ← 10.3 ↓ 10.6 \* 10.2 ↖ 9.6 ←  
 beste Teiler 228.6 (15.) 242.6 (14.) 259.1 (11.)  
 Trefferlage 2.71 mm links, 0.60 mm tief  
 Streuwert 4.87, horizontal: 5.60, vertikal: 4.00



Serie 3:  
 10.3 ↑ 9.9 → 10.1 ↓ 8.9 ↙ 10.0 →  
 10.2 ↗ 10.1 → 10.7 \* 9.2 ↓ 10.1 ↘  
 beste Teiler 235.6 (28.) 542.6 (21.) 562.2 (26.)  
 Trefferlage 2.53 mm rechts, 3.39 mm tief  
 Streuwert 5.83, horizontal: 5.42, vertikal: 6.22





Serie 4:  
 10.1 ↑ 10.2 ↘ 10.4 \* 9.6 → 9.9 →  
 8.8 ↗ 10.8 \* 9.7 ↗ 10.0 ↓ 10.3 ←  
 beste Teiler 101.1 (37.) 474.4 (33.) 504.5 (40.)  
 Trefferlage 4.40 mm rechts, 1.53 mm hoch  
 Streuwert 5.58, horizontal: 5.24, vertikal: 5.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.4)  
 Serien: 92 95 97 95  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1845 (5), 1629 (20), 1567 (2)  
 beste Teiler 65.6 (17.) 140.4 (13.) 176.6 (30.)  
 Trefferlage 0.89 mm links, 1.44 mm tief  
 Streuwert 6.48, horizontal: 5.03, vertikal: 7.66




Serie 1:  
 9.3 ←                      9.0 ↑                      10.0 →                      9.7 ↑                      8.6 ↓  
 9.7 ←                      9.3 ↓                      10.4 \*                      10.0 ←                      9.5 ↙  
 beste Teiler 410.5 (8.) 732.7 (3.) 738.0 (9.)  
 Trefferlage 1.25 mm links, 2.45 mm tief  
 Streuwert 8.54, horizontal: 7.08, vertikal: 9.80



Serie 2:  
 9.5 ↘                      10.1 ←                      10.8 \*                      10.4 ↓                      9.7 ↘  
 10.0 ↘                      10.9 \*                      9.9 ↗                      10.3 →                      8.9 ↓  
 beste Teiler 65.6 (17.) 140.4 (13.) 478.8 (14.)  
 Trefferlage 1.47 mm links, 4.21 mm tief  
 Streuwert 5.47, horizontal: 4.92, vertikal: 5.97



Serie 3:  
 10.6 \*                      10.0 →                      9.8 ↑                      9.2 ↘                      10.3 ↗  
 10.5 \*                      10.4 \*                      10.5 \*                      9.0 ↑                      10.7 \*  
 beste Teiler 176.6 (30.) 265.1 (21.) 363.6 (28.)  
 Trefferlage 0.12 mm rechts, 2.78 mm hoch  
 Streuwert 5.74, horizontal: 4.40, vertikal: 6.82





Serie 4:  
 10.7 \*                      10.0 ↓                      9.7 ↓                      9.8 ←                      10.1 ↘  
 10.1 ↑                      9.7 ↑                      9.9 ↓                      10.6 \*                      9.8 ↓  
 beste Teiler 238.3 (31.) 298.6 (39.) 641.3 (36.)  
 Trefferlage 0.97 mm links, 1.91 mm tief  
 Streuwert 5.51, horizontal: 3.75, vertikal: 6.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (398.7)  
 Serien: 94 97 95 96  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1719 (37), 1601 (9), 1475 (25)  
 beste Teiler 167.2 (15.) 270.5 (39.) 355.8 (8.)  
 Trefferlage 1.74 mm links, 0.84 mm hoch  
 Streuwert 6.07, horizontal: 6.12, vertikal: 6.02




Serie 1:  
 10.4 ← 10.0 ↑ 9.5 ↑ 9.7 ↘ 9.8 ←  
 10.0 ↘ 9.8 ↗ 10.5 \* 8.9 ← 10.3 ↘  
 beste Teiler 355.8 (8.) 477.0 (1.) 539.9 (10.)  
 Trefferlage 4.02 mm links, 1.82 mm hoch  
 Streuwert 6.02, horizontal: 5.49, vertikal: 6.51



Serie 2:  
 9.8 ↑ 10.3 ↓ 10.2 ↓ 10.0 ↓ 10.7 \*  
 10.3 ↗ 9.8 ← 10.5 \* 10.2 ↘ 9.3 ↘  
 beste Teiler 167.2 (15.) 372.3 (18.) 524.1 (16.)  
 Trefferlage 2.30 mm links, 0.94 mm hoch  
 Streuwert 5.13, horizontal: 5.10, vertikal: 5.16



Serie 3:  
 10.1 → 9.8 ↘ 10.5 \* 9.4 → 9.1 ↗  
 10.0 ↘ 10.4 \* 9.4 ↑ 10.3 ↗ 9.6 ↓  
 beste Teiler 399.6 (23.) 416.7 (27.) 498.2 (29.)  
 Trefferlage 1.56 mm rechts, 2.56 mm hoch  
 Streuwert 6.57, horizontal: 6.08, vertikal: 7.02





Serie 4:  
 9.8 ↘ 10.5 \* 10.0 → 10.4 \* 9.3 ←  
 10.3 ↘ 8.8 ↓ 10.0 ← 10.6 \* 10.4 \*  
 beste Teiler 270.5 (39.) 356.6 (32.) 438.4 (40.)  
 Trefferlage 2.21 mm links, 1.94 mm tief  
 Streuwert 6.17, horizontal: 7.10, vertikal: 5.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.4)  
 Serien: 96 95 96 95  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1612 (16), 1606 (31), 1553 (25)  
 beste Teiler 34.0 (32.) 90.4 (5.) 97.8 (3.)  
 Trefferlage 0.35 mm links, 0.91 mm hoch  
 Streuwert 6.20, horizontal: 6.08, vertikal: 6.32




Serie 1:  
 10.4 \*                      9.9 ↑                      10.8 \*                      10.6 \*                      10.8 \*  
 10.4 \*                      10.1 ↗                      9.8 ↘                      9.7 ↗                      9.4 ↑  
 beste Teiler 90.4 (5.) 97.8 (3.) 319.4 (4.)  
 Trefferlage 1.58 mm rechts, 2.52 mm hoch  
 Streuwert 4.77, horizontal: 4.29, vertikal: 5.20



Serie 2:  
 9.4 →                      10.4 \*                      10.3 ↗                      10.0 →                      9.2 ←  
 8.9 ↘                      10.1 ↘                      10.0 ↓                      9.7 ←                      10.1 ↑  
 beste Teiler 461.1 (12.) 555.6 (13.) 672.2 (17.)  
 Trefferlage 0.21 mm links, 0.93 mm hoch  
 Streuwert 7.30, horizontal: 8.47, vertikal: 5.90



Serie 3:  
 10.2 ↓                      9.7 ↓                      10.8 \*                      10.1 ↑                      9.0 ←  
 10.2 ↗                      9.5 ↖                      10.2 ↓                      10.1 ↖                      9.5 ↘  
 beste Teiler 141.3 (23.) 579.2 (28.) 579.4 (21.)  
 Trefferlage 2.82 mm links, 0.01 mm tief  
 Streuwert 6.39, horizontal: 6.18, vertikal: 6.60





Serie 4:  
 8.9 ↑                      10.9 \*                      9.2 ↙                      10.0 ↑                      9.9 ↓  
 9.9 ↗                      10.4 \*                      10.5 \*                      10.1 →                      10.3 →  
 beste Teiler 34.0 (32.) 393.7 (38.) 435.5 (37.)  
 Trefferlage 0.04 mm rechts, 0.21 mm hoch  
 Streuwert 6.48, horizontal: 4.57, vertikal: 7.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (401.4)  
 Serien: 95 95 95 96  
 Zähler: 22 17 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1748 (26), 1550 (15), 1328 (17)  
 beste Teiler 72.8 (30.) 145.5 (2.) 228.2 (10.)  
 Trefferlage 0.95 mm rechts, 0.23 mm hoch  
 Streuwert 5.82, horizontal: 5.80, vertikal: 5.84




Serie 1:  
 9.9 ↗ 10.8 \* 10.2 ↑ 9.3 ↑ 10.3 ↗  
 9.7 ↑ 9.7 ↙ 9.9 ↘ 10.1 ↘ 10.7 \*  
 beste Teiler 145.5 (2.) 228.2 (10.) 531.7 (5.)  
 Trefferlage 1.88 mm rechts, 2.11 mm hoch  
 Streuwert 5.46, horizontal: 3.74, vertikal: 6.75



Serie 2:  
 10.3 ↓ 10.3 ↘ 9.8 ↑ 10.3 ← 9.0 →  
 9.4 ↓ 9.3 ← 9.9 ↓ 10.1 ↙ 10.4 \*  
 beste Teiler 473.6 (20.) 494.0 (12.) 497.4 (14.)  
 Trefferlage 0.79 mm links, 2.71 mm tief  
 Streuwert 6.66, horizontal: 7.71, vertikal: 5.42



Serie 3:  
 10.4 \* 10.4 \* 10.3 ↘ 9.9 ↘ 10.4 \*  
 8.8 ↗ 10.6 \* 9.6 ↑ 9.9 ↓ 10.9 \*  
 beste Teiler 72.8 (30.) 298.6 (27.) 423.1 (21.)  
 Trefferlage 1.44 mm rechts, 0.20 mm tief  
 Streuwert 5.90, horizontal: 5.88, vertikal: 5.92





Serie 4:  
 10.7 \* 10.2 ↗ 10.2 ← 10.2 ↖ 9.8 →  
 10.0 → 9.7 ↘ 9.9 ↓ 10.2 ↗ 9.9 →  
 beste Teiler 240.8 (31.) 586.3 (34.) 616.0 (39.)  
 Trefferlage 1.27 mm rechts, 1.76 mm hoch  
 Streuwert 5.20, horizontal: 5.74, vertikal: 4.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (398.0)  
 Serien: 95 95 93 95  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1952 (30), 1811 (26), 1456 (20)  
 beste Teiler 140.7 (32.) 141.0 (7.) 181.0 (14.)  
 Trefferlage 0.47 mm links, 1.27 mm tief  
 Streuwert 6.44, horizontal: 5.64, vertikal: 7.14




Serie 1:  
 9.4 ← 10.3 ↘ 9.6 ↘ 10.1 ← 10.2 →  
 9.3 ↙ 10.8 \* 10.2 ↖ 9.3 ↓ 9.6 ↓  
 beste Teiler 141.0 (7.) 499.2 (2.) 582.9 (5.)  
 Trefferlage 2.02 mm links, 4.36 mm tief  
 Streuwert 6.07, horizontal: 6.33, vertikal: 5.79



Serie 2:  
 10.5 \* 9.7 ↖ 9.9 ↓ 10.7 \* 9.9 ↓  
 10.5 \* 9.8 ↗ 10.7 \* 10.0 → 9.1 ↗  
 beste Teiler 181.0 (14.) 215.6 (18.) 330.9 (11.)  
 Trefferlage 1.10 mm rechts, 0.38 mm hoch  
 Streuwert 5.88, horizontal: 5.02, vertikal: 6.62



Serie 3:  
 9.5 ↙ 9.9 ↓ 10.2 ↗ 9.6 ↖ 10.2 →  
 8.7 ↗ 10.4 \* 10.3 ← 10.6 \* 8.5 ↘  
 beste Teiler 261.4 (29.) 428.0 (27.) 501.0 (28.)  
 Trefferlage 0.93 mm rechts, 0.00 mm  
 Streuwert 7.98, horizontal: 6.06, vertikal: 9.52





Serie 4:  
 10.3 → 10.8 \* 10.2 ↘ 9.9 ↙ 10.3 ←  
 9.9 ↖ 9.5 ↙ 10.4 \* 9.8 ↓ 9.4 ↑  
 beste Teiler 140.7 (32.) 463.0 (38.) 520.5 (31.)  
 Trefferlage 1.90 mm links, 1.09 mm tief  
 Streuwert 5.64, horizontal: 5.10, vertikal: 6.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.1)  
 Serien: 94 92 95 93  
 Zähler: 18 18 4 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2278 (2), 2102 (22), 1859 (40)  
 beste Teiler 183.4 (21.) 188.8 (36.) 242.1 (3.)  
 Trefferlage 1.92 mm rechts, 1.97 mm tief  
 Streuwert 7.04, horizontal: 5.80, vertikal: 8.09




Serie 1:  
 9.6 ↘ 8.1 ↗ 10.6 \* 9.6 ↘ 10.2 ↑  
 9.9 → 10.0 ↓ 10.2 ↘ 9.7 ↘ 10.6 \*  
 beste Teiler 242.1 (3.) 307.8 (10.) 589.6 (8.)  
 Trefferlage 4.04 mm rechts, 0.94 mm tief  
 Streuwert 7.04, horizontal: 4.99, vertikal: 8.62



Serie 2:  
 9.7 ↙ 10.0 ← 9.7 ↓ 9.7 ↑ 9.5 ↓  
 10.2 ↘ 8.7 → 10.4 \* 9.9 ↑ 9.6 ↑  
 beste Teiler 410.5 (18.) 601.8 (16.) 777.5 (12.)  
 Trefferlage 0.22 mm rechts, 0.68 mm tief  
 Streuwert 7.61, horizontal: 7.42, vertikal: 7.79



Serie 3:  
 10.7 \* 8.3 ↓ 10.3 ↖ 9.8 → 10.6 \*  
 9.7 ↓ 9.3 → 10.1 ↖ 10.3 ↑ 10.5 \*  
 beste Teiler 183.4 (21.) 308.1 (25.) 393.7 (30.)  
 Trefferlage 1.22 mm rechts, 1.21 mm tief  
 Streuwert 7.05, horizontal: 5.90, vertikal: 8.03





Serie 4:  
 9.7 ↓ 9.7 ↑ 9.6 ↙ 10.0 ↑ 10.0 ↘  
 10.7 \* 9.8 ↓ 9.0 ↘ 10.5 \* 8.6 ↓  
 beste Teiler 188.8 (36.) 356.6 (39.) 731.3 (34.)  
 Trefferlage 2.20 mm rechts, 5.06 mm tief  
 Streuwert 6.79, horizontal: 4.73, vertikal: 8.36

Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>385</b>	(403.5)
Serien:	98	97 94 96
Zähler:	26 13 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1693 (22), 1340 (18), 1168 (11)	
beste Teiler	214.8 (23.) 220.7 (2.) 297.8 (17.)	
Trefferlage	0.89 mm rechts, 0.06 mm hoch	
Streuwert	5.40, horizontal: 5.25, vertikal: 5.55	




Serie 1:	10.2 ↘	10.7 *	10.2 ↖	9.9 →	10.0 ↗
	10.4 *	10.2 →	9.9 →	10.4 *	10.6 *
beste Teiler	220.7 (2.) 302.1 (10.) 411.4 (6.)				
Trefferlage	1.85 mm rechts, 0.39 mm tief				
Streuwert	4.16, horizontal: 4.74, vertikal: 3.50				



Serie 2:	9.5 →	10.1 ↑	10.5 *	10.3 ↘	9.9 ←
	10.3 ↓	10.6 *	9.3 ↓	10.2 ↓	10.1 →
beste Teiler	297.8 (17.) 356.8 (13.) 517.4 (16.)				
Trefferlage	1.14 mm rechts, 2.79 mm tief				
Streuwert	5.25, horizontal: 5.28, vertikal: 5.21				



Serie 3:	10.5 *	8.8 ↗	10.7 *	9.8 ↖	9.8 →
	9.8 ↑	9.6 ↙	10.0 →	10.1 ↗	10.4 ↘
beste Teiler	214.8 (23.) 352.4 (21.) 477.0 (30.)				
Trefferlage	2.38 mm rechts, 2.56 mm hoch				
Streuwert	6.08, horizontal: 5.10, vertikal: 6.93				





Serie 4:	10.1 ↑	10.2 ←	10.3 ←	10.5 *	10.3 ↑
	9.9 ↙	9.7 ←	10.4 *	9.6 ↑	9.7 →
beste Teiler	387.1 (34.) 440.2 (38.) 512.6 (33.)				
Trefferlage	1.81 mm links, 0.87 mm hoch				
Streuwert	5.49, horizontal: 5.59, vertikal: 5.38				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.0)  
 Serien: 98 94 93 97  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1491 (26), 1473 (20), 1287 (1)  
 beste Teiler 201.5 (13.) 247.0 (6.) 248.0 (9.)  
 Trefferlage 0.20 mm links, 1.07 mm hoch  
 Streuwert 5.83, horizontal: 5.94, vertikal: 5.72




Serie 1:  
 9.3 ← 10.0 → 10.6 \* 10.4 \* 10.2 ←  
 10.6 \* 9.8 ← 10.6 \* 10.6 \* 10.4 \*  
 beste Teiler 247.0 (6.) 248.0 (9.) 259.0 (3.)  
 Trefferlage 1.45 mm links, 0.50 mm tief  
 Streuwert 4.63, horizontal: 5.94, vertikal: 2.77



Serie 2:  
 9.7 ↓ 9.9 ↙ 10.7 \* 9.4 ↓ 10.2 ↑  
 9.7 ← 10.4 \* 10.1 ↗ 9.6 ↘ 9.1 →  
 beste Teiler 201.5 (13.) 433.8 (17.) 592.6 (15.)  
 Trefferlage 0.34 mm rechts, 2.38 mm tief  
 Streuwert 6.66, horizontal: 6.50, vertikal: 6.82



Serie 3:  
 9.8 ↖ 9.9 → 9.5 ↖ 9.4 ↗ 9.6 ↘  
 9.1 ↗ 9.8 ← 10.3 ↘ 10.6 \* 10.6 \*  
 beste Teiler 276.0 (29.) 279.6 (30.) 504.1 (28.)  
 Trefferlage 0.87 mm links, 3.61 mm hoch  
 Streuwert 6.59, horizontal: 6.34, vertikal: 6.84





Serie 4:  
 10.1 ↗ 10.0 → 10.2 → 9.4 ↖ 9.8 ↗  
 9.8 ↗ 10.4 \* 10.5 \* 10.6 \* 10.3 ↖  
 beste Teiler 300.6 (39.) 336.0 (38.) 415.0 (37.)  
 Trefferlage 1.15 mm rechts, 3.55 mm hoch  
 Streuwert 4.55, horizontal: 5.53, vertikal: 3.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.0)  
 Serien: 92 88 89 88  
 Zähler: 14 13 9 4 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 3137 (23), 2587 (36), 2491 (13)  
 beste Teiler 169.2 (12.) 289.6 (22.) 305.3 (39.)  
 Trefferlage 5.68 mm links, 2.54 mm hoch  
 Streuwert 9.68, horizontal: 10.52, vertikal: 8.75




Serie 1:  
 8.5 ↘ 9.6 ↘ 9.0 ↙ 9.1 ↙ 10.4 \*  
 9.3 ↗ 9.5 ↘ 10.3 ↗ 10.4 \* 9.8 ↖  
 beste Teiler 450.8 (9.) 466.2 (5.) 560.6 (8.)  
 Trefferlage 5.02 mm links, 1.44 mm tief  
 Streuwert 7.94, horizontal: 6.50, vertikal: 9.16



Serie 2:  
 9.2 ↘ 10.7 \* 7.8 ↙ 8.1 ↖ 8.7 ↖  
 8.4 ↗ 10.2 ↘ 9.2 ↗ 9.2 ↘ 10.4 \*  
 beste Teiler 169.2 (12.) 402.7 (20.) 579.5 (17.)  
 Trefferlage 6.53 mm links, 5.38 mm hoch  
 Streuwert 9.98, horizontal: 10.36, vertikal: 9.59



Serie 3:  
 8.4 ↗ 10.6 \* 7.0 ← 9.6 ↗ 8.7 ↖  
 10.0 ↗ 8.4 ↘ 10.4 \* 10.4 \* 9.8 ↘  
 beste Teiler 289.6 (22.) 414.4 (29.) 420.2 (28.)  
 Trefferlage 4.11 mm links, 4.18 mm hoch  
 Streuwert 10.85, horizontal: 12.08, vertikal: 9.46





Serie 4:  
 8.9 ↗ 7.9 ↖ 10.4 \* 10.5 \* 10.0 →  
 7.7 ↖ 9.2 ↖ 8.1 ← 10.6 \* 9.6 ↖  
 beste Teiler 305.3 (39.) 376.2 (34.) 429.3 (33.)  
 Trefferlage 7.07 mm links, 2.04 mm hoch  
 Streuwert 10.36, horizontal: 13.35, vertikal: 6.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (370.3)  
 Serien: 86 89 91 84  
 Zähler: 9 16 12 2 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3425 (7), 2628 (36), 2464 (19)  
 beste Teiler 350.0 (23.) 484.5 (30.) 489.7 (2.)  
 Trefferlage 0.49 mm rechts, 3.81 mm tief  
 Streuwert 10.38, horizontal: 7.78, vertikal: 12.45




Serie 1:  
 9.2 ↓                      10.3 →                      10.1 →                      8.9 ↘                      9.7 ↓  
 9.0 ↘                      6.7 ↙                      9.0 ↓                      8.5 →                      8.5 ↓  
 beste Teiler 489.7 (2.) 696.1 (3.) 1008.7 (5.)  
 Trefferlage 1.75 mm rechts, 10.35 mm tief  
 Streuwert 10.50, horizontal: 10.30, vertikal: 10.70



Serie 2:  
 8.6 ↙                      10.1 ↖                      9.6 ↙                      8.9 ↑                      10.1 ↘  
 9.4 ↗                      10.2 ↘                      8.3 ↑                      7.9 ↓                      10.0 ↘  
 beste Teiler 639.9 (17.) 682.0 (12.) 711.6 (15.)  
 Trefferlage 1.49 mm links, 2.11 mm tief  
 Streuwert 10.72, horizontal: 5.60, vertikal: 14.08



Serie 3:  
 9.0 ↑                      10.0 ←                      10.5 \*                      9.9 ↗                      9.1 ↗  
 8.8 ↓                      9.8 ↗                      8.8 ↓                      9.9 ↘                      10.3 ↘  
 beste Teiler 350.0 (23.) 484.5 (30.) 760.7 (22.)  
 Trefferlage 2.39 mm rechts, 0.06 mm hoch  
 Streuwert 8.48, horizontal: 4.18, vertikal: 11.24





Serie 4:  
 9.9 ↗                      9.7 ↗                      9.9 ↙                      9.0 ↓                      9.8 ↙  
 7.7 ↘                      8.8 ←                      8.8 ↑                      8.7 ↘                      8.9 ←  
 beste Teiler 851.8 (31.) 861.0 (33.) 944.5 (35.)  
 Trefferlage 0.68 mm links, 2.87 mm tief  
 Streuwert 11.39, horizontal: 9.78, vertikal: 12.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (399.1)  
 Serien: 93 97 95 99  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1421 (18), 1386 (38), 1368 (10)  
 beste Teiler 305.3 (12.) 310.1 (13.) 318.2 (27.)  
 Trefferlage 0.43 mm links, 0.45 mm tief  
 Streuwert 5.95, horizontal: 5.87, vertikal: 6.03




Serie 1:  
 9.9 ↘                      9.9 ↙                      9.3 ↙                      9.6 ↖                      9.6 →  
 9.9 ↗                      10.3 ↙                      10.1 ↓                      10.0 ↓                      9.2 ↑  
 beste Teiler 518.4 (7.) 680.0 (8.) 734.8 (9.)  
 Trefferlage 0.94 mm links, 0.29 mm hoch  
 Streuwert 7.12, horizontal: 6.58, vertikal: 7.63



Serie 2:  
 10.5 \*                      10.6 \*                      10.6 \*                      10.2 ↑                      10.2 ↑  
 10.5 \*                      9.9 ←                      9.2 ↓                      9.5 →                      10.1 ↙  
 beste Teiler 305.3 (12.) 310.1 (13.) 326.9 (11.)  
 Trefferlage 0.28 mm rechts, 0.74 mm tief  
 Streuwert 5.57, horizontal: 5.46, vertikal: 5.67



Serie 3:  
 9.5 ↙                      10.1 ↘                      10.1 ↓                      10.3 ↘                      10.2 ↓  
 9.5 ↖                      10.6 \*                      9.9 →                      9.6 ↑                      9.8 ←  
 beste Teiler 318.2 (27.) 553.9 (24.) 610.7 (25.)  
 Trefferlage 0.37 mm links, 0.79 mm tief  
 Streuwert 6.18, horizontal: 6.16, vertikal: 6.21





Serie 4:  
 10.5 \*                      10.0 ↓                      10.0 ↓                      10.0 ←                      10.5 \*  
 10.1 ↑                      10.1 ↗                      9.2 →                      10.0 ↖                      10.0 ←  
 beste Teiler 353.4 (35.) 354.9 (31.) 643.1 (37.)  
 Trefferlage 0.70 mm links, 0.56 mm tief  
 Streuwert 5.71, horizontal: 6.11, vertikal: 5.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>377</b>	(394.8)			
Serien:	94	92	95	96	
Zähler:	19	19	2	0	0
Innenzehner:	7				
weiteste:	1771 (23), 1738 (18), 1569 (6)				
beste Teiler	203.6 (22.) 243.6 (39.) 265.4 (9.)				
Trefferlage	1.83 mm rechts, 2.75 mm tief				
Streuwert	6.37, horizontal: 6.62, vertikal: 6.10				




Serie 1:	9.8 ↓	10.1 ↘	9.8 ↓	9.9 ↘	10.4 ↗
	9.0 ↘	9.7 ↗	10.1 ←	10.6 *	9.2 ↗
beste Teiler	265.4 (9.) 479.4 (5.) 692.9 (2.)				
Trefferlage	4.68 mm rechts, 2.97 mm tief				
Streuwert	5.70, horizontal: 6.34, vertikal: 4.98				



Serie 2:	10.2 ↓	9.9 ↓	10.0 ↘	9.6 ↗	9.3 ↗
	9.5 ↗	9.7 ↙	8.8 ↙	9.4 ←	10.0 →
beste Teiler	607.6 (11.) 769.4 (20.) 780.4 (13.)				
Trefferlage	1.07 mm rechts, 2.32 mm tief				
Streuwert	8.01, horizontal: 8.52, vertikal: 7.45				



Serie 3:	10.0 ↙	10.7 *	8.7 ↓	10.1 ←	10.3 ↘
	10.4 *	10.4 *	9.7 ↓	9.8 ↙	9.3 →
beste Teiler	203.6 (22.) 420.7 (26.) 475.0 (27.)				
Trefferlage	0.07 mm links, 3.29 mm tief				
Streuwert	6.45, horizontal: 6.12, vertikal: 6.77				





Serie 4:	9.6 ↙	10.4 *	9.8 ↓	10.0 ↗	10.1 ↘
	10.6 *	9.4 ↘	10.1 ↑	10.6 *	9.8 ↘
beste Teiler	243.6 (39.) 281.4 (36.) 469.0 (32.)				
Trefferlage	1.67 mm rechts, 2.41 mm tief				
Streuwert	5.49, horizontal: 5.07, vertikal: 5.88				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (371.4)  
 Serien: 88 87 91 89  
 Zähler: 9 21 6 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3170 (18), 2664 (11), 2504 (6)  
 beste Teiler 307.7 (20.) 336.5 (30.) 369.6 (38.)  
 Trefferlage 3.33 mm links, 1.24 mm tief  
 Streuwert 10.41, horizontal: 8.67, vertikal: 11.90




Serie 1:  
 9.8 ↑                      8.4 ↖                      10.3 →                      8.0 ↙                      9.7 ↑  
 7.8 ↘                      9.9 ↙                      9.9 ↘                      10.2 →                      9.2 ↓  
 beste Teiler 499.1 (3.) 577.3 (9.) 822.8 (8.)  
 Trefferlage 3.16 mm links, 2.65 mm tief  
 Streuwert 10.65, horizontal: 8.44, vertikal: 12.48



Serie 2:  
 7.6 ↙                      9.0 ↙                      9.7 ↑                      9.2 ↘                      9.3 ←  
 10.0 ↓                      9.4 ↓                      7.0 ↘                      8.6 ↑                      10.6 \*  
 beste Teiler 307.7 (20.) 741.8 (16.) 1032.7 (13.)  
 Trefferlage 7.05 mm links, 2.09 mm hoch  
 Streuwert 11.78, horizontal: 7.48, vertikal: 14.88



Serie 3:  
 9.1 ↖                      9.1 ↗                      9.5 ↘                      9.9 ↙                      9.6 ↑  
 10.3 ↖                      8.9 ↖                      9.6 ←                      9.0 →                      10.5 \*  
 beste Teiler 336.5 (30.) 489.7 (26.) 849.0 (24.)  
 Trefferlage 2.73 mm links, 3.63 mm hoch  
 Streuwert 8.15, horizontal: 9.23, vertikal: 6.90





Serie 4:  
 9.4 ↓                      9.0 →                      10.0 ←                      9.1 ←                      8.9 ↓  
 8.0 ↓                      9.1 ↘                      10.5 \*                      10.4 \*                      7.9 ↘  
 beste Teiler 369.6 (38.) 439.4 (39.) 764.3 (33.)  
 Trefferlage 0.39 mm links, 8.06 mm tief  
 Streuwert 9.59, horizontal: 9.38, vertikal: 9.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.4)  
 Serien: 92 90 92 86  
 Zähler: 13 17 7 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2979 (36), 2978 (17), 2940 (39)  
 beste Teiler 198.9 (15.) 209.3 (23.) 317.2 (21.)  
 Trefferlage 4.42 mm rechts, 0.51 mm hoch  
 Streuwert 9.73, horizontal: 10.11, vertikal: 9.33




Serie 1:  
 10.2 ↘                      9.0 →                      8.5 →                      9.9 →                      10.2 ↗  
 9.6 →                      9.0 ↗                      10.1 ↓                      9.8 ↓                      9.4 ↑  
 beste Teiler 601.6 (1.) 621.4 (5.) 691.5 (8.)  
 Trefferlage 7.23 mm rechts, 0.43 mm hoch  
 Streuwert 7.04, horizontal: 7.50, vertikal: 6.56



Serie 2:  
 8.9 →                      9.6 ↖                      10.2 ↓                      10.5 \*                      10.7 \*  
 9.0 ↑                      7.2 ↓                      8.8 ↘                      9.3 →                      10.4 \*  
 beste Teiler 198.9 (15.) 337.5 (14.) 429.4 (20.)  
 Trefferlage 2.43 mm rechts, 3.15 mm tief  
 Streuwert 10.28, horizontal: 10.10, vertikal: 10.45



Serie 3:  
 10.6 \*                      8.4 ↑                      10.7 \*                      10.1 ↘                      10.3 ↖  
 8.4 ↙                      10.3 ↓                      9.5 ↘                      8.4 →                      9.6 →  
 beste Teiler 209.3 (23.) 317.2 (21.) 482.9 (25.)  
 Trefferlage 3.12 mm rechts, 0.29 mm tief  
 Streuwert 9.07, horizontal: 9.88, vertikal: 8.18





Serie 4:  
 8.3 →                      10.1 ↖                      9.5 ↖                      9.8 →                      9.3 ←  
 7.2 ↑                      9.0 ↑                      9.5 ↘                      7.3 →                      9.8 ↓  
 beste Teiler 691.3 (32.) 889.6 (34.) 957.3 (40.)  
 Trefferlage 4.89 mm rechts, 5.06 mm hoch  
 Streuwert 12.07, horizontal: 13.11, vertikal: 10.94

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **375** (394.8)  
 Serien: 92 96 92 95  
 Zähler: 19 17 4 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1822 (4), 1722 (7), 1708 (25)  
 beste Teiler 13.1 (16.) 104.3 (31.) 166.8 (22.)  
 Trefferlage 1.39 mm rechts, 2.35 mm tief  
 Streuwert 6.85, horizontal: 5.51, vertikal: 7.96




Serie 1:  
 9.7 ↘                      10.1 ↙                      9.5 ←                      8.7 ↓                      9.4 ↓  
 10.2 ↗                      8.8 ↘                      10.7 \*                      9.6 ↗                      10.3 ↘  
 beste Teiler 198.9 (8.) 552.0 (10.) 593.4 (6.)  
 Trefferlage 1.20 mm rechts, 3.41 mm tief  
 Streuwert 7.82, horizontal: 7.66, vertikal: 7.98



Serie 2:  
 9.2 ↗                      10.5 \*                      10.7 \*                      10.5 \*                      9.5 ↗  
 10.9 \*                      10.7 \*                      10.0 ↓                      9.8 ↗                      9.2 ↗  
 beste Teiler 13.1 (16.) 201.2 (13.) 216.4 (17.)  
 Trefferlage 3.34 mm rechts, 3.18 mm hoch  
 Streuwert 5.19, horizontal: 4.11, vertikal: 6.09



Serie 3:  
 9.2 ↑                      10.7 \*                      9.2 ↓                      9.3 ↘                      8.8 ↓  
 9.7 ↓                      8.9 ↙                      10.3 ↓                      10.0 ↓                      10.3 ↓  
 beste Teiler 166.8 (22.) 488.0 (30.) 489.8 (28.)  
 Trefferlage 0.02 mm links, 6.48 mm tief  
 Streuwert 7.10, horizontal: 4.75, vertikal: 8.85





Serie 4:  
 10.8 \*                      10.5 \*                      9.7 ↘                      10.1 →                      9.3 ↓  
 10.5 \*                      9.7 ↗                      9.9 ↓                      9.3 ↙                      10.6 \*  
 beste Teiler 104.3 (31.) 266.7 (40.) 328.8 (32.)  
 Trefferlage 1.05 mm rechts, 2.71 mm tief  
 Streuwert 5.82, horizontal: 5.18, vertikal: 6.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (404.2)  
 Serien: 98 96 94 96  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 1767 (16), 1580 (22), 1180 (35)  
 beste Teiler 50.3 (39.) 123.2 (27.) 187.5 (20.)  
 Trefferlage 0.53 mm links, 0.28 mm tief  
 Streuwert 5.52, horizontal: 4.93, vertikal: 6.06




Serie 1:  
 10.4 \* 10.1 ↗ 10.3 ← 10.5 \* 10.4 \*  
 9.9 ↓ 10.2 ↗ 10.0 ↑ 9.8 ↓ 10.5 \*  
 beste Teiler 335.0 (10.) 360.8 (4.) 464.8 (1.)  
 Trefferlage 0.13 mm links, 0.11 mm tief  
 Streuwert 4.65, horizontal: 3.94, vertikal: 5.27



Serie 2:  
 10.1 ← 10.0 ↖ 9.5 ↓ 10.4 \* 9.7 ↓  
 8.7 ← 10.3 ↗ 10.7 \* 10.2 ↖ 10.7 \*  
 beste Teiler 187.5 (20.) 201.8 (18.) 459.3 (14.)  
 Trefferlage 2.91 mm links, 2.36 mm tief  
 Streuwert 5.80, horizontal: 6.32, vertikal: 5.23



Serie 3:  
 9.8 ↓ 9.0 ↑ 9.9 ↖ 9.9 ↓ 10.3 ↓  
 10.6 \* 10.8 \* 10.6 \* 9.9 ↑ 9.7 ↑  
 beste Teiler 123.2 (27.) 258.1 (26.) 300.5 (28.)  
 Trefferlage 0.48 mm rechts, 2.35 mm hoch  
 Streuwert 5.98, horizontal: 2.82, vertikal: 7.97





Serie 4:  
 9.5 ↓ 10.4 \* 10.4 \* 9.9 ↗ 9.5 ↖  
 9.8 ↘ 10.5 \* 10.1 ↗ 10.9 \* 10.3 ←  
 beste Teiler 50.3 (39.) 378.6 (37.) 441.6 (32.)  
 Trefferlage 0.41 mm rechts, 1.02 mm tief  
 Streuwert 5.50, horizontal: 5.78, vertikal: 5.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.1)  
 Serien: 96 94 96 95  
 Zähler: 22 17 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1802 (16), 1525 (1), 1506 (30)  
 beste Teiler 190.5 (31.) 194.7 (18.) 200.3 (28.)  
 Trefferlage 1.14 mm links, 2.41 mm tief  
 Streuwert 6.04, horizontal: 5.38, vertikal: 6.63




Serie 1:  
 9.0 ↓                      10.0 ↗                      10.1 ↘                      9.5 ↘                      10.3 ↘  
 10.1 ↓                      9.5 ↓                      10.5 \*                      9.7 ↓                      10.4 \*  
 beste Teiler 337.2 (8.) 459.0 (10.) 524.0 (5.)  
 Trefferlage 0.42 mm rechts, 5.48 mm tief  
 Streuwert 5.34, horizontal: 3.91, vertikal: 6.46



Serie 2:  
 10.1 ↗                      9.3 ↖                      9.9 ↗                      10.2 ↓                      9.7 ↘  
 8.7 ↖                      10.6 \*                      10.7 \*                      10.5 \*                      9.8 ↘  
 beste Teiler 194.7 (18.) 263.2 (17.) 388.2 (19.)  
 Trefferlage 1.68 mm links, 0.58 mm tief  
 Streuwert 6.83, horizontal: 7.15, vertikal: 6.49



Serie 3:  
 9.9 ↖                      9.8 ↓                      10.0 ↖                      10.1 ↓                      9.6 ↘  
 10.2 ↗                      10.2 ↓                      10.7 \*                      10.2 ↗                      9.1 ↖  
 beste Teiler 200.3 (28.) 573.4 (26.) 601.0 (29.)  
 Trefferlage 0.35 mm links, 0.73 mm tief  
 Streuwert 6.21, horizontal: 5.91, vertikal: 6.50





Serie 4:  
 10.7 \*                      9.3 ↖                      9.6 ↗                      10.4 \*                      10.3 ↑  
 9.5 ↖                      10.0 ↗                      9.9 ↓                      10.4 \*                      9.6 ↗  
 beste Teiler 190.5 (31.) 404.4 (34.) 464.2 (39.)  
 Trefferlage 2.96 mm links, 2.84 mm tief  
 Streuwert 5.64, horizontal: 4.10, vertikal: 6.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.7)  
 Serien: 91 92 92 91  
 Zähler: 13 20 7 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2174 (26), 2139 (1), 1991 (32)  
 beste Teiler 103.4 (16.) 185.6 (33.) 222.0 (4.)  
 Trefferlage 1.28 mm links, 3.97 mm tief  
 Streuwert 8.01, horizontal: 7.86, vertikal: 8.17




Serie 1:  
 8.3 ↙ 9.6 ↓ 9.9 ↓ 10.7 \* 9.4 ↓  
 8.7 ↑ 10.5 \* 9.3 ↙ 10.7 \* 9.3 ←  
 beste Teiler 222.0 (4.) 238.7 (9.) 382.6 (7.)  
 Trefferlage 4.11 mm links, 2.96 mm tief  
 Streuwert 8.31, horizontal: 7.03, vertikal: 9.42



Serie 2:  
 10.4 \* 8.6 ↖ 9.6 ↓ 10.6 \* 10.2 ↘  
 10.8 \* 9.9 ↖ 9.5 ← 8.5 ↘ 9.1 →  
 beste Teiler 103.4 (16.) 295.4 (14.) 465.4 (11.)  
 Trefferlage 1.01 mm links, 2.27 mm tief  
 Streuwert 8.48, horizontal: 9.77, vertikal: 6.94



Serie 3:  
 9.2 ↓ 9.3 ↗ 10.0 ↓ 10.2 ↗ 10.4 \*  
 8.2 ↓ 9.5 → 9.9 → 10.5 \* 8.9 ←  
 beste Teiler 374.5 (29.) 417.7 (25.) 597.2 (24.)  
 Trefferlage 0.27 mm links, 4.27 mm tief  
 Streuwert 8.38, horizontal: 8.34, vertikal: 8.42





Serie 4:  
 9.6 ↘ 8.5 ↓ 10.7 \* 9.5 ↗ 10.5 \*  
 9.4 ↓ 9.7 ↓ 9.5 ↗ 9.5 ↗ 9.1 ↗  
 beste Teiler 185.6 (33.) 382.6 (35.) 1022.6 (37.)  
 Trefferlage 0.27 mm rechts, 6.37 mm tief  
 Streuwert 7.44, horizontal: 6.36, vertikal: 8.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.3)  
 Serien: 93 90 94 87  
 Zähler: 13 20 5 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3026 (34), 2457 (37), 2275 (13)  
 beste Teiler 242.4 (21.) 267.1 (18.) 318.8 (40.)  
 Trefferlage 0.57 mm rechts, 0.78 mm tief  
 Streuwert 8.94, horizontal: 9.05, vertikal: 8.82




Serie 1:  
 9.4 ↙                      9.5 ↗                      8.7 ↘                      10.4 \*                      9.2 →  
 10.2 ↓                      10.3 ↗                      9.3 ↘                      9.6 ↘                      10.3 ↖  
 beste Teiler 409.5 (4.) 510.8 (10.) 540.1 (7.)  
 Trefferlage 0.07 mm links, 4.74 mm tief  
 Streuwert 7.37, horizontal: 7.29, vertikal: 7.46



Serie 2:  
 10.4 \*                      8.9 ↑                      8.1 ↗                      9.7 →                      9.6 ↓  
 9.6 ↖                      9.4 ↘                      10.6 \*                      9.9 ↖                      9.4 ←  
 beste Teiler 267.1 (18.) 420.7 (11.) 809.0 (19.)  
 Trefferlage 0.34 mm links, 3.82 mm hoch  
 Streuwert 8.75, horizontal: 8.45, vertikal: 9.05



Serie 3:  
 10.6 \*                      9.2 →                      10.3 →                      9.9 ←                      10.1 ↘  
 8.7 ↘                      9.5 →                      10.2 ↑                      9.2 ←                      10.2 ←  
 beste Teiler 242.4 (21.) 500.2 (23.) 608.9 (30.)  
 Trefferlage 1.62 mm rechts, 0.81 mm tief  
 Streuwert 7.62, horizontal: 9.92, vertikal: 4.21





Serie 4:  
 10.4 \*                      8.8 ↓                      9.5 ↘                      7.2 ↘                      9.4 →  
 9.8 →                      7.9 →                      9.9 ←                      9.4 ↑                      10.6 \*  
 beste Teiler 318.8 (40.) 451.3 (31.) 835.5 (38.)  
 Trefferlage 1.11 mm rechts, 1.42 mm tief  
 Streuwert 11.61, horizontal: 11.35, vertikal: 11.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.3)  
 Serien: 88 91 90 93  
 Zähler: 12 18 10 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2329 (22), 2007 (9), 1996 (32)  
 beste Teiler 348.8 (33.) 351.4 (40.) 356.0 (29.)  
 Trefferlage 0.84 mm rechts, 7.44 mm tief  
 Streuwert 7.47, horizontal: 6.86, vertikal: 8.03




Serie 1:  
 8.8 ↓                      9.9 ↘                      8.6 ↓                      9.7 ✓                      9.4 ↓  
 10.3 ↗                      8.8 ←                      10.1 ←                      8.4 ✓                      9.0 ↓  
 beste Teiler 524.8 (6.) 650.0 (8.) 842.6 (2.)  
 Trefferlage 3.84 mm links, 9.79 mm tief  
 Streuwert 7.12, horizontal: 7.13, vertikal: 7.10



Serie 2:  
 9.3 →                      9.8 ←                      10.4 \*                      10.4 ↓                      9.0 ↓  
 9.6 ↘                      9.5 ↓                      9.8 →                      8.6 ↓                      9.6 ↓  
 beste Teiler 442.4 (13.) 476.6 (14.) 910.1 (18.)  
 Trefferlage 2.33 mm rechts, 7.27 mm tief  
 Streuwert 6.47, horizontal: 6.70, vertikal: 6.23



Serie 3:  
 9.3 ↓                      8.0 ↓                      10.3 ↘                      9.2 ✓                      10.3 ↗  
 8.9 ↓                      8.5 ↓                      9.3 ↓                      10.5 \*                      9.5 ←  
 beste Teiler 356.0 (29.) 523.3 (25.) 543.2 (23.)  
 Trefferlage 0.48 mm links, 10.60 mm tief  
 Streuwert 6.79, horizontal: 5.23, vertikal: 8.05





Serie 4:  
 10.4 \*                      8.5 ↓                      10.5 \*                      9.4 ↓                      9.5 →  
 10.2 ↗                      10.3 ↗                      8.5 ↗                      9.7 →                      10.5 \*  
 beste Teiler 348.8 (33.) 351.4 (40.) 468.6 (31.)  
 Trefferlage 5.37 mm rechts, 2.09 mm tief  
 Streuwert 7.25, horizontal: 5.40, vertikal: 8.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.8)  
 Serien: 90 94 96 88  
 Zähler: 16 16 8 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2257 (36), 2200 (4), 2030 (17)  
 beste Teiler 343.1 (27.) 367.3 (28.) 408.8 (34.)  
 Trefferlage 1.73 mm rechts, 2.55 mm tief  
 Streuwert 7.82, horizontal: 6.22, vertikal: 9.14




Serie 1:  
 9.5 ←                      9.6 ↑                      10.0 ↑                      8.2 ↘                      9.9 ↓  
 10.4 \*                      10.3 →                      8.9 ↘                      9.1 ↘                      8.8 ↓  
 beste Teiler 436.3 (6.) 503.7 (7.) 800.0 (3.)  
 Trefferlage 1.94 mm rechts, 5.80 mm tief  
 Streuwert 8.65, horizontal: 6.94, vertikal: 10.07



Serie 2:  
 9.8 ↓                      10.0 ↙                      9.7 ↓                      9.9 ↖                      10.4 \*  
 10.4 \*                      8.4 ↓                      10.0 ↗                      9.8 ↗                      10.3 ↙  
 beste Teiler 435.4 (16.) 459.4 (15.) 524.1 (20.)  
 Trefferlage 2.23 mm links, 2.30 mm tief  
 Streuwert 6.78, horizontal: 4.29, vertikal: 8.58



Serie 3:  
 10.2 →                      8.9 ↓                      9.1 →                      10.1 ↙                      9.9 →  
 10.2 ←                      10.5 \*                      10.5 \*                      10.1 →                      10.2 ↘  
 beste Teiler 343.1 (27.) 367.3 (28.) 573.7 (30.)  
 Trefferlage 2.95 mm rechts, 3.04 mm tief  
 Streuwert 5.88, horizontal: 6.34, vertikal: 5.37





Serie 4:  
 9.8 ↙                      9.9 ↘                      9.8 ↗                      10.4 \*                      9.8 ↓  
 8.1 ↗                      9.7 ↗                      8.7 →                      9.9 ↑                      8.6 ↓  
 beste Teiler 408.8 (34.) 841.4 (39.) 878.9 (32.)  
 Trefferlage 4.29 mm rechts, 0.95 mm hoch  
 Streuwert 9.14, horizontal: 5.87, vertikal: 11.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.8)  
 Serien: 90 93 92 95  
 Zähler: 13 24 3 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2128 (1), 1702 (25), 1686 (2)  
 beste Teiler 107.0 (33.) 199.1 (36.) 249.9 (24.)  
 Trefferlage 2.97 mm links, 0.35 mm hoch  
 Streuwert 7.53, horizontal: 8.03, vertikal: 6.98




Serie 1:  
 8.3 ← 8.8 ↗ 10.0 ↑ 9.7 ↘ 9.8 →  
 9.7 ↘ 9.8 ↓ 10.2 ↑ 9.7 ← 9.8 ↓  
 beste Teiler 584.4 (8.) 797.9 (3.) 894.0 (5.)  
 Trefferlage 1.82 mm links, 0.99 mm hoch  
 Streuwert 8.68, horizontal: 9.98, vertikal: 7.15



Serie 2:  
 9.6 ↗ 9.5 ← 10.3 ↗ 9.8 ↑ 9.8 ↖  
 9.5 → 9.0 ↓ 10.2 ↘ 10.2 ↘ 9.1 ←  
 beste Teiler 505.6 (13.) 597.1 (19.) 604.4 (18.)  
 Trefferlage 0.71 mm rechts, 1.02 mm tief  
 Streuwert 7.77, horizontal: 8.46, vertikal: 7.01



Serie 3:  
 9.1 ↘ 10.2 ↓ 9.1 ← 10.6 \* 8.8 ↘  
 10.4 \* 9.7 ↘ 9.2 ↘ 9.8 ↑ 9.0 ↖  
 beste Teiler 249.9 (24.) 453.5 (26.) 588.4 (22.)  
 Trefferlage 6.61 mm links, 3.25 mm hoch  
 Streuwert 6.89, horizontal: 6.75, vertikal: 7.03





Serie 4:  
 10.0 ↗ 9.2 ← 10.8 \* 9.7 ← 9.3 ↓  
 10.7 \* 9.6 ↘ 10.1 ← 10.3 ← 9.4 ↖  
 beste Teiler 107.0 (33.) 199.1 (36.) 537.7 (39.)  
 Trefferlage 4.18 mm links, 1.81 mm tief  
 Streuwert 6.10, horizontal: 5.48, vertikal: 6.66

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **369** (388.8)  
 Serien: 86 94 92 97  
 Zähler: 20 12 7 0 0 1 0 0 0 0  
 Innenzehner: 11  
 weiteste: 4549 (4), 2341 (2), 2011 (21)  
 beste Teiler 124.9 (22.) 132.3 (33.) 157.9 (7.)  
 Trefferlage 1.28 mm links, 2.28 mm hoch  
 Streuwert 8.92, horizontal: 8.92, vertikal: 8.92




Serie 1:  
 8.8 ↖                      8.0 ←                      9.9 ←                      5.3 ↖                      10.0 ↖  
 8.6 ↙                      10.8 \*                      9.4 ↘                      10.1 ↖                      9.9 ↓  
 beste Teiler 157.9 (7.) 656.6 (9.) 754.5 (5.)  
 Trefferlage 9.38 mm links, 2.42 mm hoch  
 Streuwert 12.28, horizontal: 9.04, vertikal: 14.83



Serie 2:  
 10.3 ↓                      10.2 ↓                      8.8 ↗                      9.0 ←                      9.7 ↗  
 8.9 ↘                      10.4 \*                      10.2 ↑                      10.7 \*                      10.0 ↖  
 beste Teiler 162.0 (19.) 411.6 (17.) 487.7 (11.)  
 Trefferlage 1.30 mm rechts, 1.37 mm hoch  
 Streuwert 7.66, horizontal: 8.47, vertikal: 6.75



Serie 3:  
 8.4 ↗                      10.8 \*                      10.5 \*                      9.5 ↖                      9.6 ↗  
 8.9 →                      9.6 ↖                      9.5 ↓                      10.4 \*                      10.0 ←  
 beste Teiler 124.9 (22.) 347.5 (23.) 453.9 (29.)  
 Trefferlage 1.57 mm rechts, 3.11 mm hoch  
 Streuwert 7.96, horizontal: 8.83, vertikal: 6.99





Serie 4:  
 10.7 \*                      10.7 \*                      10.8 \*                      10.5 \*                      9.7 →  
 9.2 ↑                      10.5 \*                      10.3 ↖                      9.9 ↖                      10.3 ↘  
 beste Teiler 132.3 (33.) 219.2 (32.) 228.5 (31.)  
 Trefferlage 1.38 mm rechts, 2.25 mm hoch  
 Streuwert 4.69, horizontal: 3.96, vertikal: 5.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (403.5)  
 Serien: 97 98 96 96  
 Zähler: 28 11 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2114 (24), 1413 (7), 1412 (38)  
 beste Teiler 75.0 (8.) 106.0 (39.) 188.7 (32.)  
 Trefferlage 0.49 mm rechts, 2.57 mm tief  
 Streuwert 5.52, horizontal: 4.82, vertikal: 6.14




Serie 1:  
 10.2 ↘      10.3 ↘      10.3 ↗      10.5 \*      10.2 ↘  
 9.2 ↓      9.2 ↓      10.9 \*      9.9 →      10.3 ↙  
 beste Teiler 75.0 (8.) 369.0 (4.) 504.7 (3.)  
 Trefferlage 2.04 mm rechts, 4.11 mm tief  
 Streuwert 4.87, horizontal: 4.01, vertikal: 5.60



Serie 2:  
 10.4 \*      10.3 ↗      10.6 \*      10.7 \*      9.2 ↘  
 10.1 ↗      9.4 ↘      10.6 \*      10.5 \*      10.2 ↗  
 beste Teiler 198.4 (14.) 298.8 (18.) 318.4 (13.)  
 Trefferlage 2.15 mm rechts, 1.31 mm tief  
 Streuwert 4.96, horizontal: 3.56, vertikal: 6.04



Serie 3:  
 9.9 ↘      9.4 ↑      10.2 ↑      8.3 ↙      10.0 ↙  
 10.5 \*      10.3 ↙      10.0 ↘      10.2 ↓      10.4 \*  
 beste Teiler 326.0 (26.) 443.1 (30.) 530.8 (27.)  
 Trefferlage 2.65 mm links, 1.07 mm tief  
 Streuwert 6.84, horizontal: 5.82, vertikal: 7.72





Serie 4:  
 9.9 ↙      10.7 \*      10.5 \*      10.2 ↗      9.4 ↙  
 10.1 ↘      9.9 ↓      9.2 ↓      10.8 \*      10.6 \*  
 beste Teiler 106.0 (39.) 188.7 (32.) 295.9 (40.)  
 Trefferlage 0.44 mm rechts, 3.79 mm tief  
 Streuwert 4.91, horizontal: 4.61, vertikal: 5.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (388.8)  
 Serien: 94 95 95 91  
 Zähler: 20 15 5 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2382 (21), 2194 (31), 1859 (17)  
 beste Teiler 134.8 (11.) 389.3 (15.) 446.4 (6.)  
 Trefferlage 2.20 mm links, 3.78 mm tief  
 Streuwert 7.28, horizontal: 8.29, vertikal: 6.10




Serie 1:  
 9.9 ↘                      9.4 →                      9.3 ↓                      10.3 ↓                      9.1 ↓  
 10.4 \*                      10.2 ↓                      10.1 ↓                      9.0 ↓                      9.6 ↙  
 beste Teiler 446.4 (6.) 515.1 (4.) 593.6 (7.)  
 Trefferlage 0.09 mm links, 5.98 mm tief  
 Streuwert 6.46, horizontal: 6.41, vertikal: 6.51



Serie 2:  
 10.8 \*                      9.1 ↓                      9.7 ↙                      10.0 ↖                      10.5 \*  
 9.2 ↙                      8.6 ←                      10.2 ↘                      10.2 ↓                      10.3 ↙  
 beste Teiler 134.8 (11.) 389.3 (15.) 536.4 (20.)  
 Trefferlage 4.41 mm links, 3.17 mm tief  
 Streuwert 6.47, horizontal: 7.43, vertikal: 5.34



Serie 3:  
 8.0 ←                      10.0 ↙                      8.9 ↙                      10.3 ←                      10.3 ↓  
 9.8 →                      10.1 ↙                      10.0 →                      10.1 ↓                      10.0 ↙  
 beste Teiler 541.0 (24.) 551.7 (25.) 684.4 (27.)  
 Trefferlage 4.33 mm links, 3.97 mm tief  
 Streuwert 7.06, horizontal: 9.44, vertikal: 3.26





Serie 4:  
 8.2 ↙                      9.8 ↖                      9.4 →                      9.5 →                      10.2 ↑  
 10.0 ↓                      9.4 →                      10.3 ↓                      9.7 ↑                      8.9 ↓  
 beste Teiler 546.6 (38.) 599.1 (35.) 789.2 (36.)  
 Trefferlage 0.03 mm rechts, 2.01 mm tief  
 Streuwert 9.00, horizontal: 9.58, vertikal: 8.39

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>382</b>	(400.9)			
Serien:	97	96	94	95	
Zähler:	24	14	2	0	0 0 0 0 0 0
Innenzehner:	13				
weiteste:	1875 (22), 1810 (36), 1586 (15)				
beste Teiler	152.1 (37.) 239.0 (27.) 279.5 (24.)				
Trefferlage	0.97 mm links, 0.84 mm tief				
Streuwert	6.13, horizontal: 6.30, vertikal: 5.95				




Serie 1:

10.4 *	10.3 ↘	10.3 ↘	10.1 ↘	9.4 ↑
9.9 ↙	9.1 ↖	10.5 *	10.5 *	10.6 *
beste Teiler	299.8 (10.) 343.6 (8.) 384.4 (9.)			
Trefferlage	1.05 mm links, 0.39 mm tief			
Streuwert	5.80, horizontal: 4.00, vertikal: 7.16			




Serie 2:

9.9 ↙	10.0 ↓	10.0 ↗	10.5 *	9.0 ↑
10.3 ↙	10.5 *	9.5 ↘	9.9 ↓	10.5 *
beste Teiler	328.0 (20.) 362.3 (17.) 374.5 (14.)			
Trefferlage	0.88 mm links, 1.17 mm hoch			
Streuwert	6.10, horizontal: 4.72, vertikal: 7.23			



Serie 3:

9.9 ↙	8.6 ↙	9.8 →	10.6 *	9.8 ↘
10.3 →	10.7 *	10.4 *	10.3 ↑	9.9 ↙
beste Teiler	239.0 (27.) 279.5 (24.) 447.2 (28.)			
Trefferlage	0.30 mm links, 1.56 mm tief			
Streuwert	6.32, horizontal: 7.09, vertikal: 5.44			





Serie 4:

9.4 ↙	10.4 ↘	10.4 *	9.9 ↘	9.0 →
8.7 ↙	10.8 *	10.0 ←	10.5 *	10.3 ↙
beste Teiler	152.1 (37.) 382.3 (39.) 436.3 (33.)			
Trefferlage	1.67 mm links, 2.60 mm tief			
Streuwert	6.85, horizontal: 9.08, vertikal: 3.38			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (395.6)  
 Serien: 94 91 93 97  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2395 (10), 2347 (19), 2099 (15)  
 beste Teiler 44.0 (29.) 192.0 (18.) 236.5 (37.)  
 Trefferlage 0.32 mm rechts, 0.78 mm hoch  
 Streuwert 7.15, horizontal: 5.79, vertikal: 8.30




Serie 1:  
 9.7 ↙ 10.0 ↓ 10.2 ↗ 10.3 → 9.5 ↘  
 10.5 \* 9.7 ↑ 9.9 → 10.3 ↗ 8.0 ↘  
 beste Teiler 347.1 (6.) 496.9 (4.) 501.6 (9.)  
 Trefferlage 2.48 mm rechts, 1.77 mm tief  
 Streuwert 7.62, horizontal: 8.36, vertikal: 6.79



Serie 2:  
 10.6 \* 10.0 ↑ 9.9 ↗ 9.5 ↓ 8.3 ↑  
 9.4 ↓ 10.1 → 10.7 \* 8.0 ↑ 8.9 ↘  
 beste Teiler 192.0 (18.) 269.0 (11.) 702.6 (17.)  
 Trefferlage 0.53 mm rechts, 5.24 mm hoch  
 Streuwert 9.05, horizontal: 4.80, vertikal: 11.86



Serie 3:  
 9.8 ↘ 9.9 ↖ 9.3 ← 9.8 ↑ 9.7 ↘  
 9.8 ← 10.3 ↑ 9.9 ↘ 10.9 \* 10.5 \*  
 beste Teiler 44.0 (29.) 341.0 (30.) 516.1 (27.)  
 Trefferlage 1.88 mm links, 0.79 mm hoch  
 Streuwert 6.03, horizontal: 5.90, vertikal: 6.17





Serie 4:  
 10.5 \* 10.5 \* 10.1 ↖ 10.4 \* 9.6 ↓  
 10.4 ↑ 10.7 \* 10.3 ↘ 9.9 ↑ 9.8 ↓  
 beste Teiler 236.5 (37.) 327.2 (31.) 350.0 (32.)  
 Trefferlage 0.17 mm rechts, 1.13 mm tief  
 Streuwert 4.84, horizontal: 2.62, vertikal: 6.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(394.2)
Serien:	94 95 94 95	
Zähler:	21 16 3 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1998 (27), 1795 (18), 1700 (39)	
beste Teiler	51.9 (12.) 109.6 (28.) 213.8 (13.)	
Trefferlage	2.62 mm rechts, 2.14 mm tief	
Streuwert	6.82, horizontal: 6.21, vertikal: 7.38	




Serie 1:	9.1 ↑	10.0 ↘	9.0 ↙	9.5 ↓	10.4 *
	10.7 *	9.4 ↗	9.2 ↗	10.2 ↗	9.7 →
beste Teiler	233.1 (6.)	442.9 (5.)	571.3 (9.)		
Trefferlage	0.52 mm rechts, 0.09 mm tief				
Streuwert	8.09, horizontal: 7.24, vertikal: 8.87				



Serie 2:	10.4 ↑	10.9 *	10.7 *	10.2 ↖	9.4 ↓
	10.1 →	9.4 ↗	8.7 ↘	10.5 *	9.4 ↓
beste Teiler	51.9 (12.)	213.8 (13.)	322.5 (19.)		
Trefferlage	2.09 mm rechts, 2.22 mm tief				
Streuwert	6.66, horizontal: 5.67, vertikal: 7.53				



Serie 3:	9.7 ↘	9.8 ↑	10.0 ↓	9.2 ↓	9.6 ↘
	10.1 ↓	8.5 ↘	10.8 *	10.4 *	10.4 *
beste Teiler	109.6 (28.)	418.5 (30.)	461.9 (29.)		
Trefferlage	2.64 mm rechts, 3.31 mm tief				
Streuwert	6.90, horizontal: 5.55, vertikal: 8.02				



Serie 4:	10.6 *	10.2 ↓	10.5 *	10.3 →	9.5 ↓
	9.3 ↘	10.2 ↓	9.1 →	8.8 →	10.3 ↘
beste Teiler	283.3 (31.)	331.3 (33.)	494.7 (34.)		
Trefferlage	5.23 mm rechts, 2.93 mm tief				
Streuwert	5.85, horizontal: 6.25, vertikal: 5.42				

Unterschrift des Schützen

Meyton Elektronik