




Ergebnis: **204.1** (198)
 Serien: 101.2 102.9
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1162 (12), 1109 (7), 798 (8)
 beste Teiler 266.7 (18.) 268.9 (16.) 404.8 (1.)
 Trefferlage 0.98 mm links, 1.56 mm tief
 Streuwert 4.50, horizontal: 4.55, vertikal: 4.44





Serie 1:
 10.4 * 10.1 ↓ 10.4 * 10.1 ↓ 10.3 ↓
 10.1 ↘ 9.6 ↖ 10.0 ↓ 10.0 ← 10.2 ↙
 beste Teiler 404.8 (1.) 464.1 (3.) 553.4 (5.)
 Trefferlage 0.68 mm links, 2.27 mm tief
 Streuwert 4.91, horizontal: 4.02, vertikal: 5.66




Serie 2:
 10.4 * 9.5 ↖ 10.3 ↘ 10.0 → 10.4 *
 10.6 * 10.4 * 10.6 * 10.3 * 10.4 *
 beste Teiler 266.7 (18.) 268.9 (16.) 407.2 (17.)
 Trefferlage 1.29 mm links, 0.85 mm tief
 Streuwert 4.23, horizontal: 5.23, vertikal: 2.91

Unterschrift des Schützen

Ergebnis: **206.2** (196)
 Serien: 103.0 103.2
 Zähler: 16 4 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1118 (11), 941 (15), 940 (8)
 beste Teiler 146.1 (2.) 160.6 (6.) 190.1 (19.)
 Trefferlage 0.06 mm rechts, 0.55 mm hoch
 Streuwert 4.29, horizontal: 4.94, vertikal: 3.53





Serie 1:
 10.5 * 10.8 * 9.9 ← 10.0 ← 10.0 →
 10.8 * 10.3 * 9.8 ↑ 10.3 * 10.6 *
 beste Teiler 146.1 (2.) 160.6 (6.) 291.0 (10.)
 Trefferlage 1.24 mm links, 0.29 mm hoch
 Streuwert 4.33, horizontal: 4.57, vertikal: 4.07




Serie 2:
 9.6 → 10.1 ↓ 10.5 * 10.5 * 9.8 ↗
 10.5 * 10.5 * 10.3 ↖ 10.7 * 10.7 *
 beste Teiler 190.1 (19.) 219.8 (20.) 330.6 (17.)
 Trefferlage 1.36 mm rechts, 0.81 mm hoch
 Streuwert 4.27, horizontal: 5.18, vertikal: 3.11

Unterschrift des Schützen

Ergebnis: **195.2** (186)
 Serien: 96.2 99.0
 Zähler: 8 10 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1806 (7), 1709 (20), 1543 (2)
 beste Teiler 178.6 (15.) 380.2 (1.) 453.1 (18.)
 Trefferlage 1.61 mm rechts, 3.21 mm hoch
 Streuwert 7.20, horizontal: 5.75, vertikal: 8.40



Serie 1:
 10.5 * 9.0 ↘ 9.7 ↘ 10.1 ↑ 10.3 ↑
 9.4 ↑ 8.7 ↗ 9.9 → 9.1 ↑ 9.5 ←
 beste Teiler 380.2 (1.) 537.6 (5.) 657.5 (4.)
 Trefferlage 2.43 mm rechts, 2.43 mm hoch
 Streuwert 8.26, horizontal: 6.29, vertikal: 9.84





Serie 2:
 9.5 ↘ 9.6 ↗ 10.1 ↗ 10.2 ↗ 10.7 *
 10.2 ↗ 9.6 ↑ 10.4 * 9.9 ↗ 8.8 ↘
 beste Teiler 178.6 (15.) 453.1 (18.) 629.0 (16.)
 Trefferlage 0.79 mm rechts, 3.98 mm hoch
 Streuwert 6.31, horizontal: 5.36, vertikal: 7.14


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **196.7** (191)
 Serien: 98.5 98.2
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1597 (18), 1496 (4), 1430 (9)
 beste Teiler 466.4 (1.) 545.3 (10.) 564.6 (3.)
 Trefferlage 0.34 mm rechts, 0.88 mm tief
 Streuwert 6.85, horizontal: 6.88, vertikal: 6.82



Serie 1:
 10.4 * 10.0 ↘ 10.2 ↘ 9.1 ↘ 9.5 ↘
 10.1 → 9.7 ↗ 10.0 ↘ 9.2 ← 10.3 ↗
 beste Teiler 466.4 (1.) 545.3 (10.) 564.6 (3.)
 Trefferlage 0.30 mm rechts, 0.17 mm tief
 Streuwert 7.13, horizontal: 7.53, vertikal: 6.71





Serie 2:
 10.1 ↗ 9.7 ↓ 10.0 ↗ 9.8 ← 10.1 ↓
 10.0 ↘ 9.7 ↓ 9.0 ↘ 10.1 ↑ 9.7 ↘
 beste Teiler 646.8 (15.) 660.4 (19.) 710.3 (11.)
 Trefferlage 0.38 mm rechts, 1.58 mm tief
 Streuwert 6.90, horizontal: 6.57, vertikal: 7.21


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **209.1** (200)
 Serien: 105.3 103.8
 Zähler: 20 0 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 775 (17), 669 (4), 659 (13)
 beste Teiler 149.0 (5.) 195.0 (7.) 218.8 (14.)
 Trefferlage 0.80 mm links, 0.31 mm tief
 Streuwert 3.10, horizontal: 3.43, vertikal: 2.73





Serie 1:
 10.6 * 10.6 * 10.3 * 10.1 ↑ 10.8 *
 10.4 * 10.7 * 10.6 * 10.6 * 10.6 *
 beste Teiler 149.0 (5.) 195.0 (7.) 245.8 (1.)
 Trefferlage 1.42 mm links, 0.19 mm tief
 Streuwert 2.53, horizontal: 1.82, vertikal: 3.07




Serie 2:
 10.2 ↙ 10.7 * 10.1 → 10.7 * 10.5 *
 10.1 → 10.0 ↙ 10.2 ← 10.6 * 10.7 *
 beste Teiler 218.8 (14.) 222.1 (20.) 231.1 (12.)
 Trefferlage 0.18 mm links, 0.43 mm tief
 Streuwert 3.68, horizontal: 4.55, vertikal: 2.51

Unterschrift des Schützen

Ergebnis: **202.4** (191)
 Serien: 102.0 100.4
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1371 (2), 1298 (19), 1251 (20)
 beste Teiler 132.4 (6.) 237.0 (12.) 239.6 (1.)
 Trefferlage 1.16 mm links, 1.81 mm hoch
 Streuwert 5.24, horizontal: 6.11, vertikal: 4.20





Serie 1:
 10.7 * 9.2 ← 9.9 ↖ 10.4 * 10.4 *
 10.8 * 10.2 ↘ 10.1 ↗ 9.7 → 10.6 *
 beste Teiler 132.4 (6.) 239.6 (1.) 264.0 (10.)
 Trefferlage 1.26 mm links, 0.48 mm hoch
 Streuwert 5.11, horizontal: 6.32, vertikal: 3.50




Serie 2:
 10.5 * 10.7 * 10.4 * 9.9 ↑ 9.9 ↑
 10.5 * 9.9 → 9.9 ↑ 9.3 ↖ 9.4 ←
 beste Teiler 237.0 (12.) 321.3 (11.) 349.9 (16.)
 Trefferlage 1.07 mm links, 3.14 mm hoch
 Streuwert 5.47, horizontal: 6.22, vertikal: 4.59

Unterschrift des Schützen

Ergebnis: **205.9** (197)
 Serien: 104.7 101.2
 Zähler: 17 3 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1189 (17), 998 (14), 929 (19)
 beste Teiler 205.4 (10.) 236.9 (3.) 240.0 (1.)
 Trefferlage 0.70 mm rechts, 2.19 mm hoch
 Streuwert 3.94, horizontal: 4.19, vertikal: 3.68





Serie 1:
 10.7 * 10.4 * 10.7 * 10.6 * 10.1 ↗
 10.3 * 10.4 * 10.6 * 10.2 → 10.7 *
 beste Teiler 205.4 (10.) 236.9 (3.) 240.0 (1.)
 Trefferlage 1.12 mm rechts, 0.55 mm hoch
 Streuwert 3.04, horizontal: 3.19, vertikal: 2.89




Serie 2:
 10.0 ↖ 10.5 * 10.5 * 9.7 ↖ 10.2 ↘
 10.4 * 9.5 → 10.1 ↖ 9.8 ↖ 10.5 *
 beste Teiler 322.3 (12.) 324.7 (13.) 332.6 (20.)
 Trefferlage 0.28 mm rechts, 3.84 mm hoch
 Streuwert 4.51, horizontal: 5.14, vertikal: 3.78

Unterschrift des Schützen

Ergebnis: **205.1** (196)
 Serien: 102.1 103.0
 Zähler: 16 4 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1045 (2), 926 (15), 824 (13)
 beste Teiler 176.2 (18.) 281.1 (20.) 306.7 (5.)
 Trefferlage 0.20 mm links, 0.98 mm tief
 Streuwert 4.33, horizontal: 4.44, vertikal: 4.22





Serie 1:
 10.4 * 9.6 ↙ 10.0 ↘ 10.1 ↓ 10.6 *
 10.6 * 10.1 ↓ 10.4 * 10.4 * 9.9 ←
 beste Teiler 306.7 (5.) 310.4 (6.) 438.7 (1.)
 Trefferlage 1.16 mm links, 1.95 mm tief
 Streuwert 4.41, horizontal: 4.29, vertikal: 4.52




Serie 2:
 10.2 ↓ 10.5 * 9.9 ↘ 10.5 * 9.8 →
 10.1 ↗ 10.4 * 10.7 * 10.3 ↖ 10.6 *
 beste Teiler 176.2 (18.) 281.1 (20.) 384.8 (12.)
 Trefferlage 0.75 mm rechts, 0.02 mm tief
 Streuwert 4.25, horizontal: 4.59, vertikal: 3.87

Unterschrift des Schützen

Ergebnis: **201.2** (192)
 Serien: 100.4 100.8
 Zähler: 12 8 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1599 (12), 1489 (8), 1228 (13)
 beste Teiler 230.1 (16.) 319.3 (10.) 337.9 (11.)
 Trefferlage 1.45 mm rechts, 1.40 mm tief
 Streuwert 5.72, horizontal: 6.08, vertikal: 5.33





Serie 1:
 10.2 ↙ 9.6 ↘ 10.4 * 10.4 * 9.9 ↗
 9.9 ↗ 10.2 → 9.1 → 10.1 ↘ 10.6 *
 beste Teiler 319.3 (10.) 463.8 (4.) 478.7 (3.)
 Trefferlage 0.49 mm rechts, 0.53 mm hoch
 Streuwert 5.99, horizontal: 6.63, vertikal: 5.29




Serie 2:
 10.5 * 9.0 ↘ 9.4 ↘ 9.8 ↘ 10.1 →
 10.7 * 10.5 * 10.5 * 10.4 * 9.9 ←
 beste Teiler 230.1 (16.) 337.9 (11.) 384.4 (18.)
 Trefferlage 2.40 mm rechts, 3.34 mm tief
 Streuwert 5.29, horizontal: 5.67, vertikal: 4.87

Unterschrift des Schützen

Ergebnis: **201.8** (192)
 Serien: 101.3 100.5
 Zähler: 12 8 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1406 (2), 1291 (17), 1115 (11)
 beste Teiler 70.2 (6.) 248.8 (10.) 279.3 (16.)
 Trefferlage 3.20 mm links, 1.78 mm hoch
 Streuwert 5.02, horizontal: 4.77, vertikal: 5.26



Serie 1:
 9.8 ↑ 9.2 ↑ 9.6 ↖ 10.3 * 10.2 ↑
 10.9 * 10.4 * 9.8 ↖ 10.5 * 10.6 *
 beste Teiler 70.2 (6.) 248.8 (10.) 333.7 (9.)
 Trefferlage 2.42 mm links, 4.63 mm hoch
 Streuwert 4.20, horizontal: 3.53, vertikal: 4.77





Serie 2:
 9.6 ← 10.5 * 10.3 * 9.7 ↘ 9.6 ↖
 10.6 * 9.3 ↖ 10.5 * 10.2 ↖ 10.2 ↖
 beste Teiler 279.3 (16.) 363.1 (12.) 369.5 (18.)
 Trefferlage 3.97 mm links, 1.06 mm tief
 Streuwert 5.10, horizontal: 5.86, vertikal: 4.21


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **206.8** (199)
 Serien: 103.9 102.9
 Zähler: 19 1 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 998 (20), 678 (12), 666 (16)
 beste Teiler 234.5 (1.) 273.0 (13.) 320.2 (18.)
 Trefferlage 0.91 mm links, 1.38 mm tief
 Streuwert 3.61, horizontal: 4.06, vertikal: 3.11





Serie 1:
 10.7 * 10.4 * 10.3 * 10.5 * 10.4 *
 10.2 ← 10.2 ← 10.5 * 10.3 ← 10.4 *
 beste Teiler 234.5 (1.) 323.8 (4.) 358.6 (8.)
 Trefferlage 1.85 mm links, 0.79 mm tief
 Streuwert 3.16, horizontal: 3.07, vertikal: 3.26




Serie 2:
 10.3 * 10.1 ↖ 10.6 * 10.4 * 10.2 ↙
 10.1 ← 10.5 * 10.6 * 10.4 * 9.7 ↘
 beste Teiler 273.0 (13.) 320.2 (18.) 393.5 (17.)
 Trefferlage 0.02 mm rechts, 1.98 mm tief
 Streuwert 4.03, horizontal: 4.84, vertikal: 3.00

Unterschrift des Schützen

Ergebnis: **185.2** (177)
 Serien: 93.9 91.3
 Zähler: 3 12 4 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3168 (12), 2233 (14), 2058 (8)
 beste Teiler 314.8 (20.) 416.1 (2.) 751.6 (13.)
 Trefferlage 5.56 mm links, 0.48 mm tief
 Streuwert 10.06, horizontal: 8.47, vertikal: 11.43





Serie 1:
 9.0 ↘ 10.4 * 9.5 ↘ 9.8 ← 9.3 ↓
 9.2 ↓ 9.2 ↙ 8.4 ↓ 9.4 → 9.7 ↙
 beste Teiler 416.1 (2.) 930.2 (4.) 975.3 (10.)
 Trefferlage 4.71 mm links, 5.13 mm tief
 Streuwert 8.29, horizontal: 7.07, vertikal: 9.36




Serie 2:
 9.3 ↗ 7.0 ↑ 10.0 ↘ 8.2 ← 9.5 ↑
 9.5 ↘ 8.9 ↘ 8.4 ← 9.9 ← 10.6 *
 beste Teiler 314.8 (20.) 751.6 (13.) 835.5 (19.)
 Trefferlage 6.41 mm links, 4.16 mm hoch
 Streuwert 10.95, horizontal: 9.99, vertikal: 11.84

Unterschrift des Schützen

Ergebnis: **205.3** (195)
 Serien: 102.3 103.0
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1380 (12), 1196 (1), 878 (15)
 beste Teiler 106.8 (18.) 140.4 (16.) 182.0 (13.)
 Trefferlage 0.70 mm rechts, 1.95 mm hoch
 Streuwert 4.42, horizontal: 4.51, vertikal: 4.33



Serie 1:
 9.5 → 10.1 ↘ 10.5 * 10.1 ↓ 9.9 ↑
 10.6 * 10.1 ↖ 10.6 * 10.6 * 10.3 *
 beste Teiler 249.5 (9.) 255.4 (6.) 256.2 (8.)
 Trefferlage 1.69 mm rechts, 1.25 mm hoch
 Streuwert 4.49, horizontal: 4.90, vertikal: 4.05





Serie 2:
 10.5 * 9.2 ↑ 10.7 * 10.1 ↑ 9.9 ↖
 10.8 * 10.6 * 10.8 * 10.5 * 9.9 →
 beste Teiler 106.8 (18.) 140.4 (16.) 182.0 (13.)
 Trefferlage 0.28 mm links, 2.65 mm hoch
 Streuwert 4.40, horizontal: 4.09, vertikal: 4.69


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **200.7** (193)
 Serien: 99.3 101.4
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1378 (10), 1164 (7), 1066 (3)
 beste Teiler 245.0 (19.) 246.9 (9.) 295.8 (12.)
 Trefferlage 0.79 mm rechts, 2.24 mm hoch
 Streuwert 5.47, horizontal: 6.17, vertikal: 4.66





Serie 1:
 9.6 ↘ 10.0 ↑ 9.6 ↙ 10.3 * 10.1 ↘
 10.2 ↗ 9.5 ↘ 10.2 → 10.6 * 9.2 ↘
 beste Teiler 246.9 (9.) 495.5 (4.) 577.4 (8.)
 Trefferlage 0.05 mm rechts, 3.08 mm hoch
 Streuwert 6.07, horizontal: 6.81, vertikal: 5.23




Serie 2:
 9.7 ↘ 10.6 * 9.7 → 10.5 * 10.1 ↑
 10.0 ↗ 9.8 ↙ 10.2 ↘ 10.6 * 10.2 ↘
 beste Teiler 245.0 (19.) 295.8 (12.) 399.1 (14.)
 Trefferlage 1.54 mm rechts, 1.39 mm hoch
 Streuwert 4.99, horizontal: 5.73, vertikal: 4.11

Unterschrift des Schützen

Ergebnis: **205.7** (196)
 Serien: 103.3 102.4
 Zähler: 16 4 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1078 (13), 878 (10), 876 (17)
 beste Teiler 168.4 (12.) 198.5 (4.) 295.7 (1.)
 Trefferlage 0.87 mm links, 1.11 mm hoch
 Streuwert 4.20, horizontal: 4.74, vertikal: 3.58





Serie 1:
 10.6 * 10.5 * 10.3 * 10.7 * 10.3 *
 10.2 ↑ 10.4 * 10.0 ← 10.4 * 9.9 ↙
 beste Teiler 198.5 (4.) 295.7 (1.) 363.3 (2.)
 Trefferlage 1.40 mm links, 0.35 mm hoch
 Streuwert 3.92, horizontal: 4.09, vertikal: 3.74



Serie 2:
 10.2 ↗ 10.7 * 9.6 ↖ 10.6 * 10.3 →
 9.9 ↑ 9.9 ← 10.6 * 10.1 ↘ 10.5 *
 beste Teiler 168.4 (12.) 300.9 (18.) 302.7 (14.)
 Trefferlage 0.34 mm links, 1.87 mm hoch
 Streuwert 4.58, horizontal: 5.49, vertikal: 3.44

Unterschrift des Schützen


Ergebnis: **195.4** (186)
 Serien: 99.0 96.4
 Zähler: 7 12 1 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2149 (12), 1417 (10), 1349 (20)
 beste Teiler 134.1 (8.) 416.3 (5.) 562.0 (7.)
 Trefferlage 1.71 mm rechts, 1.53 mm tief
 Streuwert 7.29, horizontal: 7.41, vertikal: 7.18



Serie 1:

9.7 ↖	9.3 ↘	10.2 ↖	9.7 ↓	10.4 *
9.7 ↗	10.2 ↗	10.8 *	9.8 ↖	9.2 ↘

beste Teiler 134.1 (8.) 416.3 (5.) 562.0 (7.)
 Trefferlage 0.84 mm links, 2.06 mm tief
 Streuwert 6.62, horizontal: 6.18, vertikal: 7.03





Serie 2:

9.3 →	8.3 ↘	9.9 ↘	9.9 →	10.1 ↑
10.1 ←	9.7 ↖	10.1 ↑	9.7 ↘	9.3 →


beste Teiler 660.6 (16.) 694.7 (15.) 714.2 (18.)
 Trefferlage 4.27 mm rechts, 1.00 mm tief
 Streuwert 7.80, horizontal: 7.94, vertikal: 7.66

Unterschrift des Schützen

Ergebnis: **207.8** (198)
 Serien: 104.4 103.4
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 816 (11), 810 (20), 763 (3)
 beste Teiler 106.2 (10.) 149.2 (15.) 261.4 (12.)
 Trefferlage 1.57 mm rechts, 0.00 mm
 Streuwert 3.34, horizontal: 3.54, vertikal: 3.13





Serie 1:
 10.6 * 10.4 * 10.0 → 10.6 * 10.5 *
 10.6 * 10.2 ↘ 10.3 * 10.4 * 10.8 *
 beste Teiler 106.2 (10.) 275.4 (4.) 282.7 (6.)
 Trefferlage 1.67 mm rechts, 1.02 mm hoch
 Streuwert 2.97, horizontal: 2.93, vertikal: 3.01




Serie 2:
 9.9 → 10.6 * 10.4 * 10.3 ↓ 10.8 *
 10.5 * 10.2 ↓ 10.4 * 10.4 * 9.9 →
 beste Teiler 149.2 (15.) 261.4 (12.) 388.9 (16.)
 Trefferlage 1.46 mm rechts, 1.02 mm tief
 Streuwert 3.68, horizontal: 4.22, vertikal: 3.06

Unterschrift des Schützen

Ergebnis: **204.2** (193)
 Serien: 101.8 102.4
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1332 (2), 1205 (7), 1137 (11)
 beste Teiler 173.1 (12.) 188.8 (8.) 194.5 (6.)
 Trefferlage 1.41 mm links, 0.73 mm tief
 Streuwert 4.88, horizontal: 5.41, vertikal: 4.29



Serie 1:
 10.1 ↗ 9.3 ← 10.5 * 10.4 * 9.6 ↙
 10.7 * 9.4 ↘ 10.7 * 10.5 * 10.6 *
 beste Teiler 188.8 (8.) 194.5 (6.) 274.8 (10.)
 Trefferlage 2.44 mm links, 2.11 mm tief
 Streuwert 4.92, horizontal: 5.75, vertikal: 3.92



Serie 2:
 9.5 ↗ 10.7 * 9.9 ↖ 10.6 * 9.9 →
 10.7 * 10.4 * 10.4 * 10.4 * 9.9 ↓
 beste Teiler 173.1 (12.) 227.1 (16.) 267.3 (14.)
 Trefferlage 0.37 mm links, 0.64 mm hoch
 Streuwert 4.78, horizontal: 5.14, vertikal: 4.39

Unterschrift des Schützen