




Ergebnis: **206.9** (197)
 Serien: 103.8 103.1
 Zähler: 17 3 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 847 (15), 844 (9), 810 (17)
 beste Teiler 89.5 (14.) 95.2 (3.) 226.7 (6.)
 Trefferlage 0.72 mm links, 0.92 mm tief
 Streuwert 3.79, horizontal: 3.53, vertikal: 4.04



Serie 1:
 10.4 * 10.4 * 10.8 * 10.4 * 10.2 ↘
 10.7 * 10.0 ← 10.5 * 9.9 ↘ 10.5 *
 beste Teiler 95.2 (3.) 226.7 (6.) 331.2 (8.)
 Trefferlage 1.79 mm links, 1.45 mm tief
 Streuwert 3.37, horizontal: 3.55, vertikal: 3.17





Serie 2:
 10.1 ↘ 10.6 * 10.2 ↑ 10.8 * 9.9 ↘
 10.6 * 9.9 ↘ 10.6 * 10.1 ↑ 10.3 *
 beste Teiler 89.5 (14.) 243.9 (18.) 266.5 (16.)
 Trefferlage 0.35 mm rechts, 0.39 mm tief
 Streuwert 4.18, horizontal: 3.33, vertikal: 4.88


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **207.8** (198)
 Serien: 103.4 104.4
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 928 (6), 839 (11), 625 (19)
 beste Teiler 98.8 (13.) 152.7 (12.) 243.2 (15.)
 Trefferlage 0.02 mm links, 0.36 mm hoch
 Streuwert 3.54, horizontal: 3.50, vertikal: 3.58





Serie 1:
 10.5 * 10.5 * 10.6 * 10.3 * 10.6 *
 9.8 ↘ 10.3 ↓ 10.3 * 10.2 ↑ 10.3 →
 beste Teiler 244.8 (3.) 314.9 (5.) 349.8 (2.)
 Trefferlage 0.35 mm rechts, 0.63 mm hoch
 Streuwert 3.82, horizontal: 4.21, vertikal: 3.37




Serie 2:
 9.9 ↘ 10.8 * 10.8 * 10.4 * 10.6 *
 10.6 * 10.3 * 10.3 * 10.2 ↓ 10.5 *
 beste Teiler 98.8 (13.) 152.7 (12.) 243.2 (15.)
 Trefferlage 0.39 mm links, 0.09 mm hoch
 Streuwert 3.42, horizontal: 2.80, vertikal: 3.95

Unterschrift des Schützen

Ergebnis: **193.2** (184)
 Serien: 95.8 97.4
 Zähler: 7 10 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2065 (6), 1780 (19), 1724 (7)
 beste Teiler 276.3 (18.) 422.3 (8.) 439.7 (2.)
 Trefferlage 1.06 mm rechts, 2.83 mm tief
 Streuwert 8.09, horizontal: 7.82, vertikal: 8.36





Serie 1:
 9.8 ↙ 10.4 * 9.3 ↙ 9.6 ↙ 9.3 ←
 8.4 → 8.8 ↑ 10.4 * 10.3 ← 9.5 →
 beste Teiler 422.3 (8.) 439.7 (2.) 545.8 (9.)
 Trefferlage 1.04 mm links, 0.07 mm hoch
 Streuwert 9.11, horizontal: 10.30, vertikal: 7.74




Serie 2:
 9.0 ↘ 9.3 ↘ 9.7 ↑ 10.3 * 10.4 *
 9.8 → 9.3 ↓ 10.6 * 8.7 ↓ 10.3 *
 beste Teiler 276.3 (18.) 452.0 (15.) 520.5 (14.)
 Trefferlage 3.18 mm rechts, 5.74 mm tief
 Streuwert 6.39, horizontal: 3.58, vertikal: 8.29

Unterschrift des Schützen

Ergebnis: **191.6** (184)
 Serien: 96.2 95.4
 Zähler: 7 10 3 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2093 (19), 2048 (7), 1974 (6)
 beste Teiler 247.5 (20.) 293.0 (9.) 537.0 (2.)
 Trefferlage 3.85 mm rechts, 1.19 mm tief
 Streuwert 8.32, horizontal: 9.03, vertikal: 7.54





Serie 1:
 9.4 ↘ 10.3 ↑ 9.2 ↑ 9.7 ↗ 10.1 ↘
 8.5 ← 8.4 ↙ 10.2 → 10.6 * 9.8 ↗
 beste Teiler 293.0 (9.) 537.0 (2.) 634.3 (8.)
 Trefferlage 0.79 mm links, 0.24 mm hoch
 Streuwert 8.98, horizontal: 8.96, vertikal: 8.99




Serie 2:
 10.1 → 9.4 → 9.1 → 10.1 ↘ 9.0 →
 9.5 ↗ 9.5 ↘ 9.8 ↙ 8.3 ↘ 10.6 *
 beste Teiler 247.5 (20.) 660.3 (14.) 711.7 (11.)
 Trefferlage 8.50 mm rechts, 2.64 mm tief
 Streuwert 6.26, horizontal: 6.61, vertikal: 5.88

Unterschrift des Schützen

Ergebnis: **196.0** (186)
 Serien: 97.0 99.0
 Zähler: 9 8 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1695 (10), 1642 (18), 1610 (4)
 beste Teiler 92.5 (15.) 169.5 (19.) 364.5 (20.)
 Trefferlage 2.45 mm links, 1.02 mm tief
 Streuwert 7.38, horizontal: 8.02, vertikal: 6.68





Serie 1:
 9.0 ↓ 10.2 ↙ 10.3 * 8.9 ← 10.4 *
 9.6 ← 10.1 ← 9.8 ↘ 9.9 ↑ 8.8 ↘
 beste Teiler 477.2 (5.) 497.3 (3.) 581.7 (2.)
 Trefferlage 3.29 mm links, 1.41 mm tief
 Streuwert 7.76, horizontal: 7.49, vertikal: 8.03




Serie 2:
 9.1 → 9.6 ↗ 9.1 ← 9.6 ↓ 10.8 *
 10.3 * 10.4 * 8.9 ↖ 10.7 * 10.5 *
 beste Teiler 92.5 (15.) 169.5 (19.) 364.5 (20.)
 Trefferlage 1.61 mm links, 0.64 mm tief
 Streuwert 7.32, horizontal: 8.83, vertikal: 5.42

Unterschrift des Schützen

Ergebnis: **203.1** (193)
 Serien: 100.9 102.2
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1753 (10), 1033 (7), 1006 (9)
 beste Teiler 101.6 (16.) 162.0 (17.) 190.1 (5.)
 Trefferlage 1.78 mm links, 1.91 mm tief
 Streuwert 5.10, horizontal: 6.40, vertikal: 3.33





Serie 1:
 10.3 * 10.4 * 10.5 * 10.5 * 10.7 *
 9.7 → 9.7 → 10.6 * 9.7 ← 8.8 ↙
 beste Teiler 190.1 (5.) 242.0 (8.) 330.2 (4.)
 Trefferlage 0.00 mm , 1.65 mm tief
 Streuwert 6.10, horizontal: 7.71, vertikal: 3.87




Serie 2:
 10.0 ↙ 9.9 ← 10.0 ↘ 10.3 ↘ 9.8 ←
 10.8 * 10.7 * 10.4 * 10.2 ↙ 10.1 ←
 beste Teiler 101.6 (16.) 162.0 (17.) 449.8 (18.)
 Trefferlage 3.58 mm links, 2.17 mm tief
 Streuwert 3.75, horizontal: 4.45, vertikal: 2.88

Unterschrift des Schützen

Ergebnis: **193.1** (185)
 Serien: 94.3 98.8
 Zähler: 8 9 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2239 (10), 1691 (4), 1640 (18)
 beste Teiler 96.6 (7.) 207.5 (11.) 253.4 (20.)
 Trefferlage 1.92 mm rechts, 4.65 mm hoch
 Streuwert 7.81, horizontal: 7.53, vertikal: 8.07





Serie 1:
 9.1 ↑ 10.0 ↘ 10.1 ↗ 8.8 ↗ 9.7 →
 9.6 → 10.8 * 9.0 ↘ 9.0 ↗ 8.2 ↘
 beste Teiler 96.6 (7.) 650.7 (3.) 797.9 (2.)
 Trefferlage 2.48 mm rechts, 7.50 mm hoch
 Streuwert 8.12, horizontal: 8.30, vertikal: 7.93




Serie 2:
 10.7 * 9.6 ↘ 9.1 ↗ 9.1 ← 10.5 *
 9.6 ↗ 10.1 → 8.9 ↓ 10.6 * 10.6 *
 beste Teiler 207.5 (11.) 253.4 (20.) 297.4 (19.)
 Trefferlage 1.36 mm rechts, 1.80 mm hoch
 Streuwert 7.30, horizontal: 7.08, vertikal: 7.52

Unterschrift des Schützen

Ergebnis: **198.2** (190)
 Serien: 100.7 97.5
 Zähler: 11 8 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1995 (11), 1455 (12), 1378 (13)
 beste Teiler 161.2 (18.) 175.6 (20.) 283.3 (8.)
 Trefferlage 2.02 mm rechts, 0.18 mm hoch
 Streuwert 6.75, horizontal: 7.16, vertikal: 6.33





Serie 1:
 9.8 ↙ 9.9 ↙ 10.1 ← 10.1 ↗ 10.5 *
 9.2 → 10.2 ↘ 10.6 * 10.2 ↗ 10.1 ←
 beste Teiler 283.3 (8.) 371.9 (5.) 565.0 (9.)
 Trefferlage 1.07 mm links, 1.60 mm tief
 Streuwert 5.48, horizontal: 6.02, vertikal: 4.88




Serie 2:
 8.5 ↘ 9.1 → 9.2 ↗ 9.6 ↘ 9.9 →
 9.3 → 10.2 ↘ 10.7 * 10.3 * 10.7 *
 beste Teiler 161.2 (18.) 175.6 (20.) 514.0 (19.)
 Trefferlage 5.11 mm rechts, 1.98 mm hoch
 Streuwert 7.21, horizontal: 7.12, vertikal: 7.31

Unterschrift des Schützen

Ergebnis: **205.0** (195)
 Serien: 104.4 100.6
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1299 (20), 1239 (13), 1063 (14)
 beste Teiler 155.9 (10.) 161.7 (4.) 192.3 (16.)
 Trefferlage 2.52 mm rechts, 2.52 mm tief
 Streuwert 4.00, horizontal: 4.15, vertikal: 3.84



Serie 1:
 10.0 ↘ 10.4 * 10.6 * 10.7 * 10.0 ↘
 10.6 * 10.2 ↘ 10.6 * 10.5 * 10.8 *
 beste Teiler 155.9 (10.) 161.7 (4.) 285.3 (3.)
 Trefferlage 1.52 mm rechts, 1.25 mm tief
 Streuwert 3.14, horizontal: 3.34, vertikal: 2.92





Serie 2:
 9.9 → 10.6 * 9.4 ↘ 9.6 ↘ 10.4 *
 10.7 * 10.6 * 10.2 → 9.9 ↘ 9.3 ↘
 beste Teiler 192.3 (16.) 250.0 (12.) 291.6 (17.)
 Trefferlage 3.51 mm rechts, 3.80 mm tief
 Streuwert 4.58, horizontal: 4.79, vertikal: 4.36


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **199.6** (189)
 Serien: 99.5 100.1
 Zähler: 9 11 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1548 (14), 1392 (10), 1155 (16)
 beste Teiler 182.0 (13.) 233.0 (11.) 284.8 (15.)
 Trefferlage 3.85 mm rechts, 1.64 mm hoch
 Streuwert 5.56, horizontal: 6.28, vertikal: 4.74





Serie 1:
 9.7 ↑ 10.5 * 9.7 → 10.6 * 9.8 ↘
 9.6 ↗ 10.6 * 10.0 ← 9.8 → 9.2 →
 beste Teiler 285.2 (4.) 313.1 (7.) 326.8 (2.)
 Trefferlage 4.28 mm rechts, 1.35 mm hoch
 Streuwert 5.57, horizontal: 6.48, vertikal: 4.48




Serie 2:
 10.7 * 9.8 ↑ 10.7 * 9.0 ↘ 10.6 *
 9.5 → 10.5 * 9.7 → 10.0 ↘ 9.6 ↗
 beste Teiler 182.0 (13.) 233.0 (11.) 284.8 (15.)
 Trefferlage 3.43 mm rechts, 1.93 mm hoch
 Streuwert 5.83, horizontal: 6.39, vertikal: 5.21

Unterschrift des Schützen

Ergebnis: **197.5** (190)
 Serien: 98.2 99.3
 Zähler: 11 8 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1631 (9), 1595 (2), 1364 (13)
 beste Teiler 201.2 (3.) 201.7 (15.) 323.9 (14.)
 Trefferlage 0.81 mm rechts, 1.04 mm hoch
 Streuwert 6.81, horizontal: 7.39, vertikal: 6.19





Serie 1:
 9.7 ↙ 9.0 → 10.7 * 10.2 ↘ 10.0 ↑
 9.4 ↗ 10.4 * 9.9 ← 8.9 ↗ 10.0 ↗
 beste Teiler 201.2 (3.) 460.2 (7.) 608.4 (4.)
 Trefferlage 2.56 mm rechts, 2.57 mm hoch
 Streuwert 7.02, horizontal: 7.50, vertikal: 6.50




Serie 2:
 10.2 ↗ 10.1 ↘ 9.2 ← 10.5 * 10.7 *
 9.4 ↙ 9.6 ↘ 9.5 ↗ 10.1 ↓ 10.0 ↘
 beste Teiler 201.7 (15.) 323.9 (14.) 603.3 (11.)
 Trefferlage 0.93 mm links, 0.48 mm tief
 Streuwert 6.54, horizontal: 7.22, vertikal: 5.77

Unterschrift des Schützen

Ergebnis: **199.3** (189)
 Serien: 100.7 98.6
 Zähler: 9 11 0 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1391 (11), 1127 (14), 1070 (15)
 beste Teiler 274.6 (13.) 395.3 (4.) 500.0 (5.)
 Trefferlage 2.09 mm rechts, 2.33 mm tief
 Streuwert 5.57, horizontal: 5.35, vertikal: 5.78



Serie 1:
 9.7 ↗ 10.2 ← 10.0 ↘ 10.5 * 10.3 *
 10.1 ↓ 10.2 ↑ 10.2 ↘ 9.9 ↙ 9.6 ↓
 beste Teiler 395.3 (4.) 500.0 (5.) 601.4 (7.)
 Trefferlage 0.36 mm links, 1.87 mm tief
 Streuwert 5.35, horizontal: 4.72, vertikal: 5.92



Serie 2:
 9.2 → 10.3 * 10.6 * 9.5 ↓ 9.6 ↘
 9.9 ↘ 9.9 ↓ 9.8 ↘ 9.9 → 9.9 ↗
 beste Teiler 274.6 (13.) 501.6 (12.) 804.0 (16.)
 Trefferlage 4.54 mm rechts, 2.79 mm tief
 Streuwert 5.46, horizontal: 4.97, vertikal: 5.91

Unterschrift des Schützen