




Ergebnis: **380** (396.7)
 Serien: 96 95 98 91
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1807 (34), 1717 (36), 1604 (14)
 beste Teiler 120.2 (13.) 172.9 (4.) 179.2 (6.)
 Trefferlage 1.05 mm links, 1.88 mm tief
 Streuwert 6.65, horizontal: 6.29, vertikal: 6.99




Serie 1:
 10.6 * 10.0 → 10.1 ↘ 10.7 * 9.5 ↖
 10.7 * 9.4 ↗ 9.8 ↓ 9.0 ↓ 10.2 ↙
 beste Teiler 172.9 (4.) 179.2 (6.) 320.8 (1.)
 Trefferlage 1.16 mm rechts, 1.81 mm tief
 Streuwert 6.37, horizontal: 4.63, vertikal: 7.73



Serie 2:
 10.5 * 10.3 ↖ 10.8 * 8.9 ↗ 9.7 ↓
 10.4 * 10.3 ↑ 9.4 → 10.2 ↓ 9.4 ↙
 beste Teiler 120.2 (13.) 338.2 (11.) 439.9 (16.)
 Trefferlage 1.93 mm links, 1.35 mm tief
 Streuwert 6.33, horizontal: 6.77, vertikal: 5.86



Serie 3:
 10.4 * 10.4 * 9.5 ↓ 10.4 * 10.6 *
 10.4 * 10.3 ↖ 10.7 * 9.2 ← 10.3 ↘
 beste Teiler 236.2 (28.) 264.5 (25.) 401.5 (24.)
 Trefferlage 1.99 mm links, 1.69 mm tief
 Streuwert 4.65, horizontal: 4.93, vertikal: 4.35





Serie 4:
 9.0 ↗ 9.6 ↖ 10.3 ↘ 8.7 ↙ 9.6 →
 8.8 ↖ 9.0 ↓ 9.2 ↙ 10.2 ↓ 10.2 →
 beste Teiler 490.7 (33.) 580.3 (39.) 638.1 (40.)
 Trefferlage 1.44 mm links, 2.68 mm tief
 Streuwert 9.23, horizontal: 8.52, vertikal: 9.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (404.0)
 Serien: 96 97 95 97
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1438 (32), 1348 (1), 1308 (6)
 beste Teiler 74.0 (25.) 76.2 (8.) 186.6 (7.)
 Trefferlage 2.31 mm links, 1.04 mm hoch
 Streuwert 5.19, horizontal: 5.56, vertikal: 4.79




Serie 1:
 9.3 ↖ 9.7 ← 10.3 ↘ 9.9 ↗ 10.3 ↘
 9.3 ↑ 10.7 * 10.9 * 10.4 * 10.7 *
 beste Teiler 76.2 (8.) 186.6 (7.) 209.0 (10.)
 Trefferlage 3.32 mm links, 2.94 mm hoch
 Streuwert 4.82, horizontal: 5.21, vertikal: 4.40



Serie 2:
 10.1 ↘ 9.5 ↗ 10.4 * 9.8 ↖ 9.8 ↑
 10.3 ↘ 10.0 ← 10.6 * 10.6 * 10.2 ↙
 beste Teiler 261.4 (19.) 316.2 (18.) 430.8 (13.)
 Trefferlage 0.92 mm links, 1.44 mm hoch
 Streuwert 5.16, horizontal: 5.12, vertikal: 5.20



Serie 3:
 10.2 ↙ 10.0 ↓ 10.0 ↘ 9.6 ← 10.9 *
 9.6 ↗ 10.3 ↙ 9.8 ↘ 9.9 ← 9.8 ↙
 beste Teiler 74.0 (25.) 535.6 (27.) 598.7 (21.)
 Trefferlage 2.63 mm links, 1.47 mm tief
 Streuwert 5.58, horizontal: 5.90, vertikal: 5.24





Serie 4:
 10.7 * 9.2 ↖ 10.6 * 9.9 ↗ 9.6 ←
 10.0 ↗ 10.1 ↙ 10.1 ← 10.6 * 10.3 ↑
 beste Teiler 226.9 (31.) 279.8 (39.) 296.5 (33.)
 Trefferlage 2.37 mm links, 1.27 mm hoch
 Streuwert 5.34, horizontal: 6.54, vertikal: 3.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.8)
 Serien: 94 92 98 94
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2061 (36), 1674 (5), 1371 (14)
 beste Teiler 204.5 (1.) 294.0 (6.) 308.4 (30.)
 Trefferlage 1.05 mm links, 1.45 mm tief
 Streuwert 6.40, horizontal: 5.75, vertikal: 6.98




Serie 1:
 10.7 * 10.0 ↓ 9.3 ↘ 9.6 ↙ 8.9 ↓
 10.6 * 9.5 → 9.9 ↖ 10.2 → 10.1 ↓
 beste Teiler 204.5 (1.) 294.0 (6.) 589.3 (9.)
 Trefferlage 0.48 mm rechts, 3.70 mm tief
 Streuwert 6.56, horizontal: 6.72, vertikal: 6.39



Serie 2:
 9.9 ↓ 9.5 ← 9.9 ↓ 9.2 ↙ 10.4 *
 10.2 ↖ 9.9 ↗ 9.4 ↑ 9.8 ↓ 9.5 ↘
 beste Teiler 432.3 (15.) 567.8 (16.) 806.2 (17.)
 Trefferlage 1.57 mm links, 1.09 mm tief
 Streuwert 7.07, horizontal: 6.55, vertikal: 7.56



Serie 3:
 10.0 ↑ 9.9 ↙ 10.0 ↑ 10.5 * 10.3 ←
 9.3 ↓ 10.2 ↓ 10.1 ↑ 10.4 * 10.6 *
 beste Teiler 308.4 (30.) 344.0 (24.) 414.4 (29.)
 Trefferlage 1.20 mm links, 0.69 mm tief
 Streuwert 5.26, horizontal: 3.49, vertikal: 6.57





Serie 4:
 10.5 * 9.7 ↓ 10.3 ↗ 10.4 ↗ 9.7 ←
 8.4 ↙ 9.7 ↗ 9.6 ← 10.1 ↖ 10.6 *
 beste Teiler 317.9 (40.) 336.7 (31.) 479.4 (34.)
 Trefferlage 1.91 mm links, 0.33 mm tief
 Streuwert 7.13, horizontal: 6.27, vertikal: 7.89


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **376** (398.1)
 Serien: 97 93 94 92
 Zähler: 17 22 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1830 (19), 1323 (27), 1312 (37)
 beste Teiler 166.1 (28.) 214.2 (31.) 275.1 (5.)
 Trefferlage 0.79 mm rechts, 1.32 mm tief
 Streuwert 6.11, horizontal: 6.37, vertikal: 5.83




Serie 1:
 10.2 ← 10.1 ↗ 10.4 * 9.8 ↓ 10.6 *
 9.8 ↑ 9.7 ← 10.2 ↑ 10.5 * 10.2 ↘
 beste Teiler 275.1 (5.) 333.1 (9.) 424.4 (3.)
 Trefferlage 2.45 mm links, 0.27 mm tief
 Streuwert 4.80, horizontal: 4.42, vertikal: 5.15



Serie 2:
 9.6 ↘ 9.6 ↓ 9.9 ↓ 10.1 ↑ 10.2 →
 9.9 ↑ 10.4 * 10.0 ← 8.7 ↗ 9.9 ↗
 beste Teiler 415.3 (17.) 622.1 (15.) 660.5 (14.)
 Trefferlage 0.05 mm links, 1.19 mm tief
 Streuwert 7.09, horizontal: 6.45, vertikal: 7.67



Serie 3:
 10.4 * 9.8 → 9.5 → 10.0 ↗ 9.9 ↘
 10.4 * 9.3 ↘ 10.7 * 9.6 ↗ 9.8 →
 beste Teiler 166.1 (28.) 410.2 (26.) 453.9 (21.)
 Trefferlage 3.10 mm rechts, 2.02 mm tief
 Streuwert 6.01, horizontal: 7.56, vertikal: 3.88





Serie 4:
 10.7 * 9.8 ↘ 9.9 ↗ 9.9 ↘ 9.8 ↑
 9.9 → 9.3 ↙ 9.8 → 10.4 * 9.4 ↙
 beste Teiler 214.2 (31.) 441.3 (39.) 829.6 (34.)
 Trefferlage 2.57 mm rechts, 1.82 mm tief
 Streuwert 6.34, horizontal: 5.97, vertikal: 6.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.6)
 Serien: 97 92 93 96
 Zähler: 19 20 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1928 (25), 1527 (35), 1495 (21)
 beste Teiler 126.9 (5.) 173.3 (38.) 196.0 (1.)
 Trefferlage 0.78 mm rechts, 1.05 mm hoch
 Streuwert 6.63, horizontal: 5.21, vertikal: 7.80




Serie 1:
 10.7 * 10.6 * 9.4 ↘ 10.1 ↙ 10.8 *
 10.5 * 9.6 ↙ 9.9 ↙ 10.0 ↘ 10.0 ↗
 beste Teiler 126.9 (5.) 196.0 (1.) 260.9 (2.)
 Trefferlage 3.28 mm links, 0.39 mm hoch
 Streuwert 4.94, horizontal: 3.97, vertikal: 5.75



Serie 2:
 9.9 ↑ 9.9 ↑ 9.2 ↑ 10.6 * 9.4 →
 9.6 ↓ 9.3 ↓ 10.4 * 9.6 ↘ 9.7 ↓
 beste Teiler 296.8 (14.) 473.6 (18.) 856.0 (11.)
 Trefferlage 2.48 mm rechts, 0.04 mm tief
 Streuwert 7.33, horizontal: 5.42, vertikal: 8.84



Serie 3:
 9.1 ↑ 10.1 ↑ 9.6 ↑ 10.3 ↑ 8.5 ↑
 10.2 → 10.3 ↓ 9.1 ↑ 9.5 → 9.7 ↓
 beste Teiler 532.5 (27.) 536.4 (24.) 630.9 (26.)
 Trefferlage 3.49 mm rechts, 5.84 mm hoch
 Streuwert 6.80, horizontal: 3.65, vertikal: 8.90





Serie 4:
 9.6 → 10.4 * 10.2 ↙ 9.9 ↙ 9.0 ↙
 9.7 ↗ 10.7 * 10.7 * 10.4 * 10.4 *
 beste Teiler 173.3 (38.) 210.7 (37.) 434.2 (40.)
 Trefferlage 0.44 mm rechts, 1.99 mm tief
 Streuwert 5.70, horizontal: 5.42, vertikal: 5.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (405.1)
 Serien: 100 97 95 97
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1443 (22), 1402 (25), 1382 (19)
 beste Teiler 9.2 (36.) 82.3 (39.) 127.4 (4.)
 Trefferlage 0.45 mm links, 1.02 mm hoch
 Streuwert 5.35, horizontal: 4.78, vertikal: 5.87




Serie 1:
 10.5 * 10.5 * 10.0 ↑ 10.8 * 10.1 →
 10.7 * 10.3 ← 10.2 ↓ 10.5 * 10.7 *
 beste Teiler 127.4 (4.) 161.0 (6.) 173.9 (10.)
 Trefferlage 0.50 mm rechts, 1.13 mm hoch
 Streuwert 3.33, horizontal: 3.09, vertikal: 3.56



Serie 2:
 9.6 ↓ 10.1 ↓ 9.8 ↑ 10.0 ← 10.4 *
 10.7 * 10.0 ↑ 10.1 ← 9.2 ↑ 10.7 *
 beste Teiler 177.1 (16.) 231.7 (20.) 416.1 (15.)
 Trefferlage 1.47 mm links, 1.48 mm hoch
 Streuwert 5.62, horizontal: 3.24, vertikal: 7.26



Serie 3:
 9.6 ← 9.1 → 9.9 ↑ 10.3 → 9.2 ↑
 10.1 ↓ 10.2 ↓ 9.3 ↑ 10.5 * 10.2 ↓
 beste Teiler 396.8 (29.) 553.2 (24.) 591.6 (27.)
 Trefferlage 1.73 mm rechts, 2.28 mm hoch
 Streuwert 6.87, horizontal: 6.58, vertikal: 7.15





Serie 4:
 9.6 ← 9.4 ← 10.2 ↓ 9.6 ↓ 10.5 *
 10.9 * 10.3 ↘ 10.2 ↗ 10.8 * 10.3 ↑
 beste Teiler 9.2 (36.) 82.3 (39.) 349.8 (35.)
 Trefferlage 2.58 mm links, 0.78 mm tief
 Streuwert 5.01, horizontal: 4.79, vertikal: 5.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.2)
 Serien: 94 95 96 93
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1680 (6), 1643 (40), 1441 (28)
 beste Teiler 45.3 (7.) 121.4 (21.) 186.7 (22.)
 Trefferlage 0.57 mm links, 0.18 mm hoch
 Streuwert 6.51, horizontal: 6.26, vertikal: 6.74




Serie 1:
 9.9 ↗ 9.2 ← 9.4 ↗ 10.1 ↗ 10.2 →
 8.9 ↗ 10.9 * 9.8 ↘ 10.0 → 10.6 *
 beste Teiler 45.3 (7.) 281.9 (10.) 588.0 (5.)
 Trefferlage 2.12 mm rechts, 3.35 mm hoch
 Streuwert 6.51, horizontal: 7.58, vertikal: 5.22



Serie 2:
 10.0 ↗ 9.6 ↙ 9.6 ↖ 10.1 ↖ 9.9 ↑
 10.3 ↙ 9.6 ↓ 10.1 ↘ 9.4 ↙ 10.6 *
 beste Teiler 242.7 (20.) 500.4 (16.) 669.4 (18.)
 Trefferlage 2.24 mm links, 0.04 mm hoch
 Streuwert 6.34, horizontal: 4.22, vertikal: 7.91



Serie 3:
 10.8 * 10.7 * 10.7 * 9.8 ↙ 9.8 ↓
 10.0 ↖ 9.9 ↘ 9.1 ↙ 10.2 → 10.7 *
 beste Teiler 121.4 (21.) 186.7 (22.) 193.8 (23.)
 Trefferlage 1.15 mm links, 2.57 mm tief
 Streuwert 5.11, horizontal: 3.95, vertikal: 6.04





Serie 4:
 9.2 ← 9.5 ↘ 9.9 ↖ 10.0 ↘ 9.9 ↗
 9.3 ↗ 10.4 * 10.2 ↗ 10.0 ↙ 8.9 ↙
 beste Teiler 409.2 (37.) 565.5 (38.) 736.0 (39.)
 Trefferlage 1.00 mm links, 0.07 mm tief
 Streuwert 7.68, horizontal: 8.21, vertikal: 7.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.2)
 Serien: 97 95 93 95
 Zähler: 20 20 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1578 (3), 1574 (25), 1441 (35)
 beste Teiler 79.9 (2.) 163.1 (18.) 263.7 (33.)
 Trefferlage 1.12 mm links, 0.23 mm tief
 Streuwert 6.47, horizontal: 5.88, vertikal: 7.02




Serie 1:
 9.8 ↘ 10.9 * 9.0 ← 10.2 ↖ 9.9 ↗
 10.4 ↗ 10.0 ↘ 10.1 ↗ 10.1 → 10.5 *
 beste Teiler 79.9 (2.) 337.1 (10.) 477.6 (6.)
 Trefferlage 1.28 mm links, 0.82 mm tief
 Streuwert 5.81, horizontal: 6.50, vertikal: 5.04



Serie 2:
 10.0 → 9.8 ← 9.5 ↓ 9.7 ↘ 10.4 *
 10.6 * 9.3 ↓ 10.7 * 9.4 ↑ 10.2 ↓
 beste Teiler 163.1 (18.) 266.2 (16.) 461.3 (15.)
 Trefferlage 1.12 mm rechts, 2.43 mm tief
 Streuwert 6.13, horizontal: 4.57, vertikal: 7.37



Serie 3:
 10.3 ↘ 9.5 ← 10.1 ← 9.3 ↑ 9.0 ↓
 9.3 ↖ 9.8 ↖ 9.9 → 10.1 ← 9.9 ↓
 beste Teiler 509.4 (21.) 642.0 (23.) 681.5 (29.)
 Trefferlage 2.22 mm links, 0.06 mm tief
 Streuwert 7.62, horizontal: 6.58, vertikal: 8.54





Serie 4:
 10.1 → 9.9 ↗ 10.6 * 9.4 ↖ 9.1 ↑
 9.8 ← 10.0 ↓ 10.0 ↖ 9.6 ← 10.0 ←
 beste Teiler 263.7 (33.) 681.2 (31.) 725.0 (37.)
 Trefferlage 2.12 mm links, 2.37 mm hoch
 Streuwert 6.44, horizontal: 5.95, vertikal: 6.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (392.1)
 Serien: 92 91 96 92
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2929 (6), 2132 (39), 1937 (25)
 beste Teiler 150.5 (30.) 169.9 (27.) 275.1 (35.)
 Trefferlage 2.09 mm rechts, 0.40 mm tief
 Streuwert 7.65, horizontal: 7.58, vertikal: 7.72




Serie 1:
 9.6 ↗ 10.1 → 10.6 * 9.9 → 10.6 *
 7.3 ↓ 9.5 ↘ 9.8 ↓ 10.0 ↖ 9.8 →
 beste Teiler 285.4 (5.) 294.2 (3.) 700.2 (2.)
 Trefferlage 2.87 mm rechts, 3.56 mm tief
 Streuwert 8.32, horizontal: 5.98, vertikal: 10.12



Serie 2:
 10.5 * 10.1 → 10.2 ↖ 9.3 ↖ 10.2 ↓
 9.7 ← 9.7 ↗ 8.8 ↓ 8.9 ↗ 8.6 →
 beste Teiler 358.8 (11.) 611.7 (15.) 619.4 (13.)
 Trefferlage 0.63 mm rechts, 1.99 mm hoch
 Streuwert 8.76, horizontal: 9.62, vertikal: 7.81



Serie 3:
 9.4 ↓ 10.4 * 10.5 * 10.6 * 8.5 →
 9.8 ↖ 10.7 * 10.2 → 10.3 ← 10.8 *
 beste Teiler 150.5 (30.) 169.9 (27.) 279.7 (24.)
 Trefferlage 1.62 mm rechts, 1.81 mm tief
 Streuwert 6.05, horizontal: 6.67, vertikal: 5.36





Serie 4:
 9.8 ↓ 9.8 ↓ 9.4 ↗ 9.5 → 10.6 *
 10.0 ↑ 9.9 ← 10.5 * 8.3 → 9.9 ↗
 beste Teiler 275.1 (35.) 388.6 (38.) 745.3 (36.)
 Trefferlage 3.25 mm rechts, 1.75 mm hoch
 Streuwert 7.49, horizontal: 8.43, vertikal: 6.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(399.3)
Serien:	97	95 94 95
Zähler:	22	17 1 0 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	1828	(34), 1557 (14), 1445 (10)
beste Teiler	101.5	(11.) 199.2 (12.) 200.9 (35.)
Trefferlage	2.35 mm	links, 2.58 mm tief
Streuwert	5.62,	horizontal: 4.16, vertikal: 6.77




Serie 1:	10.2 ↘	10.1 ↓	10.3 ↓	10.6 *	9.8 ↙
	10.1 ↖	9.7 ↖	10.0 ↗	10.4 *	9.1 ↙
beste Teiler	260.0	(4.) 426.2 (9.)	536.6 (3.)		
Trefferlage	1.07 mm	links, 1.64 mm tief			
Streuwert	5.72,	horizontal: 5.05, vertikal: 6.33			



Serie 2:	10.8 *	10.7 *	9.8 ↙	9.0 ↓	10.1 ↓
	9.7 ↙	10.2 ↑	10.5 *	9.6 ↑	9.4 ↖
beste Teiler	101.5	(11.) 199.2 (12.)	326.0 (18.)		
Trefferlage	1.42 mm	links, 1.08 mm tief			
Streuwert	6.46,	horizontal: 3.43, vertikal: 8.46			



Serie 3:	9.8 ↙	10.5 *	10.0 ←	10.1 ↙	9.8 ↓
	9.4 ↓	9.8 ↙	9.7 ↓	9.6 ↙	10.2 ↗
beste Teiler	344.4	(22.) 588.6 (30.)	710.2 (24.)		
Trefferlage	3.85 mm	links, 5.40 mm tief			
Streuwert	4.31,	horizontal: 4.17, vertikal: 4.45			





Serie 4:	9.8 ↙	9.6 ↖	10.1 ↙	8.7 ↓	10.7 *
	10.3 ↗	10.5 *	9.7 ←	10.2 ←	10.7 *
beste Teiler	200.9	(35.) 228.6 (40.)	345.4 (37.)		
Trefferlage	3.04 mm	links, 2.20 mm tief			
Streuwert	5.87,	horizontal: 3.80, vertikal: 7.38			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.6)
 Serien: 96 96 96 91
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1759 (37), 1714 (32), 1645 (4)
 beste Teiler 187.2 (22.) 247.0 (30.) 329.9 (31.)
 Trefferlage 2.45 mm links, 0.88 mm tief
 Streuwert 6.61, horizontal: 7.00, vertikal: 6.19




Serie 1:
 10.2 ↘ 10.0 ↙ 9.9 ↗ 8.9 ← 9.8 ↓
 10.2 ↓ 10.5 * 10.3 ↗ 10.5 * 10.1 ↗
 beste Teiler 364.6 (9.) 375.2 (7.) 515.4 (8.)
 Trefferlage 0.91 mm links, 0.25 mm tief
 Streuwert 5.97, horizontal: 6.44, vertikal: 5.47



Serie 2:
 10.2 ↙ 9.8 ← 10.2 ↗ 9.1 ↓ 10.5 *
 10.0 ↘ 9.3 ↙ 10.1 ↘ 10.5 * 9.3 ↗
 beste Teiler 332.5 (15.) 368.7 (19.) 561.0 (11.)
 Trefferlage 2.16 mm links, 0.14 mm hoch
 Streuwert 6.69, horizontal: 5.78, vertikal: 7.50



Serie 3:
 10.4 * 10.7 * 9.0 ↙ 9.3 ← 9.9 ↘
 10.5 * 10.5 * 9.2 → 10.4 * 10.6 *
 beste Teiler 187.2 (22.) 247.0 (30.) 352.7 (27.)
 Trefferlage 0.94 mm links, 0.59 mm tief
 Streuwert 6.42, horizontal: 7.25, vertikal: 5.47





Serie 4:
 10.5 * 8.8 ← 9.4 ↘ 10.1 ← 9.5 →
 9.5 ← 8.8 ↙ 10.3 ↙ 9.3 ↙ 9.5 ↓
 beste Teiler 329.9 (31.) 495.4 (38.) 679.7 (34.)
 Trefferlage 5.81 mm links, 2.82 mm tief
 Streuwert 7.47, horizontal: 8.20, vertikal: 6.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.3)
 Serien: 95 95 94 93
 Zähler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1865 (21), 1484 (27), 1170 (39)
 beste Teiler 132.8 (36.) 166.9 (20.) 203.0 (26.)
 Trefferlage 2.39 mm links, 0.19 mm hoch
 Streuwert 6.06, horizontal: 5.26, vertikal: 6.77




Serie 1:
 9.7 ↙ 9.7 ↗ 10.3 ↓ 10.0 ↘ 9.9 ↓
 10.0 ↑ 10.4 * 9.8 ↑ 9.8 ↙ 10.2 ↘
 beste Teiler 450.7 (7.) 548.6 (3.) 595.6 (10.)
 Trefferlage 1.48 mm links, 1.33 mm tief
 Streuwert 5.78, horizontal: 4.40, vertikal: 6.90



Serie 2:
 10.2 ↙ 9.9 ← 10.0 ↖ 10.0 ↑ 9.8 ↗
 9.6 ← 9.7 ↘ 10.0 ↘ 9.7 → 10.7 *
 beste Teiler 166.9 (20.) 632.8 (11.) 723.7 (13.)
 Trefferlage 3.38 mm links, 2.72 mm hoch
 Streuwert 5.25, horizontal: 5.72, vertikal: 4.73



Serie 3:
 8.6 ↑ 10.7 * 10.3 ↙ 9.6 ↓ 9.5 ↘
 10.7 * 9.1 ← 9.7 ↙ 10.0 ↓ 10.3 →
 beste Teiler 203.0 (26.) 224.8 (22.) 496.5 (23.)
 Trefferlage 2.61 mm links, 2.13 mm tief
 Streuwert 7.12, horizontal: 5.71, vertikal: 8.30





Serie 4:
 9.7 ↑ 9.9 ← 9.8 ← 9.9 ↑ 9.8 ↗
 10.8 * 9.7 ↙ 10.3 → 9.5 ↖ 10.0 ↓
 beste Teiler 132.8 (36.) 485.0 (38.) 778.6 (40.)
 Trefferlage 2.08 mm links, 1.50 mm hoch
 Streuwert 6.12, horizontal: 5.74, vertikal: 6.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.5)
 Serien: 92 96 95 88
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2165 (37), 2058 (36), 1784 (1)
 beste Teiler 127.3 (31.) 140.0 (18.) 216.1 (25.)
 Trefferlage 0.95 mm rechts, 1.18 mm tief
 Streuwert 7.47, horizontal: 8.32, vertikal: 6.50




Serie 1:
 8.7 ← 9.8 → 9.6 ↙ 9.7 ← 9.4 ←
 10.1 → 9.8 ↘ 10.3 ↖ 10.1 ↑ 9.0 →
 beste Teiler 512.4 (8.) 653.8 (6.) 702.3 (9.)
 Trefferlage 3.00 mm links, 0.24 mm hoch
 Streuwert 7.98, horizontal: 10.42, vertikal: 4.32



Serie 2:
 10.6 * 9.5 ↘ 10.5 * 9.8 → 9.5 ↓
 10.3 ↙ 10.5 * 10.8 * 9.4 ↓ 10.0 ↘
 beste Teiler 140.0 (18.) 309.8 (11.) 330.8 (17.)
 Trefferlage 0.32 mm rechts, 3.79 mm tief
 Streuwert 5.19, horizontal: 5.43, vertikal: 4.95



Serie 3:
 9.9 ↖ 9.8 ↗ 9.8 ↓ 10.0 ↓ 10.7 *
 10.0 → 10.1 ↖ 9.3 → 9.7 ↑ 10.5 *
 beste Teiler 216.1 (25.) 378.6 (30.) 700.2 (27.)
 Trefferlage 0.74 mm rechts, 0.11 mm hoch
 Streuwert 6.20, horizontal: 6.47, vertikal: 5.91





Serie 4:
 10.8 * 9.8 ← 9.5 → 8.8 → 9.8 ↗
 8.4 → 8.2 ↓ 8.9 ↘ 10.3 ↗ 9.8 ↙
 beste Teiler 127.3 (31.) 491.0 (39.) 900.7 (35.)
 Trefferlage 5.74 mm rechts, 1.30 mm tief
 Streuwert 9.23, horizontal: 8.77, vertikal: 9.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.2)
 Serien: 96 93 96 96
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1740 (20), 1517 (10), 1438 (32)
 beste Teiler 185.2 (6.) 285.1 (22.) 312.0 (15.)
 Trefferlage 1.39 mm links, 0.35 mm hoch
 Streuwert 6.29, horizontal: 6.67, vertikal: 5.89




Serie 1:
 10.3 ↓ 10.4 * 10.2 ↑ 9.3 ↙ 9.5 ↘
 10.7 * 10.0 ↙ 9.8 ↗ 10.2 → 9.1 ←
 beste Teiler 185.2 (6.) 469.5 (2.) 496.1 (1.)
 Trefferlage 0.07 mm rechts, 1.92 mm tief
 Streuwert 6.58, horizontal: 8.00, vertikal: 4.77



Serie 2:
 9.6 ↖ 9.4 ↖ 10.5 * 10.3 ↗ 10.6 *
 9.5 ↓ 9.9 ↓ 9.5 ↓ 10.4 * 8.8 ↙
 beste Teiler 312.0 (15.) 368.7 (13.) 475.1 (19.)
 Trefferlage 2.47 mm links, 1.88 mm tief
 Streuwert 7.01, horizontal: 6.33, vertikal: 7.63



Serie 3:
 9.4 ↑ 10.6 * 10.5 * 10.5 * 9.8 ↗
 10.3 ↓ 9.9 ↖ 9.4 ↖ 10.2 ↑ 10.0 ↖
 beste Teiler 285.1 (22.) 365.9 (24.) 394.2 (23.)
 Trefferlage 1.79 mm links, 3.77 mm hoch
 Streuwert 4.98, horizontal: 5.00, vertikal: 4.97



Serie 4:
 9.9 ↙ 9.2 ↖ 9.9 ↖ 10.4 * 10.1 ↖
 10.3 ↙ 10.0 → 10.5 * 10.1 ↗ 9.2 ↗
 beste Teiler 352.5 (38.) 459.4 (34.) 560.9 (36.)
 Trefferlage 1.40 mm links, 1.46 mm hoch
 Streuwert 6.28, horizontal: 7.74, vertikal: 4.36

Unterschrift des Schützen

Meyton Elektronik