





Ergebnis: **354** (370.4)
 Serien: 91 87 92 84
 Zähler: 10 19 7 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3506 (38), 2787 (16), 2687 (17)
 beste Teiler 335.0 (13.) 461.2 (3.) 498.5 (30.)
 Trefferlage 5.06 mm links, 1.82 mm hoch
 Streuwert 10.23, horizontal: 12.35, vertikal: 7.53




Serie 1:
 9.3 ↗ 9.3 ↘ 10.4 * 10.0 → 8.9 ↘
 10.0 ↑ 8.2 ↗ 10.3 ↘ 9.2 → 8.1 →
 beste Teiler 461.2 (3.) 502.9 (8.) 756.6 (6.)
 Trefferlage 6.86 mm rechts, 4.37 mm hoch
 Streuwert 8.55, horizontal: 10.45, vertikal: 6.09



Serie 2:
 9.2 ↙ 8.7 ↙ 10.5 * 9.7 ↑ 8.9 ←
 7.5 ← 7.6 ← 10.1 ← 10.0 ↓ 9.5 ↙
 beste Teiler 335.0 (13.) 687.7 (18.) 766.6 (19.)
 Trefferlage 11.19 mm links, 3.56 mm tief
 Streuwert 8.40, horizontal: 9.94, vertikal: 6.50



Serie 3:
 9.8 ↗ 9.6 ↘ 10.0 ↑ 10.2 ↙ 9.3 ↑
 9.8 ← 9.0 ← 8.5 ← 9.7 ↘ 10.3 ↑
 beste Teiler 498.5 (30.) 609.9 (24.) 746.8 (23.)
 Trefferlage 4.40 mm links, 4.55 mm hoch
 Streuwert 7.07, horizontal: 8.31, vertikal: 5.55





Serie 4:
 9.7 ↖ 9.4 ↖ 7.6 ↖ 9.1 ↓ 9.5 ↖
 9.7 ↗ 8.4 ← 6.6 ← 9.4 ↘ 9.4 ↙
 beste Teiler 1011.4 (36.) 1022.5 (31.) 1122.6 (35.)
 Trefferlage 11.52 mm links, 1.92 mm hoch
 Streuwert 10.59, horizontal: 11.68, vertikal: 9.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (385.0)
 Serien: 89 94 89 91
 Zähler: 12 23 2 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3723 (28), 2928 (1), 2563 (29)
 beste Teiler 80.8 (24.) 190.9 (23.) 242.8 (16.)
 Trefferlage 1.44 mm rechts, 4.40 mm tief
 Streuwert 8.57, horizontal: 7.16, vertikal: 9.78




Serie 1:
 7.3 ↓ 9.7 → 9.9 ← 9.9 ↓ 10.4 ←
 9.9 → 9.6 → 9.4 ↗ 10.2 ← 8.6 ↘
 beste Teiler 477.3 (5.) 622.6 (9.) 842.5 (3.)
 Trefferlage 1.16 mm rechts, 6.02 mm tief
 Streuwert 9.11, horizontal: 9.05, vertikal: 9.17



Serie 2:
 9.3 ↘ 9.3 ↓ 9.8 → 10.5 * 9.0 ↓
 10.6 * 9.9 ↓ 10.6 * 9.7 ← 10.0 ↓
 beste Teiler 242.8 (16.) 257.1 (18.) 336.6 (14.)
 Trefferlage 1.24 mm rechts, 5.19 mm tief
 Streuwert 5.99, horizontal: 5.19, vertikal: 6.69



Serie 3:
 9.6 ↘ 9.9 ↘ 10.7 * 10.9 * 9.7 ↑
 10.4 * 10.4 * 6.3 ↗ 7.7 ↓ 9.7 ↗
 beste Teiler 80.8 (24.) 190.9 (23.) 447.0 (27.)
 Trefferlage 4.40 mm rechts, 0.57 mm hoch
 Streuwert 11.27, horizontal: 7.29, vertikal: 14.17





Serie 4:
 9.4 ↓ 8.7 ↓ 10.3 ↗ 10.3 ↗ 9.5 ↓
 9.4 ↓ 9.4 ← 9.7 ↗ 9.5 ↗ 9.9 →
 beste Teiler 522.4 (33.) 544.3 (34.) 874.4 (40.)
 Trefferlage 1.02 mm links, 6.96 mm tief
 Streuwert 6.73, horizontal: 6.62, vertikal: 6.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (358.2)
 Serien: 84 82 85 87
 Zähler: 8 9 17 5 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3292 (13), 2919 (28), 2779 (3)
 beste Teiler 206.0 (35.) 301.2 (34.) 349.2 (15.)
 Trefferlage 3.16 mm links, 1.37 mm hoch
 Streuwert 12.33, horizontal: 14.76, vertikal: 9.27




Serie 1:
 8.2 → 10.3 ↖ 7.5 ← 8.6 ↗ 8.2 ↘
 8.7 ↗ 8.8 ← 9.3 ↑ 8.3 ← 10.4 *
 beste Teiler 413.1 (10.) 535.1 (2.) 1292.0 (8.)
 Trefferlage 3.72 mm links, 4.61 mm hoch
 Streuwert 12.93, horizontal: 15.81, vertikal: 9.19



Serie 2:
 7.8 ↓ 7.8 → 6.8 ← 10.1 ↘ 10.5 *
 8.8 ← 8.9 ↙ 8.9 ← 9.5 ↘ 9.2 ←
 beste Teiler 349.2 (15.) 690.0 (14.) 1179.3 (19.)
 Trefferlage 6.12 mm links, 6.18 mm tief
 Streuwert 12.55, horizontal: 15.77, vertikal: 8.13



Serie 3:
 8.3 ↗ 8.9 ↘ 9.2 → 9.1 ↓ 9.0 ↗
 8.5 ↗ 8.8 ↗ 7.3 ← 9.9 ↘ 10.3 ←
 beste Teiler 494.0 (30.) 803.5 (29.) 1403.5 (23.)
 Trefferlage 5.55 mm rechts, 2.15 mm hoch
 Streuwert 12.11, horizontal: 14.54, vertikal: 9.05





Serie 4:
 8.8 ← 10.0 ← 8.8 ← 10.6 * 10.7 *
 9.1 ↗ 8.5 ↑ 7.9 ↘ 9.1 ↘ 8.8 ←
 beste Teiler 206.0 (35.) 301.2 (34.) 736.5 (32.)
 Trefferlage 8.37 mm links, 4.91 mm hoch
 Streuwert 8.94, horizontal: 10.47, vertikal: 7.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (344.1)
 Serien: 81 80 87 79
 Zähler: 8 7 15 6 3 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5055 (40), 3478 (8), 3412 (6)
 beste Teiler 318.0 (38.) 497.2 (5.) 533.6 (22.)
 Trefferlage 4.20 mm rechts, 2.64 mm hoch
 Streuwert 14.81, horizontal: 12.88, vertikal: 16.52




Serie 1:
 9.8 ↙ 8.3 ← 8.3 → 8.0 ↗ 10.3 ↑
 6.7 ↓ 10.2 ↘ 6.6 ↗ 7.6 ← 9.7 →
 beste Teiler 497.2 (5.) 637.9 (7.) 929.6 (1.)
 Trefferlage 2.20 mm rechts, 0.76 mm hoch
 Streuwert 16.26, horizontal: 16.10, vertikal: 16.42



Serie 2:
 8.0 ↗ 9.7 ↑ 6.8 ↙ 7.3 ↓ 8.1 ↗
 10.1 ↓ 7.1 ↘ 7.5 → 10.0 → 8.6 ↑
 beste Teiler 715.4 (16.) 730.7 (19.) 1018.1 (12.)
 Trefferlage 5.11 mm rechts, 2.10 mm tief
 Streuwert 16.62, horizontal: 15.53, vertikal: 17.64



Serie 3:
 8.7 ↗ 10.3 ↙ 8.5 ↓ 7.9 ↑ 10.2 ↗
 10.1 ↗ 8.8 ↗ 9.0 → 9.1 ↓ 8.7 ↘
 beste Teiler 533.6 (22.) 630.0 (25.) 664.8 (26.)
 Trefferlage 4.45 mm rechts, 1.25 mm hoch
 Streuwert 11.32, horizontal: 7.11, vertikal: 14.34



Serie 4:
 9.0 → 8.7 ↗ 8.5 ↗ 8.6 ↗ 8.3 ↑
 7.8 ↘ 8.5 ↓ 10.6 * 9.5 ↘ 4.6 ↑
 beste Teiler 318.0 (38.) 1143.7 (39.) 1532.8 (31.)
 Trefferlage 5.03 mm rechts, 10.67 mm hoch
 Streuwert 15.08, horizontal: 12.71, vertikal: 17.12

Unterschrift des Schützen

Meyton Elektronik