





Ergebnis: **365** (382.5)  
 Serien: 92 95 87 91  
 Zähler: 15 16 8 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2816 (30), 2281 (25), 2043 (28)  
 beste Teiler 135.0 (37.) 145.9 (31.) 275.1 (34.)  
 Trefferlage 0.23 mm rechts, 1.11 mm tief  
 Streuwert 9.01, horizontal: 9.66, vertikal: 8.30




Serie 1:  
 9.4 → 9.8 ↓ 9.8 ↗ 9.4 ↙ 10.3 ↗  
 10.0 ↓ 8.8 ↓ 9.1 → 10.0 ↑ 9.1 ↓  
 beste Teiler 485.0 (5.) 739.9 (9.) 786.2 (6.)  
 Trefferlage 1.58 mm rechts, 3.39 mm tief  
 Streuwert 8.26, horizontal: 7.69, vertikal: 8.79



Serie 2:  
 10.2 ↘ 9.2 → 9.6 ← 10.0 → 9.3 ↓  
 10.3 → 10.0 ↖ 9.9 ↗ 10.1 ↓ 9.2 ↓  
 beste Teiler 544.9 (16.) 596.6 (11.) 705.7 (19.)  
 Trefferlage 2.11 mm rechts, 2.94 mm tief  
 Streuwert 6.97, horizontal: 7.22, vertikal: 6.70





Serie 3:  
 10.0 ↓ 9.7 ↖ 10.5 \* 9.5 ← 8.1 ↗  
 8.9 ↗ 9.3 ↗ 8.4 ↗ 9.1 ↓ 7.4 ←  
 beste Teiler 326.0 (23.) 798.3 (21.) 995.8 (22.)  
 Trefferlage 1.73 mm rechts, 3.45 mm hoch  
 Streuwert 11.93, horizontal: 14.20, vertikal: 9.12



Serie 4:  
 10.8 \* 8.8 ← 10.6 \* 10.6 \* 9.7 ↓  
 10.4 \* 10.8 \* 8.8 ↘ 8.8 ← 8.8 ↓  
 beste Teiler 135.0 (37.) 145.9 (31.) 275.1 (34.)  
 Trefferlage 4.50 mm links, 1.56 mm tief  
 Streuwert 7.69, horizontal: 7.60, vertikal: 7.77


Unterschrift des Schützen

|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>357</b>                               | (373.9) |
| Serien:      | 91 91 86 89                              |         |
| Zähler:      | 11 16 12 1 0 0 0 0 0 0                   |         |
| Innenzehner: | 5  |         |
| weiteste:    | 2485 (27), 2383 (40), 2333 (16)          |         |
| beste Teiler | 141.9 (7.) 200.5 (6.) 393.5 (20.)        |         |
| Trefferlage  | 1.10 mm links, 0.60 mm hoch              |         |
| Streuwert    | 10.17, horizontal: 10.78, vertikal: 9.53 |         |




Serie 1:

|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 9.4 ↘        | 9.2 ↘                                  | 8.5 ↓      | 10.1 ←     | 10.2 → |
| 10.7 *       | 10.8 *                                 | 8.5 ↖      | 9.9 ↙      | 8.1 ↘  |
| beste Teiler | 141.9 (7.)                             | 200.5 (6.) | 594.1 (5.) |        |
| Trefferlage  | 1.05 mm rechts, 5.29 mm tief           |            |            |        |
| Streuwert    | 9.11, horizontal: 8.43, vertikal: 9.75 |            |            |        |




Serie 2:

|              |   |             |             |        |
|--------------|---|-------------|-------------|--------|
| 9.4 ↙        | 9.1 ↓                                   | 9.7 ↑       | 10.0 ↑      | 8.5 ↑  |
| 8.0 ↖        | 10.4 *                                  | 9.4 →       | 9.6 ←       | 10.5 * |
| beste Teiler | 393.5 (20.)                             | 469.0 (17.) | 790.2 (14.) |        |
| Trefferlage  | 3.94 mm links, 2.17 mm hoch             |             |             |        |
| Streuwert    | 9.31, horizontal: 7.76, vertikal: 10.63 |             |             |        |



Serie 3:

|              |  |              |              |       |
|--------------|--|--------------|--------------|-------|
| 8.7 ↙        | 8.8 ↙                                    | 9.5 ↗        | 9.6 ↗        | 9.3 ↙ |
| 8.7 ↙        | 7.8 ↖                                    | 10.1 ↘       | 9.5 →        | 9.1 ↑ |
| beste Teiler | 666.9 (28.)                              | 1063.3 (24.) | 1146.4 (29.) |       |
| Trefferlage  | 4.90 mm links, 0.35 mm hoch              |              |              |       |
| Streuwert    | 10.90, horizontal: 12.20, vertikal: 9.42 |              |              |       |





Serie 4:


|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 10.4 *       | 10.2 ↖                                   | 9.3 →       | 8.8 ←       | 10.3 ↑ |
| 9.5 ↗        | 9.3 →                                    | 8.1 ↖       | 8.9 ↗       | 8.0 →  |
| beste Teiler | 403.8 (31.)                              | 518.7 (35.) | 598.6 (32.) |        |
| Trefferlage  | 3.37 mm rechts, 5.20 mm hoch             |             |             |        |
| Streuwert    | 10.07, horizontal: 13.06, vertikal: 5.68 |             |             |        |

Unterschrift des Schützen


Ergebnis: **333** (353.5)  
 Serien: 83 84 78 88  
 Zähler: 5 16 9 8 1 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4236 (22), 3307 (23), 3101 (13)  
 beste Teiler 402.8 (33.) 439.5 (35.) 600.4 (37.)  
 Trefferlage 1.63 mm links, 4.07 mm hoch  
 Streuwert 13.32, horizontal: 16.49, vertikal: 9.11




Serie 1:  
 7.5 ←                      9.6 ↑                      8.6 →                      7.6 ↗                      9.7 ↖  
 9.1 ↗                      9.5 ↗                      9.9 ↑                      8.5 ↓                      8.5 ←  
 beste Teiler 815.0 (8.) 961.5 (5.) 1099.1 (2.)  
 Trefferlage 0.06 mm rechts, 3.50 mm hoch  
 Streuwert 13.06, horizontal: 15.57, vertikal: 9.94



Serie 2:  
 8.6 ↖                      9.8 ←                      7.1 →                      9.6 ↖                      8.9 ↖  
 9.7 →                      7.8 ↗                      10.0 ←                      10.2 ↖                      7.3 ↖  
 beste Teiler 608.5 (19.) 721.5 (18.) 942.4 (12.)  
 Trefferlage 2.12 mm links, 6.16 mm hoch  
 Streuwert 13.05, horizontal: 17.25, vertikal: 6.56





Serie 3:  
 8.7 ↖                      5.7 ←                      6.8 ↖                      7.4 ↘                      9.1 ↑  
 9.5 ↖                      8.8 ↖                      8.4 →                      9.4 ↓                      9.4 →  
 beste Teiler 1144.7 (26.) 1236.1 (30.) 1272.0 (29.)  
 Trefferlage 3.98 mm links, 4.43 mm hoch  
 Streuwert 16.79, horizontal: 20.49, vertikal: 12.00




Serie 4:  
 7.6 ←                      9.5 ↑                      10.4 \*                      9.9 ↑                      10.4 \*  
 8.7 ↘                      10.2 ↑                      7.3 →                      9.1 ↖                      9.7 ↑  
 beste Teiler 402.8 (33.) 439.5 (35.) 600.4 (37.)  
 Trefferlage 0.49 mm links, 2.18 mm hoch  
 Streuwert 11.66, horizontal: 14.40, vertikal: 8.04

Unterschrift des Schützen


Ergebnis: **355** (373.1)  
 Serien: 89 91 90 85  
 Zähler: 9 20 9 1 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3533 (38), 2853 (28), 2245 (37)  
 beste Teiler 412.6 (10.) 451.2 (24.) 452.6 (16.)  
 Trefferlage 5.17 mm links, 2.22 mm tief  
 Streuwert 9.69, horizontal: 9.88, vertikal: 9.50




Serie 1:  
 8.3 ↙                      8.8 ←                      9.0 ←                      8.2 ↘                      10.2 ↘  
 9.9 ↘                      8.9 ↓                      10.2 ↑                      9.9 ↘                      10.4 \*  
 beste Teiler 412.6 (10.) 611.8 (8.) 630.8 (5.)  
 Trefferlage 4.70 mm links, 7.34 mm tief  
 Streuwert 8.28, horizontal: 7.79, vertikal: 8.74



Serie 2:  
 9.4 ←                      8.4 ↖                      9.5 ↖                      9.9 ←                      10.1 ↖  
 10.4 \*                      9.5 ↖                      9.8 ↖                      8.6 →                      10.4 \*  
 beste Teiler 452.6 (16.) 460.4 (20.) 690.1 (15.)  
 Trefferlage 4.58 mm links, 3.55 mm hoch  
 Streuwert 7.89, horizontal: 9.22, vertikal: 6.28



Serie 3:  
 9.0 ↓                      9.2 ↑                      10.3 ↘                      10.4 \*                      9.9 ↓  
 9.7 ↓                      9.1 ↖                      7.4 ↖                      9.4 ↖                      9.2 ←  
 beste Teiler 451.2 (24.) 497.2 (23.) 840.2 (25.)  
 Trefferlage 5.78 mm links, 3.81 mm tief  
 Streuwert 9.22, horizontal: 9.57, vertikal: 8.86





Serie 4:  
 10.1 →                      9.9 ←                      9.5 ↘                      9.7 →                      8.6 ←  
 9.4 ←                      8.1 ↖                      6.5 ↘                      8.6 ↖                      9.3 ↘  
 beste Teiler 678.2 (31.) 812.4 (32.) 985.0 (34.)  
 Trefferlage 5.62 mm links, 1.31 mm tief  
 Streuwert 12.47, horizontal: 13.57, vertikal: 11.26


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>354</b>                               | (374.6) |
| Serien:      | 88 92 90 84                              |         |
| Zähler:      | 11 17 9 1 2 0 0 0 0 0                    |         |
| Innenzehner: | 7  |         |
| weiteste:    | 3362 (34), 3314 (27), 3046 (17)          |         |
| beste Teiler | 221.7 (9.) 314.0 (6.) 350.4 (24.)        |         |
| Trefferlage  | 4.96 mm rechts, 0.91 mm hoch             |         |
| Streuwert    | 10.01, horizontal: 10.21, vertikal: 9.80 |         |




|              |  |       |       |        |        |
|--------------|--|-------|-------|--------|--------|
| Serie 1:     | 8.8 ↗                                  | 8.3 ↗ | 8.5 ↗ | 9.7 ↓  | 8.5 ↑  |
|              | 10.6 *                                 | 9.2 → | 8.5 → | 10.7 * | 10.1 ↓ |
| beste Teiler | 221.7 (9.) 314.0 (6.) 678.0 (10.)      |       |       |        |        |
| Trefferlage  | 7.93 mm rechts, 3.29 mm hoch           |       |       |        |        |
| Streuwert    | 9.14, horizontal: 8.20, vertikal: 9.99 |       |       |        |        |



|              |   |        |       |        |        |
|--------------|---|--------|-------|--------|--------|
| Serie 2:     | 10.5 *                                  | 10.4 * | 9.4 ↘ | 10.1 ↓ | 9.6 ←  |
|              | 9.4 ↓                                   | 7.1 →  | 9.5 ↗ | 9.7 ↘  | 10.4 * |
| beste Teiler | 383.0 (11.) 455.7 (20.) 456.4 (12.)     |        |       |        |        |
| Trefferlage  | 4.48 mm rechts, 3.26 mm tief            |        |       |        |        |
| Streuwert    | 8.73, horizontal: 10.93, vertikal: 5.75 |        |       |        |        |





|              |  |       |        |        |        |
|--------------|--|-------|--------|--------|--------|
| Serie 3:     | 8.9 ↘                                    | 9.2 ↓ | 9.8 ↓  | 10.5 * | 9.6 ↘  |
|              | 9.5 ↘                                    | 6.8 ↗ | 10.5 * | 10.3 ↗ | 10.2 → |
| beste Teiler | 350.4 (24.) 363.5 (28.) 503.4 (29.)      |       |        |        |        |
| Trefferlage  | 3.92 mm rechts, 0.75 mm tief             |       |        |        |        |
| Streuwert    | 10.03, horizontal: 9.03, vertikal: 10.93 |       |        |        |        |




|              |   |       |       |       |       |
|--------------|---|-------|-------|-------|-------|
| Serie 4:     | 8.0 ↗                                     | 9.8 ↑ | 8.9 ↑ | 6.7 ↗ | 8.6 ↘ |
|              | 9.4 ↘                                     | 9.8 ↓ | 9.9 ↖ | 9.3 ↓ | 9.9 → |
| beste Teiler | 819.2 (40.) 838.4 (38.) 893.1 (37.)       |       |       |       |       |
| Trefferlage  | 3.52 mm rechts, 4.36 mm hoch              |       |       |       |       |
| Streuwert    | 12.08, horizontal: 13.03, vertikal: 11.05 |       |       |       |       |

Unterschrift des Schützen


Ergebnis: **353** (370.2)  
 Serien: 87 87 91 88  
 Zähler: 8 20 9 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3057 (3), 3052 (26), 2414 (13)  
 beste Teiler 179.0 (38.) 471.2 (24.) 477.4 (18.)  
 Trefferlage 5.27 mm links, 0.64 mm hoch  
 Streuwert 10.07, horizontal: 10.18, vertikal: 9.95




Serie 1:  
 9.3 ↙ 9.0 ← 7.1 ↘ 9.5 ↑ 10.1 ↗  
 8.8 ↖ 9.0 ↗ 8.4 ↘ 9.9 ↓ 9.7 ↖  
 beste Teiler 648.2 (5.) 874.0 (9.) 973.6 (10.)  
 Trefferlage 7.76 mm links, 1.93 mm hoch  
 Streuwert 10.60, horizontal: 9.73, vertikal: 11.40



Serie 2:  
 8.8 ↖ 9.5 ↙ 7.9 ↘ 9.4 ↑ 9.6 ↗  
 9.6 ← 9.0 ← 10.4 ← 9.5 ↗ 8.4 ↓  
 beste Teiler 477.4 (18.) 1075.9 (16.) 1096.5 (15.)  
 Trefferlage 6.50 mm links, 0.63 mm tief  
 Streuwert 9.99, horizontal: 7.30, vertikal: 12.09





Serie 3:  
 9.6 ← 9.0 ↖ 9.2 ↗ 10.4 \* 10.0 ↘  
 7.1 ↖ 10.4 ↓ 8.4 ↖ 9.9 ↑ 10.0 ←  
 beste Teiler 471.2 (24.) 477.6 (27.) 770.7 (30.)  
 Trefferlage 5.50 mm links, 4.08 mm hoch  
 Streuwert 9.74, horizontal: 11.68, vertikal: 7.31




Serie 4:  
 8.9 ↙ 8.8 ← 9.2 ↗ 9.1 ↓ 10.1 ↘  
 9.3 ↘ 9.9 ← 10.7 \* 8.7 ↗ 8.6 ←  
 beste Teiler 179.0 (38.) 649.5 (35.) 824.1 (37.)  
 Trefferlage 1.33 mm links, 2.82 mm tief  
 Streuwert 10.20, horizontal: 11.77, vertikal: 8.34

Unterschrift des Schützen


Ergebnis: **364** (382.7)  
 Serien: 95 88 91 90  
 Zähler: 14 16 10 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2351 (15), 2082 (12), 2055 (21)  
 beste Teiler 8.5 (25.) 270.3 (23.) 293.0 (38.)  
 Trefferlage 3.26 mm links, 5.34 mm tief  
 Streuwert 7.72, horizontal: 7.85, vertikal: 7.59




Serie 1:  
 9.8 ↙ 10.3 ↘ 10.0 ↓ 10.0 ↘ 8.9 ↓  
 10.4 \* 9.8 ← 10.3 ↗ 9.7 ↗ 10.5 \*  
 beste Teiler 379.8 (10.) 469.5 (6.) 518.0 (2.)  
 Trefferlage 3.55 mm links, 3.77 mm tief  
 Streuwert 5.18, horizontal: 4.23, vertikal: 5.97



Serie 2:  
 10.0 ↗ 8.3 ↗ 9.0 → 8.9 ↙ 8.0 ↓  
 9.4 ↓ 9.1 ↗ 9.4 ↓ 9.8 ↘ 9.1 ↗  
 beste Teiler 789.3 (11.) 910.3 (19.) 1242.0 (16.)  
 Trefferlage 1.22 mm rechts, 6.13 mm tief  
 Streuwert 10.50, horizontal: 10.93, vertikal: 10.04



Serie 3:  
 8.4 ↙ 9.5 ↙ 10.6 \* 10.1 ↓ 10.9 \*  
 9.7 ← 8.5 ↙ 9.9 ↓ 8.5 ← 10.1 ↘  
 beste Teiler 8.5 (25.) 270.3 (23.) 682.8 (30.)  
 Trefferlage 7.17 mm links, 4.60 mm tief  
 Streuwert 6.95, horizontal: 6.97, vertikal: 6.92



Serie 4:  
 8.9 ↓ 8.8 ↙ 8.9 ↘ 10.2 ↘ 9.4 ↘  
 9.8 ← 9.1 ↓ 10.6 \* 9.6 ↘ 10.5 \*  
 beste Teiler 293.0 (38.) 359.8 (40.) 614.4 (34.)  
 Trefferlage 3.54 mm links, 6.86 mm tief  
 Streuwert 7.07, horizontal: 6.43, vertikal: 7.66

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **368** (384.6)

Serien: 94 93 91 90

Zähler: 15 18 7 0 0 0 0 0 0 0



Innenzehner: 6

weiteste: 2050 (3), 2038 (31), 1961 (24)

beste Teiler 308.7 (32.) 348.2 (26.) 354.2 (25.)

Trefferlage 1.69 mm links, 2.14 mm tief

Streuwert 8.30, horizontal: 8.96, vertikal: 7.59




Serie 1:

|        |        |       |       |        |
|--------|--------|-------|-------|--------|
| 10.1 ↓ | 10.3 ↘ | 8.4 ↘ | 9.2 ← | 9.2 ↓  |
| 10.3 ↙ | 10.2 ↑ | 9.2 ↘ | 9.5 → | 10.3 ↗ |

beste Teiler 484.4 (10.) 518.3 (2.) 548.4 (6.)

Trefferlage 1.86 mm rechts, 4.52 mm tief

Streuwert 7.73, horizontal: 7.83, vertikal: 7.62




Serie 2:

|       |        |        |        |        |
|-------|--------|--------|--------|--------|
| 9.3 ↓ | 10.0 ↓ | 10.4 * | 10.0 ↓ | 10.2 ↗ |
| 9.6 → | 9.7 ↘  | 8.6 ↓  | 9.7 →  | 9.7 ↖  |

beste Teiler 475.8 (13.) 610.0 (15.) 721.7 (12.)

Trefferlage 0.75 mm links, 2.68 mm tief

Streuwert 7.71, horizontal: 6.71, vertikal: 8.60




Serie 3:

|        |       |        |       |        |
|--------|-------|--------|-------|--------|
| 9.3 →  | 8.5 ← | 9.8 ↖  | 8.5 ← | 10.5 * |
| 10.5 * | 9.7 ↓ | 10.4 * | 9.0 ← | 9.6 →  |

beste Teiler 348.2 (26.) 354.2 (25.) 453.2 (28.)

Trefferlage 3.57 mm links, 0.65 mm hoch

Streuwert 8.80, horizontal: 11.48, vertikal: 4.82



Serie 4:

|       |        |        |        |       |
|-------|--------|--------|--------|-------|
| 8.4 ← | 10.6 * | 9.5 ↘  | 10.1 ↑ | 8.9 ↓ |
| 9.6 ↑ | 9.1 ↙  | 10.4 * | 9.7 ↓  | 8.6 ← |

beste Teiler 308.7 (32.) 455.3 (38.) 662.2 (34.)

Trefferlage 4.32 mm links, 2.00 mm tief

Streuwert 9.01, horizontal: 9.10, vertikal: 8.91

Unterschrift des Schützen

Meyton Elektronik